

DAFTAR PUSTAKA

- Aletreby W, Alharthy A, Brindley PG, Kutsogiannis DJ, Faqihi F, Alzayer W, et al. Optic nerve sheath diameter Ultrasound for Raised Intracranial Pressure: *A Literature Review and Meta-analysis of its Diagnostic Accuracy. J of Ultrasound Medicine* 2022;41:585–95. <https://doi.org/10.1002/jum.15732>.
- Benhur, A., Sharma, J., Karna, S.T., Shrivastava, A., Saigal, S. dan Waindeskar, V.V. (2022) “Analysis of dynamic changes in optic nerve sheath diameter (ONSD) with ultrasound in post-craniotomy patients: Trends and correlation with computed tomography ONSD and Glasgow coma scale in post-operative period.,” *Journal of neurosciences in rural practice*, 13(4), hal. 676–683. Tersedia pada: <https://doi.org/10.25259/JNRP-2022-3-37>.
- Biju, R.D., Wu, J. dan Hussain, Z. (2020) “Tension pneumocephalus after skull base surgery. A case report and review of literature.,” *Journal of clinical neuroscience : official journal of the Neurosurgical Society of Australasia*, 75, hal. 218–220. Tersedia pada: <https://doi.org/10.1016/j.jocn.2020.03.041>.
- Bisen, Y.T., Korde, P., Dighe, O., Iratwar, S. dan Bisen, G. (2023) “Decompressive Craniectomy in the Management ofow Glasgow Coma Score Patients With Extradural Hematoma: *A Review of Literature and Guidelines.*,” *Cureus*, 15(1), hal. e33790. Tersedia pada: <https://doi.org/10.7759/cureus.33790>.
- Chen L, Wang L, Hu Y, Jiang X, Wang Y, Xing Y. Ultrasonic measurement of optic nerve sheath diameter: a non-invasive surrogate approach for dynamic, real-time evaluation of intracranial pressure. *British Journal of Ophthalmology*. 2019; 103: 437– 441.
- Christian Daniel Yic, Julio Pontet, Mauricio Mercado, Matias Muñoz & Alberto Biestro , Ultrasonographic measurement of the optic nerve sheath diameter to detect intracranial hypertension: an observational study, *The Ultrasound Journal* (2023) 15:4 <https://doi.org/10.1186/s13089-022-00304-3>
- Dağdelen K, Ekici M. Measuring optic nerve sheath diameter using ultrasonography in patients with idiopathic intracranial hypertension. *Arq Neuropsiquiatr*. 2022;80(6) doi: 10.1590/0004-282X-ANP-2021-0136

David Berhanu, Joana Cardoso Ferreira, Luís Abegão Pinto, Diana Aguiar de Sousa, Lia Lucas Neto, Joana Tavares Ferreira, The role of optic nerve sheath ultrasonography in increased intracranial pressure: A systematic review and meta analysis, *J Neurol Sci.* 2023 Nov 15;454:120853. doi: 10.1016/j.jns.2023.120853. Epub 2023 Oct 30.

De La Garza-Ramos R, Kerezoudis P, Tamargo RJ, Brem H, Huang J, Bydon M. Surgical complications following malignant brain tumor surgery: An analysis of 2002-2011 data. *Clin Neurol Neurosurg.* 2016;140.

Dzhindzhikhadze, R.S., Dreval, O.N., Lazarev, V.A., Polyakov, A. V, Kambiev, R.L. dan Salyamova, E.I. (2023) “Transpalpebral approach for microsurgical clipping of an unruptured basilar apex aneurysm: case report and literature review.” *British journal of neurosurgery*, 37(5), hal. 1258–1262. Tersedia pada: <https://doi.org/10.1080/02688697.2020.1849543>.

Fenerci, A., Akcil, E.F., Tunali, Y. dan Dilmen, O.K. (2024) “Effect of different positive end expiratory pressure levels on optic nerve sheath diameter in patients with or without midline shift who are undergoing supratentorial craniotomy,” *Acta Neurochirurgica*, 166(1). Tersedia pada: <https://doi.org/10.1007/s00701-024-06067-1>.

Fernando SM, Tran A, Cheng W, Rochweg B, Taljaard M, Kyeremanteng K, et al. Diagnosis of elevated intracranial pressure in critically ill adults: *Systematic review and meta-analysis. Vol. 366, The BMJ.* 2019.

Frassanito, P., Frascchetti, F., Bianchi, F., Giovannenze, F., Caldarelli, M. dan Scoppettuolo, G. (2019) “Management and prevention of cranioplasty infections.” *Child’s nervous system: ChNS: official journal of the International Society for Pediatric Neurosurgery*, 35(9), hal. 1499–1506. Tersedia pada: <https://doi.org/10.1007/s00381-019-04251-8>.

Hanafi M, Verki M, Parei S. Ultrasonic assessment of optic nerve sheath to detect increased Intracranial pressure. *Jmed Ultrasound* 2019;27:69. https://doi.org/10.4103/JMU.JMU_54_18.

He, C., Teng, C., Xiong, Z., Lin, X., Li, H. dan Li, X. (2023) “Intracranial pressure

- monitoring in neurosurgery: the present situation and prospects,” *Chinese Neurosurgical Journal*, 9(1), hal. 14. Tersedia pada: <https://doi.org/10.1186/s41016-023-00327-2>.
- Hylkema, C. (2016) “Optic nerve sheath diameter Ultrasound and the Diagnosis of Increased Intracranial Pressure,” *Critical Care Nursing Clinics of North America*, 28(1), hal. 95–99. Tersedia pada: <https://doi.org/https://doi.org/10.1016/j.cnc.2015.10.005>.
- Jangra, K., Kumari, K., Panda, N.B., Samagh, N. dan Luthra, A. (2018) “Postoperative nausea and vomiting in neurosurgical patients: Current concepts and management.,” *Neurology India*, 66(4), hal. 1117–1123. Tersedia pada: <https://doi.org/10.4103/0028-3886.236970>.
- Jost, J.N. (2022) “Primary Decompressive Craniectomy After Traumatic Brain Injury: A Literature Review.,” *Cureus*, 14(10), hal. e29894. Tersedia pada: <https://doi.org/10.7759/cureus.29894>.
- Kalim, Z., Siddiqui, O.A., Nadeem, A., Hasan, M. dan Rashid, H. (2022) “Assessment of Optic nerve sheath diameter and Its Postoperative Regression among Patients Undergoing Brain Tumor Resection in a Tertiary Care Center,” *Journal of Neurosciences in Rural Practice*, 13. Tersedia pada: <https://doi.org/10.1055/s-0042-1744117>.
- Kim, D.H., Jun, J.-S. dan Kim, R. (2017) “Ultrasonographic measurement of the optic nerve sheath diameter and its association with eyeball transverse diameter in 585 healthy volunteers,” *Scientific Reports*, 7(1), hal. 15906. Tersedia pada: <https://doi.org/10.1038/s41598-017-16173-z>.
- Kim DY, Kim SY, Hong DY, et al. Comparison of ultrasonography and computed tomography for measuring optic nerve sheath diameter for the detection of elevated intracranial pressure. *Clin Neurol Neurosurg*. 2021;204:106609. doi:10.1016/j.clineuro.2021.106609
- Koziarz A, Sne N, Kegel F, Nath S, Badhiwala JH, Nassiri F, et al. Bedside Optic Nerve Ultrasonography for Diagnosing Increased Intracranial Pressure: A Systematic Review and Meta-analysis. *Ann Intern Med* 2019;171:896. <https://doi.org/10.7326/M19-0812>.

- Krishnakumar, M., Gopalakrishna, K.N., Dhritiman, C., Bhadrinarayan, V., Sundaram, M., Goyal, A., *et al.* (2023) “Preoperative assessment of optic nerve sheath diameter and heart rate variability to predict intraoperative brain condition in patients with supratentorial tumors: a prospective observational study,” *Journal of Clinical Monitoring and Computing*, 37(3), hal. 765–773. Tersedia pada: <https://doi.org/10.1007/s10877-022-00942-x>.
- Kshirsagar, S.J., Pande, A.H., Naik, S. V, Yadav, A., Sakhala, R.M., Salve, S.M., *et al.* (2024) “Bedside ultrasonographic evaluation of optic nerve sheath diameter for monitoring of intracranial pressure in traumatic brain injury patients: a cross sectional study in level II trauma care center in India.,” *Acute and critical care*, 39(1), hal. 155–161. Tersedia pada: <https://doi.org/10.4266/acc.2023.01172>.
- Laurent East, Matthew Lyon, Parth Agrawal, Zulqar Islam, Maegan Newell, Tyler Hockman, Ian M heger. Hongyan Xu PhD, Ann Marie Kuchinski PhD, Robert W. Gibson PhD, Increased Intracranial Pressure Damages Optic Nerve Structural Support, *Journal of Neurotrauma*, <https://doi.org/10.1089/neu.2019.6490>
- Lau T, Ahn JS, Manji R, Kim DJ. A Narrative Review of Point of Care Ultrasound Assessment of the Optic Nerve in Emergency Medicine. *Life* 2023;13:531. <https://doi.org/10.3390/life13020531>.
- Layard Horsfall, H., Mohan, M., Devi, B.I., Adeleye, A.O., Shukla, D.P., Bhat, D., *et al.* (2020) “Hinge/floating craniotomy as an alternative technique for cerebral decompression: a scoping review.,” *Neurosurgical review*, 43(6), hal. 1493–1507. Tersedia pada: <https://doi.org/10.1007/s10143-019-01180-7>.
- Mathews A, Cattamanchi S, Panneerselvam T, Trichur R. Evaluation of bedside sonographic measurement of optic nerve sheath diameter for assessment of raised intracranial pressure in adult head trauma patients. *J Emerg Trauma Shock* 2020;13:190. https://doi.org/10.4103/JETS.JETS_94_19.
- McMillan, T., Wilson, L., Ponsford, J., Levin, H., Teasdale, G. dan Bond, M. (2016) “The *Glasgow Outcome Scale* - 40 years of application and refinement.,”

Nature reviews. Neurology, 12(8), hal. 477–485. Tersedia pada:
<https://doi.org/10.1038/nrneurol.2016.89>.

Munawar K, Khan MT, Hussain SW, et al. Optic nerve sheath diameter correlation with elevated intracranial pressure determined via ultrasound. *Cureus*, 2019, <https://www.cureus.com/articles/17847-optic-nerve-sheath-diameter-correlation-with-elevated-intracranial-pressure-determined-via-ultrasound>

Mypinder S Sekhon, Paul McBeth, Jie Zou, Lu Qiao, Leif Kolmodin, William R Henderson, Steve Reynolds, Donald E G Griesdale, Association between optic nerve sheath diameter and mortality in patients with severe traumatic brain injury, *Neurocrit Care*. 2014 Oct;21(2):245-52. doi: 10.1007/s12028-014-0003-y.

Narang, A., Aggarwal, V., Jain, R., Maheshwari, C., Ramesh, A. dan Singh, G. (2022) “Nasoethmoidal Schwannoma as a Mimic of Esthesioneuroblastoma: A Case Report and Literature Review.” *Neurology India*. India, hal. 784–787. Tersedia pada: <https://doi.org/10.4103/0028-3886.344679>.

Nicolas Canac, Kian Jalaeddini, Samuel G. Thorpe, Corey M. Thibeault & Robert B. Hamilton Review: pathophysiology of intracranial hypertension and noninvasive intracranial pressure monitoring, *Fluids and Barriers of the CNS volume 17*, Article number: 40 (2020)

Pacino, G.A., Salvatore, C., Antonino, M., Cristina, D.M.M., Piero, P. dan Giacomo, S. (2020) “Advanced olfactory neuroblastoma in a teenager: a clinical case and short review of literature.” *Child’s nervous system: ChNS: official journal of the International Society for Pediatric Neurosurgery*, 36(3), hal. 485–489. Tersedia pada: <https://doi.org/10.1007/s00381-020-04514-9>.

Pansell, J., Bell, M., Rudberg, P., Friman, O. dan Cooray, C. (2023) “Optic nerve sheath diameter in intracranial hypertension: Measurement external or internal of the dura mater?,” *Journal of neuroimaging: official journal of the American Society of Neuroimaging*, 33(1), hal. 58–66. Tersedia pada: <https://doi.org/10.1111/jon.13062>.

- Ohle R, McIsaac SM, Woo MY, Perry JJ. Sonography of the Optic nerve sheath diameter for Detection of Raised Intracranial Pressure Compared to Computed Tomography: A Systematic Review and Meta-analysis. *J of Ultrasound Medicine* 2015;34:1285–94. <https://doi.org/10.7863/ultra.34.7.1285>.
- OK, G., AYDIN, D., ERBÜYÜN, K., Gursoy, C., Taneli, F., BİLGE, S., *et al.* (2016) “Neurological outcome after cardiac arrest: A prospective study of the predictive ability of prognostic biomarkers neuron-specific enolase, glial fibrillary acidic protein, S-100B, and procalcitonin,” *TURKISH JOURNAL OF MEDICAL SCIENCES*, 46, hal. 1459–1468. Tersedia pada: <https://doi.org/10.3906/sag-1503-64>.
- Osama Mahmoud Momtaz , Omar M Said , Amany Mahmoud Mohamed , Tamer Sayed Abdel Mawla, Value of Optic nerve sheath diameter in Diagnosis and Follow Up of Patients with Disturbed Conscious Level, *Eye Brain* . 2022 Sep 27;14:115–126. doi: 10.2147/EB.S369813
- Othman, H.A., Mohamed, A.M.M., Sayouh, E.F. dan Amin, N.M. (2022) “Ultrasonographic Measurement of Optic nerve sheath diameter for Detection of Increased Intracranial Pressure in Patients Scheduled for Elective Tumor Craniotomy,” *Egyptian Journal of Hospital Medicine*, 88(1), hal. 2365–2372. Tersedia pada: <https://doi.org/10.21608/EJHM.2022.236105>.
- Patel, S., Maria-Rios, J., Parikh, A. dan Okorie, O.N. (2023) “Diagnosis and management of elevated intracranial pressure in the emergency department.,” *International journal of emergency medicine*, 16(1), hal. 72. Tersedia pada: <https://doi.org/10.1186/s12245-023-00540-x>.
- Porensky, P.N., Maloney, P.R., Kim, J.D., Dye, J.A. dan Liacouras, P.C. (2023) “Cranioplasty in the deployed environment: experience for host-country nationals.,” *Journal of neurosurgery*, 138(4), hal. 1058–1068. Tersedia pada: <https://doi.org/10.3171/2022.7.JNS22524>.
- Rajeev Chauhan, Summit Dev Bloria, Ankur Luthra , Management of Postoperative Neurosurgical Patients, *Indian J Neurosurg* 2019;8:179–184

Rajajee V, Vanaman M, Fletcher JJ, Jacobs TL. Optic nerve ultrasound for the detection of raised intracranial pressure. *Neurocrit Care*. 2011;15(3).

Ramakumar, N., Gupta, P., Arora, R. dan Agrawal, S. (2023) “A prospective exploratory study to assess echocardiographic changes in patients with supratentorial tumors – Effect of craniotomy and tumor decompression,” *Surgical Neurology International*, 14. Tersedia pada: https://doi.org/10.25259/SNI_186_2023.

Richards, E., Munakomi, S. dan Mathew, D. (2023) “Optic Nerve Sheath Ultrasound.,” in. *Treasure Island (FL)*.

R Saeed H, J Al-Rawaq K, F Ibrahim M. Retrospective study of central nervous system tumors in the five wars country. *JBrain and Nerves*. 2019;4(1).

Sallam A, Abdelaal Ahmed Mahmoud M. Alkhatip A, Kamel MG, Hamza MK, Yassin HM, Hosny H, et al. The Diagnostic Accuracy of Noninvasive Methods to Measure the Intracranial Pressure: *A Systematic Review and Meta-analysis*. *Anesthesia & Analgesia* 2021;132:686–95. <https://doi.org/10.1213/ANE.0000000000005189>.

Shafiq F, Ali MA, Khan FA. Pre-Anaesthetic Assessment Of Intracranial Pressure Using Optic nerve sheath diameter In Patients Scheduled For Elective Tumour Craniotomy. *J Ayub Med Coll Abbottabad* 2018;30:151–4.

Shirodkar C, Mutkule D, Harde Y, Venkategowda P, Mahesh M. Optic nerve sheath diameter as a marker for evaluation and prognostication of intracranial pressure in Indian patients: An observational study. *Indian Journal of Critical Care Medicine* 2014;18:728–34. <https://doi.org/10.4103/0972-5229.144015>

Sekhon MS, McBeth P, Zou J, Qiao L, Kolmodin L, Henderson WR, et al. Association Between Optic nerve sheath diameter and Mortality in Patients with Severe Traumatic Brain Injury. *Neurocrit Care*. 2014;21(2).

Singh, M., Gupta, V., Gupta, R., Kumar, B. dan Agrawal, D. (2024) “A Novel Method for Prediction of Raised Intracranial Pressure Through Automated ONSD and ETD Ratio Measurement From Ocular Ultrasound.,” *Ultrasonic imaging*, 46(1), hal. 29–40. Tersedia pada:

<https://doi.org/10.1177/01617346231197593>.

- .Sulistiyani, S. dan Danuaji, R. (2019) “Perbedaan Optic nerve sheath diameter (Onsd) Pada Responden Normal Dan Nyeri Kepala,” *Biomedika*, 11(2), hal. 96–104. Tersedia pada: <https://doi.org/10.23917/biomedika.v11i2.8466>.
- Suryaningtyas, W., Sabudi, I.P.A.W. dan Parenrengi, M.A. (2022) “The extracranial versus intracranial approach In frontoethmoidal encephalocele corrective surgery: a meta-analysis,” *Neurosurgical review*, 45(1), hal. 125–137. Tersedia pada: <https://doi.org/10.1007/s10143-021-01582-6>.
- Solihin, S. (2022) “Pemasangan Cerebrospinal Fluid (CSF) Shunt pada Pasien Anak dengan Hydrocephalus Menggunakan CT Scan Kepala. = Comparison of Optic nerve sheath diameter (ONSD) Pre and Post Op Installation of Cerebrospinal Fluid (CSF) Shunt in Pediatric Patients with Hydr.” Universitas Hasanuddin.
- Stead, G.A., Cresswell, F. V, Jjunju, S., Oanh, P.K.N., Thwaites, G.E. dan Donovan, J. (2021) “The role of optic nerve sheath diameter ultrasound in brain infection,” *eNeurologicalSci*, 23, hal. 100330. Tersedia pada: <https://doi.org/10.1016/j.ensci.2021.100330>.
- Stevens RRF, Gommer ED, Aries MJH, Ertl M, Mess WH, Huberts W, et al. Optic nerve sheath diameter assessment by neurosonology: A review of methodologic discrepancies. *Journal of Neuroimaging* 2021;31:814–25. <https://doi.org/10.1111/jon.12906>.
- Tayal VS, Neulander M, Norton HJ, Foster T, Saunders T, Blaivas M. Emergency Department Sonographic Measurement of Optic nerve sheath diameter to Detect Findings of Increased Intracranial Pressure in Adult Head Injury Patients. *Annals of Emergency Medicine* 2007;49:508–14. <https://doi.org/10.1016/j.annemergmed.2006.06.040>.
- Thamrin, M.H. dan Airlangga, P.S. (2019) “Pengukuran *Optical Nerve Sheath Diameter* (ONSD) untuk Monitoring Tekanan Intrakranial (TIK) di Intensive Care Unit (ICU),” *JAI (Jurnal Anestesiologi Indonesia)*, 11(1), hal. 28. Tersedia pada: <https://doi.org/10.14710/jai.v11i1.21064>.

Travis ZD, Sherchan P, Hayes WK, Zhang JH. Surgically-induced brain injury:

Where are we now? Vol. 5, *Chinese Neurosurgical Journal*. 2019.

Tintinalli JE, Stapczynski JS, Ma OJ, Cline D, Meckler GD, Yealy DM, editors.

Tintinalli's emergency medicine: a comprehensive study guide. *Eight edition*. New York: McGraw-Hill Education; 2016.

Trollip L, Alberto K, Makgotloe A. Optic Nerve Sheath Diameter: A Cross-Sectional Study of Ultrasonographic Measurement in Healthy Black South African Adults. *Life* 2023;13:1979. <https://doi.org/10.3390/life13101979>.

Tsuneoka, H., Tosaka, M., Nakata, S., Ishii, N., Osawa, S., Shimauchi-Ohtaki, H., *et al.* (2023) "Emergent surgical evacuation of traumatic intracranial hematoma in patients with preoperative thrombocytopenia: surgical risk and early outcome.," *Acta neurologica Belgica*, 123(1), hal. 161–171. Tersedia pada: <https://doi.org/10.1007/s13760-021-01786-z>.

Verma, D., Sadayandi, R.A., Anbazhagan, S., Nagarajan, K. dan Bidkar, P.U. (2023) "Is optic nerve sheath diameter a promising screening tool to predict neurological outcomes and the need for secondary decompressive craniectomy in moderate to severe head injury patients? A prospective monocentric observational pilot study.," *Surgical neurology international*, 14, hal. 276. Tersedia pada: https://doi.org/10.25259/SNI_318_2023.

Vitt, J.R., Sun, C.-H., Le Roux, P.D. dan Hemphill, J.C. 3rd (2020) "Minimally invasive surgery for intracerebral hemorrhage.," *Current opinion in critical care*, 26(2), hal. 129–136. Tersedia pada: <https://doi.org/10.1097/MCC.0000000000000695>.

Walz, P.C., Drapeau, A., Shaikhouni, A., Eide, J., Rugino, A.J., Mohyeldin, A., *et al.* (2019) "Pediatric pituitary adenomas.," *Child's nervous system : ChNS : official journal of the International Society for Pediatric Neurosurgery*, 35(11), hal. 2107–2118. Tersedia pada: <https://doi.org/10.1007/s00381-019-04293-y>.

Wilson, L., Boase, K., Nelson, L.D., Temkin, N.R., Giacino, J.T., Markowitz, A.J., *et al.* (2021) "A Manual for the Glasgow Outcome Scale-Extended Interview.," *Journal of neurotrauma*, 38(17), hal. 2435–2446. Tersedia

pada: <https://doi.org/10.1089/neu.2020.7527>.

Yang, C.Y., Faung, B., Patel, N.A., Brown, N.J., Gendreau, J.L., Lien, B. V, *et al.* (2022) “Supraorbital Keyhole Craniotomy in Pediatric Neurosurgery: A Systematic Review of Clinical Outcomes and Cosmetic Outcomes.,” *World neurosurgery*, 164, hal. 70–78. Tersedia pada: <https://doi.org/10.1016/j.wneu.2022.04.094>.

Yic, C.D., Pontet, J., Mercado, M., Muñoz, M. dan Biestro, A. (2023) “Ultrasonographic measurement of the optic nerve sheath diameter to detect intracranial hypertension: an observational study,” *The Ultrasound Journal*, 15(1), hal. 4. Tersedia pada: <https://doi.org/10.1186/s13089-022-00304-3>.

Zhigang Lan, MDa, Seidu A. Richard, MD, PhDa,b, Qiang Li, MDa, Cong Wu, MDa, Qiao Zhang, MDa, Ruiqi Chen, MDa, Chaohua Yang, MD, PhD, Outcomes of patients undergoing craniotomy and decompressive craniectomy for severe traumatic brain injury with brain herniation, *Medicine (Baltimore)* . 2020 Oct 23;99(43):e22742. doi: 10.1097/MD.00000000000022742

Zikrullah Kalim , Obaid Ahmed Siddiqui, Abu Nadeem , Muazzam Hasan , Hassan Rashid, Assessment of Optic nerve sheath diameter and Its Postoperative Regression among Patients Undergoing Brain Tumor Resection in a Tertiary Care Center, *J Neurosci Rural Pract* . 2022 Mar 10;13(2):270–275. doi: 10.1055/s-0042-1744117