

DAFTAR PUSTAKA

- Abeysinghe, J.P. and Gillan, E.G., 2023, Thermochemical reaction strategies for the rapid formation of inorganic solid-state materials, Elsevier.
- Ali, H.M., Shehata, S.F., and Ramadan, K.M.A., 2016, Microbial decolorization and degradation of crystal violet dye by *Aspergillus niger*, *Int. J. Environ. Sci. Technol.*, 13, 2917–2926.
- Alkaim, A.F., Aljeboree, A.M., Alrazaq, N.A., Baqir, S.J., Hussein, F.H., and Lilo, A.J., 2014, Effect of pH on Adsorption and Photocatalytic Degradation Efficiency of Different Catalysts on Removal of Methylene Blue, *Asian J. Chem.*, 26, 8445–8448.
- Alkaim, A.F., Kandiel, T.A., Hussein, F.H., Dillert, R., and Bahnemann, D.W., 2013, Enhancing the photocatalytic activity of TiO₂ by pH control: a case study for the degradation of EDTA, *Catal. Sci. Technol.*, 3, 3216.
- Alsukaibi, A.K.D., 2022, Various Approaches for the Detoxification of Toxic Dyes in Wastewater, *Processes*, 10, 1968.
- Ameen, S., Akhtar, S.M., Seo, H.K., and Shin, H.S., 2013, Mineralization of rhodamine 6G dye over rose flower-like ZnO nanomaterials, *Mater. Lett.*, 113, 20–24.
- Azeez, F., Al-Hetlani, E., Arafa, M., Abdelmonem, Y., Nazeer, A.A., Amin, M.O., and Madkour, M., 2018, The effect of surface charge on photocatalytic degradation of methylene blue dye using chargeable titania nanoparticles, *Sci. Rep.*, 8, 1–9.
- Backer, S.N., Oussadou, S.E., Almanassra, I.W., Khairi Mousa, M., Atieh, M.A., and Shanableh, A., 2023, Effect of energy band alignments in carbon doped ZnO/TiO₂ hybrid heterojunction photocatalyst on the photodegradation of ofloxacin, *Results Eng.*, 20, 101432.
- Cao, Y., He, T., Zhao, L., Wang, E., Yang, W., and Cao, Y., 2009, Structure and Phase Transition Behavior of Sn⁴⁺-Doped TiO₂ Nanoparticles, *J. Phys. Chem. C*, 113, 18121–18124.
- Chandrapal, R.R. and Bakiyaraj, G., 2024, Rational Design of Heterojunction Photocatalyst for Pollutant Degradation (Dyes)—a Review, Springer International Publishing.
- Chang, H.H., Wei, L.W., Huang, H.L., Chang, H.Y., and Wang, H.P., 2022, Photocatalytic Reduction of CO₂ by TiO₂ Nanotubes, *Nano*, 17, 2250032.
- Chanu, L.A., Singh, W.J., Singh, K.J., and Devi, K.N., 2019, Effect of operational parameters on the photocatalytic degradation of Methylene blue dye solution using manganese doped ZnO nanoparticles, *Results Phys.*, 12, 1230–1237.
- Chen, F., Ho, P., Ran, R., Chen, W., Si, Z., Wu, X., Weng, D., Huang, Z., and Lee, C., 2017, Synergistic effect of CeO₂ modified TiO₂ photocatalyst on the enhancement of visible light photocatalytic performance, *J. Alloys Compd.*, 714, 560–566.
- Chen, F., Yang, X., and Wu, Q., 2009, Photocatalytic oxidation of *Escherichia coli*, *Aspergillus niger*, and formaldehyde under different ultraviolet irradiation conditions., *Environ. Sci. Technol.*, 43, 4606–4611.

- Cho, S.J., Uddin, M.J., and Alaboina, P., 2017, Review of Nanotechnology for Cathode Materials in Batteries, Elsevier.
- Coronado, J.M. and Hernández-Alonso, M.D., 2013, The Keys of Success: TiO₂ as a Benchmark Photocatalyst. In, *Green Energy and Technology*, pp. 85–101.
- Dangi, R., Basnet, B., Pandey, M., Bhusal, S., Budhathoki, B., Parajuli, K., Tiwari, S.K., and Kafle, B.P., 2023, Effect of Oxygen Vacancy on the Crystallinity and Optical Band Gap in Tin Oxide Thin Film, *Energies*, 16, 1–18.
- Detle, C., Osorio, M.A.P., Kley, C.S., Punke, P., Patrick, C.E., Jacobson, P., Giustino, F., Jung, S.J., and Kern, K., 2014, TiO₂ anatase with a bandgap in the visible region, *Nano Lett.*, 14, 6533–6538.
- Devi, L.G. and Rajashekhar, K.E., 2011, Mechanochemical reaction of TiO₂ with β-alanine for the preparation of visible light active nitrogen doped titania: Adsorption and kinetic studies, *J. Sol-Gel Sci. Technol.*, 60, 144–158.
- Dobrokhoto, V. and Larin, A., 2019, Multisensory gas chromatography for field analysis of complex gaseous mixtures, *ChemEngineering*, 3, 1–18.
- Dotto, J., Klen, M.R.F., Veit, M.T., Palácio, S.M., and Bergamasco, R., 2019, Performance of different coagulants in the coagulation/flocculation process of textile wastewater, *J. Clean. Prod.*, 208, 656–665.
- Durai, S.C.V., Kumar, E., and Muthuraj, D., 2021, Investigations on structural, optical, and impedance spectroscopy studies of titanium dioxide nanoparticles, *Bull. Chem. Soc. Ethiop.*, 35, 151–160.
- Dutta, S., Gupta, B., Srivastava, S.K., and Gupta, A.K., 2021, Recent advances on the removal of dyes from wastewater using various adsorbents: a critical review, *Mater. Adv.*, 2, 4497–4531.
- Elmorsi, T.M., Riyad, Y.M., Mohamed, Z.H., and Abd El Bary, H.M.H., 2010, Decolorization of mordant red 73 azo dye in water using H₂O₂/UV and photo-fenton treatment, *J. Hazard. Mater.*, 174, 352–358.
- Fajriati, I., Mudasir, M., and Wahyuni, E.T., 2017, The effect of pH and aging time on the synthesis of TiO₂-chitosan nanocomposites as photocatalyst by sol-gel method at room temperature, *Molekul*, 12, 117.
- Fu, S., Yuan, W., Liu, X., Yan, Y., Liu, H., Li, L., Zhao, F., and Zhou, J., 2020, A novel 0D/2D WS₂/BiOBr heterostructure with rich oxygen vacancies for enhanced broad-spectrum photocatalytic performance, *J. Colloid Interface Sci.*, 569, 150–163.
- Gahlawat, S., Singh, J., Yadav, A.K., and Ingole, P.P., 2019, Exploring Burstein-Moss type effects in nickel doped hematite dendrite nanostructures for enhanced photo-electrochemical water splitting, *Phys. Chem. Chem. Phys.*, 21, 20463–20477.
- Golestanbagh, M., Parvini, M., and Pendashteh, A., 2018, Preparation, Characterization and Photocatalytic Properties of Visible-Light-Driven CuO/SnO₂/TiO₂ Photocatalyst, *Catal. Letters*, 148, 2162–2178.
- Gopika, M.S., Sunil, A., Jayasudha, S., and Nair, P.B., 2024, Photo-Driven Charge Transfer Mechanism in TiO₂-SnO₂ Nanocomposites for Enhanced Dye Degradation, *J. Clust. Sci.*, 33, 3153–3165.

- Güzel, F., Saygili, H., Saygili, G.A., and Koyuncu, F., 2014, Decolorisation of aqueous crystal violet solution by a new nanoporous carbon: Equilibrium and kinetic approach, *J. Ind. Eng. Chem.*, 20, 3375–3386.
- He, K., Chen, N., Wang, C., Wei, L., and Chen, J., 2018, Method for Determining Crystal Grain Size by X-Ray Diffraction, *Cryst. Res. Technol.*, 53, 1700157.
- Humayun, M., Raziq, F., Khan, A., and Luo, W., 2018, Modification strategies of TiO₂ for potential applications in photocatalysis: A critical review, *Green Chem. Lett. Rev.*, 11, 86–102.
- Husna, R.A., Suherman, and Natsir, T.A., 2023, Enhancing photocatalytic degradation of methylene blue by mixed oxides TiO₂/SnO₂/CeO₂ under visible light, *Results Eng.*, 19, 101253.
- Huy, T.H., Bui, D.P., Kang, F., Wang, Y.F., Liu, S.H., Thi, C.M., You, S.J., Chang, G.M., and Pham, V.V., 2019, SnO₂/TiO₂ nanotube heterojunction: The first investigation of NO degradation by visible light-driven photocatalysis, *Chemosphere*, 215, 323–332.
- Jiang, B., Zhang, S., Guo, X., Jin, B., and Tian, Y., 2009, Preparation and photocatalytic activity of CeO₂/TiO₂ interface composite film, *Appl. Surf. Sci.*, 255, 5975–5978.
- Jing, L., Zhou, W., Tian, G., and Fu, H., 2013, Surface tuning for oxide-based nanomaterials as efficient photocatalysts, *Chem. Soc. Rev.*, 42, 9509–9549.
- Khatun, N., Tiwari, S., Vinod, C.P., Tseng, C.M., Wei Liu, S., Biring, S., and Sen, S., 2018, Role of oxygen vacancies and interstitials on structural phase transition, grain growth, and optical properties of Ga doped TiO₂, *J. Appl. Phys.*, 123, 1–10.
- Khlyustova, A., Sirotkin, N., Kusova, T., Kraev, A., Titov, V., and Agafonov, A., 2020, Doped TiO₂: The effect of doping elements on photocatalytic activity, *Mater. Adv.*, 1, 1193–1201.
- Kim, S., Chang, H.K., Kim, K.B., Kim, H.J., Lee, H.N., Park, T.J., and Park, Y.M., 2021, Highly porous SnO₂/TiO₂ heterojunction thin-film photocatalyst using gas-flow thermal evaporation and atomic layer deposition, *Catalysts*, 11, 1144.
- Kumar, A., Dutta, S., Kim, S., Kwon, T., Patil, S.S., Kumari, N., Jeevanandham, S., and Lee, I.S., 2022, Solid-State Reaction Synthesis of Nanoscale Materials: Strategies and Applications, *Chem. Rev.*, 122, 12748–12863.
- Kumar, C., Das, S., and Jit, S., 2020, Device physics and device integration of two-dimensional heterostructures, Elsevier.
- Kumar, G. and Dutta, R.K., 2022, Sunlight mediated photo-fenton degradation of tetracycline antibiotic and methylene blue dye in aqueous medium using FeWO₄/Bi₂MoO₆ nanocomposite, *Process Saf. Environ. Prot.*, 159, 862–873.
- Kurniawan, T.A., Mengting, Z., Fu, D., Yeap, S.K., Othman, M.H.D., Avtar, R., and Ouyang, T., 2020, Functionalizing TiO₂ with graphene oxide for enhancing photocatalytic degradation of methylene blue (MB) in contaminated wastewater, *J. Environ. Manage.*, 270, 1–8.

- Lellis, B., Polonio, C.Z.F., Pamphile, J.A., and Polonio, J.C., 2019, Effects of textile dyes on health and the environment and bioremediation potential of living organisms, *Biotechnol. Res. Innov.*, 3, 275–290.
- Lemoisson, F. and Froyen, L., 2005, Understanding and improving powder metallurgical processes,. In, *Fundamentals of Metallurgy*. Elsevier, pp. 471–502.
- Li, X., Wang, Y., Liu, W., Jiang, G., and Zhu, C., 2012, Study of oxygen vacancies' influence on the lattice parameter in ZnO thin film, *Mater. Lett.*, 85, 25–28.
- Liqiang, J., Yichun, Q., Baiqi, W., Shudan, L., Baojiang, J., Libin, Y., Wei, F., Honggang, F., and Jiazhong, S., 2006, Review of photoluminescence performance of nano-sized semiconductor materials and its relationships with photocatalytic activity, *Sol. Energy Mater. Sol. Cells*, 90, 1773–1787.
- Liu, X., Zhang, T., Xu, D., and Zhang, L., 2016, Microwave-assisted catalytic degradation of crystal violet with barium ferrite nanomaterial, *Ind. Eng. Chem. Res.*, 55, 11869–11877.
- Lopat'eva, E.R., Krylov, I.B., Segida, O.O., Merkulova, V.M., Ilovaisky, A.I., and Terent'ev, A.O., 2023, Heterogeneous Photocatalysis as a Potent Tool for Organic Synthesis: Cross-Dehydrogenative C–C Coupling of N-Heterocycles with Ethers Employing TiO₂/N-Hydroxyphthalimide System under Visible Light, *Molecules*, 28, 1–17.
- Mani, S. and Bharagava, R.N., 2016, Exposure to Crystal Violet, Its Toxic, Genotoxic and Carcinogenic Effects on Environment and Its Degradation and Detoxification for Environmental Safety, *Rev. Environ. Contam. Toxicol.*, 237, 71–104.
- Maragatha, J., Rajendran, S., Endo, T., and Karuppuachamy, S., 2017, Microwave synthesis of metal doped TiO₂ for photocatalytic applications, *J. Mater. Sci. Mater. Electron.*, 28, 5281–5287.
- Markose, A., Das, D., and Ravindran, P., 2023, Quantitative framework development for understanding the relationship between doping and photoelectrochemical energy conversion of TiO₂, *Mater. Adv.*, 4, 3399–3451.
- Martínez, L.M.T., Ramírez, I.J., Garza, J.S.R., Acosta, F.V., and Lee, S.W., 2010, Sol-Gel Preparation of Bi₂InTaO₇ and its Photocatalytic Behavior for Organic Compounds Degradation, *Mater. Sci. Forum*, 658, 491–494.
- Meetani, M.A., Rauf, M.A., Hisaindee, S., Khaleel, A., Alzamly, A., and Ahmad, A., 2011, Mechanistic studies of photoinduced degradation of Orange G using LC/MS, *RSC Adv.*, 1, 490–497.
- Meskel, A.G., Kwikima, M.M., Meshesha, B.T., Habtu, N.G., Naik, S.V.C.S., and Vellanki, B.P., 2024, Malachite green and methylene blue dye removal using modified bagasse fly ash: adsorption optimization studies, *Environ. Challenges*, 14, 100829.
- Mohamad, M., Haq, B.U., Ahmed, R., Shaari, A., Ali, N., and Hussain, R., 2015, A density functional study of structural, electronic and optical properties of titanium dioxide: Characterization of rutile, anatase and brookite polymorphs, *Mater. Sci. Semicond. Process.*, 31, 405–414.

- Mohibbul, M., Bahnemann, D., and Muneer, M., 2012, Photocatalytic degradation of organic pollutants: mechanisms and kinetics,. In, *Organic Pollutants Ten Years After the Stockholm Convention - Environmental and Analytical Update*. InTech, pp. 293–326.
- Moradihamedani, P., 2022, Recent advances in dye removal from wastewater by membrane technology: a review, *Polym. Bull.*, 79, 2603–2631.
- Muhamad, N., Sinchai, P.S., and Tansom, U., 2023, Banana peel as bioremediation agent in textile dyes decolorization for wastewater management, *Biochem. Syst. Ecol.*, 106, 104582.
- Okasha, A., Gomaa, F., Elhaes, H., Morsy, M., El-Khodary, S., Fakhry, A., and Ibrahim, M., 2015, Spectroscopic analyses of the photocatalytic behavior of nano titanium dioxide, *Spectrochim. Acta Part A Mol. Biomol. Spectrosc.*, 136, 504–509.
- Otálora, A., Lerma, T.A., Urango, Y.A., and Palencia, M., 2021, Emerging organic pollutants in aqueous environments: Detection, monitoring, and removal techniques, *J. Sci. with Technol. Appl.*, 10, 92–153.
- Pan, X., Yang, M.Q., Fu, X., Zhang, N., and Xu, Y.J., 2013, Defective TiO₂ with oxygen vacancies: Synthesis, properties and photocatalytic applications, *Nanoscale*, 5, 3601–3614.
- Pandit, V.U., Arbuj, S.S., Pandit, Y.B., Naik, S.D., Rane, S.B., Mulik, U.P., Gosavi, S.W., and Kale, B.B., 2015, Solar light driven dye degradation using novel organo–inorganic (6,13-pentacenequinone/TiO₂) nanocomposite, *RSC Adv.*, 5, 10326–10331.
- Pino, E., Calderón, C., Herrera, F., Cifuentes, G., and Arteaga, G., 2020, Photocatalytic Degradation of Aqueous Rhodamine 6G Using Supported TiO₂ Catalysts. A Model for the Removal of Organic Contaminants From Aqueous Samples, *Front. Chem.*, 8, 1–12.
- Priyadharsini, A., Saravanakumar, M., Suryakanth, J., Pavithra, S., Sakunthala, A., Kavitha, S., Rukkumani, V., and Ananthakumari, G., 2023, Effect of temperature on morphological, optical and electrochemical properties of SnO₂ nanoparticles, *Bull. Mater. Sci.*, 46, 1–7.
- Reda, G.M., Fan, H., and Tian, H., 2017, Room-temperature solid state synthesis of Co₃O₄/ZnO p–n heterostructure and its photocatalytic activity, *Adv. Powder Technol.*, 28, 953–963.
- Robinson, T., McMullan, G., Marchant, R., and Nigam, P., 2001, Remediation of dyes in textile effluent: A critical review on current treatment technologies with a proposed alternative, *Bioresour. Technol.*, 77, 247–255.
- Sachenko, A. V. and Sokolovsky, I.O., 2007, The effect of narrowing of the band gap on surface recombination in silicon, *Semiconductors*, 41, 673–678.
- Saeed, K., Khan, I., and Park, S.Y., 2015, TiO₂/amidoxime-modified polyacrylonitrile nanofibers and its application for the photodegradation of methyl blue in aqueous medium, *Desalin. Water Treat.*, 54, 3146–3151.
- Santara, B., Giri, P.K., Imakita, K., and Fujii, M., 2013, Evidence of oxygen vacancy induced room temperature ferromagnetism in solvothermally synthesized undoped TiO₂ nanoribbons, *Nanoscale*, 5, 5476.

- Schumacher, L. and Marschall, R., 2022, Recent Advances in Semiconductor Heterojunctions and Z-Schemes for Photocatalytic Hydrogen Generation, Springer International Publishing.
- Serbout, W., Bensouici, F., Meglali, O., Iaiche, S., Bououdina, M., Bellucci, S., and Humayun, M., 2023, Fabrication of ordered layered SnO₂/TiO₂ heterostructures and their photocatalytic performance for methyl blue degradation, *Environ. Sci. Pollut. Res.*, 30, 85792–85802.
- Shang, J., Deng, C., Xue, Z., Dong, Z., Fu, L., and Fan, H.J.S., 2024, Kinetics of catalytic ozonation of methylene blue in wastewater with Fe/Ce co-doped in attapulgite, *Desalin. Water Treat.*, 317, 100023.
- Shirley, B. and Jarochovska, E., 2022, Chemical characterisation is rough: the impact of topography and measurement parameters on energy-dispersive X-ray spectroscopy in biominerals, *Facies*, 68, 1–15.
- Singh, A. and Sinha, A.S.K., 2018, Active CdS/rGO photocatalyst by a high temperature gas-solid reaction for hydrogen production by splitting of water, *Appl. Surf. Sci.*, 430, 184–197.
- Srikanth, B., Goutham, R., Badri Narayan, R., Ramprasath, A., Gopinath, K.P., and Sankaranarayanan, A.R., 2017, Recent advancements in supporting materials for immobilised photocatalytic applications in waste water treatment, *J. Environ. Manage.*, 200, 60–78.
- Sun, M., Zhao, Q., Du, C., and Liu, Z., 2015, Enhanced visible light photocatalytic activity in BiOCl/SnO₂: Heterojunction of two wide band-gap semiconductors, *RSC Adv.*, 5, 22740–22752.
- Suttiaponparnit, K., Jiang, J., Sahu, M., Suvachittanont, S., Charinpanitkul, T., and Biswas, P., 2011, Role of Surface Area, Primary Particle Size, and Crystal Phase on Titanium Dioxide Nanoparticle Dispersion Properties, *Nanoscale Res. Lett.*, 6, 1–8.
- Thomas, W., Krishnan, B., Avellaneda, D., Sanchez, E.O.G., Martinez, J.A.A., and Shaji, S., 2024, Defects induced SnO_x-TiO₂ nanocomposite thin films for improved visible light driven photocatalysis and photoelectrochemical applications, *Appl. Surf. Sci.*, 669, 1–17.
- Thu, T.N.T., Thi, N.N., Quang, V.T., Hong, K.N., Minh, T.N., and Hoai, N.L.T., 2016, Synthesis, characterisation, and effect of pH on degradation of dyes of copper-doped TiO₂, *J. Exp. Nanosci.*, 11, 226–238.
- Topalov, A., 2000, Photomineralization of the herbicide mecoprop dissolved in water sensitized by TiO₂, *Water Res.*, 34, 1473–1478.
- Tudela, D., Fresno, F., and Coronado, J.M., 2010, Tin-Doped Nanocrystalline TiO₂ Photocatalysts. In: Chen, W. (ed), *Doped Nanomaterials and Nanodevices*. American Scientific Publishers, pp. 279–331.
- Varganici, C.D., Rosu, L., Rosu, D., and Asandulesa, M., 2024, From Fossil to Bio-Based AESO–TiO₂ Microcomposite for Engineering Applications, *Polymers (Basel)*, 16, 1–13.
- Wahyuni, E.T., Lestari, N.D., Cinjana, I.R., Annur, S., Natsir, T.A., and Mudasir, M., 2023, Doping TiO₂ with Fe from iron rusty waste for enhancing its activity under visible light in the congo red dye photodegradation, *J. Eng. Appl. Sci.*, 70, 1–14.

- Wan, M., Li, W., Long, Y., and Tu, Y., 2012, Electrochemical determination of tryptophan based on Si-doped nano-TiO₂ modified glassy carbon electrode, *Anal. Methods*, 4, 2860.
- Wang, H., Liu, J., Xiao, X., Meng, H., Wu, J., Guo, C., Zheng, M., Wang, X., Guo, S., and Jiang, B., 2023, Engineering of SnO₂/TiO₂ heterojunction compact interface with efficient charge transfer pathway for photocatalytic hydrogen evolution, *Chinese Chem. Lett.*, 34, 107125.
- Wang, M., Shen, M., Jin, X., Tian, J., Zhou, Y., Shao, Y., Zhang, L., Li, Y., and Shi, J., 2020, Mild generation of surface oxygen vacancies on CeO₂ for improved CO₂ photoreduction activity, *Nanoscale*, 12, 12374–12382.
- Wang, Q., Brier, M., Joshi, S., Puntambekar, A., and Chakrapani, V., 2016, Defect-induced Burstein-Moss shift in reduced V₂O₅ nanostructures, *Phys. Rev. B*, 94, 1–12.
- Wang, Q., Zhang, W., Hu, X., Xu, L., Chen, G., and Li, X., 2021, Hollow spherical WO₃/TiO₂ heterojunction for enhancing photocatalytic performance in visible-light, *J. Water Process Eng.*, 40, 101943.
- Wu, H., Ma, J., Zhang, C., and He, H., 2014, Effect of TiO₂ calcination temperature on the photocatalytic oxidation of gaseous NH₃, *J. Environ. Sci. (China)*, 26, 673–682.
- Xie, M., Feng, Y., Luan, Y., Fu, X., and Jing, L., 2014, Facile Synthesis of N-doped TiO₂ and Its Enhanced Photocatalytic Activity for Degrading Colorless Pollutants, *Chempluschem*, 79, 737–742.
- Xu, C., Rangaiah, G.P., and Zhao, X.S., 2014, Photocatalytic degradation of methylene blue by titanium dioxide: Experimental and modeling study, *Ind. Eng. Chem. Res.*, 53, 14641–14649.
- Yang, G., Yan, Z., and Xiao, T., 2012, Preparation and characterization of SnO₂/ZnO/TiO₂ composite semiconductor with enhanced photocatalytic activity, *Appl. Surf. Sci.*, 258, 8704–8712.
- Yang, J., Zhang, J., Zou, B., Zhang, H., Wang, J., Schubert, U., and Rui, Y., 2020, Black SnO₂-TiO₂ Nanocomposites with High Dispersion for Photocatalytic and Photovoltaic Applications, *ACS Appl. Nano Mater.*, 3, 4265–4273.
- Yoozbashizadeh, M. and Khoshnevis, B., 2012, Development of Solid Freeform Fabrication for Metallic Parts Using Selective Inhibition of Sintering,. In, *Supplemental Proceedings*. Wiley, pp. 513–520.
- Yuan, Z., Cao, Y., Meng, Y., Pan, G., Zheng, Y., Ni, Z., and Xia, S., 2023, The construction of lattice-matched CdS-Ag₂S heterojunction photocatalysts: High-intensity built-in electric field effectively boosts bulk-charge separation efficiency., *J. Hazard. Mater.*, 458, 1–14.
- Zhang, J., Zhou, P., Liu, J., and Yu, J., 2014, New understanding of the difference of photocatalytic activity among anatase, rutile and brookite TiO₂, *Phys. Chem. Chem. Phys.*, 16, 20382–20386.
- Zhang, J.F., Yu, X.L., Liu, W., and Chen, S.F., 2011, Study on the Heterojunction Photocatalyst Nb₂WO₈/ZnO Prepared by Ball Milling Method, *Adv. Mater. Res.*, 399–401, 1241–1245.