UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abbas, N. A., & Hammad, H. S. (2017). The effect of vernalization and sprayed gibberellins and humic acid on the growth and production of cabbage (*Brassica Oleracea* Var. Capitat). *Journal of Environmental Science and Pollution Research 3*(2): 181–185. http://www.jacsdirectory.com/jespr

Abod, S.A., & Webster, A.D. (1990). Shoot and root pruning effects on the growth and water relations of young malus, tilia, and betula transplants. *Journal of Horticultural Science* 65 : 451-459.

Abdelhaleim, M.S., Rahimi, M., & Okasha, S.A. (2022). Assessment of drought tolerance indices in faba bean genotypes under different irrigation regimes. *Open Life Sc*i 17: 1462-1472. https://doi.org/10.1515/biol-2022-0520

Addo-Quaye, A.A., Darkwa, A.A., & Ocloo, G.K. (2011). Yield and productivity of component crops in a maize-soybean intercropping system as affected by time of planting and spatial arrangement. *International Journal of Agriculture Biology Science 6 : 50-57*. www.arpnjournals.com

Aghdaei, M., Nemati, S.H., Samiee, L., & Sharifi, A. (2019). Effect of rooting medium, cutting type and auxin on rooting of pepino (*Solanum muricatum* aiton) cutting. *Applied Ecology And Environmental Research* 17(5):10357-10369.

Agtuca, B., Rieger, E., Hilger, K., Song, L., Robert, C. A. M., Erb, M., Karve, A., & Ferrieri, R. A. (2014). Carbon-11 reveals opposing roles of auxin and salicylic acid in regulating leaf physiology, leaf metabolism, and resource allocation patterns that impact root growth in *Zea mays*. *Journal of Plant Growth Regulation 33*(2): 328–339. https://doi.org/10.1007/s00344-013-9379-8

Ahmadi, A., & Joudi, M. (2007). Effects of timing and defoliation intensity on growth, yield and gas exchange rate of wheat grown under well-watered and drought conditions. *Journal Biology Science* 10: 3794-3800.

Akshay K.R., Narayana, S.M., & Sreekanth, H.S. (2019). Effect of growth regulators on rooting of black pepper *(Piper nigrum*) Cuttings. *International Journal of Chemical Studies* 7(1): 2074-2077.

Alcorn, P.J., Bauhus, J., Smith, R.G.B., Thomas, D., James, R., & Nicotra, A. (2008). Growth responses of following green crown pruning in plantation-grown *Eucalyptus pilularis* and *Eucalyptus cloeziana*. *Journal of Forestry Research* 38 : 770-781.

Alfauzaan. D. F. A., & Warid. (2021). Consumer preference for some genotypes of ornamental chili (CapIsicum spp.) population F2. International e-Conference on Sustainable Agriculture and Farming System

Alimuddin, D. M. Subrata, F., Fauzan, Nurmayulis, R., Arafiyah, & Oktarida, R. (2018). Sistem monitoring parameter suhu cabe merah dengan sistem aeroponik pada greenhouse untuk mendukung ketahanan pangan nasional. *Jurnal Teknik Mesin Untirta* 4(2): 91 – 95.

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Aloni, R., Aloni, E., Langhans, M., & Ullrich, C. I. (2006). Role of cytokinin and auxin in shaping root architecture: Regulating vascular differentiation, lateral root initiation, root apical dominance and root gravitropism. *Annals of Botany 97*(5): 883–893. https://doi.org/10.1093/aob/mcl027

Aluko, O. O., Li, C., Wang, Q., & Liu, H. (2021). Sucrose utilization for improved crop yields: a review article. *International Journal of Molecular Sciences 22*(9): 1–29. https://doi.org/10.3390/ijms22094704

Amanda, U. D., & Yuniarti, S. (2018). Kiprah cabai merah keriting varietas Kencana di Provinsi Banten. Artikel pada Research Gate.

Anwarudin, J. M. S., Sayekti, A. L., Marendra, A. K., & Yusdar, H. (2013). Production dynamics and price volatility of chili: anticipation strategy and development policy. *Pengembangan Inovasi Pertanian 6*(1): 33–42.

Apong, S., Abraham, S., & Ajeng, D.W. (2017). Identifikasi zona agroekologi dan kesesuaian lahan komoditas mangga arumanis (*Mangifera indica* L.) di kabupaten probolinggo. *Soilrens 15*(1): 29–37.

Arnon, D.I. (1949). Copper enzymes in isolated chloroplast polypphenoloxidase in Beta vulgaris. *Plant Physiology* 24: 1-15.

Aryani, R. D., Basuki, I. F., Budisantoso, I., & Widyastuti, A. (2022). Pengaruh ketinggian tempat terhadap pertumbuhan dan hasil tanam cabai rawit (*Capsicum frutescens* L.). *Agriprima : Journal of Applied Agricultural Sciences 6*(2): 202–211. https://doi.org/10.25047/agriprima.v6i2.485

Asefa, G. (2019). The role of harvest index in improving crop productivity: A Review. *Journal of Natural Sciences Research 9*(6): 24–28. https://doi.org/10.7176/JNSR

Assefa, M. (2021). Performance and growth analysis of three mung bean (*Vigna radiate*) genotypes at hawassa, Ethiopia. *Journal of Agricultural Science and Food Research* 12: 1–4.

Atta, M., Mahmood, T., & Trethowan, R.M. (2013). Relationship between root morphology and grain yield of wheat in north-western NSW. *Australian journal of crop science* 7(13):2108-2115

Badan Pusat Statistik. (2023). Produksi, Luas Panen, dan Produktivitas Sayuran di Indonesia. https://www.bps.go.id/id.

Balitsa. 2018. Deskripsi Tanaman Cabai Kencana. Lembang 1. dan Tanjung 2. <https://balitsa.litbang.pertanian.go.id/ind/index.php/varietas/cabai/36-halaman/610-cabai-tanjung-2>. Diakses pada 17 September 2021.

Bal, S., Sharangi, A. B., Upadhyay, T. K., Khan, F., Pandey, P., Siddiqui, S., Saeed, M., Lee, H. J., & Yadav, D. K. (2022). Biomedical and antioxidant potentialities in chilli: perspectives and way forward. In *Molecules* MDPI. https://doi.org/10.3390/molecules27196380

Barboza, G. E., García, C. C., Bianchetti, L. D. B., Romero, M. V., & Scaldaferro, M.

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

(2022). Monograph of wild and cultivated chili peppers (*Capsicum* L.*, Solanaceae*). *PhytoKeys* 200: 1–423.

Beidler, K.V., Taylor, A.E., Strand, E.R., Cooper, M., Schonhlz, & Pritchard. (2014). Changes in root architecture under elevated concentrations of CO_2 and nitrogen reflect alternate soil exploration strategies. *New Phytologist* 205 :1153-1163.

Bláha, L. (2019). Importance Of Root-Shoot Ratio For Crops Production. *Agronomy & Agricultural Science* 2 : 1-7. https://doi.org/10.24966/AAS-8292/100012

Bonifas, K. D., & Lindquist, J. L. (2006). Predicting biomass partitioning to root versus shoot in corn and velvetleaf (*Abutilon theophrasti*). *Weed Science 54*: 133–137. https://digitalcommons.unl.edu/agronomyfacpub

Boriboonkaset, T., Theerawitaya, C., Yamada, N., Pichakum, A., Supaibulwatana, K., Cha-um, S., Takabe, T., & Kirdmanee, C. (2013). Regulation of some carbohydrate metabolism-related genes, starch and soluble sugar contents, photosynthetic activities and yield attributes of two contrasting rice genotypes subjected to salt stress. *Protoplasma 250*(5): 1157–1167. https://doi.org/10.1007/s00709-013-0496-9

Brown, H. E., Huth, N. I., Holzworth, D. P., Teixeira, E. I., Wang, E., Zyskowski, R. F., & Zheng, B. (2019). A generic approach to modelling, allocation and redistribution of biomass to and from plant organs. *In Silico Plants 1*: 1–17. https://doi.org/10.1093/insilicoplants/diy004

Brown, H.E., Huth, N.I., Holzworth, D.P., Teixeira, E.I., Wang, E., Zyskowski, R.F., & Zheng, B. (2019). A generic approach to modelling, allocation and redistribution of biomass to and from plant organs. *In Silico Plants 1*(1): 1–17. https://doi.org/10.1093/insilicoplants/diy004

Brunel-Saldias, N., Ferrio, J.P., Elazab, A., Orellana, M., & del Pozo, A. (2020). Root architecture and functional traits of spring wheat under contrasting water regimes. *Front Plant Science 11: 1-14*. https://doi.org/10.3389/fpls.2020.581140

Budiarto, R., Poerwanto, R., Santosa, E., & Efendi, D. (2019). A Review of root pruning to regulate citrus growth. *Journal of Tropical Crop Science 6 : 1-7*. https://doi.org/10.29244/jtcs.6.01.1-7

Cahyo, A. N., Murti, R. H., Putra, E. T. S., Nuringtyas, T. R., Fabre, D., & Montoro, P. (2021). Assessment of factual measurement times for chlorophyll-a fluorescence in rubber (*Hevea brasiliensis*) clones. *Biodiversitas 22: 3470:3477*. https://doi.org/10.13057/biodiv/d220656

Cazetta, J.O., & Villela, L.C.V. (2004). Nitrate reductase activity in leaves and stems of tanner grass (*Brachiaria radicans Napper*). *Science Agriculture* 61 (6) : 640-648

Chandra, S. (2004). Effect of altitude on energy exchange characteristics of some alpine medicinal crops from central himalayas. *Journal Agronomy & Crop Science*190 : 13—20.

Chanishvili, S., Badridze, G.S., Barblishvili, T.F., & Dolidze, M.D. (2005). Defoliation,

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

photosynthetic rates, and assimilate transport in grapevine plants. *Journal Plant Physiology* 52: 448-453.

Cao, X., Wu, T., Sun, S., Wu, C., Wang, C., Jiang, B., Tao, J., Yao, W., Hou, W., Yang, W., Siddique, K. H. M., & Han, T. (2019). Evaluation by grafting technique of changes in the contribution of root-to-shoot development and biomass production in soybean (*Glycine max*) cultivars released from 1929 to 2006 in China. *Crop and Pasture Science 70*(7): 585–594. https://doi.org/10.1071/CP19052

Cisneros-Hernández, I., Vargas-Ortiz, E., Sánchez-Martínez, E. S., Martínez-Gallardo, N., Soto González, D., & Délano-Frier, J. P. (2021). Highest defoliation tolerance in amaranthus cruentus plants at panicle development is associated with sugar starvation responses. *Frontiers in Plant Science 12*: 1–13. https://doi.org/10.3389/fpls.2021.658977

Colak, G., Baykul, M.C., Gurler, R., Catak, E., & Caner, N. (2014). The effects of selenium on *Lycopersicon esculentum* Mill. Seedling. *Pakistan Journal Botany* 46(3): 911-920

Costa, N. B., Bezerra, G. de A., Filho, G. de O. P., & de Moraes, M. G. (2021). Distribution of non-structural carbohydrates in the vegetative organs of upland rice. *Ciencia e Agrotecnologia 45*. https://doi.org/10.1590/1413-7054202145008721

da Silva, G. F., Martins, C. R., Barreto, C. F., Hellwig, C. G., & Mello-Farias, P. C. (2022). Root pruning of pecan rootstocks in different containers. *Revista Brasileira de Fruticultura 44*(4). https://doi.org/10.1590/0100-29452022912

Darnell, R. L., Alvarado-Raya, H. E., & Williamson, J. G. (2008). Root pruning effects on growth and yield of red raspberry. *Hortscience 43: 681-684*. https://doi.org/10.21273/HORTSCI.43.3.681

Davies, K. M., Jibran, R., Zhou, Y., Albert, N. W., Brummell, D. A., Jordan, B. R., Bowman, J. L., & Schwinn, K. E. (2020). The evolution of flavonoid biosynthesis: a bryophyte perspective. In *Frontiers in Plant Science*. Frontiers Media S.A. https://doi.org/10.3389/fpls.2020.00007

De Lourdes Reyes-Escogido, M., Gonzalez-Mondragon, E. G., & Vazquez-Tzompantzi, E. (2011). Chemical and pharmacological aspects of capsaicin. *Molecules 16*(2): 1253–1270. https://doi.org/10.3390/molecules16021253

Deng, S., Gu, Q., Wu, Y., Yi, W., Lu, J, Peng, L, & Tang, X. (2024). Yield difference between difefreny cultivation techniques under ultrasonic treatment driven by radiation use efficiency. *Plants* 13: 2510. https://doi.org/10.3390/ plants13172510

Desita, A. Y., Sukma, D. & Syukur, M. (2015). Evaluasi karakter hortikultura galur cabai hias IPB di Kebun Percobaan Leuwikopo. *Jurnal Hortikultura Indonesia*. 6(2): 116-123

Dewi, I. K., Bahri, S., & Sumarmi. (2023). the effect of three ridges on the growth and production of three varieties of baby corn (*Zea mays* L.). *Jurnal Agrotek Tropika*

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

11: 79-88.

Ditsch, D. C .(1986). Ridge-tillage: advantages and disadvantages. Soil Science News And Views 7(4) : 28-29.

Djaenudin, D., Marwan, H., Subagjo, H., dan A. Hidayat. (2011). Petunjuk teknis evaluasi lahan untuk komoditas pertanian. balai besar litbang sumberdaya lahan pertanian. Badan Litbang Pertanian. Bogor

Djidonou, D., Zhao, X., Koch, K. E., & Zotarelli, L. (2019). Nitrogen accumulation and root distribution of grafted tomato plants as affected by nitrogen fertilization. *HortScience 54*(11): 1907–1914. https://doi.org/10.21273/HORTSCI14066-19

Dolan, L. (1997). The role of ethylene in the development of plant form. *Journal Experimental Botany* 48 : 201-210.

Dong, T., Duan, B., Korpelainen, H., Niinemets, U., & Li, C. (2019). Asymmetric pruning reveals how organ connectivity alters the functional balance between leaves and roots of Chinese fir. *Journal Experiment Botany 70 : 1941-1953*. https://doi.org/10.1093/jxb/erz013

Drewry, D., Kumar, P., & Long, S.P. (2014). Stimultaneous improvement in productivity, water use, and albedo through crop structural modification. *Global Change Biology* 20: 1955-1967. doi: 10.1111/gcb.12567

Dua, Z. Y., Xing, S. J., Ma, B. Y., Liu, F. C., Ma, H. L., & Wang, Q. H. (2012). Effects of root pruning on the growth and rhizosphere soil characteristics of short-rotation closed-canopy poplar. *Forest Systems 21 : 236-246*. https://doi.org/10.5424/fs/2012212-02634

Eka, L., Pradiko, L., Muhdan, S., Fandi, H., Eko, N.G., & Rana, F. (2019). Pengaruh ketinggian tempat terhadap performa fisiologis tanaman kelapa sawit (*Elaeis Guineensis* Jacq.). *Jurnal Tanah Dan Iklim 43*(1): 33–42.

Erel, R., Le, T. T., Eshel, A., Cohen, S., Offenbach, R., Strijker, T., & Shtein, I. (2020). Root development of bell pepper (*Capsicum annuum* L.) as affected by water salinity and sink strength. *Plants 9*(1). https://doi.org/10.3390/plants9010035

Fàbregas, N., & Fernie, A. R. (2021). The interface of central metabolism with hormone signaling in plants. Current Biology *31*(23): 1535–1548. https://doi.org/10.1016/j.cub.2021.09.070

Falchi, R., Bonghi, C., Drincovich, M. F., Famiani, F., Lara, M. V., Walker, R. P., & Vizzotto, G. (2020). Sugar metabolism in stone fruit: source-sink relationships and environmental and agronomical effects. In *Front Plant Sci 11: 1-14*. https://doi.org/10.3389/fpls.2020.573982

Famiani, F., Farinelli, D., Frioni, T., Palliotti, A., Battistelli, A., Moscatello, S., & Walker, R.P. (2016) . Malate as substrate for catabolism and gluconeogenesis during ripening in the pericarp of different grape cultivars. *Biologia Plantarum* 60: 155–162. https://doi.org/10.1007/s10535-015-0574-2

Fanello, D. D., Kelly, S. J., Bartoli, C. G., Cano, M. G., Martínez Alonso, S., & Guiamet, J. J. (2020). Plasticity of root growth and respiratory activity: root responses to

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

above-ground senescence, fruit removal or partial root pruning in soybean. *Plant Science 290:* 1–9. https://doi.org/10.1016/j.plantsci.2019.110296

Fang, Y., Xu, B., Cheng, Turner, N. C., & Li, F. M. (2010). Grain yield, dry matter accumulation and remobilization, and root respiration in winter wheat as affected by seeding rate and root pruning. *European Journal of Agronomy 33*(4): 257–266. https://doi.org/10.1016/j.eja.2010.07.001

FAO. (1976). A framework for land evaluation. Soil Resources Management and Conservation Service Land and Water Development Division. FAO Soil Bulletin No. 32. FAO-UNO, Rome.

Farros Al Fauzaan, & Disky. (2020). Evaluasi karakter terhadap beberapa genotipe cabai hias (*Capsicum* spp.) populasi F2. *Jurnal Bioindustri 3*(1): 503–517.

Fatchul Aziez, A., Cahyono, O., Susilo Utami, D., Budiyono, A., Priyadi, S., Ida Cahyani, N. (2021). Respon pertumbuhan dan hasil cabai rawit terhadap penggunaan pupuk fosfat cepat larut dan pupuk kandang. *Jurnal Ilmiah Agrineca*: 78–83.

Feng, Z., Kong, D., Kong, Y., Zhang, B., & Yang, X. (2022). Coordination of root growth with root morphology, physiology and defense functions in response to root pruning in Platycladus orientalis. *Journal of Advanced Research 36*: 187–199. https://doi.org/10.1016/j.jare.2021.07.005

Fischer, R. A., & Maurerac, R. (1978). Drought resistance in spring wheat cultivars grain yield responses. *Australian Journal of Agricultural Research 29*: 879–912. https://doi.org/10.1071/AR9780897

Foyer, C. H., & Paul, M. J. (2001). Source-sink relationships. In *Encyclopedia of Life Science: 1-11.* www.els.net

Fukaki, H., Okushima, Y., & Tasaka, M. (2007). Auxin-mediated lateral root formation in higher plants. *International Review of Cytology 256*: 111–137. https://doi.org/10.1016/S0074-7696(07)56004-3

Fukuchi, N., Motoori, S., & Udagawa, Y. (2004). Effects fruit thinning and training on tomato yield and fruit soluble solids content. *Horticulture Research* 3: 277-281.

Gao, K., Zhu, T., Wang, L., & Gao, Y. (2018). Effects of root pruning radius and time on yield of tuberous roots and resource allocation in a crop of Helianthus tuberosus L. *Scientific Reports 8*: 1–7. https://doi.org/10.1038/s41598-018-22586-1

Gao, Y., Zhu, Y., Zhang, Y., Zhang, Y., Wang, Y., Wang, Z., Chen, H., Zhang, Y., & Xiang, J. (2023). Physiological characteristics of root regeneration in rice seedlings. *Agronomy 13*(7). https://doi.org/10.3390/agronomy13071772

Garbin, M.L., & Dillenburg, L.C. 2008. Effect of different nitrogen sources on growth, chlorophyll concentration, nntrate reductase activity and carbon and nitrogen distribution on Araucaria angustifolia. *Brazilian Journal Plant Physiol* 20 (4): 295-303

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Gaytan, V., Merino, F.C., Tellez, L.T., Castillo, G.A.B., & Morales, S.G. 2017. The chilhuacle chili (*Capsicum annum* L.) in Mexico: description of the variety, its cultivation, and uses. *Hindawi Internasional Journal of Agronomy* 1-13. https://doi.org/10.1155/2017/5641680

Gazzoni, D. L., & Moscardi, F. (2010). Effect of defoliation levels on recovery of leaf area, on yield and agronomic traits of soybeans. *Journal Pesquisa Agropecuaria Brasileira* (Brazil) 33 (4) : 411-424

Gomez, K. A., & Gomez, A. A. (1976). Analysis of variance. In: Statisticalprocedures for agricultural research with emphasis on rice.Laguna. Philippines: The International Rice Research Institute

Goyal, R., & Bishnoi, C. (2017). Assimilate partitioning and distribution in fruit crops: A review. *Journal of Pharmacognosy and Phytochemistry 6*(3): 479–484.

Hageman, A., & Van Volkenburgh, E. (2021). Sink strength maintenance underlies drought tolerance in common bean. In *Plants* MDPI. https://doi.org/10.3390/plants10030489

Han, S.K., & K.U.Torii. (2016). Lineage-specific stem cells, signals ans asymmetries during stomatal development. *The company of biologists: Review* 143 : 1259-1270.

Haryanti, S. (2010). Jumlah dan distribusi stomata pada daun beberapa spesies tanaman dikotil dan monokotil. *Jurnal Buletin Anatomi dan Fisiologi* 18 (2).

He. J. (2016). Root growth, morphological and physiological characteristics of subtropical and temperate vegetable crops grown in the tropics under different root-zone temperature. *Intech*: 131-148

Heins, R.D., Liu, B., & Runkle, E.S. (2000). Regulation of crop growth and development based on environmental factors. *Acta Horticulture* 514: 13-22

Hidayat. (2009). Sumberdaya lahan indonesia : potensi, permasalahan, dan strategi pemanfaatan. *Jurnal Sumberdaya Lahan 3*(2): 107–117.

Higashide, T. (2022). Review of dry matter production and growth modelling to improve the yield of greenhouse tomatoes. In *Horticulture Journal* 91(3): 247–266. https://doi.org/10.2503/hortj.UTD-R019

Hodgkinson, K.C. (1974). Influence of partial defoliation on photosynthesis, photorespiration and transpiration by Lucerne leaves of different ages. *Journal Plant Physiology* 1: 561-576.

Hoidal, N., Jacobsen, S. E., Odone, A., & Alandia, G. (2020). Defoliation timing for optimal leaf nutrition in dual-use amaranth production systems. *Journal of the Science of Food and Agriculture 100*(13): 4745–4755. https://doi.org/10.1002/jsfa.10533

Hou, X., Zhang, W., Du, T., Kang, S., & Davies, W. J. (2020). Responses of water accumulation and solute metabolism in tomato fruit to water scarcity and implications for main fruit quality variables. In *Journal of Experimental Botany*

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

71(4):1249–1264. https://doi.org/10.1093/jxb/erz526

Howard, L. R., Talcott, S.T., Brenes, C.H., & Villalon, B. (2000). Changes in phytochemical and antioxidant activity of selected pepper cultivars (*Capsicum* species) as influenced by maturity. *Journal of Agricultural and Food Chemistry* 48: 1713-1720 [DOI: 10.1021/jf990916t

Huang, Y., Ciais, P., Santoro, M., Makowski, D., Chave J, Schepaschenko D, Abramoff RZ, Goll DS, Yang H, Chen Y, Wei W, & Piao S. (2021). A global map of root biomass across the world's forests. *Earth Syst Sci Data 13: 4263-4274*. https://doi.org/10.5194/essd-13-4263-2021

Ibrahim U., Auwalu, B.M., & Udom, G.N. (2010). Effect of stage and intensity of defoliation on the performance of vegetable cowpea (*Vigna unguiculata* (L) Walp. *African Journal of Agriculture Research* 5(18) : 2446-2451.

Iledun, O.C., & Rufus, O.O. (2017). Effect of varying rate of leaf defoliation on maize growth, development and yield components, and yield. *Scientific Review* 3 : 1-5.

Ilil, F.N.I, Bella, P.D., Yusuf, I.N.M., Bagus, P.W., & Giarno. (2023). Kajian perbandingan arah angin permukaan terhadap unsur cuaca dan iklim pada wilayah pesisir dan dataran tinggi (studi kasus : stasiu meteorologi soekarno-hatta dan stasiun meteorologi citeko). *Jurnal Sains Dan Pendidikan Fisika 19*(1): 2548–6373.

Indradewa, D., Kastono, D., & Soraya, Y. (2005). Kemungkinan peningkatan hasil jagung dengan pendekatan batang. *Ilmu Pertanian* 12(2): 117-124

Irjayanti, Aa. D., Wibowo, A. S., Stiyaningsih, H., Putri, I. M., Gitaningtyas, P. G., Areka, S. K., Suprapti, W., & Nurfalah, Z. (2023). *Statistics of horticulture 2022* (Setiawan R & Marpaung TH, Eds.). BPS Statistics Indonesia .

Iseki, K., Olaleye, O., & Matsumoto, R. (2022). Effect of leaf thinning on shoot growth and tuber yield of white Guinea yam. *Plant Production Science 25*(1): 11–19. https://doi.org/10.1080/1343943X.2021.1943466

Islam, S. A. F. M., Haque, M. M., Tabassum, R., & Islam, M. M. (2016). Effect of defoliation on growth and yield response in two tomato (Solanum lycopersicum Mill.) varieties. *Journal of Agronomy 15*(2): 68–75. https://doi.org/10.3923/ja.2016.68.75

Jansson, C., Faiola, C., Wingler, A., Zhu, X. G., Kravchenko, A., de Graaff, M. A., Ogden, A. J., Handakumbura, P.P., Werner, C., & Beckles, D.M. (2021). Crops for Carbon Farming. *Front Plan 12 : 1-12*. https://doi.org/10.3389/fpls.2021.636709

Jeong, H. W., Lee, H. R., Kim, J. Y., Kim, G. G., Na, C. I., & Hwang, S. J. (2021). Assessment of growing media and fertigation for production of root pruning splice-grafted cucumber seedlings. *Horticultural Science and Technology 39*(3): 294–304. https://doi.org/10.7235/HORT.20210026

Ji, Y., Nuñez Ocaña, D., Choe, D., Larsen, D. H., Marcelis, L. F. M., & Heuvelink, E. (2020). Far-red radiation stimulates dry mass partitioning to fruits by increasing

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

fruit sink strength in tomato. *New Phytologist 228*(6): 1914–1925. https://doi.org/10.1111/nph.16805

Jin, S., Wang, Y., Wang, X., Bai, Y., & Shi, L. (2019). Effect of pruning intensity on soil moisture and water use efficiency in jujube (*Ziziphus jujube* Mill.) plantations in the hilly Loess Plateau Region, China. *Journal of Arid Land 11*(3): 446–460. https://doi.org/10.1007/s40333-019-0129-z

Jing, D., Du, Z., Wang, M., Wang, Q., Ma, H., Liu, F., Ma, B., & Dong, Y. (2018). Regulatory effects of root pruning on leaf nutrients, photosynthesis, and growth of trees in a closed-canopy poplar plantation. *PLoS ONE 13*(5). https://doi.org/10.1371/journal.pone.0197515

Jing, D.W., Liu, F.C., Wang, M.Y., Ma, H.L., Du, Z.Y., Ma, B.Y., & Dong, Y.F. (2017). Effects of root pruning on the physicochemical properties and microbial activities of poplar rhizosphere soil. *PLoS ONE 12*: 1–17. https://doi.org/10.1371/journal.pone.0187685

Kaur, H., Manna, M., Thakur, T., Gautam, V., & Salvi, P. (2021). Imperative role of sugar signaling and transport during drought stress responses in plants. *Physiologia Plantarum 171*(4): 833–848. https://doi.org/10.1111/ppl.13364

Kawai, T., Chen, Y., Takahashi, H., Inukai, Y., & Siddique, K. H. M. (2022). Rice genotypes express compensatory root growth with altered root distributions in response to root cutting. *Frontiers in Plant Science 13*: 1–16. https://doi.org/10.3389/fpls.2022.830577

Kesumawati, E., Amalia, R., Fitrizal, & Rahmawati, M. (2021). The effect of pruning type on old seedling of chili pepper (*Capsicum annuum* L.) plants to the growth and yield. *IOP Conserv Ser Earth Environ Sci 667 : 1-9*. https://doi.org/10.1088/1755-1315/667/1/012031

Khalil, M., Kesumawati, E., & Zakaria, S. (2020). Begomoviral disease rates and the implications to the growth and yield of chili plants (*Capsicum annuum* L.) at different elevations in Indonesia. *Journal of Applied Horticulture 22*(1): 71–75. https://doi.org/10.37855/jah.2020.v22i01.14

Khan, N. A., Khan, M., & Ansari, H. R. (2002). Auxin and defoliation effects on photosynthesis and ethylene evolution in mustard. *Scientia Horticulturae*: 43–51.

Kim, C., Park, K.W., Lee, B., Kim, D.I., Park, J.Y., Kim, H.J., Park, J.E., An, J.H., Cho, K.H., Jeong, S.C., Choi, K.H., Harn, C.H., & Kim, H.M. (2009). Gene flow from genetically modified to conventional chili pepper (*Capsicum annum* L.). *Plant science* 176: 406-412.

Kim, M. K., Jeong, H. B., Yu, N., Park, B. M., Chae, W. B., Lee, O. J., Lee, H. E., & Kim, S. (2023). Comparative heat stress responses of three hot pepper (*Capsicum annuum* L.) genotypes differing temperature sensitivity. *Scientific Reports 13*(1): 14203. https://doi.org/10.1038/s41598-023-41418-5

Kirana, R., Carsono, N., Kusandriani, Y., & Liferdi. (2014). Improvement of yield potency of pure line pepper with heterosis fenomenon at highland on dry season. *Jurnal Hortikultura 24*(1): 10–15.

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Klopotek, Y., Franken, P., Klaering, H. P., Fischer, K., Hause, B., Hajirezaei, M. R., & Druege, U. (2016). A higher sink competitiveness of the rooting zone and invertases are involved in dark stimulation of adventitious root formation in Petunia hybrida cuttings. *Plant Science 243*: 10–22. https://doi.org/10.1016/j.plantsci.2015.11.001

Kovács, Z., Bedő, B., Pápai, A. K., Tóth-Lencsés, G., Csilléry, A., Szőke, É., Stefanovits, E., & Veres, A. (2022). Ripening-induced changes in the nutraceutical compounds of differently coloured pepper (*Capsicum annuum* L.) breeding lines. *Journal Antioxidants* 637 (11) : 1-16

Krajnc, A.U., Turinek, M., & Ivancic. (2013). Morphological and physiological changes during adventitious root formation as affected by auxin metabolism: stimulatory effect of auxin containing seaweed extract treatment. Agricultura 10:17-27.

Kumar, S., Dwivedi, S. K., Singh, S. S., Jha, S. K., Lekshmy, S., Elancezhian, R., Singh, O. N., & Bhatt, B. P. (2014). Identification of drought tolerant rice genotypes by analysing drought tolerance indices and morpho-physiological traits. *Sabrao Journal of Breeding and Genetics 46(2): 217-230*. https://www.researchgate.net/publication/272510204

Kusumaningrum, S., Sulistyaningsih, E., Harimurti, R., & Dewi, K. (2024). Identification of chili varieties (*Capsicum annum*) tolerance to root cutting based on stress selection indices and morphological traits planted in lowland area. *Biodiversitas 25*(5): 2063–2073. https://doi.org/10.13057/biodiv/d250524

Lamba, K., Kumar, M., Singh, V., Chaudhary, L., Sharma, R., Yashveer, S., & Dalal, M. S. (2023). Heat stress tolerance indices for identification of the heat tolerant wheat genotypes. *Scientific Reports 13*: 1–13. https://doi.org/10.1038/s41598-023-37634-8

Latifah, E., Krismawati, A., Saeri, M., Arifin, Z., Warsiati, B., Setyorini, D., Prahardini, P.E.R., Subagio, H., Sihombing, D., Antarlina, S. S., Widaryanto, E., Ariffin, & Maghfoer, M.D. (2021). Analysis of plant growth and yield in varieties of tomato (*Solanum lycopersicum* L.) grafted onto different eggplant rootstocks. *Internasional Journal of Agronomy: 1-11*. https://doi.org/10.1155/2021/6630382

Lemoine, R., La Camera, S., Atanassova, R., Dédaldéchamp, F., Allario, T., Pourtau, N., Bonnemain, J. L., Laloi, M., Coutos-Thévenot, P., Maurousset, L., Faucher, M., Girousse, C., Lemonnier, P., Parrilla, J., & Durand, M. (2013). Source-to-sink transport of sugar and regulation by environmental factors. In *Frontiers in Plant Science*. https://doi.org/10.3389/fpls.2013.00272

Li, C., Zheng, Z., Peng, Y., Nie, X., Yang, L., Xiao, Y., & Zhou, G. (2019). Precipitation and nitrogen addition enhance biomass allocation to aboveground in an alpine steppe. *Ecology and Evolution 9*(21): 12193–12201. https://doi.org/10.1002/ece3.5706

Li, L., Gan, Y.T., Bueckert, R., & Warkentin, T.D. (2010). Shading, defoliation and light enrichment effects on chickpea in northern latitudes. *Journal Agronomy Crop Science* 196: 220-230.

Li, X., Schmid, B., Wang, F., & Paine, C. E. T. (2016). Net assimilation rate determines

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

the growth rates of 14 species of subtropical forest trees. *PLoS ONE*, *11*(3). https://doi.org/10.1371/journal.pone.0150644

Li, Y. M., Forney, C., Bondada, B., Leng, F., & Xie, Z. S. (2021). The molecular regulation of carbon sink strength in grapevine (*Vitis vinifera* L.). In *Frontiers in Plant Science*. https://doi.org/10.3389/fpls.2020.606918

Li, Y., Sun, H., de Paula Protásio, T., Hein, P. R. G., & Du, B. (2022). The mechanisms and prediction of non-structural carbohydrates accretion and depletion after mechanical wounding in slash pine (*Pinus elliottii*) using near-infrared reflectance spectroscopy. *Plant Methods 18*(107): 1–13. https://doi.org/10.1186/s13007-022-00939-2

Lin, T., Sharma, P., Gonzalez, D.H., Viola, I.L., & Hannapel, D.J. (2013). The impact of the long-distance transport of a BEL1-like messenger RNA on development. *Plant Physiol* 161 : 760-772. https://doi.org/10.1104/pp.112.209429

Linskens, H. F., & Jackson, J. F. (1987). High performance liquid chromatography in plant sciences. In *Springer-Verlag, London*.

Liu, G., Yang, Y., Guo, X., Liu, W., Xie, R., Ming, B., Xue, J., Wang, K., Li, S., & Hou, P. (2022). Coordinating maize source and sink relationship to achieve yield potential of 22.5 Mg ha^{-1}. *Field Crops Research 283*: 1–9. https://doi.org/10.1016/j.fcr.2022.108544

Liu, J., Sheng, L., Xu, Y., Li, J., Yang, Z., Huang, H., & Xu, L. (2014). WOX11 and 12 are involved in the first-step cell fate transition during de novo root organogenesis in Arabidopsis. *Plant Cell 26*(3): 1081–1093. https://doi.org/10.1105/tpc.114.122887

Liu, T., Huang, R., Cai, T., Han, Q., & Dong, S. (2017). Optimum leaf removal increases nitrogen accumulation in kernels of maize grown at high density. *Scientific Reports 7*: 1–10. https://doi.org/10.1038/srep39601

Lone, P.M., Nazar, R., Singh, S., & Khan, N.A. (2008). Effects of timing of defoliation on nitrogen assimilation and associated changes in ethylene biosynthesis in mustard (*Brassica juncea*). *Biologia* 63: 207-210.

Long, S.P., Zhu, X.G., Naidu, S.L., & Ort, D.R. (2016). Can improvement in photosynthesus increase crop yield? *Journal Plat Cell and environment* 29 : 315-330.

Lynch, J. (2016). Root Architecture and Plant Productivity. *Plant Physiology 109*(1): 7–13. https://doi.org/10.1104/pp.109.1.7

Ma, S.C, Li, F.M., Xu, B.C., & Huang, Z.B. (2010). Effect of lowering the root/shoot ratio by pruning roots on water use efficiency and grain yield of winter wheat. *Field Crops Res 115: 158-164*.

Magaña-Hernández, E., Zuloaga-Aguilar, S., Cuevas-Guzmán, R., & Pausas, J. G. (2020). Variation in plant belowground resource allocation across heterogeneous landscapes: implications for post-fire resprouting. *American Journal of Botany*, *107*(8): 1114–1121. https://doi.org/10.1002/ajb2.1521

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Marcelis, L. F. M., & Heuvelink, E. (2007). Concepts of modelling carbon allocation among plant organs. in *functional-structural plant modelling in crop production: Springer Netherlands :* 103-111. https://doi.org/10.1007/1-4020-6034-3_9

Mariana, R., Carolina, P., Griselda, P., Roquel, I., Juan, G., Mirna, H., & Fenando, P. (2009). Soluble sugars-metabolism, sensing and abiotic stress, review. *Plants Signaling & Behavior 4*(5): 388–393.

Martasari, A.D., & Purnamaningsih, S.L. (2018). Potensi hasil beberapa genotipe cabai di dataran rendah. *Jurnal Produksi Tanaman* 6(8): 1694-1697

Mashamaite, C.V., Dube, Z.P., & Phiri, E.E. (2020). Chemical root-pruning of Moringa oleifera for improved seedling growth. *South Africa Journal Botany 129 : 155-160*. https://doi.org/10.1016/j.sajb.2019.04.003

Mašková, T., & Herben, T. (2018). Root:shoot ratio in developing seedlings: How seedlings change their allocation in response to seed mass and ambient nutrient supply. *Journal Ecology Evolution 8 : 7143-7150*. https://doi.org/10.1002/ece3.4238

Miswar, Sugiharto, B., Handoyo, T., & Made, S. A. (2007). Peranan sucrose phosphate synthase (SPS) dan acid invertase (AI) internoda tebu (*Saccharum officinarum* L.) dalam akumulasi sukrosa. *Agritrop 26*(4): 187–193.

Matsuda, R., Suzuki, Nakano, Higashide, A., & Takaichi, M. (2011). Responses of leaf photosynthesis and plant growth to altered sumber-lubuk balance in a Japanese and Dutch tomato cultivar, *Sciantia Horticulturae* 127:520–527.

Medhurst, J.L., Pinkard, E.A., Beadle, C.L., & Worledge, D. (2006). Increases in photosynthetic capacity of plantation-grown *Acacia melanoxylon* after form pruning. *Journal Forest Ecology Management* 233: 250-259.

Meychik, N., Nikolaeva, Y., Kushunina, M., (2021). The significance of ion-exchange properties of plant root cell walls for nutrient and water uptake by plants. *Plant Physiology Biochemistry* 166: 140–147.

Moles, A.T., Warton, D.I., Warman, L., Swenson, N.G., Laffan, S.W., Zanne, A.E., Pitman, A., Hemmings, F.A., & Lishman, M.R. (2009). Global patterns in plant height. *Journal of ecology* : 1-10.

Mondal, M.M.A. (2007). A study of source-sink relationship in mung bean. Department of Crop Botany, Bangladesh Agriculture University, Mymensingh, Bangladesh.

Mulyanti. (2017). Zinx supply and root pruning responses on growth and zinc absorption of transplanted rice (*Oryza sativa* L.). *Journal of Agriculture And Veterinary Science* 10(2) : 23.

Muro, J., Irigoyen, I., Militino, A.F., Lamsfus, C. (2001). Defoliation effects on sunflower yield reduction. *Journal Agronomy* 93 : 634-637.

Mwangoe, J., Kimurto, P.K., & Ojwang, P.O. (2022). Identification of drought tolerant finger millet (Eleusine coracana) lines based on morpho-physiological

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

characteristics and grain yield. *African Journal of Plant Science* 16 (4): 47-60. https://doi.org/10.5897/ajps2022.2225

Na, S.J., Lee, D., & Kim, I. (2013).Influence of initial seedling size and root pruning intensity on growth of transplanting seedling of quercus acutissma. *Korean Journal Plant Reserach* 26(6) : 709-717.

Nau, G.W., & Arumyngtias, E.L. (2017). Effect of length main stem pruning variation on physiology character three genotype chilli pepper (*Capsicum Frutescens* L.) commercial . *International Journal of ChemTech Research* 10(2): 216-223.

Naves, E. R., de Ávila Silva, L., Sulpice, R., Araújo, W. L., Nunes-Nesi, A., Peres, L. E. P., & Zsögön, A. (2019). Capsaicinoids: pungency beyond *Capsicum*. *Trends in Plant Science 24*(2): 109–120. https://doi.org/10.1016/j.tplants.2018.11.001

Nelissen, H., Gonzalez, N., & Inzé, D. (2016). Leaf growth in dicots and monocots: so different yet so alike. *Current Opinion in Plant Biology 33*: 72–76. https://doi.org/10.1016/j.pbi.2016.06.009

Ning, W., Li, W., Pi, W., Xu, Y., Cao, M., & Luo, J. (2021). Effects of decapitation and root cutting on phytoremediation efficiency of Celosia argentea. *Ecotoxicol Environ Saf 215: 1-8*. https://doi.org/10.1016/j.ecoenv.2021.112162

Norouzi, H.A., Rezaei, M., Safarzad, Y., & Kaviani, B. (2012). Exchanging amount of sink and sources affect on soybean yield and yield components. *Annals of Biological Research* 3:3.077–3.083.

O'brien, P., Collins, C., & De Bei, R. (2021). Leaf removal applied to a sprawling canopy to regulate fruit ripening in cabernet sauvignon. *Plants* 10(5): 1–13.

Oosterhuis, D., Kerby, T., & Hake, K. (1990). Leaf physiology and management, physiology today. *Newsletter of the Cotton Physiology Education Program. National Cotton Council Technical Service*.

Ortiz, V.F., Marchart, S.S., Vallejo, J.Z., Jender, G., & Casas, J.L. (20180. Change in the free amino acid composition of *Capsicum annum* (pepper) leaves in response to Myzus persicae (green peach aphid) infestation. A comparison with water stress. *Plos One* 13(6): 1-19

Osorio, S., Ruan, Y. L., & Fernie, A. R. (2014). An update on source-to-sink carbon partitioning in tomato. *Frontiers in Plant Science 5*(516): 1–11. https://doi.org/10.3389/fpls.2014.00516

Padjung, R., Farid, M., Musa, Y., Anshori, M. F., Nur, A., & Masnenong, A. (2021). Drought-adapted maize line based on morphophysiological selection index. *Biodiversitas 22*(9): 4028–4035. https://doi.org/10.13057/biodiv/d220951

Palta, J. A., & Yang, J. (2014). Crop root system behaviour and yield. *Field Crops Research 165*(3): 1–4. https://doi.org/10.1016/j.fcr.2014.06.024

Palupi, E. R., & Dedywiryanto, Y. (2008). A study on characteristics related to drought resistance in four genotypes of oil palm (*Elaeis guineensis* Jacq.) seedling. *Bul Agron 36 : 24-32*. https://doi.org/10.24831/jai.v36i1.1341

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Pandey, R.K., & Singh, V.B. (1981). Influence of partial defoliation on dry-matter production and seed yield of urd bean (*Vigna mungo* L. Hepper). *Journal Agriculture Science* 97: 437-443.

Pan, Chen, C., Wang, M., Shen, Y., Yang, A., Wang, H., Dai, Z., Zhang, & Miao. (2021). Comparative analysis of assimilate synthesis, translocation and partitioning between two Cucurbita maxima cultivars “Atlantic giant” and “Hubbard”. *Scientia Horticulturae 289: 1-9*. https://doi.org/10.1016/j.scienta.2021.110411

Parker, G. G. (2020). Tamm review: leaf area index (LAI) is both a determinant and a consequence of important processes in vegetation canopies. In *Forest Ecology and Management*. https://doi.org/10.1016/j.foreco.2020.118496

Pasaribu, A., Nasution, Z., & Sembiring, M. (2018). Evaluasi Kesesuaian Lahan Untuk Tanaman Jagung (*Zea mays* L.) dan Ubi Jalar (*Ipomoea batatas* L.) di Kecamatan Kualuh Selatan Kabupaten Labuhan batu Utara. *Jurnal Online Agroekoteknologi*, 6(4): 779-786

Perkons, U., Kautz, T., Uteau, D., Peth, S., Geier, V., Thomas, K., Lütke Holz, K., Athmann, M., Pude, R., & Köpke, U. (2014). Root-length densities of various annual crops following crops with contrasting root systems. *Soil and Tillage Research 137*: 50–57. https://doi.org/10.1016/j.still.2013.11.005

Permanasari, I., Sulistyaningsih, E., Kurniasi, B., & Indradewa, D. (2023). Morphophysiological and yield traits of soybean varieties tolerant of intercropping with maize. *Biodiversitas 24: 3872-3880*. https://doi.org/10.13057/biodiv/d240726

Pertiwi, M. D., Sulistyaningsih, E., Murti, R. H., & Purwanto, B. H. (2022). Identification of high-temperature tolerance of some potato varieties based on stress tolerance indice and cluster analysis. *Agric 34*(1): 79–88. https://doi.org/10.24246/agric.2022.v34.i1.p79-88

Piay, S. S., Tyasdjaja, A., Ermawati, Y., Hantoro, F. R. P. dan Subagyono, K. 2010. Budidaya dan Pascapanen Cabai Merah (*Capsicum annum* L.). Ungaran, Balai Pengkajian Teknologi Pertanian Jawa Tengah.

Pollo, R., Sitompul, S. M., Guritno, B., & Tyasmoro, Y. S. (2018). Crop growth parameters of grain sorghum varieties (*Sorghum Bicolor* (L.) moench) at different crop spacing. *Russian Journal of Agricultural and Socio-Economic Sciences 74*(2): 224–233. https://doi.org/10.18551/rjoas.2018-02.25

Porker, K., Straight, M., & Hunt, J.R. (2020). Evaluation of G x E x M interactions to increase harvest indeks and yield of early sown wheat. Frontier in Plant Science 11: 1-14. https://doi.org/10.3389/fpls.2020.00994

Purnamawati, H., & Manshuri, A.G. (2015). Source dan Sink pada tanaman kacang tanah. *Monografi Balitkabi*. 13:84-93.

Quentin, A.G., Beadle, C.L., O’Grady, A.P., & Pinkard, E.A. (2011). Effects of partial defoliation on closed canopy *Eucalyptus globulus* Labilladière: growth, biomass

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

allocation and carbohydrates. *Journal Forest Ecology Management* 261:695-702.

Radford, P. J. *(*1967) Growth Analysis Formulae - Their Use and Abuse.

Ratna, M., Chowdhury, A. K., Mahmud, F., Rohman, M. M., Ali, M. Z., Syed, M. A., Almoallim, H. S., Ansari, M. J., & Hossain, A. (2024). Morphological and yield trait-based evaluation and selection of chili (*Capsicum annuum* L.) genotypes suitable for both summer and winter seasons. *Open Agriculture 9*(1). https://doi.org/10.1515/opag-2022-0298

Raza, M. A., Gul, H., Yang, F., Ahmed, M., & Yang, W. (2021). Growth rate, dry matter accumulation, and partitioning in soybean (*Glycine max* L.) in response to defoliation under high-rainfall conditions. *Plants 10*(8): 1–17. https://doi.org/10.3390/plants10081497

Ren, H., Qi, M., Zhao, W., Zhou, X., Wang, X., Gong, Y., Jiang, & Li, C. (2022). Characterization of source–sink traits and carbon translocation in maize hybrids under high plant density. *Agronomy 12*(961): 1–17. https://doi.org/10.3390/agronomy12040961

Rieger, M., & Litvin, P. (1999). Root system hydraulic conductivity in species with contrasting root anatomy. *Journal Expriment Botany 50 : 201-209*. https://doi.org/10.1093/jxb/50.331.201

Ritonga, F. N., Zhou, D., Zhang, Y., Song, R., Li, C., Li, J., & Gao, J. (2023). The roles of gibberellins in regulating leaf development. *Plants 12*(6): 1–19. https://doi.org/10.3390/plants12061243

Rosati, A., Paoletti, A., Al Hariri, R., Morelli, A., & Famiani, F. (2018). Resource investments in reproductive growth proportionately limit investments in whole-tree vegetative growth in young olive trees with varying crop loads. *Tree Physiology 38*(9): 1267–1277. https://doi.org/10.1093/treephys/tpy011

Rosmaina, Parjanto, Sobir, & Yunus A. (2019). Screening of capsicum annuum l. genotypes for drought tolerance based on drought tolerance indices. *Sabrao J Breed Genet 51 : 205-224*.

Ruess, R.W., Anderson, M.D., Mitchell, J.S., & McFarland, J.W. (2006). Effects of defoliation on growth and N fixation in *Alnus tenuifolia*: Consequences for changing disturbance regimes at high latitudes. *Journal Ecoscience* 13: 404-412.

Ryle, G.J.A., Powell, C.E., & Gordon, A.J. (1985). Defoliation in white clover: regrowth, photosynthesis and N2 fixation. *Journal Annals Botany* 56: 9-18.

Sainju, U. M., Allen, B. L., Lenssen, A. W., & Ghimire, R. P. (2017). Root biomass, root/shoot ratio, and soil water content under perennial grasses with different nitrogen rates. *Field Crops Research 210*: 183–191. https://doi.org/10.1016/j.fcr.2017.05.029

Sakya, A. T., Sulistyaningsih, E., Purwanto, B. H., & Indradewa, D. (2023). Evaluation of Zinc efficiency and some of nutritional and physiological responses of tomatoes cultivars. *Journal of Plant Nutrition 46: 4420-4437*.

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1080/01904167.2023.2241495

Salisbury, F.B., & Ross, C.W. (1992). Fisiologi Tumbuhan Jilid 2. Bandung: ITB-Press.

Saure, M. C. (2007). Root pruning - A poorly understood management practice in fruit trees. *Internasional Journal of Fruit Science 7: 43-56*. https://doi.org/10.1300/J492v07n02_05

Schneider, H. M., Strock, C. F., Hanlon, M.T., Vanhees, D. J., Perkins, A. C., Ajmera, I. B., Sidhu, J.S., Mooney, S. J., Brown, K. M., & Lynch, J. P. (2021). Multiseriate cortical sclerenchyma enhance root penetration in compacted soils. *Proc Natl Acad Sci 118: 1-11*. https://doi.org/10.1073/pnas.2012087118/-/DCSupplemental

Scully, B.T., & Wallace,, D.H. (1990). Variation in and relationship of biomass. growth rate, harvest index, and phenology to yield of common bean. *Journal American Society Horticulture Science* 115:218–225.

Setiawati, W., Koesandriani, Y., & Hasyim, A. (2014). Sumbangsih Cabai Keriting Varietas Kencana dalam Menghadapai Kebijakan Swasembada Cabai. *Balai Penelitian Tanaman Sayuran.*

Shamuyarira, K., Shimelis, H., Figlan, S., & Chaplot, V. (2022). Path coefficient and principal component analyses for biomass allocation, drought tolerance and carbon sequestration potential in wheat. *Plants 11: 1407-1421*. https://doi.org/10.3390/plants11111407ï

Shen, Bin, L., Qin, Y. L., Qi, Z. Q., Niu, Y., Liu, Z. J., Liu, W. X., He, H., Cao, Z. M., & Yang, Y. (2019). Genome-wide analysis, expression profile, and characterization of the acid invertase gene family in pepper. *International Journal of Molecular Sciences 20*(1). https://doi.org/10.3390/ijms20010015

Sheridan, R. A., & Davis, A. S. (2021). Characterizing the utility of the root-to-shoot ratio in douglas-fir seedling production. *Forests 12*(1745): 1–12. https://doi.org/10.3390/f12121745

Slattery, R.A., vanLoocke, A., Bernacchi, C.J., Zhu, X.G., & Ort, D.R. (2017). Photosynthesis, light use efficiency, and yield of reduced-chlorophyll soybean mutants in field condition. Original *Research Frotiers In Plant Science* 8 : 1-19.

Smiderle, O.J., Primo, H.E.L., Barbosa, H.D., & Souza, A.G. (2017). Effect of defoliatioon production components at different growth stage of cowpea. *Revista Ciencia Agronomica Journal* 48(5) : 840-847.

Smith, M. R., Rao, I. M., & Merchant, A. (2018). Source-sink relationships in crop plants and their influence on yield development and nutritional quality. In *Frontiers in Plant Science*. https://doi.org/10.3389/fpls.2018.01889

Solikin. (2018). Effect of nodes position on the growth and yield of stem cutting of Sambiloto (*Andrographis paniculata*). *Nusantara Bioscience* 10 (4) : 226-231.

Sonaniya, R., & Singh, S. K. (2022). Morphological characterization of Chilli

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

(*Capsicum annuum* L.) Germplasm for the Mining of Breeding Traits. *Sonaniya & Singh Biological Forum-An International Journal 14*(2): 120. www.researchtrend.net

Spurr, A.R., & Harris, W.M. (1968). Ultrastructure of choloplasts and chromoplasts in *Capsicum annum* L. Thylakoid membrane changes during fruit ripening. *American Journal Botany* 55 (10): 1210-1224

Stewart, D.W., Costa, C, Dawyer, L.M., Smith, D.L., Hamilton, R.I., & Ma, B.L. (2003). Canopy structure, light interception, and photosynthesis in maize. Agronomy Journal 95: 1465-1474

Stoffella, P. J., Lipucci, M., Paola, D., Pardossi, A., & Tognoni, F. (1992). Seedling root morphology and growth after seed priming or pregermination of bell pepper shoot. *Reports Hortscience 27*(3): 214–215.

Suharta, N. (2007). Sifat dan karakteristik tanah dari batuan sedimen masam di provinsi kalimantan barat serta implikasinya terhadap pengelolaan lahan. *Jurnal Tanah Dan Iklim*, *26*: 11–26.

Sumarni, N., & Muharram, A. (2005). Budidaya Tanaman Cabai Merah. Balai Penelitian Tanaman Sayuran. Bandung.

Sun, M., Zhao, B, Cai, Z., Yan, J., Ma, R., & Yu, M. (2022). Article amino acid profiles in peach (*Prunus persica* L.) fruit. Journal Foods 1718 (11): 1-11.

Suryaningndari, D., Indradewa, D., Kurniasih, B., & Sulistyaningsih, E. (2019). Effect of cropping pattern and fertilizer dose applied in raised-bed on the growth and yield of rice (*Oryza sativa* L.) in sunken-bed of the surjan rice field. *Agricultural Science Journal 3: 96-102*. https://doi.org/10.22146/ipas.31420

Swamy, K.R.M. (2023). Origin, distribution, taxonomy, botanical description, genetic diversity and breeding of capsicum (*Capsicum annuum* L.). *International Journal of Development Research* 13(3): 61956-61977.

Tafes, B., & Alemayehu, Y. (2020). Physiological growth indices of durum wheat (*Triticum turgidum* L. Var. durum) as affected by rates of blended and nitrogen fertilizers. *American Journal of Life Science 8 : 52-59*. https://doi.org/10.11648/j.ajls.20200804.12

Tagliavini, M., Veto, L. J., & Looney, N. E. (1993). Measuring root surface area and mean root diameter of peach seedlings by digital image analysis. *Hortscience 28*(11): 1129–1130. https://doi.org/0.21273/HORTSCI.28.11.1129

Tajima, R. (2021). Importance of individual root traits to understand crop root system in agronomic and environmental contexts. *Breeding Science 71*(1): 13–19. https://doi.org/10.1270/jsbbs.20095

Torres-Bazurto, J., Magnitskiy, S., & Sánchez, J. D. (2019). Effect of fertilization with N on height, number of leaves, and leaf area in banana (Musa AAA Simmonds, cv. Williams). *Revista Colombiana de Ciencias Hortícolas 13*(1). https://doi.org/10.17584/rcch.2019v13i1.8440

Turnbull, T.L., Adams, M.A., & Warren, C.R. (2007). Increased photosynthesis

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

following partial defoliation of field-grown *Eucalyptus globulus* seedlings is not caused by increased leaf nitrogen. *Journal Tree Physiology* 27: 1481-1492.

Umar, M., Ahmad, S., Haider, S.T., & Naz, S. (2019). Effect of pruning to improve yield and fruit quality of 'kinnow' mandarin plants under high density plantation. *Hortic Sci Technol 2: 85-89*. https://doi.org/10.46653/jhst190203085

Valdés-Rodríguez, O.A., & Pérez-Vázquez, A. (2019). Seedling characteristics of three oily species before and after root pruning and transplant. *Plants 8 : 258-277*. https://doi.org/10.3390/plants8080258

Vann, D.R., Fletcher, J.S., Acchireddy, N.R., & Beevers, L. (1986). Influence of partial defoliation of green pepper on the senescence, growth, and nitrate reductase of remaining leaf. *Journal Plant Soil* 91: 357-361.

Van Noordwijk, M., & De Willigen, P. (1987). Agricultural concepts of roots: from morphogenetic to functional equilibrium between root and shoot growth. *Netherlands Journal Agriculture Science 35: 487-496*.

Vysotskaya, L.B., Timergalina, L.N., Simonyan, M.V., Veselov, S.Y., & Kudoyarova, G.R. (2001). Growth rate, IAA, and cytokinin content of wheat seedling afterroot. *Journal Plant Growth Regulation* 33: 51-57.

Wahyunto, H., Suryani, E., Tafakresnanto, C., Ritung, S., Mulyani, A., Sukarman, K., Nugroho, Sulaeman, E., Apriyana, Y., Suciaantini, A., Pramudia, Suparto, R.E., Subandiono,T., Sutriadi, & Nursyamsi, D. (2016). Petunjuk teknis. pedoman penilaian kesesuaian lahan untuk komoditas pertanian strategis tingkat semi detail skala 1:50.000. balai besar penelitian dan pengembangan sumber daya lahan pertanian. Badan Litbang Pertanian. Bogor.

Wang, N., Li, Q., Liu, X., Yi, S., Zhao, M., Sun, X., Song, H., Peng, X., Fan, P., Gao, Q., Wang, Y., Yu, L., Wang, H., Du, N., & Wang, R. (2021). Plant size plays an important role in plant responses to low water availability and defoliation in two woody leguminosae species. *Frontiers in Plant Science 12*: 1–14. https://doi.org/10.3389/fpls.2021.643143

Wang, N., Zhao, M., Li, Q., Liu, X., Song, H., Peng, X., Wang, H., Yang, N., Fan, P., Wang, R., & Du, N. (2020). Effects of defoliation modalities on plant growth, leaf traits, and carbohydrate allocation in *Amorpha fruticosa* L. and *Robinia pseudoacacia* L. seedlings. *Annals of Forest Science 77*(53): 1–15. https://doi.org/10.1007/s13595-020-00953-1/Published

Wang, X., Wang, S., Xue, Y., Ren, X., Xue, J., & Zhang, X. (2020). Defoliation, not gibberellin, induces tree peony autumn reflowering regulated by carbon allocation and metabolism in buds and leaves. *Plant Physiology and Biochemistry 151*: 545–555. https://doi.org/10.1016/j.plaphy.2020.04.005

Wang, Y., Travers, S., Bertelsen, M.G., Kristensen, K.T., Petersen, K.K., & Liu, F. (2014).Effect of root pruning and irrigation regimes on pear tree: growth, yield, and yield components 41 : 34-43.

Weraduwage, S. M., Chen, J., Anozie, F. C., Morales, A., Weise, S. E., & Sharkey, T. D. (2015). The relationship between leaf area growth and biomass accumulation

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

in Arabidopsis thaliana. *Frontiers in Plant Science*. https://doi.org/10.3389/fpls.2015.00167

Widiyono, W., & Hidayati, N. (2005). The critical period of red chili (*Capsicum annuum* L. var. long chili) under water stress treatment. *Jurnal Biologi Indonesia* 3 (9): 389-396.

Wightman, F., Schneider, E.A., & Thimann, K.V. (1980). Hormonal factors controlling the initiation and developent of lateral roots. *Journal Plant Physiology* 49: 304-314.

Woodward, A.W., & Bartel, B. (2005). Auxin: regulation, action, and interaction. *Annals of Botany* 95(5): 707-735.

Wu, Q., Loı¨c, & Wu, J. (2016). Relationships between root diameter, root length and root branching along lateral roots in adult, field-grown maize. *Annals of Botany* 117: 379–390

Wu, W., Du, K., Kang, X., & Wei, H. (2021). The diverse roles of cytokinins in regulating leaf development. In *Horticulture Research*. *Springer Nature*. https://doi.org/10.1038/s41438-021-00558-3

Wulandari, R., Hasanah, Y., & Meiriani. 2018. Growth response of two pepper (*Piper nigrum* L.) stem cuttings on application of IBA (indole butyric acid) and NAA (naphthalene acetic acid). *Indonesian Journal of Agricultural Research* 1 (1) : 87 – 98

Xing, S.J., Ma, B.Y., Liu, F.Y., Ma, H.L., & Wang, Q.H. (2012). Effects of root pruning on the growth and rhizosphere soil characcteristics of short-rotation closed canopy poplar. *Forest Systems* 21 : 236-246

Xu, X., Ren, Y., Wang, C., Zhang, H., Wang, F., Chen, J., Liu, X., Zheng, T., Cai, M., Zeng, Z., Zhou, L., Zhu, S., Tang, W., Wang, J., Guo, X., Jiang, L., Chen, S., & Wan, J. (2019). OsVIN2 encodes a vacuolar acid invertase that affects grain size by altering sugar metabolism in rice. *Plant Cell Reports 38*(10): 1273–1290. https://doi.org/10.1007/s00299-019-02443-9

Yan, M., Zhang, C., Li, H., Zhang, L., Ren, Y., Chen, Y., Cai, H., & Zhang, S. (2023). Root pruning improves maize water-use efficiency by root water absorption. *Frontiers in Plant Science 13*. https://doi.org/10.3389/fpls.2022.1023088

Yan, M., Zhang, L., Ren, Y., Zhang, T., Zhang, S., Li, H., Chen, Y., & Zhang, S. (2022). The higher water absorption capacity of small root system improved the yield and water use efficiency of maize. *Plants 11*(17). https://doi.org/10.3390/plants11172300

Yan, Q., Li, J., Lu, L., Yi, X., Yao, N., Lai, Z., & Zhang, J. (2022). Comparative transcriptome study of the elongating internode in elephant grass (*Cenchrus purpureus*) seedlings in response to exogenous gibberellin applications. *Industrial Crops and Products 178*: 1–12. https://doi.org/10.1016/j.indcrop.2022.114653

Yang, Z., & Midmore, D.J. (2004). Experimental assessment of the impact of defoliationon growth and production of waterstressed maize and cotton plants.

UNIVERSITAS
GADJAH MADA
Hubungan sumber dan lubuk empat varietas cabai (Capsicum annuum L.) di dataran rendah
Sarlin Kusumaningrum, Dr. Ir. Endang Sulistyaningsih, M.Sc., Prof. Dr. Rudi Harimurti, S.P., M.P., Prof. Dr. Kumala D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Journal Experimental Agronomy 40: 189-199.

Zaika, V., & Bondarenko, T. (2018). The content of chlorophyll a and chlorophyll b in leaves of undergrowth species in hornbeam-oak forest stands of the forest-steppe zone western ukraine. *Leśne Prace Badawcze* 79 (1): 23–28

Zakaria, N. I., Ismail, M. R., Awang, Y., Megat Wahab, P. E., & Berahim, Z. (2020). Effect of root restriction on the growth, photosynthesis rate, and source and sink relationship of chilli (*Capsicum annuum* L.) grown in soilless culture. *BioMed Research Internasional* : 1–14. https://doi.org/10.1155/2020/2706937

Zhang, X., & Wang, W. (2015). The decomposition of fine and coarse roots: their global patterns and controlling factors. *Scientific Reports 5*: 1–10. https://doi.org/10.1038/srep09940

Zhao, W., S.P. Chen, & G.H. Lin. (2008). Compensatory growth responses to clipping defoliation in Leymus chinensis (*Poaceae*) under nutrient addition and water deficiency conditions. *Journal Plant Ecology* 196: 85-99.

Zhao, Y. (2014). Auxin Biosynthesis. American society of plant biologists. *The Arabidopsis book*: 1-14.

Zhu, G.X., Midemore, D.J., Radford, B.J., & Yule, D.F. (2004). Effect of timing of defoliation on wheat (*Triticum aestivum* L.) in central Queensland. *Journal Field Crops Research* 88: 211-226.

Zhu, J., Gou, F., Rossouw, G., Begum, F., Henke, M., Johnson, E., Holzapfel, B., Field, S., & Seleznyova, A. (2021). Simulating organ biomass variability and carbohydrate distribution in perennial fruit crops: A comparison between the common assimilate pool and phloem carbohydrate transport models. *In Silico Plants 3*(2). https://doi.org/10.1093/insilicoplants/diab024

Zhu, Y. H., Weiner, J., Jin, Y., Yu, M. X., & Li, F. M. (2022). Biomass allocation responses to root interactions in wheat cultivars support predictions of crop evolutionary ecology theory. *Frontiers in Plant Science 13*. https://doi.org/10.3389/fpls.2022.858636

Zulkarnaini, Z. M., Sakimin, S. Z., Mohamed, M. T. M., & Jaafar, H. Z. E. (2019). Changes in leaf area index, leaf mass ratio, net assimilation rate, relative growth rate and specific leaf area two cultivars of fig (*Ficus carica* L.) treated under different concentrations of brassinolide. *Agrivita 41 : 158-165*. https://doi.org/10.17503/agrivita.v41i1.2001