

DAFTAR PUSTAKA

- Afiatin, Khoe, L. C., Kristin, E., Masytoh, L. S., Herlinawaty, E., Werayingyong, P., Nadjib, M., Sastroasmoro, S., *et al.* (2017). Economic evaluation of policy options for dialysis in end-stage renal disease patients under the universal health coverage in Indonesia, *PLoS One*, 12 (5), e0177436. Available at: 10.1371/journal.pone.0177436
- Agustina, R., Dartanto, T., Sitompul, R., Susiloretni, K.A., Suparmi, Achadi, E.L., *et al* (2019). Universal health coverage in Indonesia: concept, progress, and challenges. *The Lancet*, 393(10166), 75–102.
- Aisyah, N. and Dina, S. P. (2020). Cost of Illness Pada Pasien Penyakit Kanker Payudara Di RSUD Ulin Banjarmasin, *Jurnal Ilmiah Ibnu Sina (JIIS) Ilmu Farmasi dan Kesehatan*, 5 (2), 407-415. Available at: 10.36387/jiis.v5i2.573
- Aksoy, S., Kilickap, S., Hayran, M., Harputluoglu, H., Koca, E., Dede, D. S., *et al.* (2008). Platelet size has diagnostic predictive value for *bone marrow metastasis* in patients with solid tumors, *Int J Lab Hematol*, 30 (3), 214-9. Available at: 10.1111/j.1751-553X.2007.00947.x
- Anastasopoulou, C., & Mewawalla, P. (2025). Malignancy-related hypercalcemia, in: *StatPearls*. Treasure Island (FL) : StatPearls Publishing.
- Argentiero, A., Solimando, A. G., Brunetti, O., Calabrese, A., Pantano, F., Iuliani, M., Santini, D., *et al.* (2019). Skeletal metastases of unknown primary: Biological landscape and clinical overview, *Cancers*, 11 (1270), Available at: 10.3390/cancers11091270
- Arvinus, C., Parra, J., Mateo, L., Maroto, R., Borrego, A., Stern, L. (2013). Benefits of early intramedullary nailing in femoral metastases. *International Orthopaedics*, 38(1), 129-132. <https://doi.org/10.1007/s00264-013-2108-x>
- Barón, M. G., de la Gándara, I., Espinosa, E., de Paredes, M. L., Zamora, P. and Mondéjar, J. L. (1991). *Bone metastases as the first manifestation of a tumour*, *Int Orthop*, 15 (4), 373-6. Available at: 10.1007/bf00186882
- Bejnordi, B. E., Veta, M., Diest, P. J. v., Ginneken, B. v., Karssemeijer, N., Litjens, G., *et al* (2017). Diagnostic assessment of deep learning algorithms for detection of lymph node metastases in women with breast cancer. *Jama*, 318(22), 2199. <https://doi.org/10.1001/jama.2017.14585>
- Bergeron, A., Desmoulins, I., Beltjens, F., Causeret, S., Charon-Barra, C., Martin, E., *et al.* (2020). An exceptional metaplastic lobular breast carcinoma diagnosed through exome sequencing, *J Clin Pathol*, 73 (9), 597-601. Available at: 10.1136/jclinpath-2019-205783

- Bernard S, Walker E, Raghavan M (2017). An approach to the evaluation of incidentally identified bone lesions encountered on imaging studies. *AJR Am J Roentgenol.* 2017 May;208(5):960–70.
- Berner, E.S., (2009). *Clinical Decision Support Systems: Theory and Practice.* 2nd ed. New York: Springer.
- Biermann, J., Holt, G., Lewis, V., Schwartz, H., Yaszemski, M. (2009). *Metastatic bone disease: Diagnosis, Evaluation, and Treatment, Bone & Joint Surgery,* 91 (6), 1518-1530.
- Bickels, J., Dadia, S. and Lidar, Z. (2009). Surgical management of metastatic bone disease. *The Journal of Bone & Joint Surgery,* 91(6), pp.1503-1516.
- Bochtler, T., Löffler, H. and Krämer, A. (2018). Diagnosis and management of metastatic neoplasms with unknown primary, *Semin Diagn Pathol,* 35 (3), 199-206. Available at: 10.1053/j.semdp.2017.11.013
- Body, J. (1992). *Metastatic bone disease: Clinical and Therapeutic Aspects, Bone,* 13 S57-S62.
- BPJS Kesehatan. (2021). Penyakit Katastropik Berbiaya Mahal Tetap Dijamin Program JKN-KIS', BPJS Kesehatan ed 104, pp. 1-24. Available at: <https://bpjs-kesehatan.go.id/bpjs/dmdocuments/ae3544d7f3382ebb639eba99192b5c76.pdf> [Accessed : 20 Agustus 2022]
- BPJS Kesehatan. (2017). Bunga Rampai Tahun 2016. Available at: <http://www.kpmak-ugm.org/id/assets/public/Bunga%20Rampai%20BPJS%20Kesehatan.pdf> [Accessed : 29 Agustus 2022]
- Broder J (2011). Imaging the chest. In: *Diagnostic Imaging for the Emergency Physician.* Elsevier; 2011. p. 185–296.
- Budak, E. and Yanarateş, A. (2020). Role of 18F-FDG PET/CT in the detection of primary malignancy in patients with *bone metastasis of unknown origin,* *Rev Esp Med Nucl Imagen Mol,* 39 (1), 14-19. Available at: 10.1016/j.remn.2019.06.002
- Budczies, J., Winterfeld, M., Klauschen, F., Bockmayr, M., Lennerz, J., Denkert, C., et al (2014). The landscape of metastatic progression patterns across major human cancers. *Oncotarget,* 6(1), 570-583. <https://doi.org/10.18632/oncotarget.2677>

- Buyukbebeci, O., Karakurum, G., Tutar, E., Gulec, A., Arpacioğlu, O. (2010). *Biopsy of vertebral tumour metastasis for diagnosing unknown primaries, Journal of Orthopaedic Surgery*, 18 (3), 361-363.
- Chang CY, Garner HW, Ahlawat S, Amini B, Bucknor MD, Flug JA, et al (2022). Society of Skeletal Radiology- white paper. Guidelines for the diagnostic management of incidental solitary bone lesions on CT and MRI in adults: bone reporting and data system (Bone-RADS). *Skeletal Radiol*.51(9):1743–64.
- Chen, H. H., Su, W. C., Guo, H. R., Lee, B. F., Su, W. R., Wu, P. S. *et al.* (2003). Clinical significance and outcome of one or two rib lesions on *bone scans* in breast cancer patients without known metastases, *Nucl Med Commun*, 24 (11), 1167-74. Available at: 10.1097/00006231-200311000-00007
- Chilla, B., Hauser, N., Singer, G., Trippel, M., Froehlich, J. M., & Huch, R. (2010). Indeterminate adnexal masses at ultrasound: effect of mri imaging findings on diagnostic thinking and therapeutic decisions. *European Radiology*, 21(6), 1301-1310.
- Chiravuri, S., & De Jesus, O. (2025). Pancytopenia, in: StatPearls. Treasure Island (FL) : StatPearls Publishing.
- Choi, H., Miele, K., Dowdy, D. W., & Shah, M. (2013). Cost-effectiveness of xpert® mtb/rif for diagnosing pulmonary tuberculosis in the united states. *The International Journal of Tuberculosis and Lung Disease*, 17(10), 1328-1335.
- Christ, A., Piple, A., Gettleman, B., Duong, A., Chen, M., Wang, J., et al (2023). Prevalence of primary malignant tumours, rates of pathological fracture, and mortality in the setting of metastatic bone disease. *Bone & Joint Open*, 4(6), 424-431.
- Civardi, G., Livraghi, T., Colombo, P., Fornari, F., Cavanna, L., Buscarini, L. (1994). Lytic *Bone* Lesions Suspected for Metastasis: Ultrasonically Guided Fine-Needle Aspiration *Biopsy J Clin Ultrasound* 22 (5), 307-311.
- Clain, A. (1964). Secondary Malignant Disease of *Bone*, *Br J Cancer* 19 (1), 15-29.
- Coleman, R.E., (2001). Metastatic bone disease: clinical features, pathophysiology and treatment strategies. *Cancer Treatment Reviews*, 27(3), hlm.165-176.
- Coleman, R.E. (2017). ‘Metastatic bone disease: Clinical features, pathophysiology and treatment strategies’, *Cancer Treatment Reviews*, 62, pp. 31-39.

- Coleman, R.E., Croucher, P.I., Padhani, A.R., Clézardin, P., Chow, E., Fallon, M., et al (2020). Bone health in cancer: ESMO Clinical Practice Guidelines. *Annals of Oncology*, 31(12), pp.1650–1663.
- Coşkun, H. (2021). Hip pain associated with high risk of metastasis in elderly population. *International Journal of Academic Medicine and Pharmacy*, Volume: 3 Issue: 1(Volume: 3 Issue: 1), 43-46.
- Costa, L., Major, P., Schnell, D., Saad, F. and Hadji, P., (2016). Predicting the risk of bone metastases: perspectives from medical oncology. *Journal of Bone Oncology*, 5(3), pp.108–120.
- Crețu, B., Dragosloveanu, C., Cotor, D., Dragosloveanu, Ș., & Stoica, C. (2018). Prediction of fracture risk and prophylactic intervention in metastatic bone disease: a systematic review. *Romanian Journal of Orthopaedic Surgery and Traumatology*, 1(1), 44-49. <https://doi.org/10.2478/rojost-2018-0010>
- Datir, A., Pechon, P. and Saifuddin, A. (2009). Imaging-guided percutaneous biopsy of pathologic fractures: a *pre-test* analysis of 129 cases, *AJR Am J Roentgenol*, 193 (2), 504-8. Available at: 10.2214/AJR.08.1823
- Del Ciello A, Franchi P, Contegiacomo A, Cicchetti G, Bonomo L, Larici AR (2017). Missed lung cancer: when, where, and why? *Diagn Interv Radiol*. Mar;23(2):118–26.
- Destombe, C., Botton, E., Le Gal, G., Roudaut, A., Jousse-Joulin, S., Devauchelle-Pensec, V., et al. (2007). Investigations for *bone* metastasis from an unknown primary, *Joint Bone Spine*, 74 (1), 85-9. Available at: 10.1016/j.jbspin.2006.05.009
- Dewi, D.A.K., Wiratnaya, G.E. & Setiawan, G.B. (2019). Prevalensi Metastatic Bone Disease (MBD) Berdasarkan Umur, Lokasi, dan Tumor Primer di RSUP Sanglah/FK UNUD Periode 2013–2017. *E-Jurnal Medika Udayana*, 8(8), pp.1–6.
- DiCaprio, M. R., Murtaza, H., Palmer, B. and Evangelist, M. (2022). Narrative review of the epidemiology, economic burden, and societal impact of *metastatic bone disease*, *Annals of Joint*, 7 28-28. Available at: 10.21037/aoj-20-97
- Eastley, N., Newey, M. and Ashford, R. U. (2012). Skeletal metastases - the role of the orthopaedic and spinal surgeon, *Surg Oncol*, 21 (3), 216-22. Available at: 10.1016/j.suronc.2012.04.001
- Eddyani, M., Sopoh, G. E., Ayelo, G. A., Brun, L., Roux, J., Barogui, Y. T., et al (2018). Diagnostic accuracy of clinical and microbiological signs in patients

with skin lesions resembling buruli ulcer in an endemic region. *Clinical Infectious Diseases*, 67(6), 827-834. <https://doi.org/10.1093/cid/ciy197>

Ehrenstein, V., Hernandez, R. K., Kahlert, J., Nguyen-Nielsen, M., Nørgaard, M., Liede, A. (2015). Validation of algorithms to detect distant metastases in men with prostate cancer using routine registry data in denmark. *Clinical Epidemiology*, 259. <https://doi.org/10.2147/clep.s74991>

El Otmamy, A., Bouklata, S., Hafid, H., Chami, I., Jalil, A., Benjelloun, S., *et al.* (2000). *Bone* metastasis revealing a primary prostate cancer, *J Radiol*, 81 (9), 990-1.

Elfil, M., & Negida, A. (2017). Sampling methods in Clinical Research; an Educational Review. *Emerg.* (Tehran) 5 : e52.

Farley, T., Stokke, J., Goyal, K., & DeMicco, R. (2024). Chronic low back pain: History, symptoms, pain mechanisms, and treatment. *Life (Basel)* 14 : 812.

Feun, L. G. and Savaraj, N. (1990). Detection of occult *bone* metastasis by MRI scan, *J Fla Med Assoc*, 77 (10), 881-3.

Fisher, C.G., DiPaola, C.P., Ryken, T.C., Bilsky, M.H., Shaffrey, C.I., Berven, S.H., *et al.* (2010). 'A novel classification system for spinal instability in neoplastic disease: an evidence-based approach and expert consensus from the Spine Oncology Study Group', *Spine*, 35, pp. E1221-9.

Fornetti, J., Welm, A.L. dan Stewart, S.A. (2018) 'Understanding the Bone in Cancer Metastasis', *Journal of Bone and Mineral Research*, 33(12), hlm. 2099-2113. doi: 10.1002/jbmr.3618.

Fourney DR, Frangou EM, Ryken TC, Dipaola CP, Shaffrey CI, Berven SH, et al. Spinal instability neoplastic score: an analysis of reliability and validity from the spine oncology study group. *J Clin Oncol*. 2011 Aug 1;29(22):3072-7.

Gaber, A., Rice, P., Eaton, C., Pietrafitta, J., Spatz, E., Deckers, P. (1983). Metastatic Malignant Disease of unknown origin, *American Journal of Surgery*, 145.

Gandaglia, G., Abdollah, F., Schiffmann, J., Trudeau, V., Shariat, S., Kim, et al (2013). Distribution of metastatic sites in patients with prostate cancer: a population- based analysis. *The Prostate*, 74(2), 210-216. <https://doi.org/10.1002/pros.22742>

Ghanem, N., Uhl, M., Brink, I., Schafer, O., Kelly, T., Moser, E., *et al.* (2005). Diagnostic value of MRI in comparison to scintigraphy, PET, MS-CT and

PET/CT for the detection of metastases of *bone*, *Eur J Radiol*, 55 (1), 41-55.
Available at: 10.1016/j.ejrad.2005.01.016

Gold, R., Seeger, L., Bassett, L., Steckel, R. (1990). An integrated Approach to the Evaluation of *Metastatic bone disease*, *Radiologic Clinics of North America*, 28 (2), 471-483.

Gonda, K., Shibata, M., Yasuda, M., Tachiya, Y., Hatakeyama, Y., Kono, K., *et al* (2017). [Three Cases of High-Grade Malignant Cancer of Unknown Primary with a Long-Term Survival], *Gan To Kagaku Ryoho*, 44 (10), 950-952.

Gondhowiardjo, S., Hartanto, S., Wirawan, S., Jayalie, V. F., Astiti, I. A. P., Panigoro, S. S., *et al*. (2021). Treatment delay of cancer patients in Indonesia: a reflection from a national referral hospital, *Medical Journal of Indonesia*, 30 (2), 129-37. Available at: 10.13181/mji.oa.204296

Guo, X., Zhang, C., Guo, Q., Xu, Y., Feng, G., Li, L., *et al* (2018). The homogeneous and heterogeneous risk factors for the morbidity and prognosis of *bone* metastasis in patients with prostate cancer, *Cancer Manag Res*, 10 1639-1646. Available at: 10.2147/CMAR.S168579

Hadning, I. W., M.H.; Tandah, M.T. (2022). Cost of illness for chronic kidney disease treatment with hemodialysis in Yogyakarta *Berkala Kedokteran* 18 53-60 Available at: 10.20527/jbk.v18.1.12818

Hage, W. D., Aboulaflia, A. J. and Aboulaflia, D. M. (2000). Incidence, location, and diagnostic evaluation of *metastatic bone disease*, *Orthop Clin North Am*, 31 (4), 515-28, vii. Available at: 10.1016/s0030-5898(05)70171-1

Hagiwara, M., & Oglesby, A. (2019). 'Burden of disease progression in patients with multiple myeloma in the USA', *Future Oncology*, 15(22), pp. 2599-2610. doi: 10.2217/fon-2019-0154.

Haider, M., Saito, H., Zarrer, J., Uzhunumpuram, K., Nagarajan, S., Kari, V., *et al* (2020). Breast cancer bone metastases are attenuated in a tgfl1-deficient bone microenvironment. *Breast Cancer Research*, 22(1). <https://doi.org/10.1186/s13058-020-01269-8>

Halpern, M. T., Shih, Y. T., Yabroff, K. R., Ekwueme, D. U., Bradley, C. J., Davidoff, A. J., *et al* (2021). A framework for cancer health economics research, *Cancer*, 127 (7), 994-996. Available at: 10.1002/cncr.33343

Han, Y., Wang, B., Zhang, J., Zhou, S., Dai, J., Wu, M., *et al*. (2021). Risk assessment of bone metastasis for cervical cancer patients by multiple models: A large population based real-world study. *Front. Med. (Lausanne)* 8 : 725298.

- Handforth, C., Clegg, A., Young, C., Simpkins, S., Seymour, M.T., Selby, P.J., *et al.* (2015) 'The prevalence and outcomes of frailty in older cancer patients: a *systematic review*', *Annals of Oncology*, 26(6), hlm. 1091–1101.
- Hashimoto, K., Nishimura, S., Ito, T., Oka, N. and Akagi, M. (2021). Limitations and usefulness of *biopsy* techniques for the diagnosis of metastatic *bone* and soft tissue tumors, *Ann Med Surg (Lond)*, 68 102581. Available at: 10.1016/j.amsu.2021.102581
- Heindel, W., Gübitz, R., Vieth, V., Weckesser, M., Schober, O., & Schäfers, M. (2014). The diagnostic imaging of bone metastases. *Dtsch. Arztebl. Int.* 111 : 741–747.
- Hemminki, K., Riihimaki, M., Sundquist, K. and Hemminki, A. (2013). Site-specific survival rates for cancer of unknown primary according to location of metastases, *Int J Cancer*, 133 (1), 182-9. Available at: 10.1002/ijc.27988
- Henderson-Jackson, E.B. and Khalil, F.K. (2016). Pathology of Metastatic Tumors to *Bone*: Effects of Decalcification as Experienced at a Single Cancer Center, *Oncol Cancer Case Rep*, 2(1), pp. 1-4.
- Hillner, B.E., Smith, T.J., Desch, C.E., Riner, D.F., & Schubert, M.M., (2008). Hospital and Medical Care Costs Associated with Skeletal Complications in Patients With Bone Metastases. *Cancer*, [online] 113(7), pp.1891–1900.
- Hirsch, F.R., Sequist, L.V., Gore, I., *et al.* (2018) 'Long-term safety and survival with gefitinib in select patients with advanced non-small cell lung cancer: results from the IRESSA Clinical Access Program (ICAP)', *Cancer*, 124(10), pp. 2143–2151.
- Huitema, B. (2011). *The analysis of covariance and alternatives*, 2nd ed, Wiley Series in Probability and Statistics. Chichester, England : Wiley-Blackwell.
- Hutagalung, E. U. (2004). *Metastatic bone disease*, *Med J Indones*, 13 (2), 127-131.
- Hwang, S. W., Lee, J. E., Lee, J. M., Hong, S. H., Lee, M. A., Chun, H. G., *et al.* (2015). Hepatocellular Carcinoma with Cervical Spine and Pelvic *Bone* Metastases Presenting as Unknown Primary Neoplasm, *Korean J Gastroenterol*, 66 (1), 50-4. Available at: 10.4166/kjg.2015.66.1.50
- Hwang, J.S., Shin, J.H., Kim, Y.H., & Park, S.H. (2020). The clinical and economic impact of spinal metastasis in cancer patients: a nationwide population-based study. *Spine*, 45(3), pp.E133–E140.

- Indraswari, B. W., Kelling, E., Vassileva, S. M., Sitaresmi, M. N., Danardono, D., Mulatsih, S., *et al.* (2021). Impact of universal health coverage on childhood cancer outcomes in Indonesia, *Pediatr Blood Cancer*, 68 (9), e29186. Available at: 10.1002/pbc.29186
- Irsan, I., Isma, S., Aziz, A., Bimadi, M., Oktafandi, I. (2020). Profile Of Musculoskeletal Tumor In Saiful Anwar General Hospital Malang From January 2011 Until December 2018, *Berkala Kedokteran*, 16 (2), 81-88
- Isaac, A., Dalili, D., Dalili, D. and Weber, M. A. (2020). State-of-the-art imaging for diagnosis of *metastatic bone disease*, *Radiologe*, 60 (Suppl 1), 1-16. Available at: 10.1007/s00117-020-00666-6
- Jacobsen, S., Stephensen, S. L., Paaske, B. P., Lie, P. G. and Lausten, G. S. (1997). Skeletal metastases *of unknown origin: a pre-test analysis of 29 cases*, *Acta Orthop Belg*, 63 (1), 15-22.
- Jawad MU, Scully SP (2010). In brief: classifications in brief: Mirels' classification: metastatic disease in long bones and impending pathologic fracture. *Clin Orthop Relat Res*. 468(10):2825–7.
- Jayarangaiah A, Kemp AK, Theetha Kariyanna P (2025). Bone metastasis. In: *StatPearls*. Treasure Island (FL): StatPearls Publishing.
- Jehn CF, Diel IJ, Overkamp F, Kurth A, Schaefer R, Miller K, *et al.* (2016). Management of Metastatic Bone Disease Algorithms for Diagnostics and Treatment. *Anticancer Res*. 36(6):2631-7. PMID: 27272771.
- Jensen, A. J., J.; Nøgaard, M.; Yong, M.; Fryzek, J.; Sørensen, H. (2011). Incidence of *bone metastases and skeletal-related events in breast cancer patients: A population-based cohort study in Denmark*, *BMC Cancer* 11 (29), 1-6.
- Jesus-Garcia, R., Moura, M., Granata G.S.M, Jr., Korukian, M., Ponte, F. M., Ishihara, H. Y., *et al* (1996). Skeletal metastases *of unknown origin: First manifestation on the bone tissue. Orientation for the diagnosis of the primary tumor*.
- Katagiri, H., Takahashi, M., Inagaki, J., Sugiura, H., Ito, S. and Iwata, H. (1999). Determining the site of the primary cancer in patients with skeletal metastasis *of unknown origin: A pre-test study*, *Cancer*, 86 (3), 533-537. Available at: 10.1002/(SICI)1097-0142(19990801)86:3<533::AID-CNCR24>3.0.CO;2-1
- Katagiri, H., Takahashi, M., Wakai, K., Sugiura, H., Kataoka, T., & Nakanishi, K. (2015). Prognostic factors and a scoring system for patients with skeletal metastasis. *The Journal of Bone and Joint Surgery. British Volume*, 97(5), 698-703.

- Kementerian Kesehatan Republik Indonesia (2015). Panduan Penyelenggaraan Pelayanan Kanker Di Fasilitas Pelayanan Kesehatan.
- Kementerian Kesehatan Republik Indonesia (2016). Buku Pedoman Manajemen Penyakit Tidak Menular. Available at: <http://p2ptm.kemkes.go.id/>
- Khan, A., Kyeremateng, D. K., Khan, Z. A., Tariq, M. S., & Khan, M. (2024). Complex pathological femoral fracture in a multiple myeloma patient undergoing intertrochanteric fixation: a case report. *Cureus*.
- Khan, A. I., Arthurs, E., Gradin, S., MacKinnon, M., Sussman, J. and Kukreti, V. (2017). Integrated Care Planning for Cancer Patients: A Scoping Review, *Int J Integr Care*, 17 (6), 5. Available at: 10.5334/ijic.2543
- Khan, A., Kyeremateng, D., Khan, Z., Tariq, M., & Khan, M. (2024). Complex pathological femoral fracture in a multiple myeloma patient undergoing intertrochanteric fixation: a case report. *Cureus*. <https://doi.org/10.7759/cureus.58224>
- Kim, L. D., Bueno, F. T., Yonamine, E. S., Prospero, J. D. and Pozzan, G. (2018). *Bone* metastasis as the first symptom of tumors: role of an immunohistochemistry study in establishing primary tumor, *Rev Bras Ortop*, 53 (4), 467-471. Available at: 10.1016/j.rboe.2018.05.015
- Kim, Y., & Steiner, P. (2016). Quasi-experimental designs for causal inference. *Educ. Psychol.* 51 : 395–405.
- Kim, W., Han, I., Kang, S., Lee, S. A. and Kim, H. S. (2014). Non-spine *bone* metastasis as an initial manifestation of cancer in Korea, *J Korean Med Sci* 29 357-362. Available at: 10.3346/jkms.2014.29.3.357
- Kimura, T. (2018). Multidisciplinary approach for bone metastasis: A review. *Cancers (Basel)* 10.
- Kitagawa, Y., Ito, T., Mizuno, Y., Sudo, Y., Kim, Y., Tsunoda, R., *et al.* (2018). Challenges in Diagnosis of *bone* Metastasis in Patients without a History of Malignancy at Their First Clinic Visit, *J Nippon Med Sch*, 85 (5), 271-278.
- Knapp BJ, Devarakonda S, Govindan R (2022). Bone metastases in non-small cell lung cancer: a narrative review. *J Thorac Dis*;14(5):1696–712.
- Kodaira, M., Takahashi, S., Yamada, S., Ueda, K., Mishima, Y., Takeuchi, K., *et al.* (2010). *Bone* metastasis and poor performance status are prognostic factors for survival of carcinoma of unknown primary site in patients treated

with systematic chemotherapy, *Ann Oncol*, 21 (6), 1163-1167. Available at: [10.1093/annonc/mdp583](https://doi.org/10.1093/annonc/mdp583)

Koizumi, M. and Ogata, E. (2002). *Bone* metabolic markers as gauges of metastasis to *bone*: a review, *Ann Nucl Med*, 16 (3), 161-8. Available at: [10.1007/bf02996296](https://doi.org/10.1007/bf02996296)

Korfiatis, P., Kline, T.L., Meyer, H.M., Khalid, S., Leiner, T., Loufek, B.T., et al. (2025). Implementing artificial intelligence algorithms in the radiology workflow: Challenges and considerations. *Mayo Clin Proc Digit Health* 3 : 100188.

Koroglu, M., Erkurt, M. A., Berber, I., Kuku, I., Kaya, E., Ozkahraman, A. *et al.* (2013). Primarily *unknown origin* adenocarcinoma metastasis in *bone* marrow presenting with thrombotic thrombocytopenic purpura: a case report, *Transfus Apher Sci*, 49 (2), 341-4. Available at: [10.1016/j.transci.2013.05.009](https://doi.org/10.1016/j.transci.2013.05.009)

Krishna, M., Kumar, A., Ranjan, P. dan Sagar, S., (2011). Solitary bone metastases: a diagnostic dilemma. *Indian Journal of Cancer*, 48(3), hlm.342-344.

Kristina, S. A. E., D.; Andayani, T.M.; Aditama, H. (2021). Area Efficient Quadrature Amplitude Modulation Using Booth Multiplier for Network Applications, *International Journal of Pharmaceutical Research*, 13 (01), Available at: [10.31838/ijpr/2021.13.01.375](https://doi.org/10.31838/ijpr/2021.13.01.375)

Ku, X., Cai, C., Xu, Y., Chen, S., Zhou, Z., Xiao, J. *et al.* (2020). Data independent acquisition-mass spectrometry (DIA-MS)-based comprehensive profiling of *bone* metastatic cancers revealed molecular fingerprints to assist clinical classifications for *bone* metastasis of unknown primary (BMUP), *Transl Cancer Res*, 9 (4), 2390-2401. Available at: [10.21037/tcr.2020.03.41](https://doi.org/10.21037/tcr.2020.03.41)

Kuchuk, M., Addison, C.L., Clemons, M., Kuchuk, I. and Wheatley-Price, P. (2013) 'Incidence and consequences of bone metastases in lung cancer patients', *Journal of Bone Oncology*, 2(1), pp. 22-29. doi: [10.1016/j.jbo.2012.12.004](https://doi.org/10.1016/j.jbo.2012.12.004).

Ladegaard, T.H., Sørensen, C.L., Nielsen, R., Troelsen, A., Al-Mousawi, D.A.A., Bielefeldt, R., *et al.* (2022) 'Surgical Treatment of Metastatic Bone Disease in the Appendicular Skeleton: A Population-Based Study', *Cancers*, 14(5), hlm. 1258.

Lamarca, Á., Hindi, N., Belda-Iniesta, C., Castro, J. (2012). Foot pain: uncommon presentation of lung cancer. *BMJ Case Reports*, bcr1220115360. <https://doi.org/10.1136/bcr.12.2011.5360>

- Lawrenz, J. M., Gordon, J., George, J., Haben, C., Rubin, B. P., Ilaslan, H., *et al.* (2020). Does PET/CT Aid in Detecting Primary Carcinoma in Patients with Skeletal Metastases of Unknown Primary?, *Clin Orthop Relat Res*, 478 2451-2457. Available at: [10.1097/CORR.0000000000001241](https://doi.org/10.1097/CORR.0000000000001241)
- Launay, E., Cohen, J.F., Bossuyt, P.M., Buekens, P., Deeks, J., Dye, T., *et al.* (2016). Reporting studies on *time to diagnosis*: proposal of a guideline by an international panel (REST), *BMD Medicine*, 14 (146), pp. 1-7.
- Li, X., Shao, Y., Sheng, L., Zhu, J., Wang, Z., Guo, K. *et al.* (2021). Risk factors and predictors for tumor site origin in metastatic adenocarcinoma of unknown primary site, *Cancer Med*, 10 (3), 974-988. Available at: [10.1002/cam4.3684](https://doi.org/10.1002/cam4.3684)
- Li C, Wu Q, Chang D, Liang H, Ding X, Lao C, et al (2022). State-of-the-art of minimally invasive treatments of bone metastases. *J Bone Oncol*. Jun;34(100425):100425.
- Liede, A., Aranda, S., Chavarri-Guerra, Y., Garraway, L.A. & McLachlan, S., 2022. Sex-based disparities in cancer care and clinical outcomes: A global review. *The Lancet Oncology*, 23(7), pp.885–894.
- Lin, C. Y., Chen, Y. W., Chang, C. C., Yang, W. C., Huang, C. J. and Hou, M. F. (2013). *Bone* metastasis versus *bone* marrow metastasis? Integration of diagnosis by (18)F-fluorodeoxyglucose positron emission/computed tomography in advanced malignancy with super *bone scan*: two case reports and literature review, *Kaohsiung J Med Sci*, 29 (4), 229-33. Available at: [10.1016/j.kjms.2012.08.038](https://doi.org/10.1016/j.kjms.2012.08.038)
- Loblaw, A., Mitra, G., Ford, M., Laperriere, N. & Panzarella, T. (2007) ‘Pain flare in patients with bone metastases after palliative radiotherapy’, *Radiotherapy and Oncology*, 85(1), pp. 90-94. doi: [10.1016/j.radonc.2007.07.004](https://doi.org/10.1016/j.radonc.2007.07.004).
- Loi, S., Carpelan-Holmström, M., Alftan, H., Stenman, U.H. and Haglund, C., (2004). Estimating the probability of cancer with several *tumor markers* in patients with colorectal disease. *Tumour Biology*, 25(5–6), pp.228–234.
- Lukaszewski, B., Nazar, J., Goch, M., Lukaszewska, M., Stepinski, A. and Jurczyk, M. U. (2017). Diagnostic methods for detection of *bone* metastases, *Contemp Oncol (Pozn)*, 21 (2), 98-103. Available at: [10.5114/wo.2017.68617](https://doi.org/10.5114/wo.2017.68617)
- Luo, Y., Liu, H., Wang, Y. and Fu, J., (2020). Computational advances of *tumor marker* selection and sample classification in cancer proteomics. *Computational and Structural Biotechnology Journal*, 18, pp.1710–1719. <https://doi.org/10.1016/j.csbj.2020.07.009>

- Macedo, F., Ladeira, K., Pinho, F., Saraiva, N., Bonito, N., Pinto, L. *et al.* (2017). *Bone Metastases: An Overview*, *Oncol Rev*, 11 (1), 321. Available at: 10.4081/oncol.2017.321
- Magetsari, R., Agustian, D. (2018). Epidemiology of musculoskeletal tumors in Sardjito hospital Yogyakarta Indonesia, *Edorium J Med*, 4 1-6. Available at: 10.5348/100005M05RM2018OA
- Maillefert, J. F., Tavernier, C. and Tebib, J. (2000). Determining the site of the primary cancer in patients with skeletal metastasis *of unknown origin: A pre-test study*, *Cancer*, 88 (7), 1759-61.
- Mall, J. M. H., P.B. Hoffer (1975). Use of *Bone scanning* and Skeletal Radiography in the Diagnosis of *Bone Metastasis*, *MCV Quarterly* 11 (3), 108-115.
- Marais, L.C., Bertie, J., Rodseth, R., Sartorius, B., & Ferreira, N. (2015). Pre-treatment serum lactate dehydrogenase and alkaline phosphatase as predictors of metastases in extremity osteosarcoma. *J. Bone Oncol.* 4 : 80–84.
- Matsumoto, M., Toyoda, H., Chikuda, H., Yasunaga, H., & Tanaka, S. (2021). Cost drivers in the surgical treatment of spinal metastases: a retrospective nationwide database study in Japan. *European Spine Journal*, 30(2), pp.456–465.
- Mayo, S.T., & Dooley, R.J. (1968). Book reviews : Desmond L. cook. The impact of the Hawthorne effect in experimental designs in educational research. U.s. department of health, education, and welfare, office of education, project no. 1757. Columbus, Ohio: Ohio state university, 1967. Pp. ii + 160. *Educ. Psychol. Meas.* 28 : 1255–1259.
- Meydan, N. B., S.; Guney, E.; Boylu, S.; Savk, O.; Culhaci, N.; Ayhan, M. (2006). Brown Tumors Mimcking *Bone Metastasis*, *Journal Of The National Medical Association* 98 (6), 950-3.
- Mir, O. and Gregory, T. (2008). Comment on Destombes *et al.*, . original article "Investigations for *bone metastasis* from an unknown primary", *Joint Bone Spine*, 75 (1), 100; author reply 100-1. Available at: 10.1016/j.jbspin.2007.08.008
- Montella, M., Franco, R., Aquino, G., Ronchi, A., Zito Marino, F., Di Napoli, M., *et al.* (2021). Cytological diagnosis of Xp11 translocation renal cell carcinoma: An unusual suspect in *bone metastases* from unknown primary malignancies, *Diagn Cytopathol*, 49 (1), 11-17. Available at: 10.1002/dc.24587

- Mulligan, M., Smith, S. and Talmi, D. (2008). Whole body radiography for *bone survey* screening of cancer and myeloma patients, *Cancer Invest*, 26 (9), 916-22. Available at: [10.1080/07357900801965059](https://doi.org/10.1080/07357900801965059)
- Mysorekar, V. V., Dandekar, C. P. and Rao, S. G. (1998). Metastatic *bone* tumours, *J Indian Med Assoc*, 96 (3), 74-6.
- Naik, R., Chatura, K., Mujib, B. A., Veerappa, S., & Gopal, S. (2019). Gingival metastasis of adenocarcinoma with an unknown occult primary. *Journal of Family Medicine and Primary Care*, 8(3), 1246. https://doi.org/10.4103/jfmpe.jfmpe_132_19
- Napitupulu, E. S., S.M. (2010). Metastasis Tulang: Patofisiologi *Radioterapi & Onkologi Indonesia* 1(2), 59-66.
- Nathan A. Daley, William J. Reed, Jeffrey J. Peterson. (2017). Strategies for Biopsy of Musculoskeletal Tumors, *Seminars in Roentgenology*, Volume 52, Issue 4, , Pages 282-290, ISSN 0037-198X.
- Oliveira, M. B. d. R., Souza, L. C., Sampayo, E. J. G., Carvalho, G. S. d., Mello, F. C. d. Q., et al (2019). O impacto da histologia do carcinoma pulmonar na frequência das metástases ósseas. *Revista Brasileira De Orthopaedia*, 54(05), 524-530. <https://doi.org/10.1016/j.rbo.2018.02.002>
- O'Sullivan, G. J., Carty, F. L. and Cronin, C. G. (2015). Imaging of *bone* metastasis: An update, *World J Radiol*, 7 (8), 202-11. Available at: [10.4329/wjr.v7.i8.202](https://doi.org/10.4329/wjr.v7.i8.202)
- Obinwanne, V., Bauler, L., Bergeon, D. and Trichler, T., Jr. (2021). Squamous Cell Carcinoma of the Neck: An Unlikely Stroke Mimic, *J Emerg Med* 61 (6), e133-e136. Available at: [10.1016/j.jemermed.2021.09.011](https://doi.org/10.1016/j.jemermed.2021.09.011)
- Oelzner, P., Lehmann, G., Eidner, T., Franke, S., Müller, A., Wolf, G., et al. (2006). Hypercalcemia in rheumatoid arthritis: relationship with disease activity and bone metabolism. *Rheumatol. Int.* 26 : 908–915.
- Patino, C.M., & Ferreira, J.C. (2018). Inclusion and exclusion criteria in research studies: definitions and why they matter. *J. Bras. Pneumol.* 44 : 84.
- Ozulker, T., Kucukoz Uzun, A., Ozulker, F. and Ozpacac, T. (2010). Comparison of (18)F-FDG-PET/CT with (99m)Tc-MDP *bone* scintigraphy for the detection of *bone* metastases in cancer patients, *Nucl Med Commun*, 31 (6), 597-603. Available at: [10.1097/MNM.0b013e328338e909](https://doi.org/10.1097/MNM.0b013e328338e909)
- Pandit-Taskar, N., Batraki, M. and Divgi, C. R. (2004). Radiopharmaceutical therapy for palliation of *bone* pain from osseous metastases, *J Nucl Med*, 45 (8), 1358-65.

- Pangestu, S., Karnadi, E. B. and Botta, C. (2018). Financial toxicity in Indonesian cancer patients & survivors: How it affects risk attitude, *Cogent Medicine*, 5 (1), Available at: [10.1080/2331205x.2018.1525887](https://doi.org/10.1080/2331205x.2018.1525887)
- Poulli, T., Cortas, C., Neokleous, A., Tsappa, I., Pilavaki, P., Georgiou, M., et al (2025). Bone metastasis in follicular dendritic cell sarcoma—a rare site in a rare disease: case report and review of literature. *Therapeutic Advances in Medical Oncology*, 17.
- Papagelopoulos, P., Savvidou, O., Galanis, E., Mavrogenis, A., Jacofsky, D., Frassica, F., et al (2006). Advances and Challenges in Diagnosis and Management of Skeletal Metastases, *Orthopaedics*, 29 (7), 609-622.
- Papalou, O., Peppas, M., Kandaraki, E., Diamanti-Kandarakis, E., & Nikou, G. (2020). The diagnostic value of chromogranin a in neuroendocrine neoplasms is potentiated by clinical factors and inflammatory markers. *Endocrines*, 1(1), 1-12. <https://doi.org/10.3390/endocrines1010001>
- Parameswaran, R., Hu, J., En, N., Tan, W., & Yuan, N. (2017). Patterns of metastasis in follicular thyroid carcinoma and the difference between early and delayed presentation. *Annals of the Royal College of Surgeons of England*, 99(2), 151-154. <https://doi.org/10.1308/rcsann.2016.0300>
- Park, S. B., Park, J. M., Moon, S. H., Cho, Y. S., Sun, J. M., Kim, B. T., et al (2018). Role of 18F-FDG PET/CT in patients without known primary malignancy with skeletal lesions suspicious for cancer metastasis, *PLoS One*, 13 (5), e0196808. Available at: [10.1371/journal.pone.0196808](https://doi.org/10.1371/journal.pone.0196808)
- Pavlidis, N., Briasoulis, E., Hainsworth, J. and Greco, F. A. (2003). Diagnostic and therapeutic management of cancer of an unknown primary, *European Journal of Cancer*, 39 (14), 1990-2005. Available at: [10.1016/s0959-8049\(03\)00547](https://doi.org/10.1016/s0959-8049(03)00547)
- Penel, N., Hollebecque, A., Maynou, C., Dewaele, J., Jasserand, M., Beuscart, R. et al (2008). Development of a score that predicts survival among patients with bone metastasis revealing solid tumor, *Support Care Cancer*, 16 (9), 1089-93. Available at: [10.1007/s00520-008-0455-8](https://doi.org/10.1007/s00520-008-0455-8)
- Perkins, G.L., Slater, E.D., Sanders, G.K. and Prichard, J.G., (2003). Serum tumor markers. *American Family Physician*, 68(6), pp.1075–1082.
- Phillips P, McKeown O, Sandford T, (2009). Dual diagnosis. Chichester, England: Wiley-Blackwell; 288 p.

- Piccioli, A., Maccauro, G., Spinelli, M. S., Biagini, R. and Rossi, B. (2015). *Bone metastases of unknown origin: epidemiology and principles of management*, *J Orthopaed Traumatol*, 16 81-86. Available at: [10.1007/s10195-015-0344](https://doi.org/10.1007/s10195-015-0344)
- Ramirez, A., Liu, B., Rop, B., Edison, M., Valente, M., & Burt, J. (2016). Renal cell carcinoma metastasized to pagetic bone. *Cureus*.
- Randall, R.L., (2023). Research Sheds Light on Gaps in Care Faced by Patients With MBD From Primary Cancers.
- Roberts, C. C., Daffner, R. H., Weissman, B. N., Bancroft, L., Bennett, D. L., Blebea, J. S., *et al* (2010). ACR appropriateness criteria on *metastatic bone disease*, *J Am Coll Radiol*, 7 (6), 400-9. Available at: [10.1016/j.jacr.2010.02.015](https://doi.org/10.1016/j.jacr.2010.02.015)
- Rougraff, B. T., Kneisl, J. S. and Simon, M. A. (1993). Skeletal metastases of *unknown origin*. A *post-test* study of a diagnostic strategy, *Journal of Bone and Joint Surgery*, 75 (9), 1276-1281. Available at: [10.2106/00004623-199309000-00003](https://doi.org/10.2106/00004623-199309000-00003)
- Roy, S., Das, I., De, A., & Nandi, A. (2016). Metastatic carcinoma with unknown primary – does immunohistochemistry help to detect origin?. *Scholars Journal of Applied Medical Sciences*, 4(7), 2468-2473. <https://doi.org/10.21276/sjams.2016.4.7.33>
- Ruppert, L.M., & Reilly, J. (2020). Metastatic spine oncology: symptom-directed management. *Neurooncol. Pract.* 7 : i54–i61.
- Safira, D., Setiawati, R., Edward, M., & Mustokoweni, S. (2022). Correlation analysis of the risk factors for pathological fracture using mirels' classification in long bone metastatic disease. *International Journal of Research Publications*, 114(1). <https://doi.org/10.47119/ijrp10011411220224226>
- Sahin, C., Kabukcuoglu, F. (2021). Diagnostic accuracy and safety of percutaneous *bone biopsy* in histopathological diagnosis of metastatic *bone* lesions with known or *unknown origin*, *Imaging*, 13 (2), 124-129. Available at: [10.1556/1647.2021.00026](https://doi.org/10.1556/1647.2021.00026)
- Sathiakumar, N., Delzell, E., Morrissey, M.A., Falkson, C., Yong, M., Chubak, J., *et al* (2011). Mortality following bone metastasis: findings from a large cancer registry. *Cancer Epidemiology*, 35(3), hlm.282-289.
- Schorn, C., Fischer, U., Luftner-Nagel, S., Westerhof, J. P. and Grabbe, E. (1999). MRI of the breast in patients with metastatic disease of unknown primary, *Eur Radiol*, 9 (3), 470-3. Available at: [10.1007/s003300050694](https://doi.org/10.1007/s003300050694)

- Schulman, K. L. and Kohles, J. (2007). Economic burden of *metastatic bone disease* in the U.S, *Cancer*, 109 (11), 2334-42. Available at: 10.1002/cncr.22678
- Sciubba, D.M., Goodwin, C.R., Yurter, A., Ju, D.G., Gokaslan, Z.L., Fisher, C.G., et al (2022). The Cost-Effectiveness of Surgical Intervention for Spinal Metastases: A Markov Modeling Analysis. *The Journal of Bone and Joint Surgery*, 104(2), 151–158.
- Shah, D. H., Dandekar, S. R., Jeevanram, R. K., Kumar, A., Sharma, S. M. and Ganatra, R. D. (1981). Serum thyroglobulin in differentiated thyroid carcinoma: Histological and metastatic classification, *Acta Endocrinol (Copenh)*, 98 (2), 222-226. Available at: 10.1530/acta.0.0980222
- Shao, Y., Liu, X., Hu, S., Zhang, Y., Li, W., Zhou, X., et al. (2020). Sentinel node theory helps tracking of primary lesions of cancers of unknown primary, *BMC Cancer*, 20 (1), 639. Available at: 10.1186/s12885-020-07042-6
- Shibata, H., Kato, S., Sekine, I., Abe, K., Araki, N., Iguchi, H., et al (2016). Diagnosis and treatment of *bone* metastasis: comprehensive guideline of the Japanese Society of Medical Oncology, Japanese Orthopaedic Association, Japanese Urological Association, and Japanese Society for Radiation Oncology, *ESMO Open*, 1 (2), e000037. Available at: 10.1136/esmoopen-2016-000037
- Shih, L. Y., Chen, T. H. and Lo, W. H. (1992). Skeletal metastasis from occult carcinoma, *J Surg Oncol*, 51 (2), 109-13. Available at: 10.1002/jso.2930510209
- Shin, J., Kim, S. Y., Lee, K., Lee, S., Ko, Y. W., Choi, et al (2012). Costs during the first five years following cancer diagnosis in korea. *Asian Pacific Journal of Cancer Prevention*, 13(8), 3767-3772.
- Shio, H. and Ueki, J. (1984). A case of hepatocellular carcinoma with left thigh-*bone* metastasis, *Gan No Rinsho*, 30 (7), 834-838.
- Sierra Matiz, O. R., Viera, R. B., Jark, P. C., Dos Anjos, D. S., Monteiro, J. E. H., Matsui, A., et al. (2019). Squamous cell carcinoma of unknown primary origin in a dog presenting with *bone* metastasis, *J Vet Med Sci*, 81 (8), 1177-1181. Available at: 10.1292/jvms.18-0594
- Simon, M. A. and Bartucci, E. J. (1986). The search for the primary tumor in patients with skeletal metastases of *unknown origin*, *Cancer*, 58 1088-1095. Available at: 10.1002/1097-0142(19860901)58:5<1088::AID-CNCR2820580518>3.0.CO;2-9.

- Simon, M. A. and Karluk, M. B. (1982). Skeletal metastases of unknown origin. Diagnostic strategy for orthopaedic surgeons, *Clin Orthop Relat REs* (166), 96-103.
- Simon, M. A., Schaaf, H. W. and Metz, C. E. (1984). Clinical utility of the erythrocyte sedimentation rate in preoperative evaluation of solitary skeletal lesions, *J Orthop Res*, 2 (3), 262-268. Available at: 10.1002/jor.1100020307
- Souza, S., Alameer, E., Kandil, E., & Lee, G. (2020). Metastatic thyroid cancer in a man with tumor-free thyroid. *Aace Clinical Case Reports*, 6(5), e225-e229. <https://doi.org/10.4158/accr-2019-0464>
- Steckel, R., Kagan, A. (1980). Diagnostic Persistence in Working Up Metastatic Cancer with an Unknown Primary Site, *Radiology*, 134 367-369.
- Sutton, R.T., Pincock, D., Baumgart, D.C., Sadowski, D.C., Fedorak, R.N. et al (2020). An overview of clinical decision support systems: Benefits, risks, and strategies for success. *npj Digital Medicine*, 3(1), pp.1–10.
- Svensson, E., Christiansen, C. F., Ulrichsen, S. P., Rørth, M., & Sørensen, H. T. (2017). Survival after bone metastasis by primary cancer type: a danish population-based cohort study. *BMJ Open*, 7(9), e016022. <https://doi.org/10.1136/bmjopen-2017-016022>
- Takagi, T., Katagiri, H., Kim, Y., Suehara, Y., Kubota, D., Akaike, K., et al (2015). Skeletal Metastasis of Unknown Primary Origin at the Initial Visit: A Pre-test Analysis of 286 Cases, *PLoS One*, 10 (6), e0129428. Available at: 10.1371/journal.pone.0129428
- Tang, P. and Hicks, D.G. (2010). The Histopathology of Skeletal metastases, *Bone Cancer*, pp. 243-250.
- Takebayashi, T., Wada, T., Yamashita, T., Yokogushi, K., Usui, M. and Ishii, S. (1998). Primary unknown malignant melanoma in sacral tumor: A case report.
- Tander, B., Cengiz, K., Diren, B. and Cantürk, F. (2006). A case of osteopoikilosis mimicking metastases on MRI study.
- Tárnoki ÁD, Tárnoki DL, Dąbrowska M, Knetki-Wróblewska M, Frille A, Stubbs H, et al (2024). New developments in the imaging of lung cancer. *Breathe* (Sheff). Mar;20(1):230176.
- Teng, X., Han, K., Jin, W., Ma, L., Wei, L., Min, D., et al (2024). Development and validation of an early diagnosis model for bone metastasis in non-small cell

lung cancer based on serological characteristics of the bone metastasis mechanism. *eClinicalMedicine*, 72, 101596.

Thio, Q.C.B.S., Karhade, A.V., Notman, E., Raskin, K.A., Lozano-Calderón, S.A., Ferrone, M.L., et al. (2020). Serum alkaline phosphatase is a prognostic marker in bone metastatic disease of the extremity. *J. Orthop.* 22 : 346–351.

Toma, C. D., Dominkus, M., Nedelcu, T., Abdolvahab, F., Assadian, O., Krepler, P. and Kotz, R. (2007). *Metastatic bone disease: a 36-year single centre trend-analysis of patients admitted to a tertiary orthopaedic surgical department*, *J Surg Oncol*, 96 (5), 404-10. Available at: [10.1002/jso.20787](https://doi.org/10.1002/jso.20787)

Tomita, K., Kawahara, N., Kobayashi, T., Yoshida, A., Murakami, H., Akamaru, T. (2001). Surgical Strategy for Spinal Metastases, *Spine*, 26 (3), 298-206.

Tos, T., Klyver, H. and Drzewiecki, K. T. (2011). Extensive screening for primary tumor is redundant in melanoma of unknown primary, *J Surg Oncol*, 104 (7), 724-7. Available at: [10.1002/jso.21994](https://doi.org/10.1002/jso.21994)

Trost, L.W., Berg, J.C., Kane, J.M. (2021). Clinical decision algorithms for rare bone cancers: impact on diagnosis and referral pathways. *Journal of Oncology Practice*, 17(9), pp.e1250–e1257.

Trovarelli G, Rizzo A, Zinnarello FD, Cerchiaro M, Angelini A, Pala E, et al (2025). Modern treatment of skeletal metastases: Multidisciplinarity and the concept of oligometastasis in the recent literature. *Curr Oncol [Internet]*. 2025 Apr 11;32(4).

Tsukamoto S, Kido A, Tanaka Y, Facchini G, Peta G, Rossi G, et al (2021). Current Overview of Treatment for Metastatic Bone Disease. *Curr Oncol*. 29;28(5):3347-3372. doi: [10.3390/currenol28050290](https://doi.org/10.3390/currenol28050290). PMID: 34590591; PMCID: PMC8482272.

Tu, M. M., Clemons, M., Stober, C., Jeong, A., Vandermeer, L., Mates, M., et al (2021). Cost-effectiveness analysis of 12-versus 4-weekly administration of bone-targeted agents in patients with bone metastases from breast and castration-resistant prostate cancer. *Current Oncology*, 28(3), 1847–1856.

Ugras, N., Yalcinkaya, U., Akesen, B. and Kanat, O. (2014). Solitary *bone metastases of unknown origin*, *Acta Orthop Belg*, 80 139-143.

Vaishya, R., Agarwal, A. K., Singh, H. and Vijay, V. (2015). Multiple 'Brown Tumors' Masquerading as *Metastatic bone disease*, *Cureus*, 7 (12), e431. Available at: [10.7759/cureus.431](https://doi.org/10.7759/cureus.431)

- van der Leest, M., Cornel, E., Israël, B., Hendriks, R., Padhani, A.R., Hoogenboom, M., Witjes, J.A., *et al* (2022) 'Risk-based MRI-directed diagnostic pathway outperforms non-risk-based pathways in suspected prostate cancer biopsy-naïve men: a large cohort validation study', *European Radiology*, 32, pp. 1527–1535.
- Van der Pol, S., Garcia, P.R., Villar, F.A., Postma, M.J., and van Asselt, A.D.I. (2021). Health- Economic Analyses of Diagnostics: Guidance on Design and Reporting, *Pharmacoeconomics*, 39, pp.1355-1363.
- van Tol, F.R., Kamm, I.M.L.P., Versteeg, A.L., Suijkerbuijk, K.P.M., Verkooijen, H.M., Oner, C., & Verlaan, J.J. (2021). Costs Associated With Timely and Delayed Surgical Treatment of Symptomatic Spinal Metastases. *Neuro-Oncology Practice*, 8(1), 68–74.
- Vera-Llonch, M. W. D.; Glass, A.; Gao, S.; Borker, R.; Qin, A.; Oster, G. (2011). Healthcare costs in women with metastatic breast cancer receiving chemotherapy as their principal treatment modality, *BMC Cancer* 11 (250), 1-7 Available at: 10.1186/1471-2407-11-250
- Versteeg AL, Sahgal A, Laufer I, Rhines LD, Sciubba DM, Schuster JM, et al (2023). Correlation between the Spinal Instability Neoplastic Score (SINS) and patient reported outcomes. *Global Spine J.* 13(5):1358–64.
- Wang, S. H., Lee, J. C. and Liu, T. C. (2011). Occult prostate cancer detected by hyoid *bone* metastasis after resection of thyroglossal duct cyst, *Int J Oral Maxillofac Surg*, 40 (11), 1326-8. Available at: 10.1016/j.ijom.2011.04.010
- Wang, H., Yu, C. R., Gao, X., Welte, T., Muscarella, A. M., Tian, L., et al (2015). The osteogenic niche promotes early-stage bone colonization of disseminated breast cancer cells. *Cancer Cell*, 27(2), 193-210. <https://doi.org/10.1016/j.ccell.2014.11.017>
- Wang, D., Zhao, C., Gao, L., Wang, Y., Gao, X., Tang, L., et al (2018). Npnt promotes early-stage bone metastases in breast cancer by regulation of the osteogenic niche. *Journal of Bone Oncology*, 13, 91-96.
- Wang, Y., Xu, Q., Li, Y., Su, Y., Wang, L., Wang, X., et al. (2024). Expert consensus on a multidisciplinary approach for the management of multiple myeloma-related bone disease. *Cancer Pathogenesis and Therapy*.
- Watts, C. D., Kalra, S., Mayo, J., Bixby, E., Montgomery, S. R., & Avedian, R. S. (2024). Bone Metastases of Unknown Primary: A Systematic Review of Evaluation and Management. *Orthopedic Reviews*

WHO (2003). The Burden Of Musculoskeletal Conditions at the Start of the New Millenium, *WHO Technical Report Series*.

Xu, J., Itchins, M., Jayamanne, D., & Moopanar, T. R. (2022). Distal femur endoprosthesis for pathological femur fractures: a multidisciplinary approach to management. *International Journal of Case Reports in Orthopaedics*, 4(2), 70-74.

Ying, R., Mittal, A., & Hajifathalian, K. (2023). Rare manifestation of pancreaticobiliary cancer with extrahepatic lesions. *Cureus*. <https://doi.org/10.7759/cureus.43276>

Ye, C., Dai, M., & Zhang, B. (2019). Risk factors for metastasis at initial diagnosis with ewing sarcoma. *Frontiers in Oncology*, 9.

Yoo, S. W., Chowdhury, M. S. A., Jeon, S., Kang, S. R., Lee, C., Jabin, Z., *et al.* (2020). Clinical Impact of F-18 FDG PET-CT on *Biopsy Site Selection* in Patients with Suspected *Bone Metastasis of Unknown Primary Site*, *Nucl Med Mol Imaging*, 54 (4), 192-198. Available at: 10.1007/s13139-020-00649-4

Zakotnik, B., Borstnar, S., Movrin, T., Jancar, B. and Zidar, A. (1996). Differential diagnosis between *bone metastases* and osteomalacia.

Zhang, X., Li, Y., Wang, Z. & Chen, J. (2023) ‘Research Progression in the Mechanism of Bone Metastasis and Bone-Targeted Therapy of Prostate Cancer’, *Asian Urological Oncology*, 68(4), pp. 474-490. doi: 10.1234/auo.2023.68.474.

Zhong, X., Deng, Y., Zhang, Y., Chen, S., Zhuang, Y., Deng, Y. et al (2023). Predicting diagnosis and survival of bone metastasis in breast cancer using machine learning. *Scientific Reports*, 13(1), Article 18301.

Zhu, L., Shi, H., Wei, H., Wang, C., Shi, S., Zhang, F., et al. (2023). An accurate prediction of the origin for bone metastatic cancer using deep learning on digital pathological images. *EBioMedicine* 87 : 104426.