

## DAFTAR PUSTAKA

- Abdelrazik Othman, A., & Salah Abdelazim, M. (2017). Ventilator-associated pneumonia in adult intensive care unit prevalence and complications. *The Egyptian Journal of Critical Care Medicine*, 5(2), 61–63. <https://doi.org/10.1016/j.ejccm.2017.06.001>
- Ahmed, A., & Stanley, A. J. (2012). Acute upper gastrointestinal bleeding in the elderly: Aetiology, diagnosis and treatment. *Drugs and Aging*, 29(12), 933–940. <https://doi.org/10.1007/s40266-012-0020-5>
- Alhazzani, W., Alenezi, F., Jaeschke, R. Z., Moayyedi, P., & Cook, D. J. (2013). Proton pump inhibitors versus histamine 2 receptor antagonists for stress ulcer prophylaxis in critically ill patients: A systematic review and meta-analysis. *Critical Care Medicine*, 41(3), 693–705. <https://doi.org/10.1097/CCM.0b013e3182758734>
- Alhazzani, W., Alshamsi, F., Belley-Cote, E., Heels-Ansdell, D., Brignardello-Petersen, R., Alquraini, M., Perner, A., Møller, M. H., Krag, M., Almenawer, S., Rochweg, B., Dionne, J., Jaeschke, R., Alshahrani, M., Deane, A., Perri, D., Thebane, L., Al-Omari, A., Finfer, S., ... Guyatt, G. (2018). Efficacy and safety of stress ulcer prophylaxis in critically ill patients: a network meta-analysis of randomized trials. *Intensive Care Medicine*, 44(1), 1–11. <https://doi.org/10.1007/s00134-017-5005-8>
- Alshamsi, F., Belley-Cote, E., Cook, D., Almenawer, S. A., Alqahtani, Z., Perri, D., Thabane, L., Al-Omari, A., Lewis, K., Guyatt, G., & Alhazzani, W. (2016). Efficacy and safety of proton pump inhibitors for stress ulcer prophylaxis in critically ill patients: A systematic review and meta-analysis of randomized trials. *Critical Care*, 20(1). <https://doi.org/10.1186/S13054-016-1305-6>
- Anwar, F., Al-Khayer, A., El-Mahrouki, H., & Purcell, M. (2013). Gastrointestinal bleeding in spinal injuries patient: Is prophylaxis essential? *British Journal of Medical Practitioners*, 6(1).
- Bardou, M., Quenot, J. P., & Barkun, A. (2015). Stress-related mucosal disease in the critically ill patient. *Nature Reviews Gastroenterology and Hepatology*, 12(2), 98–107. <https://doi.org/10.1038/nrgastro.2014.235>
- Barletta, J. F. (2014). Histamine-2-Receptor Antagonist Administration and Gastrointestinal Bleeding When Used for Stress Ulcer Prophylaxis in Patients With Severe Sepsis or Septic Shock. *Annals of Pharmacotherapy*, 48(10), 1276–1281. <https://doi.org/10.1177/1060028014540513>

- Bjarnason, I., Scarpignato, C., Holmgren, E., Olszewski, M., Rainsford, K. D., & Lanas, A. (2018). *REVIEWS IN BASIC AND CLINICAL GASTROENTEROLOGY AND HEPATOLOGY*. 500–514. <https://doi.org/10.1053/j.gastro.2017.10.049>
- Bordin, D. S., Livzan, M. A., Gaus, O. V., Mozgovoi, S. I., & Lanas, A. (2023). Drug-Associated Gastropathy: Diagnostic Criteria. *Diagnostics*, *13*(13). <https://doi.org/10.3390/diagnostics13132220>
- Boyd, C., Hassig, T., & MacLaren, R. (2021). A pragmatic assessment of proton pump inhibitors vs. histamine type 2 receptor antagonists on clinically important gastrointestinal bleeding and mortality when used for stress ulcer prophylaxis in the ICU. *Pharmacotherapy: The Journal of Human Pharmacology and Drug Therapy*, *41*(10), 820-827.
- Buendgens, L. (2016). Prevention of stress-related ulcer bleeding at the intensive care unit: Risks and benefits of stress ulcer prophylaxis. *World Journal of Critical Care Medicine*, *5*(1), 57. <https://doi.org/10.5492/wjccm.v5.i1.57>
- Butler, E., Møller, M. H., Cook, O., Granholm, A., Penketh, J., Rygård, S. L., Aneman, A., & Perner, A. (2019). The effect of systemic corticosteroids on the incidence of gastrointestinal bleeding in critically ill adults: a systematic review with meta-analysis. *Intensive Care Medicine*, *45*(11), 1540–1549. <https://doi.org/10.1007/s00134-019-05754-3>
- Chu, Y.-F., Jiang, Y., Meng, M., Jiang, J.-J., Zhang, J.-C., Ren, H.-S., & Wang, C.-T. (2010). Incidence and risk factors of gastrointestinal bleeding in mechanically ventilated patients. *World Journal of Emergency Medicine*, *1*(1), 32–36. <http://www.ncbi.nlm.nih.gov/pubmed/25214937> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC4129768>
- Cokro, F., & Jokimawidjaja, J. (2022). Effectiveness of Proton Pump Inhibitors as a Gastrointestinal Bleeding Prophylaxis in Intensive Care Unit: Systematic Review and Meta-Analysis. *Journal of Urban Health Research*, *1*(1), 1–11. <https://doi.org/10.25170/juhr.v1i1.3714>
- Cook, D., & Guyatt, G. (2018). Prophylaxis against Upper Gastrointestinal Bleeding in Hospitalized Patients. *New England Journal of Medicine*, *378*(26), 2506–2516. <https://doi.org/10.1056/nejmra1605507>
- Cook, D. J., Fuller, H. D., Guyatt, G. H., Marshall, J. C., Leasa, D., & Hall, R., ... & Willan, A. (1994). Risk Factors for Gastrointestinal Bleeding in Critically ill Patients. *The New England Journal of Medicine*, *330*(3), 153–158.

- Cook, D. J., Griffith, L. E., Walter, S. D., Guyatt, G. H., Meade, M. O., Heyland, D. K., Kirby, A., & Tryba, M. (2001). The attribute mortality and length of intensive care unit stay of clinically important gastrointestinal bleeding in critically ill patients. *Critical Care*, 5(6), 368–375. <https://doi.org/10.1186/cc1071>
- Cotruta, B., Gheorghe, C., Ghinea, B., Badelita, S., Cristina, R., & Suci, S. (2011). Giant stress ulcer bleeding successfully treated by application of hemostatic clips. *Annals of Fundeni Hospital*, 16(1–2), 9–11. <https://doi.org/10.2478/v10206-011-0002-y>
- Dahlan, M.S., 2013. *Besar sampel dan Cara Pengambilan Sampel Dalam Penelitian Kedokteran dan Kesehatan, Edisi 3*. Salemba Medika, Jakarta.
- Dahlan, M.S., 2014. *Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat dan Multivariat Dilengkapi Aplikasi Menggunakan SPSS, Edisi 6*. Epidemiologi
- Deliwala, S. S., Hamid, K., Goyal, H., Ponnappalli, A., Zayed, Y., Bala, A., Lakshman, H., Malladi, S., Jones, S., Santana, M., Leon, B., An, M. T., & Chawla, S. (2022). Proton Pump Inhibitors Versus Histamine-2-Receptor Antagonists for Stress Ulcer Prophylaxis in Critically Ill Patients: A Meta-analysis and Trial Sequential Analysis. *Journal of Clinical Gastroenterology*, 56(3), 204–217. <https://doi.org/10.1097/MCG.0000000000001562>
- Dellinger, R. P., Levy, M., Rhodes, A., Annane, D., Gerlach, H., Opal, S. M., Sevransky, J. E., Sprung, C. L., Douglas, I. S., Jaeschke, R., Osborn, T. M., Nunnally, M. E., Townsend, S. R., Reinhart, K., Kleinpell, R. M., Angus, D. C., Deutschman, C. S., Machado, F. R., Rubenfeld, G. D., ... Zimmerman, J. L. (2013). Surviving sepsis campaign: International guidelines for management of severe sepsis and septic shock, 2012. *Intensive Care Medicine*, 39(2), 165–228. <https://doi.org/10.1007/s00134-012-2769-8>
- Desai, J., Kolb, J. M., Weitz, J. I., & Aisenberg, J. (2013). Gastrointestinal bleeding with the new oral anticoagulants - Defining the issues and the management strategies. *Thrombosis and Haemostasis*, 110(2), 205–212. <https://doi.org/10.1160/TH13-02-0150>
- Ding, C., Zhang, Y., Yang, Z., Wang, J., Jin, A., Wang, W., Chen, R., & Zhan, S. (2017). Incidence, temporal trend and factors associated with ventilator-associated pneumonia in mainland China: A systematic review and meta-analysis. *BMC Infectious Diseases*, 17(1), 1–10. <https://doi.org/10.1186/s12879-017-2566-7>

- Farsaei, S., Ghorbani, S., & Adibi, P. (2017). Variables associated with adherence to stress ulcer prophylaxis in patients admitted to the general hospital wards: A prospective study. *Advanced Pharmaceutical Bulletin*, 7(1), 73–80. <https://doi.org/10.15171/apb.2017.009>
- Finnerty, C. C., Mabvuure, N. T., Kozar, R. A., & Herndon, D. N. (2013). The Surgically Induced Stress Response. *Journal of Parenteral and Enteral Nutrition*, 37, 21S-29S. <https://doi.org/10.1177/0148607113496117>
- Fohl, A. L. (2011). Proton pump inhibitor-associated pneumonia: Not a breath of fresh air after all? *World Journal of Gastrointestinal Pharmacology and Therapeutics*, 2(3), 17. <https://doi.org/10.4292/wjgpt.v2.i3.17>
- Garcia-Vidal, C., Ardanuy, C., Tubau, F., Viasus, D., Dorca, J., Liñares, J., Gudiol, F., & Carratalà, J. (2010). Pneumococcal pneumonia presenting with septic shock: Host- and pathogen-related factors and outcomes. *Thorax*, 65(1), 77–81. <https://doi.org/10.1136/thx.2009.123612>
- Granhölm, A., Krag, M., Marker, S., Alhazzani, W., Perner, A., & Møller, M. H. (2021). Predictors of gastrointestinal bleeding in adult ICU patients in the SUP-ICU trial. *Acta Anaesthesiologica Scandinavica*, 65(6), 792–800. <https://doi.org/10.1111/aas.13805>
- Granhölm, A., Zeng, L., Dionne, J. C., Perner, A., Marker, S., Krag, M., MacLaren, R., Ye, Z., Møller, M. H., & Alhazzani, W. (2019). Predictors of gastrointestinal bleeding in adult ICU patients: a systematic review and meta-analysis. *Intensive Care Medicine*, 45(10), 1347–1359. <https://doi.org/10.1007/s00134-019-05751-6>
- Hammond, D. A., Kathe, N., Shah, A., & Martin, B. C. (2017). Cost-Effectiveness of Histamine-2 Receptor Antagonists Versus Proton Pump Inhibitors for Stress Ulcer Prophylaxis in Critically Ill Patients. *Pharmacotherapy*, 37(1), 43–53. <https://doi.org/10.1002/phar.1859>
- Hao, W., Liu, A., Zhu, H., Yu, X., Chen, G., & Xu, J. (2024). Risk factors and management of gastrointestinal bleeding in patients with or without antiplatelet and anticoagulation therapy : a multicenter real - world prospective study. *BMC Gastroenterology*, 1–13. <https://doi.org/10.1186/s12876-024-03238-3>
- Herzig, S. J., Vaughn, B. P., Howell, M. D., Ngo, L. H., & Marcantonio, E. R. (2011). Acid-suppressive Medication Use and the Risk for Nosocomial Gastrointestinal Bleeding. *Arch Intern Med*, 171(11), 991–997. <https://doi.org/10.1001/archinternmed.2011.14.Acid-suppressive>

- Herzig, S. J., Rothberg, M. B., Feinbloom, D. B., Howell, M. D., Ho, K. K. L., Ngo, L. H., & Marcantonio, E. R. (2013). Risk factors for nosocomial gastrointestinal bleeding and use of acid-suppressive medication in non-critically ill patients. *Journal of General Internal Medicine*, 28(5), 683–690. <https://doi.org/10.1007/s11606-012-2296-x>
- Horsa, B. A., Ayele, Y., & Ayalew, M. B. (2019). Assessment of pharmacologic prophylaxis use against stress ulcer in the medical wards of University of Gondar Hospital. *SAGE Open Medicine*, 7, 1–7. <https://doi.org/10.1177/2050312119827409>
- Huang, J., Cao, Y., Liao, C., Wu, L., Gao, F., Toews, I., George, A. T., Peter, J. V., Kirubakaran, R., Fontes, L. E. S., Ezekiel, J. P. B., Meerpohl, J. J., Zuckerman, G. R., Shuman, R., Duerksen, D. R., Cokro, F., Jokimawidjaja, J., Barkun, A. N., Bardou, M., ... Cook, D., Guyatt, G., Marshall, J., Leasa, D., Fuller, H., Hall, R., Peters, S., Rutledge, F., Griffith, L., McLellan, A., Wood, G., & Kirby, A. (2014). Risk off. *Intensive Care Medicine*, 7(3), 1–11. <https://doi.org/10.1001/jama.2014.2637>
- Huang, M., Han, M., Han, W., & Kuang, L. (2021). Proton pump inhibitors versus histamine-2 receptor blockers for stress ulcer prophylaxis in patients with sepsis: a retrospective cohort study. *Journal of International Medical Research*, 49(6). <https://doi.org/10.1177/03000605211025130>
- Issa, I. A., Soubra, O., Nakkash, H., & Soubra, L. (2012). Variables associated with stress ulcer prophylaxis misuse: A retrospective analysis. *Digestive Diseases and Sciences*, 57(10), 2633–2641. <https://doi.org/10.1007/s10620-012-2104-9>
- Jain, R., & Ahmed, A. (2019). *Stress Ulceration*. In Encyclopedia of Gastroenterology, Second Edition. <https://doi.org/10.1016/B978-0-12-801238-3.65696-9>
- Kaukonen, K. M., Bailey, M., Suzuki, S., Pilcher, D., & Bellomo, R. (2014). Mortality related to severe sepsis and septic shock among critically ill patients in Australia and New Zealand, 2000-2012. *Jama*, 311(13), 1308–1316. <https://doi.org/10.1001/jama.2014.2637>
- Kerama, S. K., Okalebo, F. A., Nyamu, D. G., Guantai, E. M., Ndwigah, S. N., & Maru, S. M. (2014). Risk Factors and Management of Stress Ulcers in the Critical Care Unit in a Kenyan Referral Hospital. *African Journal of Pharmacology and Therapeutics*, 3(2), 51–61. [https://profiles.uonbi.ac.ke/shitalmaru/files/risk\\_factors\\_and\\_management\\_of\\_stress\\_ulcers\\_in\\_the\\_critical\\_care\\_unit\\_in\\_kenyan\\_referral\\_hospital.pdf](https://profiles.uonbi.ac.ke/shitalmaru/files/risk_factors_and_management_of_stress_ulcers_in_the_critical_care_unit_in_kenyan_referral_hospital.pdf)

- Krag, M., Perner, A., Wetterslev, J., Wise, M. P., Borthwick, M., Bendel, S., McArthur, C., Cook, D., Nielsen, N., Pelosi, P., Keus, F., Guttormsen, A. B., Moller, A. D., Møller, M. H., Timmins, A., Raynes, A., Gibson, A. A., Moller, A. D., Oldner, A., ... Samaroo, Y. (2015). Prevalence and outcome of gastrointestinal bleeding and use of acid suppressants in acutely ill adult intensive care patients. *Intensive Care Medicine*, *41*(5), 833–845. <https://doi.org/10.1007/s00134-015-3725-1>
- Kundu, A., Sardar, P., Chatterjee, S., Aronow, W. S., Owan, T., & Ryan, J. J. (2016). Minimizing the Risk of Bleeding with NOACs in the Elderly. *Drugs and Aging*, *33*(7), 491–500. <https://doi.org/10.1007/s40266-016-0376-z>
- Lanas, A., Carrera-Lasfuentes, P., Arguedas, Y., García, S., Bujanda, L., Calvet, X., Ponce, J., Perez-Aísa, Á., Castro, M., Muñoz, M., Sostres, C., & García-Rodríguez, L. A. (2015). Risk of upper and lower gastrointestinal bleeding in patients taking nonsteroidal anti-inflammatory drugs, antiplatelet agents, or anticoagulants. *Clinical Gastroenterology and Hepatology*, *13*(5), 906-912.e2. <https://doi.org/10.1016/j.cgh.2014.11.007>
- Li, W., Cai, J., Ding, L., Chen, Y., Wang, X., & Xu, H. (2024). Incidence and risk factors of ventilator-associated pneumonia in the intensive care unit: a systematic review and meta-analysis. *Journal of Thoracic Disease*, *16*(9), 5518–5528. <https://doi.org/10.21037/jtd-24-150>
- Lilly, C. M., Aljawadi, M., Badawi, O., Onukwugha, E., Tom, S. E., Magder, L. S., & Harris, I. (2018). Comparative Effectiveness of Proton Pump Inhibitors vs Histamine Type 2 Receptor Blockers for Preventing Clinically Important Gastrointestinal Bleeding During Intensive Care: A Population-Based Study. *Chest*, *154*(3), 557–566. <https://doi.org/10.1016/j.chest.2018.05.015>
- MacLaren, R., Reynolds, P. M., & Allen, R. R. (2014). Histamine-2 receptor antagonists vs proton pump inhibitors on gastrointestinal tract hemorrhage and infectious complications in the intensive care unit. *JAMA Internal Medicine*, *174*(4), 564–574. <https://doi.org/10.1001/jamainternmed.2013.14673>
- Madsen, K. R., Lorentzen, K., Clausen, N., Øberg, E., Casparij Kirkegaard, P. R., Maymann-Holler, N., & Hylander Møller, M. (2014). Guideline for stress ulcer prophylaxis in the intensive care unit. *Danish Medical Journal*, *61*(3), 0–3.
- Marker, S., Perner, A., Wetterslev, J., Krag, M., Lange, T., Wise, M. P., Borthwick, M., Bendel, S., Keus, F., Guttormsen, A. B., Schefold, J. C., & Møller, M. H. (2019). Pantoprazole prophylaxis in ICU patients with high severity of disease: a post hoc analysis of the placebo-controlled SUP-ICU trial. *Intensive Care*

*Medicine*, 45(5), 609–618. <https://doi.org/10.1007/s00134-019-05589-y>

Massó González, E. L., Patrignani, P., Tacconelli, S., & García Rodríguez, L. A. (2010). Variability among nonsteroidal antiinflammatory drugs in risk of upper gastrointestinal bleeding. *Arthritis and Rheumatism*, 62(6), 1592–1601. <https://doi.org/10.1002/art.27412>

McKie, S., Rodgers, K. G., & Llano, A. (2023). Gastric disorders: modifications of gastric content, antacids and drugs influencing gastric secretions and motility. *Anaesthesia and Intensive Care Medicine*, 24(9), 531–535. <https://doi.org/10.1016/j.mpaic.2023.05.019>

Monnig, A. A., & Prittie, J. E. (2011). A review of stress-related mucosal disease. *Journal of Veterinary Emergency and Critical Care*, 21(5), 484–495. <https://doi.org/10.1111/j.1476-4431.2011.00680.x>

Muzlovič, I., & Štubljar, D. (2019). Stress ulcer prophylaxis as a risk factor for tracheal colonization and hospital-acquired pneumonia in intensive care patients: Impact on latency time for pneumonia. *Acta Clinica Croatica*, 58(1), 72–86. <https://doi.org/10.20471/acc.2019.58.01.10>

Narum, S., Westergren, T., & Klemp, M. (2014). Corticosteroids and risk of gastrointestinal bleeding: A systematic review and meta-analysis. *BMJ Open*, 4(5). <https://doi.org/10.1136/bmjopen-2013-004587>

Obeidat, M., Teutsch, B., Rancz, A., Tari, E., Márta, K., Veres, D. S., Hosszúfalusi, N., Mihály, E., Hegyi, P., & Eross, B. (2023). One in four patients with gastrointestinal bleeding develops shock or hemodynamic instability: A systematic review and meta-analysis. *World Journal of Gastroenterology*, 29(28), 4466–4480. <https://doi.org/10.3748/wjg.v29.i28.4466>

Palencia-Herrejon, E., Sánchez, B., Escobar, I., & Gómez-Lus, M. L. (2011). Proton pump inhibitors and infection risk. *Revista Espanola de Quimioterapia: Publicacion Oficial de la Sociedad Espanola de Quimioterapia*, 24(1), 4-12.

Plummer, M. P., Blaser, A. R., & Deane, A. M. (2014). Stress ulceration: Prevalence, pathology and association with adverse outcomes. *Critical Care*, 18(2). <https://doi.org/10.1186/cc13780>

Poojary, D. D., Satish, S., & Shabaraya, A. R. (2024). International Journal of Research Publication and Reviews Comparative Analysis of PPIs vs . H2RAs in Gastrointestinal Therapy : Efficacy , Safety , and Cost. *International Journal of Research Publication and Reviews*, 5(12), 3288–3297.

Purnomo, H. D., Prabowo, H., Permatadewi, C. O., Hutami, H. T., Indiarso, D.,

- Prasetyo, A., & Hirlan, H. (2022). Rationality of Use and Effectiveness of Stress Ulcer Prophylaxis in Critically Ill Patients: An Experience from A Tertiary Intensive Care Unit. *Journal of Biomedicine and Translational Research*, 8(3), 138–144. <https://doi.org/10.14710/jbtr.v8i3.16387>
- Rahman, A. A., Platt, R. W., Beradid, S., Boivin, J. F., Rej, S., & Renoux, C. (2024). Concomitant Use of Selective Serotonin Reuptake Inhibitors with Oral Anticoagulants and Risk of Major Bleeding. *JAMA Network Open*, 7(3), E243208. <https://doi.org/10.1001/jamanetworkopen.2024.3208>
- Reintam Blaser, A., Poeze, M., Malbrain, M. L. N. G., Björck, M., Oudemans-Van Straaten, H. M., & Starkopf, J. (2013). Gastrointestinal symptoms during the first week of intensive care are associated with poor outcome: A prospective multicentre study. *Intensive Care Medicine*, 39(5), 899–909. <https://doi.org/10.1007/s00134-013-2831-1>
- Richards, J. B., & Wilcox, S. R. (2014). Diagnosis and management of shock in the emergency department. *Emergency medicine practice*, 16(3), 1–23.
- Rhodes, A., Evans, L. E., Alhazzani, W., Levy, M. M., Antonelli, M., Ferrer, R., Kumar, A., Sevransky, J. E., Sprung, C. L., Nunnally, M. E., Rochweg, B., Rubenfeld, G. D., Angus, D. C., Annane, D., Beale, R. J., Bellingham, G. J., Bernard, G. R., Chiche, J. D., Coopersmith, C., ... Dellinger, R. P. (2017). Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. In *Intensive Care Medicine* (Vol. 43, Issue 3). Springer Berlin Heidelberg. <https://doi.org/10.1007/s00134-017-4683-6>
- Rockey, D. C. (2010). Occult and obscure gastrointestinal bleeding: Causes and clinical management. *Nature Reviews Gastroenterology and Hepatology*, 7(5), 265–279. <https://doi.org/10.1038/nrgastro.2010.42>
- Saeed, M., Bass, S., & Chaisson, N. F. (2022). Which ICU patients need stress ulcer prophylaxis? *Cleveland Clinic Journal of Medicine*, 89(7), 363–367. <https://doi.org/10.3949/CCJM.89A.21085>
- Saes, J. L., Schols, S. E. M., Heerde, W. L. Van, & Nijziel, M. R. (2018). Hemorrhagic disorders of fibrinolysis: a clinical review. *Journal of Thrombosis and Haemostasis*, 16(8), 1498–1509. <https://doi.org/10.1111/jth.14160>
- Salles, N. (2009). Is stomach spontaneously ageing? Pathophysiology of the ageing stomach. *Best Practice and Research: Clinical Gastroenterology*, 23(6), 805–819. <https://doi.org/10.1016/j.bpg.2009.09.002>
- Sesler, J. M. (2007). Stress-related mucosal disease in the intensive care unit: an

update on prophylaxis. *AACN advanced critical care*, 18(2), 119-128.

Shaw, D. H. (2017). Drugs Acting on the Gastrointestinal Tract. In *Pharmacology and Therapeutics for Dentistry* (pp. 404–416). Elsevier. <https://doi.org/10.1016/B978-0-323-39307-2.00028-X>

Shin, J. S., & Abah, U. (2012). Is routine stress ulcer prophylaxis of benefit for patients undergoing cardiac surgery? *Interactive Cardiovascular and Thoracic Surgery*, 14(5), 622–627. <https://doi.org/10.1093/icvts/ivs019>

Song, M. J., Kim, S., Boo, D., Park, C., Yoo, S., Yoon, H. II, & Cho, Y. J. (2021). Comparison of proton pump inhibitors and histamine 2 receptor antagonists for stress ulcer prophylaxis in the intensive care unit. *Scientific Reports*, 11(1), 1–7. <https://doi.org/10.1038/s41598-021-98069-7>

Stollman, N., & Metz, D. C. (2005). Pathophysiology and prophylaxis of stress ulcer in intensive care unit patients. *Journal of Critical Care*, 20(1), 35–45. <https://doi.org/10.1016/j.jcrc.2004.10.003>

Tai, F. W. D., & McAlindon, M. E. (2021). Non-steroidal anti-inflammatory drugs and the gastrointestinal tract. *Clinical Medicine, Journal of the Royal College of Physicians of London*, 21(2), 131–134. <https://doi.org/10.7861/CLINMED.2021-0039>

Tari, E., Frim, L., Stolcz, T., Teutsch, B., Veres, D. S., Hegyi, P., & Eröss, B. (2023). At admission hemodynamic instability is associated with increased mortality and rebleeding rate in acute gastrointestinal bleeding: a systematic review and meta-analysis. *Therapeutic Advances in Gastroenterology*, 16, 1–18. <https://doi.org/10.1177/17562848231190970>

Tarnawski, A. S., Ahluwalia, A., & Jones, M. K. (2014). Increased susceptibility of aging gastric mucosa to injury: The mechanisms and clinical implications. *World Journal of Gastroenterology*, 20(16), 4467–4482. <https://doi.org/10.3748/wjg.v20.i16.4467>

Timsit, J. F., Citerio, G., Bakker, J., Bassetti, M., Benoit, D., Cecconi, M., Curtis, J. R., Hernandez, G., Herridge, M., Jaber, S., Joannidis, M., Papazian, L., Peters, M., Singer, P., Smith, M., Soares, M., Torres, A., Vieillard-Baron, A., & Azoulay, E. (2014). Year in review in Intensive Care Medicine 2013: III. Sepsis, infections, respiratory diseases, pediatrics. *Intensive Care Medicine*, 40(4), 471–483. <https://doi.org/10.1007/s00134-014-3235-6>

Toews, I., George, A. T., Peter, J. V., Kirubakaran, R., Fontes, L. E. S., Ezekiel, J. P. B., & Meerpohl, J. J. (2018). Interventions for preventing upper gastrointestinal bleeding in people admitted to intensive care units. *Cochrane*

*Database of Systematic Reviews*, 2018(6).  
<https://doi.org/10.1002/14651858.CD008687.pub2>

- Tomizawa, M., Shinozaki, F., Hasegawa, R., Shirai, Y., Motoyoshi, Y., Sugiyama, T., Yamamoto, S., & Ishige, N. (2017). Immunosuppressive agents are associated with peptic ulcer bleeding. *Experimental and Therapeutic Medicine*, 13(5), 1927–1931. <https://doi.org/10.3892/etm.2017.4214>
- Van Diepen, S., Coulson, T., Wang, X., Opgenorth, D., Zuege, D. J., Harris, J., Agyemang, M., Niven, D. J., Bellomo, R., Wright, S. E., Young, P. J., & Bagshaw, S. M. (2022). Efficacy and safety of proton pump inhibitors versus histamine-2 receptor blockers in the cardiac surgical population: Insights from the PEPTIC trial. *European Journal of Cardio-Thoracic Surgery*, 62(2), 1–8. <https://doi.org/10.1093/ejcts/ezac124>
- Vanassche, T., Hirsh, J., Eikelboom, J. W., & Ginsberg, J. S. (2014). Organ-specific bleeding patterns of anticoagulant therapy: Lessons from clinical trials. *Thrombosis and Haemostasis*, 112(5), 918–923. <https://doi.org/10.1160/TH14-04-0346>
- Wang, Y., Ye, Z., Ge, L., Siemieniuk, R. A. C., Wang, X., Wang, Y., Hou, L., Ma, Z., Agoritsas, T., Vandvik, P. O., Perner, A., Møller, M. H., Guyatt, G. H., & Liu, L. (2020). Efficacy and safety of gastrointestinal bleeding prophylaxis in critically ill patients: Systematic review and network meta-analysis. *The BMJ*, 368, 5–10. <https://doi.org/10.1136/bmj.16744>
- Wei, J., Jiang, R., Li, L., Kang, D., Gao, G., You, C., Zhang, J., Gao, L., Huang, Q., Luo, D., Zhao, G., Zhang, H., Wang, S., & Wang, R. (2019). Stress-related upper gastrointestinal bleeding in adult neurocritical care patients: a Chinese multicenter, retrospective study. *Current Medical Research and Opinion*, 35(2), 181–187. <https://doi.org/10.1080/03007995.2018.1448261>
- Wu, D., Wu, C., Zhang, S., & Zhong, Y. (2019). Risk factors of ventilator-associated pneumonia in critically III patients. *Frontiers in Pharmacology*, 10(MAY), 1–7. <https://doi.org/10.3389/fphar.2019.00482>
- Ziqiang, S., Jiale, L., Renhua, S., Aiping, W., Yin, N., Jingquan, L., Feng, G., Lijun, Y., Guoping, G., Aijun, D., Yunchao, S., Changwen, L., Lei, X., Ronglin, J., Jun, L., Ronghai, L., Yannan, Z., Weidong, W., Bo, X., & Bangchuan, H. (2024). Ventilatory pressure parameters impact the association between acute gastrointestinal injury and all-cause mortality in mechanically ventilated patients. *Scientific Reports*, 14(1), 1–11. <https://doi.org/10.1038/s41598-024-71556-3>