

## DAFTAR PUSTAKA

- Abbas, A.K., Lichtman, A.H., & Pillai, S. (2021). *Imunologi Dasar Abbas: Fungsi Dan Kelainan Sistem Imun*, Edisi Indonesia ke-6. Elsevier (Singapore) Pte Ltd, Singapura.
- Adane, M. & Adedole, T. (2016). Review on cloning vector and expression vector. *Int. J. Vet. Sci. Anim. Husb.*, 1, 14–19.
- Akey, D.L., Brown, W.C., Dutta, S., Konwerski, J., Jose, J., Jurkiw, T.J., *et al.* (2014). Flavivirus NS1 structures reveal surfaces for associations with membranes and the immune system. *Science*, 343, 881–885.
- Alcon, S., Talarmin, A., Debruyne, M., Falconar, A., Deubel, V., & Flamand, M. (2002). Enzyme-linked immunosorbent assay specific to dengue virus type 1 nonstructural protein NS1 reveals circulation of the antigen in the blood during the acute phase of disease in patients experiencing primary or secondary infections. *J. Clin. Microbiol.*, 40, 376–381.
- Ávila-Pérez, G., Nogales, A., Martín, V., Almazán, F., & Martínez-Sobrido, L. (2018). Reverse genetic approaches for the generation of recombinant Zika virus. *Viruses*, 10, 597–618.
- Azevedo, F., Pereira, H., & Johansson, B. (2017). Colony PCR. In Domingues, L. (ed), *PCR. Methods in Molecular Biology*. Springer US, New York, pp. 129–139.
- Balmaseda, A., Stettler, K., Medialdea-Carrera, R., Collado, D., Jin, X., Zambrana, J.V., *et al.* (2017). Antibody-based assay discriminates Zika virus infection from other flaviviruses. *Proc Natl Acad Sci.*, 114: 8384–8389.
- Barzon, L., Trevisan, M., Sinigaglia, A., Lavezzo, E., & Palù, G. (2016). Zika virus: from pathogenesis to disease control. *FEMS Microbiol. Lett.*, 363, 1–17.
- Basile, A.J., Goodman, C., Horiuchi, K., Sloan, A., Johnson, B.W., Kosoy, O., *et al.* (2018). Multi-laboratory comparison of three commercially available Zika IgM enzyme-linked immunosorbent assays. *J Virol Methods.*, 260, 26–33.
- Bergkessel, M. & Guthrie, C. (2013). Colony PCR. *Methods Enzym.*, 529, 299–309.
- Boeras, D., Diagne, C.T., Pelegriño, J.L., Grandadam, M., Duong, V., Dussart, P., *et al.* (2022). Evaluation of Zika rapid tests as aids for clinical diagnosis and epidemic preparedness. *EclinicalMedicine*, 49, 101478.
- Bornhorst, J.A. & Falke, J.J. (2000). Purification of proteins using polyhistidine affinity tags. *Methods Enzym.*, 326, 245–254.
- Brasil, P., Sequeira, P.C., Freitas, A.D., Zogbi, H.E., Calvet, G.A., de Souza, R.V., *et al.* (2016). Guillain-Barre syndrome associated with Zika virus infection. *Lancet*, 387, 1482.
- Brown, T.A. (2016). *Gene Cloning and DNA Analysis: An Introduction*, 7<sup>th</sup> ed. John Wiley & Sons, Ltd, West Sussex, UK.
- Brown, W.C., Akey, D.L., Konwerski, J., Tarrasch, J.T., Skinnotis, G., Kuhn, R.J., *et al.* (2016). Extended surface for membrane association in Zika virus NS1 structure. *Nat Struct Mol Biol.*, 23, 865–867.
- Campos, R. de M., Cirne-Santos, C., Meira, G.L.S., Santos, L.L.R., De Meneses, M.D., Friedrich, J., *et al.* (2016). Prolonged detection of Zika virus RNA in

- urine samples during the ongoing Zika virus epidemic in Brazil. *J. Clin. Virol.*, 77, 69–70.
- Cao-Lormeau, V.M., Blake, A., Mons, S., Lastère, S., Roche, C., Vanhomwegen, *et al.* (2016). Guillain-Barré syndrome outbreak associated with Zika virus infection in French Polynesia: a case-control study. *Lancet*, 387, 1531–1539.
- Cao-Lormeau, V.M., Roche, C., Teissier, A., Robin, E., Berry, A.L., Mallet, H.P., *et al.* (2014). Zika virus, French Polynesia, South Pacific, 2013. *Emerg. Infect. Dis.*, 20, 1085–1086.
- Carrillo-Hernández, M.Y., Ruiz-Saenz, J., Villamizar, L.J., Gómez-Rangel, S.Y., & Martínez-Gutierrez, M. (2018). Co-circulation and simultaneous co-infection of Dengue, Chikungunya, and Zika viruses in patients with febrile syndrome at the Colombian-Venezuelan border. *BMC Infect. Dis.*, 18, 61.
- Cavazzoni, C.B., Bozza, V.B.T., Lucas, T.C.V., Conde, L., Maia, B., Mesin, L., *et al.* (2021). The immunodominant antibody response to Zika virus NS1 protein is characterized by cross-reactivity to self. *J. Exp. Med.*, 218, e20210580.
- Chung, K.M., Thompson, B.S., Fremont, D.H., & Diamond, M.S. (2007). Antibody recognition of cell surface-associated NS1 triggers Fc- $\gamma$  receptor-mediated phagocytosis and clearance of West Nile virus-infected cells. *J. Virol.*, 81, 9551–9555.
- Chura-Chambi, R.M., Farah, C.S., & Morganti, L. (2022). Human growth hormone inclusion bodies present native-like secondary and tertiary structures which can be preserved by mild solubilization for refolding. *Microb. Cell Fact.*, 21, 164.
- da Silva, S.R., Cheng, F., & Gao, S.J. (2018). *Zika Virus and Diseases from Molecular Biology to Epidemiology*. John Wiley & Sons, Inc., New Jersey, USA.
- De Marco, A., Ferrer-Miralles, N., Garcia-Fruitós, E., Mitraki, A., Peternel, S., Rinas, U., *et al.* (2019). Bacterial inclusion bodies are industrially exploitable amyloids. *FEMS Microbiol. Rev.*, 43, 53–72.
- de Vasconcelos, Z.F.M., Azevedo, R.C., Thompson, N., Gomes, L., Guida, L., & Moreira, M.E.L. (2018). Challenges for molecular and serological ZIKV infection confirmation. *Child's Nerv. Syst.*, 34, 79–84.
- Duffy, M.R., Chen, T.H., Hancock, W.T., Powers, A.M., Kool, J.L., Lanciotti, R.S., *et al.* (2009). Zika virus outbreak on Yap Island, Federated States of Micronesia. *N. Engl. J. Med.*, 360, 2536–2543.
- EL-Manzalawy, Y., Dobbs, D., & Honavar, V.G. (2017). In silico prediction of linear B-cell epitopes on proteins. *Methods Mol Biol*, 1484, 255–264.
- Emperador, D.M., Stone, M., Grebe, E., Escadafal, C., Dave, H., Lackritz, E., *et al.* (2024). Comparative evaluation of select serological assays for Zika virus using blinded reference panels. *Viruses*, 16:1075.
- European Centre for Disease Prevention and Control (ECDC). (2016). Interim guidance for healthcare providers and Zika virus laboratory diagnosis. URL <https://www.ecdc.europa.eu/en/publications-data/interim-guidance-healthcare-providers-and-zika-virus-laboratory-diagnosis>
- Falak, S., Sajed, M., & Rashid, N. (2022). Strategies to enhance soluble production of heterologous proteins in *Escherichia coli*. *Biologia.*, 77, 893–905.

- Fauci, A.S. & Morens, D.M. (2016). Zika virus in the Americas-yet another arbovirus threat. *N. Engl. J. Med.*, 374, 601–604.
- Faye, O., Faye, O., Dupressoir, A., Weidmann, M., Ndiaye, M., & Sall, A.A. (2008). One-step RT-PCR for detection of Zika virus. *J. Clin. Virol.*, 43, 96–101.
- Federer, W.T. (1966). Randomization and sample size in experimentation. *Food Drug Adm. Stat. Semin.*, 1–15.
- Flamand, M., Megret, F., Mathieu, M., Lepault, J., Rey, F.A., & Deubel, V. (1999). Dengue virus type 1 nonstructural glycoprotein NS1 is secreted from mammalian cells as a soluble hexamer in a glycosylation-dependent fashion. *J. Virol.*, 73, 6104–6110.
- Freire, M.C.L.C., Pol-Fachin, L., Coêlho, D.F., Viana, I.F.T., Magalhães, T., Cordeiro, *et al.* (2017). Mapping putative B-cell Zika virus NS1 epitopes provides molecular basis for anti-NS1 antibody discrimination between Zika and dengue viruses. *ACS Omega*, 2, 3913–3920.
- García-Fruitós, E. (2010). Inclusion bodies: a new concept. *Microb. Cell Fact.*, 9, 80.
- Ghazaei, C. (2019). Investigating the effect of thermal shock factors and different cell treatments on bacterial transformation efficiency. *J Bas Res Med Sci*, 6, 49–56.
- Giron, S., Franke, F., Decoppet, A., Cadiou, B., Travaglini, T., Thirion, L., *et al.* (2019). Vector-borne transmission of Zika virus in Europe, Southern France, August 2019. *Eurosurveillance*, 24, 1–4.
- Glick, B.R., Pasternak, J.J., & Patten, C.L. (2010). *Molecular Biotechnology: Principles and Applications of Recombinant DNA*, 4<sup>th</sup> ed. ASM Press, Washington DC, USA.
- Goncalves, A., Peeling, R.W., Chu, M.C., Gubler, D.J., De Silva, A.M., Harris, E., *et al.* (2018). Innovative and new approaches to laboratory diagnosis of Zika and dengue: a meeting report. *J. Infect. Dis.*, 217, 1060–1068.
- Gopal, G.J. & Kumar, A. (2013). Strategies for the production of recombinant protein in *Escherichia coli*. *Protein J.*, 32, 419–425.
- Gourinat, A.C., O'Connor, O., Calvez, E., Goarant, C., & Dupont-Rouzeyrol, M. (2015). Detection of Zika virus in urine. *Emerg. Infect. Dis.*, 21, 84–86.
- Haddow, A.D., Schuh, A.J., Yasuda, C.Y., Kasper, M.R., Heang, V., Huy, R., *et al.* (2012). Genetic characterization of Zika virus strains: geographic expansion of the Asian lineage. *PLoS Negl. Trop. Dis.*, 6, e1477.
- Hasan, S.S., Sevvana, M., Kuhn, R.J., & Rossmann, M.G. (2018). Structural biology of Zika virus and other flaviviruses. *Nat. Struct. Mol. Biol.*, 25, 13–20.
- Hasegawa, H., Suzuki, E., & Maeda, S. (2018). Horizontal plasmid transfer by transformation in *Escherichia coli*: environmental factors and possible mechanisms. *Front. Microbiol.*, 9, 1–6.
- Hilgenfeld, R. (2016). Zika virus NS1, a pathogenicity factor with many faces. *EMBO J.*, 35, 2631–2633.
- Huzly, D., Hanselmann, I., Schmidt-Chanasit, J., & Panning, M. (2016). High specificity of a novel Zika virus ELISA in European patients after exposure to

- different flaviviruses. *Eurosurveillance*, 21, 1–4.
- İncir, İ. & Kaplan, Ö. (2024). *Escherichia coli* as a versatile cell factory: advances and challenges in recombinant protein production. *Protein Expr. Purif.*, 219.
- Jäger, V.D., Lamm, R., Küsters, K., Ölçücü, G., Oldiges, M., Jaeger, K.E., *et al.* (2020). Catalytically-active inclusion bodies for biotechnology—general concepts, optimization, and application. *Appl. Microbiol. Biotechnol.*, 104, 7313–7329.
- Jespersen, M.C., Peters, B., Nielsen, M., & Marcatili, P. (2017). BepiPred-2.0: improving sequence-based B-cell epitope prediction using conformational epitopes. *Nucleic Acids Res.*, 45, W24–W29.
- Kanno, A.I., Leite, L.C.C., Pereira, L.R., de Jesus, M.J.R., Andreato-Santos, R., Alves, R.P.S., *et al.* (2020). Optimization and scale-up production of Zika virus ΔNS1 in *Escherichia coli*: application of Response Surface Methodology. *AMB Express*, 10, 1.
- Kaur, J., Kumar, A., & Kaur, J. (2018). Strategies for optimization of heterologous protein expression in *E. coli*: roadblocks and reinforcements. *Int. J. Biol. Macromol.*, 106, 803–822.
- Kim, Y.C., Garcia-Larragoiti, N., Cano-Mendez, A., Hernandez-Flores, K.G., Domínguez-Alemán, C.A., Cabrera-Jorge, F.J., *et al.* (2021). Development of Zika NS1 ELISA methodology for seroprevalence detection in a cohort of Mexican patients in an endemic region. *J. Clin. Virol. Plus*, 1, 2–6.
- Klug, W.S., Cummings, M.R., Spencer, C.A., & Palladino, M.A. (2012). *Concepts of Genetics*, 10<sup>th</sup> ed. Pearson Education, Inc., San Fransisco, USA.
- Kostyuchenko, V.A., Lim, E.X.Y., Zhang, S., Fibriansah, G., Ng, T.S., Ooi, J.S.G., *et al.* (2016). Structure of the thermally stable Zika virus. *Nature*, 533, 425–428.
- Krauer, F., Riesen, M., Reveiz, L., Oladapo, O.T., Martínez-Vega, R., Porgo, T. V., *et al.* (2017). Zika virus infection as a cause of congenital brain abnormalities and Guillain–Barré syndrome: systematic review. *PLoS Med.*, 14, 1–27.
- Krauss, U., Jäger, V.D., Diener, M., Pohl, M., & Jaeger, K.E. (2017). Catalytically-active inclusion bodies—Carrier-free protein immobilizates for application in biotechnology and biomedicine. *J. Biotechnol.*, 258, 136–147.
- Kumar, N., Tripathi, S., Sharma, N., Patiyal, S., Devi, N.L., & Raghava, G.P.S. (2024). A method for predicting linear and conformational B-cell epitopes in an antigen from its primary sequence. *Comput. Biol. Med.*, 170, 108083.
- Kwong, J.C., Druce, J.D., & Leder, K. (2013). Case report: Zika virus infection acquired during brief travel to Indonesia. *Am. J. Trop. Med. Hyg.*, 89, 516–517.
- Lanciotti, R.S., Kosoy, O.L., Laven, J.J., Velez, J.O., Lambert, A.J., Johnson, A.J., *et al.* (2008). Genetic and serologic properties of Zika virus associated with an epidemic, Yap State, Micronesia, 2007. *Emerg. Infect. Dis.*, 14, 1232–1239.
- Lanciotti, R.S., Lambert, A.J., Holodniy, M., Saavedra, S., & Signor, L.C.C. (2016). Phylogeny of Zika virus in Western Hemisphere, 2015. *Emerg. Infect. Dis.*, 22, 933–935.
- Landry, M.L. & St George, K. (2017). Laboratory diagnosis of Zika virus infection. *Arch. Pathol. Lab. Med.*, 141, 60–67.

- Langlais, C. & Korn, B. (2006). Recombinant protein expression in bacteria. In Ganten, D. & Ruckpaul, K. (eds), *Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine*. Springer, Berlin, Heidelberg, pp. 1609–1616.
- Laskowski, R.A., Molecular, E., & Thornton, J. (1993). PROCHECK: a program to check the stereochemical quality of protein structures. *J. Appl. Crystallogr.*, 26, 283–291.
- Lebendiker, M. & Danieli, T. (2014). Production of prone-to-aggregate proteins. *FEBS Lett.*, 588, 236–246.
- Lee, H.J., Cho, Y., Kang, H.J., Choi, H., Han, K.R., Chong, C.K., *et al.* (2018). Identification of peptide based B-cell epitopes in Zika virus NS1. *Biochem. Biophys. Res. Commun.*, 505, 1010–1014.
- Lessler, J., Ott, C.T., Carcelen, A.C., Konikoff, J.M., Williamson, J., Bi, Q., *et al.* (2016). Times to key events in Zika virus infection and implications for blood donation: a systematic review. *Bull. World Health Organ.*, 94, 841–849.
- Leung, G.H., Baird, R.W., Druce, J., & Anstey, N.M. (2015). Case report Zika virus infection in Australia following a monkey bite in Indonesia. *Southeast Asian J. Trop. Med. Public Health*, 46, 460–464.
- L'Huillier, A.G., Hamid-Allie, A., Kristjanson, E., Papageorgiou, L., Hung, S., Wong, C.F., *et al.* (2017). Evaluation of Euroimmun Anti-Zika Virus IgM and IgG Enzyme-Linked Immunosorbent Assays for Zika virus serologic testing. *J Clin Microbiol.*, 55, 2462–2471.
- Li, M., Zhao, Y., Chen, X., Fu, X., Li, W., Liu, H., *et al.* (2019). Contribution of sex-based immunological differences to the enhanced immune response in female mice following vaccination with hepatitis B vaccine. *Mol. Med. Rep.*, 20, 103–110.
- Liu, J., Wan, P., Li, Q., Li, X., Li, A., Chen, H., *et al.* (2017). Construction and identification of recombinant HEK293T cell lines expressing non-structural protein 1 of Zika virus. *Int. J. Med. Sci.*, 14, 1072–1079.
- Lopes, C., Dos Santos, N.V., Dupont, J., Pedrolli, D.B., Valentini, S.R., de Carvalho Santos-Ebinuma, V., *et al.* (2019). Improving the cost effectiveness of enhanced green fluorescent protein production using recombinant *Escherichia coli* BL21 (DE3): decreasing the expression inducer concentration. *Biotechnol Appl Biochem*, 66, 527–536.
- Low, S.L., Leo, Y.S., Lai, Y.L., Lam, S., Tan, H.H., Wong, J.C.C., *et al.* (2021). Evaluation of eight commercial Zika virus IgM and IgG serology assays for diagnostics and research. *PLoS One*, 16: e0244601.
- Lustig, Y., Mendelson, E., Paran, N., Melamed, S., & Schwartz, E. (2016). Detection of Zika virus RNA in whole blood of imported Zika virus disease cases up to 2 months after symptom onset, Israel, December 2015 to April 2016. *Eurosurveillance*, 21, 1–4.
- Lustig, Y., Zelena, H., Venturi, G., Van Esbroeck, M., Rothe, C., Perret, C., *et al.* (2017). Sensitivity and kinetics of an NS1-based Zika virus Enzyme-Linked Immunosorbent Assay in Zika Virus-infected travelers from Israel, the Czech Republic, Italy, Belgium, Germany, and Chile. *J. Clin. Microbiol.*, 55, 1894–1901.

- Magalhães, I.C.L., Marques, L.E.C., Souza, P.F.N., Girão, N.M., Herazo, M.M.A., Costa, H.P.S., *et al.* (2021). Non-structural protein 1 from Zika virus: heterologous expression, purification, and potential for diagnosis of Zika infections. *Int. J. Biol. Macromol.*, 186, 984–993.
- Mahmoudi Gomari, M., Saraygord-Afshari, N., Farsimadan, M., Rostami, N., Aghamiri, S., & Farajollahi, M.M. (2020). Opportunities and challenges of the tag-assisted protein purification techniques: applications in the pharmaceutical industry. *Biotechnol. Adv.*, 45, 107653.
- Mannige, R. V., Kundu, J., & Whitelam, S. (2016). The Ramachandran number: an order parameter for protein geometry. *PLoS One*, 11, 1–14.
- Mierendorf, R., Morris, B., Hammer, B., & Novy, R. (2000). Expression and purification of recombinant proteins using the pET system. In Rapley, R. (ed), *The Nucleic Acid Protocols Handbook*. Humana Press Inc, Totowa, New Jersey, pp. 947–977.
- Moore, C.A., Staples, J.E., Dobyns, W.B., Pessoa, A., Ventura, C. V., Fonseca, *et al.* (2017). Congenital Zika Syndrome: characterizing the pattern of anomalies for pediatric healthcare providers. *JAMA Pediatr*, 171, 288–295.
- Munoz-Jordan, J.L. (2017). Diagnosis of Zika virus infections: challenges and opportunities. *J. Infect. Dis.*, 216, S951–S956.
- Musso, D. & Nhan, T. (2015). Emergence of Zika virus. *Clin. Microbiol.*, 4, 1–4.
- Musso, D., Roche, C., Nhan, T.X., Robin, E., Teissier, A., & Cao-Lormeau, V.M. (2015). Detection of Zika virus in saliva. *J. Clin. Virol.*, 68, 53–55.
- Muthukumar, R. & Sankararamakrishnan, R. (2024). Differences in the membrane-binding properties of flaviviral nonstructural 1 (NS1) protein: comparative simulations of Zika and dengue virus NS1 proteins in explicit bilayers. *ACS Bio Med Chem Au*, 4, 137–153.
- Novagen (2011) pET System Manual 11 th Edition. Darmstadt, Germany.
- Nurjayadi, M., Ariastuti, D., Agustini, K., Sulfianti, A., & Mangunwardoyo, W. (2019). The immune responds of BALB/c mice on antigen recombinant fimbriae inclusion bodies *Salmonella typhi* protein emulsified with alumina adjuvant. *IOP Conf. Ser. Mater. Sci. Eng.*, 509, 012089.
- Oehler, E., Watrin, L., Larre, P., Leparc-Goffart, I., Lastère, S., Valour, F., *et al.* (2014). Zika virus infection complicated by Guillain-Barré syndrome—case report, French Polynesia, December 2013. *Euro Surveill.*, 19, 1–3.
- Olson, J.G., Ksiazek, T.G., Gubler, D.J., Lubis, S.I., Simanjuntak, G., Lee, V.H., *et al.* (1983). A survey for arboviral antibodies in sera of humans and animals in Lombok, Republic of Indonesia. *Ann. Trop. Med. Parasitol.*, 77, 131–137.
- Olson, J.G., Ksiazek, T.G., Suhandiman, G., & Triwibowo. (1981). Zika virus, a cause of fever in Central Java, Indonesia. *Trans. R. Soc. Trop. Med. Hyg.*, 75, 389–393.
- PAHO/WHO. (2017). Zika cases and congenital syndrome associated with Zika virus reported by countries and territories in the Americas 2015-2017 Cumulative cases. URL <https://www.paho.org/hq/dmdocuments/2017/2017-sep-28-phe-ZIKV-cases.pdf>
- PAHO. (2023) Zika: A silent virus requiring enhanced surveillance and control. URL <https://www.paho.org/en/news/1-9-2023-zika-silent-virus-requiring->

enhanced-surveillance-and-control

- Papaleo, E., Saladino, G., Lambrugh, M., Lindorff-Larsen, K., Gervasio, F.L., & Nussinov, R. (2016). The role of protein loops and linkers in conformational dynamics and allostery. *Chem. Rev.*, 116, 6391–6423.
- Paploski, I.A.D., Prates, A.P.P.B., Cardoso, C.W., Kikuti, M., Silva, M.M.O., Waller, L.A., *et al.* (2016). Time lags between exanthematous illness attributed to Zika virus, Guillain-Barré syndrome, and microcephaly, Salvador, Brazil. *Emerg. Infect. Dis.*, 22, 1438–1444.
- Park, S.Y., Park, S.H., & Choi, S.K. (2012). Active inclusion body formation using *Paenibacillus polymyxa PoxB* as a fusion partner in *Escherichia coli*. *Anal. Biochem.*, 426, 63–65.
- Perera, D.R., Ranadeva, N.D., Sirisena, K., & Wijesinghe, K.J. (2024). Roles of NS1 protein in flavivirus pathogenesis. *ACS Infect. Dis.*, 10, 20–56.
- Pérez-Olmeda, M., Sánchez-Seco, M.P., Vázquez, A., Balfagón, P., de la Fuente, J., Murillo, M.Á., *et al.* (2020). Evaluation of the LIAISON XL Zika Capture IgM II for the Diagnosis of Zika Virus Infections. *Viruses*, 12: 69.
- Perkasa, A., Yudhaputri, F., Haryanto, S., Hayati, R.F., Ma'roef, C.N., Antonjaya, U., *et al.* (2016). Isolation of Zika virus from febrile patient, Indonesia. *Emerg. Infect. Dis.*, 22, 924–925.
- Peternel, Š., Grdadolnik, J., Gaberc-Porekar, V., & Komel, R. (2008). Engineering inclusion bodies for non denaturing extraction of functional proteins. *Microb. Cell Fact.*, 7, 34.
- Peternel, Š. & Komel, R. (2011). Active protein aggregates produced in *Escherichia coli*. *Int. J. Mol. Sci.*, 12, 8275–8287.
- Pierson, T.C. & Diamond, M.S. (2013). Flavivirus. In Knipe, D.M. & Howley, P.M. (eds), *Fields Virology*, 6<sup>th</sup> ed. Wolter Kluwer Health/Lippincott Williams & Wilkins, Philadelphia, USA, pp. 747–794.
- Pillay, K., Chiliza, T.E., Senzani, S., Pillay, B., & Pillay, M. (2024). In silico design of *Mycobacterium tuberculosis* multi-epitope adhesin protein vaccines. *Heliyon*, 10, e37536.
- Ponomarenko, J., Bui, H.H., Li, W., Fusseder, N., Bourne, P.E., Sette, A., *et al.* (2008). ElliPro: a new structure-based tool for the prediction of antibody epitopes. *BMC Bioinformatics*, 9, 1–8.
- Potocnakova, L., Bhide, M., & Pulzova, L.B. (2016). An introduction to B-cell epitope mapping and in silico epitope prediction. *J. Immunol. Res.*, 2016.
- Pouresmaeil, M. & Azizi-Dargahlou, S. (2023). Factors involved in heterologous expression of proteins in *E. coli* host. *Arch. Microbiol.*, 205, 1–18.
- Poveda-Cuevas, S.A., Etchebest, C., & Barroso Da Silva, F.L. (2018). Insights into the ZIKV NS1 virology from different strains through a fine analysis of physicochemical properties. *ACS Omega*, 3, 16212–16229.
- Premkumar, L., Collins, M., Graham, S., Liou, G.J.A., Lopez, C.A., Jadi, R., *et al.* (2018). Development of envelope protein antigens to serologically differentiate Zika virus infection from dengue virus infection. *J. Clin. Microbiol.*, 56, e01504-01517.
- Priyamvada, L., Quicke, K.M., Hudson, W.H., Onlamoon, N., Sewatanon, J., Edupuganti, S., *et al.* (2016). Human antibody responses after dengue virus

- infection are highly cross-reactive to Zika virus. *Proc. Natl. Acad. Sci. U. S. A.*, 113, 7852–7857.
- Pyke, A.T., Daly, M.T., Cameron, J.N., Moore, P.R., Taylor, C.T., Hewitson, G.R., *et al.* (2014). Imported Zika virus infection from the Cook Islands into Australia, 2014. *PLoS Curr.*, 6.
- Rachmania, S., Sulistyarningsih, E., & Ratna Dewi, A.A.I. (2021). Recombinant DBL2 $\beta$ -PfEMP1 of the Indonesian *Plasmodium falciparum* induces immune responses in Wistar rats. *J. Taibah Univ. Med. Sci.*, 16, 422–430.
- Rapley, R. (2010). Recombinant DNA and genetic analysis. In Wilson, K. & Walker, J. (eds), *Principles and Techniques of Biochemistry and Molecular Biology*, 7<sup>th</sup> ed. Cambridge University Press, Cambridge, pp. 195–262.
- Rastogi, M., Sharma, N., & Singh, S.K. (2016). Flavivirus NS1: a multifaceted enigmatic viral protein. *Viol. J.*, 13, 1–10.
- Ren, J., Kama, S., Lee, H.M., Yoo, S.M., & Na, D. (2019). Artificial transformation methodologies for improving the efficiency of plasmid DNA transformation and simplifying its use. *Appl Microbiol Biotechnol*, 103, 9205–9215.
- Rivera, F. & Espino, A.M. (2016). Adjuvant-enhanced antibody and cellular responses to inclusion bodies expressing FhSAP2 correlates with protection of mice to *Fasciola hepatica*. *Exp. Parasitol.*, 160, 31–38.
- Roldán, J.S., Cassola, A., & Castillo, D.S. (2020). Optimization of recombinant Zika virus NS1 protein secretion from HEK293 cells. *Biotechnol. Reports*, 25, e00434.
- Rosano, G.L. & Ceccarelli, E.A. (2014). Recombinant protein expression in *Escherichia coli*: advances and challenges. *Front. Microbiol.*, 5, 1–17.
- Saiz, J.C., Vázquez-Calvo, Á., Blázquez, A.B., Merino-Ramos, T., Escribano-Romero, E., & Martín-Acebes, M.A. (2016). Zika virus: the latest newcomer. *Front. Microbiol.*, 7, 1–19.
- Saraswat, M., Musante, L., Ravidá, A., Shortt, B., Byrne, B., & Holthofer, H. (2013). Preparative purification of recombinant proteins: current status and future trends. *Biomed Res. Int.*, 2013, 1–18.
- Sasmono, R.T., Dhenni, R., Yohan, B., Pronyk, P., Hadinegoro, S.R., Soepardi, E.J., *et al.* (2018). Zika virus seropositivity in 1–4-year-old children, Indonesia, 2014. *Emerg. Infect. Dis.*, 24, 1740–1743.
- Sasmono, R.T., Johar, E., Yohan, B., Ma’Roef, C.N., Pronyk, P., Hadinegoro, S.R., *et al.* (2021). Spatiotemporal heterogeneity of Zika virus transmission in Indonesia: serosurveillance data from a pediatric population. *Am. J. Trop. Med. Hyg.*, 104, 2220–2223.
- Schwaighofer, A., Ablasser, S., Lux, L., Kopp, J., Herwig, C., Spadiut, O., *et al.* (2020). Production of active recombinant hyaluronidase inclusion bodies from *Apis mellifera* in *E. coli* BL21(DE3) and characterization by FT-IR spectroscopy. *Int. J. Mol. Sci.*, 21, 3881.
- Shapovalov, M., Vucetic, S., & Dunbrack, R.L. (2019). A new clustering and nomenclature for beta turns derived from high-resolution protein structures. *PLoS Comput. Biol.*, 15, 1–32.
- Shi, Y. & Gao, G.F. (2017). Structural biology of the Zika virus. *Trends Biochem. Sci.*, 42, 443–456.

- Shilling, P.J., Mirzadeh, K., Cumming, A.J., Widesheim, M., Köck, Z., & Daley, D.O. (2020). Improved designs for pET expression plasmids increase protein production yield in *Escherichia coli*. *Commun. Biol.*, 3, 214.
- Simmonds, P., Becher, P., Bukh, J., Gould, E.A., Meyers, G., Monath, T., *et al.* (2017). ICTV virus taxonomy profile: Flaviviridae. *J. Gen. Virol.*, 98, 2–3.
- Singh, M., Yadav, A., Ma, X., & Amoah, E. (2010). Plasmid DNA transformation in *Escherichia Coli*: effect of heat shock temperature, duration, and cold incubation of CaCl<sub>2</sub> treated cells. *Int. J. Biotechnol. Biochem.*, 6, 561–568.
- Sirohi, D., Chen, Z., Sun, L., Klose, T., Pierson, T.C., Rossmann, M.G., *et al.* (2016). The 3.8 Å resolution cryo-EM structure of Zika virus. *Am. J. Trop. Med. Hyg.*, 352, 467–470.
- Sloan, A., Safronetz, D., Makowski, K., Barairo, N., Ranadheera, C., Dimitrova, K., *et al.* (2018). Evaluation of the Diasorin Liaison® XL Zika Capture IgM CMA for Zika virus serological testing. *Diagn Microbiol Infect Dis.*, 90: 264–266.
- Snapper, C.M. (2018). Distinct immunologic properties of soluble versus particulate antigens. *Front. Immunol.*, 9, 598.
- Song, H., Qi, J., Haywood, J., Shi, Y., & Gao, G.F. (2016). Zika virus NS1 structure reveals diversity of electrostatic surfaces among flaviviruses. *Nat. Struct. Mol. Biol.*, 23, 456–458.
- Steinhagen, K., Probst, C., Radzimski, C., Schmidt-Chanasit, J., Emmerich, P., van Esbroeck, M., *et al.* (2016). Serodiagnosis of Zika virus (ZIKV) infections by a novel NS1-based ELISA devoid of cross-reactivity with dengue virus antibodies: a multicohort study of assay performance, 2015 to 2016. *Euro Surveill.*, 21: 30426.
- Stettler, K., Beltramello, M., Espinosa, D.A., Graham, V., Cassotta, A., Bianchi, S., *et al.* (2016). Specificity, cross-reactivity, and function of antibodies elicited by Zika virus infection. *Science*, 353, 823–826.
- Surman, S.L., Jones, B.G., Penkert, R.R., Sealy, R.E., Marion, T., Thomas, P.G., *et al.* (2023). How estrogen, testosterone, and sex differences influence serum immunoglobulin isotype patterns in mice and humans. *Viruses*, 15.
- Trinh, N.T.M., Thuoc, T.L., & Thao, D.T.P. (2021). Production of recombinant human G-CSF from non-classical inclusion bodies in *Escherichia coli*. *Brazilian J. Microbiol.*, 52, 541–546.
- Villaverde, A. & Carrió, M.M. (2003). Protein aggregation in recombinant bacteria: biological role of inclusion bodies. *Biotechnol. Lett.*, 25, 1385–1395.
- Viranaicken, W., Nativel, B., Krejbich-Trotot, P., Harrabi, W., Bos, S., El Kalamouni, C., *et al.* (2017a). *ClearColi* BL21(DE3)-based expression of Zika virus antigens illustrates a rapid method of antibody production against emerging pathogens. *Biochimie*, 142, 179–182.
- Viranaicken, W., Ndebo, A., Bos, S., Souque, P., Gadea, G., El-Kalamouni, C., *et al.* (2017b). Recombinant Zika NS1 protein secreted from vero cells is efficient for inducing production of immune serum directed against NS1 dimer. *Int. J. Mol. Sci.*, 19, 38.
- Waggoner, J.J., Gresh, L., Mohamed-Hadley, A., Ballesteros, G., Vargas Davila, M.J., Tellez, Y., *et al.* (2016). Single-reaction multiplex reverse transcription

- PCR for detection of Zika, Chikungunya, and Dengue viruses. *Emerg. Infect. Dis.*, 22, 1295–1297.
- Watrin, L., Ghawché, F., Larre, P., Neau, J.P., Mathis, S., & Fournier, E. (2016). Guillain-Barré Syndrome (42 Cases) occurring during a Zika virus outbreak in French Polynesia. *Medicine*, 95, 1–8.
- Wen, J. & Shresta, S. (2019). Antigenic cross-reactivity between Zika and dengue viruses: is it time to develop a universal vaccine? *Curr. Opin. Immunol.*, 59, 1–8.
- WHO. (2016a). WHO statement on the first meeting of the International Health Regulations ( 2005 ) ( IHR 2005 ) Emergency Committee on Zika virus and observed increase in neurological disorders and neonatal malformations. URL <http://www.who.int/mediacentre/news/statements/2016/1st-emergency-committee-zika/en/>
- WHO. (2016b). Target Product Profiles for better diagnostic tests for Zika virus infection. URL <https://www.who.int/publications/m/item/target-product-profiles-for-better-diagnostic-tests-for-zika-virus-infection>
- WHO. (2022). Zika epidemiology update - February 2022. URL <https://www.who.int/publications/m/item/zika-epidemiology-update---february-2022>
- WHO. (2024a). Zika epidemiology update - May 2024. URL <https://www.who.int/publications/m/item/zika-epidemiology-update-may-2024>
- WHO. (2024b). Pathogens prioritization: a scientific framework for epidemic and pandemic research preparedness. URL <https://www.who.int/publications/m/item/pathogens-prioritization-a-scientific-framework-for-epidemic-and-pandemic-research-preparedness>
- Winkler, G., Maxwell, S.E., Ruemmler, C., & Stollar, V. (1989). Newly synthesized dengue-2 virus nonstructural protein NS1 is a soluble protein but becomes partially hydrophobic and membrane-associated after dimerization 305, 302–305.
- Xu, X., Song, H., Qi, J., Liu, Y., Wang, H., Su, C., *et al.* (2016). Contribution of intertwined loop to membrane association revealed by Zika virus full-length NS1 structure. *EMBO J.*, 35, 2170–2178.
- Yadav, P.D., Niyas, V.K.M., Arjun, R., Sahay, R.R., Shete, A.M., Sapkal, G.N., *et al.* (2022). Detection of Zika virus disease in Thiruvananthapuram, Kerala, India 2021 during the second wave of COVID-19 pandemic. *J. Med. Virol.*, 94, 2346–2349.
- Yang, H., Zhang, T., Xu, K., Lei, J., Wang, L., Li, Z., *et al.* (2011). A novel and convenient method to immunize animals: inclusion bodies from recombinant bacteria as antigen to directly immunize animals. *African J. Biotechnol.*, 10, 8146–8150.
- Youn, S., Li, T., McCune, B.T., Edeling, M.A., Fremont, D.H., Cristea, I.M., *et al.* (2012). Evidence for a genetic and physical interaction between nonstructural proteins NS1 and NS4B that modulates replication of West Nile Virus. *J. Virol.*, 86, 7360–7371.
- Yudhaputri, F.A., Trimarsanto, H., Perkasa, A., Yohan, B., Haryanto, S., Wiyatno,

- A., *et al.* (2017). Genomic characterization of Zika virus isolated from Indonesia. *Virology*, 510, 248–251.
- Yun, S., Song, B., Frank, J.C., Julander, J.G., Polejaeva, I.A., Davies, C.J., *et al.* (2016). Complete genome sequences of three historically important, spatiotemporally distinct, and genetically divergent strains of Zika. *Genome Announc.*, 4, 1–4.
- Zhang, L., Chen, C., Chen, Z., He, S., Song, Y., Xia, X., *et al.* (2019). Generation and characterization of a polyclonal antibody against NS1 protein for detection of Zika virus. *Jundishapur J. Microbiol.*, 12, e96070.
- Zhang, X., Ge, P., Yu, X., Brannan, J.M., Zhang, Q., Schein, S., *et al.* (2013). CryoEM structure of the mature dengue virus at 3.5-Å resolution. *Nat. Struct. Mol. Biol.*, 20, 105–110.
- Zhang, Z., Kuipers, G., Niemiec, Ł., Baumgarten, T., Slotboom, D.J., de Gier, J.W., *et al.* (2015). High-level production of membrane proteins in *E. coli* BL21(DE3) by omitting the inducer IPTG. *Microb. Cell Fact.*, 14, 1–11.
- Zhang, Z.X., Nong, F.T., Wang, Y.Z., Yan, C.X., Gu, Y., Song, P., *et al.* (2022). Strategies for efficient production of recombinant proteins in *Escherichia coli*: alleviating the host burden and enhancing protein activity. *Microb. Cell Fact.*, 21, 1–18.
- Zhu, Z., Chan, J.F.W., Tee, K.M., Choi, G.K.Y., Lau, S.K.P., Woo, P.C.Y., *et al.* (2016). Comparative genomic analysis of pre-epidemic and epidemic Zika virus strains for virological factors potentially associated with the rapidly expanding epidemic. *Emerg. Microbes Infect.*, 5, 1–12.