

## DAFTAR PUSTAKA

- Abubakar, A. R., & Haque, M. (2020). Preparation of Medicinal Plants: Basic Extraction and Fractionation Procedures for Experimental Purposes. *Journal of Pharmacy and Bioallied Sciences*, 12(1). [https://journals.lww.com/jpbs/fulltext/2020/12010/preparation\\_of\\_medicinal\\_plants\\_basic\\_extraction.1.aspx](https://journals.lww.com/jpbs/fulltext/2020/12010/preparation_of_medicinal_plants_basic_extraction.1.aspx)
- Adom, M. B., Taher, M., Mutalabisin, M. F., Amri, M. S., Abdul Kudos, M. B., Wan Sulaiman, M. W. A., Sengupta, P., & Susanti, D. (2017). Chemical constituents and medical benefits of *Plantago* major. *Biomedicine & Pharmacotherapy*, 96(5), 348–360. <https://doi.org/10.1016/j.biopha.2017.09.152>
- Ahmad, A. R., Indonesia, U. M., Mun, A., & Elya, B. (2012). Study of Antioxidant Activity With Reduction of Dpph Radical and Xanthine Oxidase Inhibitor of the Extract of *Ruellia Tuberosa* Linn Leaf. *International Research Journal of Pharmacy*, 3(11), 66–70.
- Ahmad, Z., & Damayanti. (2018). Penuaan Kulit: Patofisiologi dan Manifestasi Klinis. *Berkala Ilmu Kesehatan Kulit dan Kelamin – Periodical of Dermatology and Venereology*, 30(03), 208–215.
- Alherech, M., Omolabake, S., Holland, C. M., Klinger, G. E., Hegg, E. L., & Stahl, S. S. (2021). From Lignin to Valuable Aromatic Chemicals: Lignin Depolymerization and Monomer Separation via Centrifugal Partition Chromatography. *ACS Central Science*, 7(11), 1831–1837. <https://doi.org/10.1021/acscentsci.1c00729>
- Beara, I. N., Lesjak, M. M., Jovin, E. Đ., Balog, K. J., Anackov, G. T., Orcic, D. Z., & Mimica-Dukic, N. M. (2009). Plantain (*Plantago* L.) species as novel sources of flavonoid antioxidants. *Journal of agricultural and food chemistry*, 57(19), 9268–9273.
- Bi, Y., Patra, P., & Faezipour, M. (2014a). Structure of collagen-glycosaminoglycan matrix and the influence to its integrity and stability. *2014 36th Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, 3949–3952.
- Bi, Y., Patra, P., & Faezipour, M. (2014b). Structure of collagen-glycosaminoglycan matrix and the influence to its integrity and stability. *2014 36th Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, 3949–3952.
- Binic, I., Lazarevic, V., Ljubenovic, M., Mojsa, J., & Sokolovic, D. (2013). Skin ageing: Natural weapons and strategies. *Evidence-based Complementary and Alternative Medicine*, 2013. <https://doi.org/10.1155/2013/827248>
- Blackstone, B. N., Wilgus, T. A., Roy, S., Wulff, B. C., & Powell, H. M. (2020). Skin biomechanics and miRNA expression following chronic UVB irradiation. *Advances in wound care*, 9(3), 79–89.
- Bobo-García, G., Davidov-Pardo, G., Arroqui, C., Vírveda, P., Marín-Arroyo, M. R., & Navarro, M. (2015). Intra-laboratory validation of microplate methods for total phenolic content and antioxidant

- activity on polyphenolic extracts, and comparison with conventional spectrophotometric methods. *Journal of the Science of Food and Agriculture*, 95(1), 204–209. <https://doi.org/10.1002/jsfa.6706>
- Bojczuk, M., Żyżelewicz, D., & Hodurek, P. (2017). Centrifugal partition chromatography – A review of recent applications and some classic references. *Journal of Separation Science*, 40(7), 1597–1609. <https://doi.org/https://doi.org/10.1002/jssc.201601221>
- Cavinato, M., & Jansen-Dürr, P. (2017). Molecular mechanisms of UVB-induced senescence of dermal fibroblasts and its relevance for photoaging of the human skin. *Experimental Gerontology*, 94, 78–82. <https://doi.org/https://doi.org/10.1016/j.exger.2017.01.009>
- Chaves, J. O., de Souza, M. C., da Silva, L. C., Lachos-Perez, D., Torres-Mayanga, P. C., Machado, A. P. da F., Forster-Carneiro, T., Vázquez-Espinosa, M., González-de-Peredo, A. V., Barbero, G. F., & Rostagno, M. A. (2020). Extraction of Flavonoids From Natural Sources Using Modern Techniques. *Frontiers in Chemistry*, 8(September). <https://doi.org/10.3389/fchem.2020.507887>
- Chemat, F., Rombaut, N., Sicaire, A.-G., Meullemiestre, A., Fabiano-Tixier, A.-S., & Abert-Vian, M. (2017). Ultrasound assisted extraction of food and natural products. Mechanisms, techniques, combinations, protocols and applications. A review. *Ultrasonics Sonochemistry*, 34, 540–560. <https://doi.org/10.1016/j.ultsonch.2016.06.035>
- Cho, E. B., Park, G. S., Park, S. S., Jang, Y. J., Kim, K. H., Kim, K. J., & Park, E. J. (2019). Effect of platelet-rich plasma on proliferation and migration in human dermal fibroblasts. *Journal of Cosmetic Dermatology*, 18(4), 1105–1112.
- Choi, C. P., Kim, Y. I., Lee, J. W., & Lee, M. H. (2007). The effect of narrowband ultraviolet B on the expression of matrix metalloproteinase-1, transforming growth factor- $\beta$ 1 and type I collagen in human skin fibroblasts. *Clinical and Experimental Dermatology*, 32(2), 180–185. <https://doi.org/10.1111/j.1365-2230.2006.02309.x>
- Departemen Kesehatan Republik Indonesia. (2008). *Farmakope Herbal Indonesia* (Departemen Kesehatan RI, Ed.).
- Eldesoky, A. H., Abdel-Rahman, R. F., Ahmed, O. K., Soliman, G. A., Saeedan, A. S., Elzorba, H. Y., Elansary, A. A., & Hattori, M. (2018). Antioxidant and hepatoprotective potential of *Plantago major* growing in Egypt and its major phenylethanoid glycoside, acteoside. *Journal of Food Biochemistry*, 42(5), e12567. <https://doi.org/10.1111/jfbc.12567>
- Elksibi, I., Haddar, W., Ticha, M. Ben, & Mhenni, M. F. (2014). Development and optimisation of a non conventional extraction process of natural dye from olive solid waste using response surface methodology (RSM). *Food chemistry*, 161, 345–352.

- Estebesari, F., Dastoorpoor, M., Khalifehkandi, Z. R., Nouri, A., Mostafaei, D., Hosseini, M., Esmaeili, R., & Aghababaeian, H. (2019). The Concept of Successful Aging: A Review Article. *Current Aging Science*, 13(1), 4–10. <https://doi.org/10.2174/1874609812666191023130117>
- Farage, M. A., Miller, K. W., Elsner, P., & Maibach, H. I. (2008). Intrinsic and extrinsic factors in skin ageing: A review. *International Journal of Cosmetic Science*, 30(2), 87–95. <https://doi.org/10.1111/j.1468-2494.2007.00415.x>
- Ferreira, S. L. C., Bruns, R. E., Ferreira, H. S., Matos, G. D., David, J. M., Brandão, G. C., da Silva, E. G. P., Portugal, L. A., dos Reis, P. S., Souza, A. S., & dos Santos, W. N. L. (2007). Box-Behnken design: An alternative for the optimization of analytical methods. *Analytica Chimica Acta*, 597(2), 179–186. <https://doi.org/https://doi.org/10.1016/j.aca.2007.07.011>
- Genc, Y., Dereli, F. T. G., Saracoglu, I., & Akkol, E. K. (2020a). The inhibitory effects of isolated constituents from *Plantago major* subsp. *major* L. on collagenase, elastase and hyaluronidase enzymes: Potential wound healer. *Saudi Pharmaceutical Journal*, 28(1), 101–106. <https://doi.org/10.1016/j.jsps.2019.11.011>
- Genc, Y., Dereli, F. T. G., Saracoglu, I., & Akkol, E. K. (2020b). The inhibitory effects of isolated constituents from *Plantago major* subsp. *major* L. on collagenase, elastase and hyaluronidase enzymes: Potential wound healer. *Saudi Pharmaceutical Journal*, 28(1), 101–106. <https://doi.org/10.1016/j.jsps.2019.11.011>
- Genc, Y., Harput, U. S., & Saracoglu, I. (2019). Active compounds isolated from *Plantago subulata* L. via wound healing and antiinflammatory activity guided studies. *Journal of ethnopharmacology*, 241, 112030.
- Gruber, F., Kremslehner, C., Eckhart, L., & Tschachler, E. (2020). Cell aging and cellular senescence in skin aging—Recent advances in fibroblast and keratinocyte biology. *Experimental Gerontology*, 130, 110780.
- Han, A. R., Nam, M. H., & Lee, K. W. (2016). Plantamajoside Inhibits UVB and Advanced Glycation End Products-Induced MMP-1 Expression by Suppressing the MAPK and NF-κB Pathways in HaCaT Cells. *Photochemistry and photobiology*, 92(5), 708–719. <https://doi.org/10.1111/php.12615>
- Helfrich, Y. R., Sachs, D. L., & Voorhees, J. J. (2008). Overview of skin aging and photoaging. *Dermatology nursing*, 20(3).
- Herald, T. J., Gadgil, P., & Tilley, M. (2012). High-throughput micro plate assays for screening flavonoid content and DPPH-scavenging activity in sorghum bran and flour. *Journal of the Science of Food and Agriculture*, 92(11), 2326–2331. <https://doi.org/10.1002/jsfa.5633>

- Ho, J. N., Lee, Y. H., Park, J. S., Jun, W. J., Kim, H. K., Hong, B. S., Shin, D. H., & Cho, H. Y. (2005). Protective effects of aucubin isolated from *Eucommia ulmoides* against UVB-induced oxidative stress in human skin fibroblasts. *Biological and Pharmaceutical Bulletin*, 28(7), 1244–1248.
- Huertas, A. C. M., Schmelzer, C. E. H., Hoehenwarter, W., Heyroth, F., & Heinz, A. (2016). Molecular-level insights into aging processes of skin elastin. *Biochimie*, 128, 163–173.
- Hussan, F., Mansor, A. S., Hassan, S. N., Kamaruddin, T. N. E., Tasnim, T. N., Budin, S. B., & Othman, F. (2015). Anti-inflammatory property of *Plantago major* leaf extract reduces the inflammatory reaction in experimental acetaminophen-induced liver injury. *Evidence-Based Complementary and Alternative Medicine*, 2015.
- Hussan, F., Mansor, A. S., Hassan, S. N., Tengku Nor Effendy Kamaruddin, Tg. N. T., Budin, S. B., & Othman, F. (2015). Anti-Inflammatory Property of *Plantago major* Leaf Extract Reduces the Inflammatory Reaction in Experimental Acetaminophen-Induced Liver Injury. *Evidence-Based Complementary and Alternative Medicine*, 2015, 1–7. <https://doi.org/10.1155/2015/347861>
- Hwang, K.-A., Yi, B.-R., & Choi, K.-C. (2011). Molecular Mechanisms and In Vivo Mouse Models of Skin Aging Associated with Dermal Matrix Alterations . *Laboratory Animal Research*, 27(1), 1. <https://doi.org/10.5625/lar.2011.27.1.1>
- ICH. (2022). *Q14: Analytical Procedure Development*. March, 1–64. <https://www.teses.usp.br/teses/disponiveis/11/11132/tde-20200111-131624/publico/ParreJoseLuiz.pdf>
- Ikehata, H., & Ono, T. (2011a). The mechanisms of UV mutagenesis. Dalam *Journal of Radiation Research* (Vol. 52, Nomor 2, hlm. 115–125). <https://doi.org/10.1269/jrr.10175>
- Ikehata, H., & Ono, T. (2011b). The mechanisms of UV mutagenesis. Dalam *Journal of Radiation Research* (Vol. 52, Nomor 2, hlm. 115–125). <https://doi.org/10.1269/jrr.10175>
- ISO, I. (2009). 10993–5: 2009 Biological evaluation of medical devices—part 5: tests for in vitro cytotoxicity. *International Organization for Standardization, Geneva*, 34.
- ITIS. (2022). *ITIS - Report: Plantago major*. Integrated Taxonomic Information System - Report. [https://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=32887#null](https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=32887#null)
- Jabłońska-Trypuć, A., Matejczyk, M., & Rosochacki, S. (2016). Matrix metalloproteinases (MMPs), the main extracellular matrix (ECM) enzymes in collagen degradation, as a target for anticancer drugs. *Journal of enzyme inhibition and medicinal chemistry*, 31(sup1), 177–183.
- Janković, T., Menković, N., Zdunić, G., Beara, I., Balog, K., Šavikin, K., & Mimica-Dukić, N. (2010). Quantitative determination of aucubin

- in seven *Plantago* species using HPLC, HPTLC, and LC-ESI-MS methods. *Analytical Letters*, 43(16), 2487–2495. <https://doi.org/10.1080/00032711003725581>
- Jenkins, G. (2002). Molecular mechanisms of skin ageing. *Mechanisms of Ageing and Development*, 123(7), 801–810. [https://doi.org/10.1016/S0047-6374\(01\)00425-0](https://doi.org/10.1016/S0047-6374(01)00425-0)
- Johnson, J. B., Mani, J. S., & Naiker, M. (2022). Development and Validation of a 96-Well Microplate Assay for the Measurement of Total Phenolic Content in Ginger Extracts. Dalam *Food Analytical Methods* (Vol. 15, Nomor 2, hlm. 413–420). <https://doi.org/10.1007/s12161-021-02127-9>
- Kamoto, D., Burch, M. L., Piva, T. J., Rezaei, H. B., Rostam, M. A., Xu, S., Zheng, W., Little, P. J., & Osman, N. (2013). Transforming growth factor- $\beta$  signalling: role and consequences of Smad linker region phosphorylation. *Cellular signalling*, 25(10), 2017–2024.
- Kammeyer, A., & Luiten, R. M. (2015). Oxidation events and skin aging. *Ageing research reviews*, 21, 16–29.
- Kartini, Islamie, R., & Handojo, C. S. (2018). Wound healing activity of aucubin on hyperglycemic rat. *Journal of Young Pharmacists*, 10(2), s136–s139. <https://doi.org/10.5530/jyp.2018.2s.28>
- Kartini, K., Avanti, C., Phechkrajang, C., & Vallisuta, O. (2019). Antioxidant Activity, HPTLC Fingerprint and Discriminant Analysis of *Plantago major* Leaves from Diverse Origins in Indonesia. *Pharmacognosy Journal*, 11(6s), 1483–1489. <https://doi.org/10.5530/pj.2019.11.229>
- Kartini, Piyaviriyakul, S., Siripong, P., & Vallisuta, O. (2014). HPTLC simultaneous quantification of triterpene acids for quality control of *Plantago major* L. and evaluation of their cytotoxic and antioxidant activities. *Industrial Crops and Products*, 60, 239–246. <https://doi.org/10.1016/j.indcrop.2014.06.020>
- Kartini, S. P., Thongpraditchote, S., Siripong, P., & Vallisuta, O. (2017). Effects of *Plantago major* extracts and its chemical compounds on proliferation of cancer cells and cytokines production of lipopolysaccharide-activated THP-1 macrophages. *Pharmacognosy magazine*, 13(51), 393.
- Khalaf, H. A., Abbas, I. S., Tawfeeq, A. A., & Mahdi, M. F. (2018). Determination, Isolation, and Identification of Aucubin and Verbascoside in the Leaves of Iraqi *Plantago Lancoleta* L. Using Different Detecting Methods. *International Journal of Pharmacy and Pharmaceutical Sciences*, March, 74–80. <https://doi.org/10.22159/ijpps.2019v11i2.30566>
- Kim, S. B., Bisson, J., Friesen, J. B., Pauli, G. F., & Simmler, C. (2020). Selective Chlorophyll Removal Method to “degreen” Botanical Extracts. Dalam *Journal of Natural Products* (Vol. 83, Nomor 6, hlm. 1846–1858). <https://doi.org/10.1021/acs.jnatprod.0c00005>

- Kobeasy, I., Abdel-Fatah, M., Abd El-Salam, S. M., & El-Ola Mohamed, Z. M. (2011). Biochemical studies on *Plantago major* L. and *Cyamopsis tetragonoloba* L. *International Journal of Biodiversity and Conservation*, 3(3), 83–91. <http://www.academicjournals.org/ijbc>
- Kolak, U., Boğa, M., Uruşak, E. A., & Ulubelen, A. (2011). Constituents of *Plantago major* subsp. *intermedia* with antioxidant and anticholinesterase capacities. *Turkish Journal of Chemistry*, 35(4), 637–645. <https://doi.org/10.3906/kim-1102-990>
- Kumar, M., Dahuja, A., Tiwari, S., Punia, S., Tak, Y., Amarowicz, R., Bhoite, A. G., Singh, S., Joshi, S., & Panesar, P. S. (2021). Recent trends in extraction of plant bioactives using green technologies: A review. *Food Chemistry*, 353, 129431.
- Li, J., Lu, Y. R., Lin, I. F., Kang, W., Chen, H. bin, Lu, H. F., & Wang, H. M. D. (2020). Reversing UVB-induced photoaging with *Hibiscus sabdariffa* calyx aqueous extract. *Journal of the Science of Food and Agriculture*, 100(2), 672–681. <https://doi.org/10.1002/jsfa.10063>
- Liu, S., You, L., Zhao, Y., & Chang, X. (2018). Hawthorn polyphenol extract inhibits UVB-induced skin photoaging by regulating MMP expression and type I procollagen production in mice. *Journal of Agricultural and Food Chemistry*, 66(32), 8537–8546.
- Liu, W., Fu, Y., Zu, Y., Kong, Y., Zhang, L., Zu, B., & Efferth, T. (2009). Negative-pressure cavitation extraction for the determination of flavonoids in pigeon pea leaves by liquid chromatography-tandem mass spectrometry. *Journal of Chromatography A*, 1216(18), 3841–3850. <https://doi.org/10.1016/j.chroma.2009.02.073>
- Madan, K., & Nanda, S. (2018). In-vitro evaluation of antioxidant, anti-elastase, anti-collagenase, anti-hyaluronidase activities of safranal and determination of its sun protection factor in skin photoaging. *Bioorganic Chemistry*, 77, 159–167.
- Makhmudov, R. R., Abdulladzhanova, N. G., & Kamaev, F. G. (2011). Phenolic compounds from *Plantago major* and *P. lanceolata*. *Chemistry of Natural Compounds*, 47(2), 288–289.
- Makpol, S., Jam, F. A., Yusof, Y. A. M., & Ngah, W. Z. W. (2011). Modulation of collagen synthesis and its gene expression in human skin fibroblasts by tocotrienol-rich fraction. *Archives of medical science: AMS*, 7(5), 889.
- Mason, T. J., Riera, E., Vercet, A., & Lopez-Buesa, P. (2005). Application of ultrasound. Dalam *Emerging technologies for food processing* (hlm. 323–351). Elsevier.
- Mazzutti, S., Riehl, C. A. S., Ibañez, E., & Ferreira, S. R. S. (2017). Green-based methods to obtain bioactive extracts from *Plantago major* and *Plantago lanceolata*. *The Journal of Supercritical Fluids*, 119, 211–220.
- Mazzutti, S., Salvador Ferreira, S. R., Herrero, M., & Ibañez, E. (2017). Intensified aqueous-based processes to obtain bioactive extracts

- from *Plantago major* and *Plantago lanceolata*. *The Journal of Supercritical Fluids*, 119, 64–71. <https://doi.org/10.1016/j.supflu.2016.09.008>
- Mello, J. C., Gonzalez, M. V. D., Moraes, V. W. R., Prieto, T., Nascimento, O. R., & Rodrigues, T. (2015). Protective effect of *Plantago major* extract against t-BOOH-induced mitochondrial oxidative damage and cytotoxicity. *Molecules*, 20(10), 17747–17759.
- Metiner, K., Ozkan, O., & Ak, S. (2012). Antibacterial effects of ethanol and acetone extract of *Plantago major* L. on gram positive and gram negative bacteria. *Kafkas Univ Vet Fak Derg*, 18(3), 503–505.
- Mussard, E., Jousselin, S., Cesaro, A., Legrain, B., Lespessailles, E., Esteve, E., Berteina-raboin, S., & Toumi, H. (2020). *Andrographis paniculata* and its bioactive diterpenoids against inflammation and oxidative stress in keratinocytes. *Antioxidants*, 9(6), 1–14. <https://doi.org/10.3390/antiox9060530>
- Nofal, Z., El-Maghraby, A., Gad, M., Farghaly, A., & Ahmed, E. (2016). Evaluation of the Protective Effect of Ethanolic Extract of *Plantago major* Plant Against CCl4 Induced Genotoxicity and Biochemical Disturbance in Rat. *Egyptian Journal of Veterinary Sciences*, 47(1), 83–110. <https://doi.org/10.21608/ejvs.2016.1082>
- Nuryana, C. T. (2020). *Mekanisme Genomik Dan Epigenomik Hambatan Penuaan Dini Fibroblas Manusia Dengan Pemberian Lendir Achatina fulica: Kajian ekspresi miR-23a, p53, SMAD3, HAS2, MMP-1, COL1, dan COL3*. Universitas Gadjah Mada.
- Nuryana, C. T., Haryana, S. M., Wirohadidjojo, Y. W., & Arfian, N. (2020). *Achatina fulica* mucous improves cell viability and increases collagen deposition in UVB-irradiated human fibroblast culture. *Journal of stem cells & regenerative medicine*, 16(1), 26.
- Palmieri, S., Pellegrini, M., Ricci, A., Compagnone, D., & Lo Sterzo, C. (2020). Chemical composition and antioxidant activity of thyme, hemp and coriander extracts: A comparison study of maceration, Soxhlet, UAE and RSLDE techniques. *Foods*, 9(9), 1221.
- Patel, N. Y., Baria, D. M., Pardhi, D. S., Yagnik, S. M., Panchal, R. R., Rajput, K. N., & Raval, V. H. (2023). Microbial enzymes in Pharmaceutical industry. Dalam *Biotechnology of Microbial Enzymes* (hlm. 375–403). Elsevier.
- Pesantes-Sangay, S. J., Calla-Poma, R. D., Requena-Mendizabal, M. F., Alvino-Vales, M. I., & Millones-Gómez, P. A. (2020). Chemical composition and antibacterial effect of *plantago major* extract on periodontal pathogens. *Pesquisa Brasileira em Odontopediatria e Clinica Integrada*, 20, 1–10. <https://doi.org/10.1590/pboci.2020.100>
- Phaniendra, A., Jestadi, D. B., & Periyasamy, L. (2015). Free Radicals: Properties, Sources, Targets, and Their Implication in Various

- Diseases. *Indian Journal of Clinical Biochemistry*, 30(1), 11–26. <https://doi.org/10.1007/s12291-014-0446-0>
- Pillai, S., Oresajo, C., & Hayward, J. (2005). Ultraviolet radiation and skin aging: roles of reactive oxygen species, inflammation and protease activation, and strategies for prevention <file:///C:/Users/HP/Downloads/jms.360.pdf> <file:///C:/Users/HP/Downloads/pillai2005.pdf> [file:///C:/Users/HP/Downlo. \*International Journal of Cosmetic Science\*, 27\(1\), 17–34. <https://doi.org/10.1111/j.1467-2494.2004.00241.x>](file:///C:/Users/HP/Downlo. International Journal of Cosmetic Science, 27(1), 17–34. https://doi.org/10.1111/j.1467-2494.2004.00241.x)
- Qin, S., Omolabake, S., Diaby, A., Li, J., González, L. D., Holland, C. M., Zavala, V. M., Stahl, S. S., & Van Lehn, R. C. (2024). Identifying Green Solvent Mixtures for Bioproduct Separation Using Bayesian Experimental Design. *ACS Sustainable Chemistry & Engineering*. <https://doi.org/10.1021/acssuschemeng.4c07423>
- Radu, N., Ghita, I., & Rau, I. (2010). Therapeutic effect of polysaccharides from *Plantago* species. *Molecular Crystals and Liquid Crystals*, 523(1), 236–808.
- Rahamooz-Haghighi, S., Bagheri, K., Danafar, H., & Sharafi, A. (2021). Anti-proliferative properties, biocompatibility, and chemical composition of different extracts of *plantago* major medicinal plant. *Iranian biomedical journal*, 25(2), 106.
- Ramaswamy, S., Huang, H.-J., & Ramarao, B. V. (2013). *Separation and purification technologies in biorefineries*. John Wiley & Sons.
- Rao, J. S., & Kumar, B. (2012). 3D Blade root shape optimization. *10th International conference on vibrations in rotating machinery*, 173–188.
- Riswanto, F. D. O., Desra, A., Sari, R. M., Thomas, V., Rohman, A., Pramono, S., & Martono, S. (2020). Employing an R Software Package rsm for Optimizing of Genistein, Daidzein, and Glycitein Separation and Its Application for Soy Milk Analysis by HPLC Method. *Indonesian Journal of Chemistry*, 20(5), 1184. <https://doi.org/10.22146/ijc.51669>
- Rittié, L., & Fisher, G. J. (2002). UV-light-induced signal cascades and skin aging. *Ageing Research Reviews*, 1(4), 705–720. [https://doi.org/10.1016/S1568-1637\(02\)00024-7](https://doi.org/10.1016/S1568-1637(02)00024-7)
- Said, K. A. M., & Amin, M. A. M. (2015). Overview on the response surface methodology (RSM) in extraction processes. *Journal of Applied Science & Process Engineering*, 2(1), 8–17.
- Salmon, A. B., Richardson, A., & Pérez, V. I. (2010). Update on the oxidative stress theory of aging: Does oxidative stress play a role in aging or healthy aging? *Free Radical Biology and Medicine*, 48(5), 642–655. <https://doi.org/10.1016/j.freeradbiomed.2009.12.015>
- Samuelsen, A. B. (2000). The traditional uses, chemical constituents and biological activities of *Plantago* major L. A review. *Journal of ethnopharmacology*, 71(1–2), 1–21.

- Santhanam, R. K., Fakurazi, S., Ahmad, S., Abas, F., Ismail, I. S., Rukayadi, Y., Akhtar, M. T., & Shaari, K. (2018). Inhibition of UVB-induced pro-inflammatory cytokines and MMP expression by Zanthoxylum rhetsa bark extract and its active constituent hesperidin. *Phytotherapy Research*, 32(8), 1608–1616.
- Santos, J. H. P. M., Ferreira, A. M., Almeida, M. R., Quinteiro, P. S. G. N., Dias, A. C. R. V, Coutinho, J. A. P., Freire, M. G., Rangel-Yagui, C. O., & Ventura, S. P. M. (2019). Continuous separation of cytochrome-c PEGylated conjugates by fast centrifugal partition chromatography. *Green Chemistry*, 21(20), 5501–5506. <https://doi.org/10.1039/C9GC01063G>
- Schuch, A. P., Moreno, N. C., Schuch, N. J., Menck, C. F. M., & Garcia, C. C. M. (2017). Sunlight damage to cellular DNA: Focus on oxidatively generated lesions. *Free Radical Biology and Medicine*, 107, 110–124.
- Schulze, C., Wetzell, F., Kueper, T., Malsen, A., Muhr, G., Jaspers, S., Blatt, T., Wittern, K.-P., Wenck, H., & Käs, J. A. (2012). Stiffening of human skin fibroblasts with age. *Clinics in plastic surgery*, 39(1), 9–20.
- Sharma, M. R., Mitrani, R., & Werth, V. P. (2020). Effect of TNF $\alpha$  blockade on UVB-induced inflammatory cell migration and collagen loss in mice. *Journal of Photochemistry and Photobiology B: Biology*, 213, 112072.
- She, J.-M., Yuan, H.-H., Zhang, J., Si, Z.-N., & Lan, M.-B. (2019). Protective effect of the Rubus chingii Hu. fruit extract on ultraviolet B-induced photoaging via suppression of mitogen-activated protein kinases (MAPKs) in vitro. *Archives of Biological Sciences*, 71(3), 541–550.
- Standardization, I. O. for. (2009). *ISO 10993-5: 2009-Biological evaluation of medical devices-Part 5: Tests for in vitro cytotoxicity*. ISO Geneva.
- Stenholm, Å., Göransson, U., & Bohlin, L. (2013). Bioassay-guided Supercritical Fluid Extraction of Cyclooxygenase-2 Inhibiting Substances in Plantago major L. *Phytochemical Analysis*, 24(2), 176–183.
- Theocharis, A. D., Skandalis, S. S., Gialeli, C., & Karamanos, N. K. (2016). Extracellular matrix structure. *Advanced drug delivery reviews*, 97, 4–27.
- Thome, R. G., Santos, H. B. Dos, Santos, F. V. Dos, Oliveira, R. J. D. S., De Camargos, L. F., Pereira, M. N., Longatti, T. R., Souto, C. M., Franco, C. S., & De Oliveira Aquino Schüffner, R. (2012). Evaluation of healing wound and genotoxicity potentials from extracts hydroalcoholic of Plantago major and Siparuna guianensis. *Experimental Biology and Medicine*, 237(12), 1379–1386.
- Tigges, J., Krutmann, J., Fritsche, E., Haendeler, J., Schaal, H., Fischer, J. W., Kalfalah, F., Reinke, H., Reifenberger, G., & Stuehler, K.

- (2014). The hallmarks of fibroblast ageing. *Mechanisms of ageing and development*, 138, 26–44.
- Tungmunnithum, D., Drouet, S., Kabra, A., & Hano, C. (2020). Enrichment in antioxidant flavonoids of stamen extracts from *Nymphaea lotus* L. using ultrasonic-assisted extraction and macroporous resin adsorption. *Antioxidants*, 9(7), 576.
- Tzanova, M., Atanasov, V., Yaneva, Z., Ivanova, D., & Dinev, T. (2020). Selectivity of current extraction techniques for flavonoids from plant materials. Dalam *Processes* (Vol. 8, Nomor 10, hlm. 1–30). <https://doi.org/10.3390/pr8101222>
- Tzima, K., Brunton, N. P., & Rai, D. K. (2020). Evaluation of the impact of chlorophyll removal techniques on polyphenols in rosemary and thyme by-products. *Journal of food biochemistry*, 44(3), e13148.
- Um, M., Han, T.-H., & Lee, J.-W. (2018). Ultrasound-assisted extraction and antioxidant activity of phenolic and flavonoid compounds and ascorbic acid from rugosa rose (*Rosa rugosa* Thunb.) fruit. *Food science and biotechnology*, 27(2), 375–382.
- Varani, J. (2010). Fibroblast aging: intrinsic and extrinsic factors. *Drug Discovery Today: Therapeutic Strategies*, 7(3–4), 65–70.
- Vilkhu, K., Manasseh, R., Mawson, R., & Ashokkumar, M. (2011). Ultrasonic recovery and modification of food ingredients. Dalam *Ultrasound technologies for food and bioprocessing* (hlm. 345–368). Springer.
- Vilkhu, K., Mawson, R., Simons, L., & Bates, D. (2008). Applications and opportunities for ultrasound assisted extraction in the food industry—A review. *Innovative Food Science & Emerging Technologies*, 9(2), 161–169.
- Vinatoru, M. (2015). Ultrasonically assisted extraction (UAE) of natural products some guidelines for good practice and reporting. Dalam *Ultrasonics Sonochemistry* (Vol. 25, Nomor 1, hlm. 94–95). <https://doi.org/10.1016/j.ultsonch.2014.10.003>
- Vinatoru, M., Mason, T. J., & Calinescu, I. (2017). Ultrasonically assisted extraction (UAE) and microwave assisted extraction (MAE) of functional compounds from plant materials. *TrAC Trends in Analytical Chemistry*, 97, 159–178.
- Vorobiev, E., & Lebovka, N. (2013). Enhancing extraction from solid foods and biosuspensions by electrical pulsed energy (pulsed electric field, ohmic heating, and high-voltage electrical discharge). Dalam *Advances in food process engineering research and applications* (hlm. 415–428). Springer.
- Wang, C. H., Wu, S. B., Wu, Y. T., & Wei, Y. H. (2013). Oxidative stress response elicited by mitochondrial dysfunction: Implication in the pathophysiology of aging. *Experimental Biology and Medicine*, 238(5), 450–460. <https://doi.org/10.1177/1535370213493069>
- Wang, T., Guo, N., Wang, S. X., Kou, P., Zhao, C. J., & Fu, Y. J. (2018). Ultrasound-negative pressure cavitation extraction of phenolic

- compounds from blueberry leaves and evaluation of its DPPH radical scavenging activity. *Food and Bioproducts Processing*, 108, 69–80. <https://doi.org/10.1016/j.fbp.2018.01.003>
- Wang, X., Wang, Z., Yang, Q., Peng, S., & Peng, M. (2022). Determining the in vitro Anti-Aging Effect of the Characteristic Components from *Eucommia ulmoides*. *Journal of Renewable Materials*, 10(12), 3131.
- Wang, Y., Liao, D., Qin, M., & Li, X. (2016). Simultaneous Determination of Catalpol, Aucubin, and Geniposidic Acid in Different Developmental Stages of *Rehmannia glutinosa* Leaves by High Performance Liquid Chromatography. *Journal of Analytical Methods in Chemistry*, 2016. <https://doi.org/10.1155/2016/4956589>
- Wong, R., Geyer, S., Weninger, W., Guimberteau, J. C., & Wong, J. K. (2016). The dynamic anatomy and patterning of skin. *Experimental Dermatology*, 25(2), 92–98. <https://doi.org/10.1111/exd.12832>
- Wu, S., Zhou, X., Jin, Z., & Cheng, H. (2023). Collagenases and their inhibitors: a review. Dalam *Collagen and leather* (Vol. 5, Nomor 1). Springer. <https://doi.org/10.1186/s42825-023-00126-6>
- Xiao, D., Yang, R., Gong, L., Zhang, Y., Xie, Y., & Ni, S. (2021). Plantamajoside inhibits high glucose-induced oxidative stress, inflammation, and extracellular matrix accumulation in rat glomerular mesangial cells through the inactivation of Akt/NF- $\kappa$ B pathway. *Journal of Receptors and Signal Transduction*, 41(1), 45–52.
- Zahari, N. A. A. R., Chong, G. H., Abdullah, L. C., & Chua, B. L. (2020). Ultrasonic-Assisted Extraction (UAE) Process on Thymol Concentration from *Plectranthus Amboinicus* Leaves: Kinetic Modeling and Optimization. *Processes* 2020, Vol. 8, Page 322, 8(3), 322. <https://doi.org/10.3390/PR8030322>
- Zalukhu, M. L., Phyma, A. R., & Pinzon, R. T. (2016). *Proses Menua , Stres Oksidatif , dan Peran Antioksidan*. 43(10), 733–736.
- Zhang, S., & Duan, E. (2018). Fighting against skin aging: the way from bench to bedside. *Cell transplantation*, 27(5), 729–738.
- Zhao, B., Shah, P., Qiang, L., He, T.-C., Budanov, A., & He, Y.-Y. (2017a). Distinct Role of *Sesn2* in Response to UVB-Induced DNA Damage and UVA-Induced Oxidative Stress in Melanocytes. *Photochemistry and Photobiology*, 93(1), 375–381. <https://doi.org/10.1111/php.12624>
- Zhao, B., Shah, P., Qiang, L., He, T.-C., Budanov, A., & He, Y.-Y. (2017b). Distinct Role of *Sesn2* in Response to UVB-Induced DNA Damage and UVA-Induced Oxidative Stress in Melanocytes. *Photochemistry and Photobiology*, 93(1), 375–381. <https://doi.org/10.1111/php.12624>
- Zhou, Q., Lu, W., Niu, Y., Liu, J., Zhang, X., Gao, B., Akoh, C. C., Shi, H., & Yu, L. (2013). Identification and quantification of phytochemical composition and anti-inflammatory, cellular

- antioxidant, and radical scavenging activities of 12 *Plantago* species. *Journal of agricultural and food chemistry*, 61(27), 6693–6702.
- Zhu, C., & Liu, X. (2013). Optimization of extraction process of crude polysaccharides from Pomegranate peel by response surface methodology. *Carbohydrate polymers*, 92(2), 1197–1202.
- Zubair, M., Ekholm, A., Nybom, H., Renvert, S., Widen, C., & Rumpunen, K. (2012). Effects of *Plantago major* L. leaf extracts on oral epithelial cells in a scratch assay. *Journal of Ethnopharmacology*, 141(3), 825–830.
- Zubair, M., Nybom, H., Ahnlund, M., & Rumpunen, K. (2012). Detection of genetic and phytochemical differences between and within populations of *Plantago major* L. (plantain). *Scientia Horticulturae*, 136, 9–16. <https://doi.org/10.1016/j.scienta.2012.01.002>
- Zubair, M., Nybom, H., Lindholm, C., Brandner, J. M., & Rumpunen, K. (2016). Promotion of wound healing by *Plantago major* L. leaf extracts - Ex-vivo experiments confirm experiences from traditional medicine. *Natural Product Research*, 30(5), 622–624. <https://doi.org/10.1080/14786419.2015.1034714>
- Zubair, M., Nybom, H., Lindholm, C., & Rumpunen, K. (2011). Major polyphenols in aerial organs of greater plantain (*Plantago major* L.), and effects of drying temperature on polyphenol contents in the leaves. *Scientia Horticulturae*, 128(4), 523–529. <https://doi.org/10.1016/j.scienta.2011.03.001>
- Zubair, M., Widén, C., Renvert, S., & Rumpunen, K. (2019). Water and ethanol extracts of *Plantago major* leaves show anti-inflammatory activity on oral epithelial cells. *Journal of traditional and complementary medicine*, 9(3), 169–171.