

## DAFTAR PUSTAKA

- Abas, I., Setiawan, A., Widyastuti and Maryam, RS. (2020) ‘Senam Gerak Latih Otak (Glo) Mampu Meningkatkan Fungsi’, *Jurnal Ilmu Keperawatan dan Kebidanan* 11(1), pp. 70–77.
- Alowaydhah, S., Weerasekara, I., Walmsley, S. and Marquez, J. (2024). ‘The Effects of Various Types of Physical Exercise on Health Outcomes in Older Adults with Depression: A Systematic Review and Meta-Analysis of Controlled Trials’, *Depression and Anxiety*, 2024, pp. 1–19. Available at: <https://doi.org/10.1155/2024/9363464>.
- Angevaren M, Aufdemkampe G, Verhaar HJJ, Aleman A, Vanhees L. (2008). Physical Activity and Enhanced Fitness To Improve Cognitive Function In Older People Without Known Cognitive Impairment (Review), *Cochrane Database of Systematic Reviews*, Issue 2. Art. No.:CD005381. DOI: 10.1002/14651858.CD005381.pub2.
- Asosiasi Alzheimer Indonesia. (2003). *Konsensus Nasional Pengenalan dan Penatalaksanaan Demensia Alzheimer dan Demensia Lainnya*.
- Asosiasi Alzheimer Indonesia, (2004). *Konsensus Pengenalan Dini dan Penatalaksanaan Demensia Vaskuler*, edisi 2.
- Ayán, C., Sánchez-Lastra, M.A., Cabanelas, P., Cancela, J. M.,(2017). Effects Of Brain Gym® Exercises On Institutionalized Older Adults With Cognitive Impairment, *Rev.int.med.cienc.act.fis.deporte* - vol. X - número X - ISSN: 1577-0354, pp. 1-13.
- Beckett, MW., Ardern, CI., Rotondi, MA., (2015). A meta-analysis of prospective studies on the role of physical activity and the prevention of Alzheimer’s disease in older adults, *BMC Geriatrics* vol.15:9, pp. 1-7.
- Bellon, J.A., Conejo-Ceron, S., Sanchez-Calderon, A., Rodriguez-Martin, B., Bellon, D., Rodriguez-Sanchez, E., Mendive, J.M., Ara, I. and Moreno-Peral, P. (2021). ‘Effectiveness of exercise-based interventions in reducing depressive symptoms in people without clinical depression: Systematic review and meta-analysis of randomised controlled trials’, *British Journal of Psychiatry*, 219(5), pp. 578–587. Available at: <https://doi.org/10.1192/bjp.2021.5>.

- BPS (2021). *Statistik Penduduk Lanjut Usia 2021*, Badan Pusat Statistik. Available at: <https://www.bps.go.id/id/publication/2021/12/21/c3fd9f27372f6ddcf7462006/statistik-penduduk-lanjut-usia-2021.html>
- Buchman, AS., Boyle, PA., Yu, L., Shah, RC., Wilson, RS., Bennett, DA., (2012). Total daily physical activity and the risk of AD and cognitive decline in older adults, *Neurology*, vol. 78:1323–1329.
- Bull, F., (2010). *Technical Report, Physical Activity Guidelines in The UK: Review and Recommendations*, School of Sport, Exercise and Health Sciences, BHF National Centre Physical Activity and Health, Loughborough University, pp: 1-72.
- Burhanullah, M.H., Tschanz, J.A.T., Peters, M.E., Leoutsakos, J.M., Matyi, J., Lyketsos, C.G., Nowrangi, M.A. and Rosenberg, P.B. (2020) ‘Neuropsychiatric Symptoms as Risk Factors for Cognitive Decline in Clinically Normal Older Adults: The Cache County Study’, *American Journal of Geriatric Psychiatry*, 28(1), pp. 64–71. Available at: <https://doi.org/10.1016/j.jagp.2019.03.023>.
- Cahyaningrum, E.D. (2022). ‘Hubungan Aktivitas Fisik Dengan Fungsi Kognitif Lansia’, *Jurnal Surya Muda*, 4(1), pp. 27–36. Available at: <https://doi.org/10.38102/jsm.v4i1.111>.
- Cancela, JM.; Vila, M<sup>a</sup>H.; Vasconcelos, J.; Lima, A. and Ayan, C., (2015). Efficacy of Brain Gym® Training on the Cognitive Performance and Fitness Level of Active Older Adults: A Preliminary Study. *Journal of Aging and Physical Activity*. Human Kinetics, Inc.
- Choi, HM., Hurr, C., and Kim, S., (2020). Effects of Elastic Band Exercise on Functional Fitness and Blood Pressure Response in the Healthy Elderly, *Int. J. Environ. Res. Public Health*, Vol.17 (19), 7144; doi:10.3390/ijerph17197144, <https://doi.org/10.3390/ijerph17197144>
- Chu, H., Yang, CY., Lin, Y., Ou, KL., Lee, TY., O’Brien, AP., Chou, KR., (2014). The Impact of Group Music Therapy on Depression and Cognition in Elderly Persons With Dementia: A Randomized Controlled Study, *Biological Research for Nursing*, Vol. 16(2), pp. 209-217, DOI: 10.1177/1099800413485410.
- Corbin, Charles B., Pangrazi, Robert P., Franks, Don, B. (2000). Definitions: Health, Fitness, and Physical Activity. *President's Council on Physical Fitness and Sports Research Digest*, Series 3 No. 9, President's Council on Physical Fitness and Sports, 200 Independence Avenue, S.W., Washington, DC. [http://fitness.gov/Reading\\_Room/Digests/digests.html](http://fitness.gov/Reading_Room/Digests/digests.html).

Craft, LL. & Perna, MP., (2004). The Benefits of Exercise for The Clinically Depressed, *Prim Care Companion J Clin Psychiatry*, vol. 6, pp. 104-111.

Davis, B, (2000). *Physical Education and the study of sport*, 4th ed. London: Harcourt Publishers.

Dening, T. and Sandilyan, MB., (2015). Dementia: definitions and typs, *Nursing Standard*, vol. 29 no. 37: 38-42.

Denise, T., 2014. Review: Physical activity is medicine for older adults. *Postgrad Med J* 2014; 90:26–32.

de Oliveira, L.D.S.S.C.B., Souza, E.C., Rodrigues, R.A.S., Fett, C.A. and Piva, A.B. (2019) ‘The effects of physical activity on anxiety, depression, and quality of life in elderly people living in the community’, *Trends in Psychiatry and Psychotherapy*, 41(1), pp. 36–42. Available at: <https://doi.org/10.1590/2237-6089-2017-0129>.

de Oliveira, F.N., Damião, E.P., dos Santos, L., Galvão, L.L., Machado, H.R., Silva, R.R., Tribess, S., Virtuoso Júnior, J.S. and de Assis Teles Santos, D. (2024). ‘Prevalence and factors associated with low functional mobility in older adults’, *Aging Medicine*, 7(3), pp. 292–300. Available at: <https://doi.org/10.1002/agm2.12323>.

Department of Health & Human Services. (2018). *Physical Activity Guidelines for Americans*, 2<sup>nd</sup> edition, U.S. Washington, DC: U.S. pp: 1-117

Depkes DIY, (2017). Profil Kesehatan Provinsi DI Yogyakarta tahun 2017, [http://www.depkes.go.id/resources/download/profil/PROFIL\\_KES\\_PROVINSI\\_2017/14\\_DIY\\_2017.pdf](http://www.depkes.go.id/resources/download/profil/PROFIL_KES_PROVINSI_2017/14_DIY_2017.pdf) (diupload tanggal 8 April 2019).

Dewi, SR., (2016). Spiritualitas dan persepsi kesehatan lansia dengan hipertensi di wilayah kerja puskesmas mayang jember. *The Indonesian Journal of Health Science*, vol. 6, no. 2, juni 2016, 229.

Dinas Kesehatan Kabupaten Sleman, (2018). *Profil Kesehatan Kabupaten Sleman Tahun 2018*, Jl. Rorojonggrang No. 6 Beran Tridadi, Sleman.

Dinas Kesehatan Sleman (2020). *Profil Kesehatan Kabupaten Sleman, Dinas Kesehatan Sleman*. Dinas Kesehatan Kabupaten Sleman. Available at: <https://dinkes.slemankab.go.id/wp-content/uploads/2020/09/Profil-Kesehatan-Sleman-2020.pdf>.

Gale, SA., Acer, D., Daffner, KR., (2018). Dementia, *The American Journal of Medicine*, accepted manuscript, <https://doi.org/10.1016/j.amjmed.2018.01.022>.

Hadi, R., (2013). Pengaruh Intervensi Musik Gamelan Terhadap Depresi Pada Lansia Di Panti Wreda Harapan Ibu, Semarang, *Jurnal Keperawatan*

*Komunitas*. Volume 1, No. 2, pp. 135-140.

Han YS., Araki T., Lee PY., Choi, JH., Kwon IS., Kwon KN., Kim JY., (2016). Development and Effect of a Cognitive Enhancement Gymnastics Program for Elderly People with Dementia. *Journal of Exercise Rehabilitation* Vol.12(4):340-345.

Hartono, B., (2000). Demensia (Tinjauan Aspek Definisi, Etiologi, Demografi, Epidemiologi dan Faktor Risiko), *Simposium Demensia*, Pertemuan Regional Neurologi XVII Jawa Tengah dan DIY, Baturaden.

Helgadóttir, B., (2016). *Exercise as a Treatment for Depression*, Thesis for Doctoral Degree, Department of Public Health Sciences, Karolinska Institutet, Stockholm, Sweden.

Hu, M.X., Turner, D., Generaal, E., Bos, D., Ikram, M.K., Ikram, M.A., Cuijpers, P. and Penninx, B.W.J.H. (2020). ‘Exercise interventions for the prevention of depression: A systematic review of meta-analyses’, *BMC Public Health*, 20(1), pp. 1–11. Available at: <https://doi.org/10.1186/s12889-020-09323-y>.

Huang, T., Larsen, KT., Ried-Larsen, M., Møller, NC., Andersen, LB., (2013). The effects of physical activity and exercise on brain-derived neurotrophic factor in healthy humans: A review, *Scand J Med Sci Sports*, pp:1-10.

Iriyani, Safei, I., Basri, R.P.L., Rachman, M.E. and Dahliah (2023) ‘Hubungan Aktivitas Fisik dengan Pola Tidur pada Usia Lanjut’, *Fakumi Medical Journal: Jurnal Mahasiswa Kedokteran*, 3(1), pp. 1–11. Available at: <https://doi.org/10.33096/fmj.v3i1.171>.

Irianto, DP., (2004). *Bugar & Sehat dengan Berolahraga*. Yogyakarta: CV. Andi Offset.

Irianto, DP., (2007). *Panduan Gizi Lengkap Keluarga dan Olahragawan*. Yogyakarta: CV Andi Offset.

Izquierdo, M., Merchant, R.A., Morley, J.E., Anker, S.D., Aprahamian, I., Arai, H., Aubertin-Leheudre, M., Bernabei, R., Cadore, E.L., Cesari, M., Chen, L.K., de Souto Barreto, P., Duque, G., Ferrucci, L., Fielding, R.A., García-Hermoso, A., Gutiérrez-Robledo, L.M., Harridge, S.D.R., Kirk, B., Kritchevsky, S., Landi, F., Lazarus, N., Martin, F.C., Marzetti, E., Pahor, M., Ramírez-Vélez, R., Rodríguez-Mañas, L., Rolland, Y., Ruiz, J.G., Theou, O., Villareal, D.T., Waters, D.L., Won, C.W., Woo, J., Vellas, B. and Singh, M.F. (2021). ‘International Exercise Recommendations in Older Adults (ICFSR): Expert Consensus Guidelines’, *Journal of Nutrition, Health and Aging*, 25(7), pp. 824–853. Available at: <https://doi.org/10.1007/s12603-021-1665-8>.

Jia, L., Du, Y., Chu, L., Zhang, Z., Li, Fangyu, Lyu, D., Li, Yan, Zhu, M., Jiao,

H., Song, Y., Shi, Y., Zhang, H., Gong, M., Wei, C., Tang, Y., Fang, B., Guo, D., Wang, F., Zhou, A., Chu, C., Zuo, X., Yu, Y., Yuan, Q., Wang, W., Li, Fang, Shi, S., Yang, H., Zhou, C., Liao, Z., Lv, Y., Li, Yang, Kan, M., Zhao, H., Wang, S., Yang, S., Li, H., Liu, Z., Wang, Q., Qin, W., Jia, J., Quan, M., Wang, Y., Li, W., Cao, S., Xu, L., Han, Y., Liang, J., Qiao, Y., Qin, Q. and Qiu, Q. (2020). 'Prevalence, risk factors, and management of dementia and mild cognitive impairment in adults aged 60 years or older in China: a cross-sectional study', *The Lancet Public Health*, 5(12), pp. e661–e671. Available at: [https://doi.org/10.1016/S2468-2667\(20\)30185-7](https://doi.org/10.1016/S2468-2667(20)30185-7).

Jones C.J and Rikli R.E., (2002). Measuring functional fitness of older adults, *The Journal on Active Aging*, March April, pp. 24–30.

Katch, VL., McArdle, WD., Katch, FI., (2011). *Essentials of Exercise Physiology*, Fourth Edition, Wolters Kluwer Health, Lippincott Williams & Wilkins, 351 West Camden Street Baltimore, MD 21201.

Kementrian Kesehatan (2024). *Profil Kesehatan Indonesia 2023*. Jakarta: Kementerian Kesehatan Republik Indonesia. Available at: <file:///C:/Users/VAIO/Downloads/172231123666a86244b83fd8.51637104.pdf>.

Kirk-Sanchez, NJ., McGough, EL., (2014). Physical exercise and cognitive performance in the elderly: current perspectives, *Clinical Interventions in Aging*, vol. 9, pp: 51–62

Kolegium Neurologi Indonesia, P. (2023). *Pemeriksaan Klinis Neurologis Praktis: Khusus*. 1st edn. Edited by P.S. Riwanti Estiasari, Dyah Tunjung Sari. Jakarta: Penerbit Kedokteran Indonesia.

Kraemer, WJ., Fleck, SJ., Deschenes, MR., (2012). *Exercise Physiology: Integrating Theory and Application*, First Edition, Lippincott Williams & Wilkins, a Wolters Kluwer business, 351 West Camden Street, Baltimore, MD 21201, pp. 452-456

Kumalasari, I., Bambang Suwito and Wulandari (2022) *Senam Tera dalam Meningkatkan Kebugaran Jantung dan Paru pada Lansia*. Available at: <https://repository.poltekkespalembang.ac.id/files/show/4367>.

Langhammer, B and Stanghelle, JK., (2015). The Senior Fitness Test, *Journal of Physioterapi* 61 (163), pp: 1-2, DOI: 10.1016/j.jphys.2015.04.001.

Larson, EB., Wang Li, Bowen, JD., McCormick, WC., Teri, L., Crane, P., Kukull, W., (2006). Exercise Is Associated with Reduce Risk for Incident Dementia among Persons 65 Years of Age and Older, *Ann Intern Med.*, vol. 144 pp. 73-81.

Lautenschlager NT., Cox KL., Flicker L., Foster JK., Frank M. van Bockxmeer, Xiao J., Greenop KR., Almeida OP., (2008). Effect of Physical Activity on Cognitive Function in Older Adults at Risk for Alzheimer Disease: A Randomized Trial, *JAMA* vol:300(9):1027-1037.

Lemeshow, S., Hosmer Jr., DW., Klar, J., Lwanga, SK., (1990). *Adequacy of Sample Size in Health Studies*, John Wiley and Sons, New York.

Len Kravitz. (2001). *Panduan Lengkap: Bugar Total*. Jakarta: PT. RajaGrafindo Persada.

Li, HC., Wang, HH., Chou, FH., Chen, KM., (2015). Original Study: The Effect of Music Therapy on Cognitive Functioning Among Older Adults: A Systematic Review and Meta-Analysis, *JAMDA*, vol. 16, pp. 71-77. <http://dx.doi.org/10.1016/j.jamda.2014.10.004>

Lina, R.K. and Kurniawan, G.P.D. (2022) 'Brain Gym Exercise Give Benefit to Improve Cognitive Function among Elderly: A Systematic Review', *Jurnal Ilmu dan Teknologi Kesehatan*, 9(2), pp. 261–271. Available at: <https://doi.org/10.32668/jitek.v9i2.543>.

Lisniani. (2012). Senam Vitalisasi Otak Dapat Meningkatkan Fungsi Kognitif Usia Dewasa Muda. *Jurnal Kesehatan* 1(2):102–110.

López-Torres Hidalgo, J., Sotos, J.R., Salmerón, L.A., Gras, C.B., Rosa, M.C., Escobar Rabadán, F., Vizcaíno, C.E., Belenguer, J.L.E., Martín, J.F., López, V.F., García, A.L., López, Jaime López Torres, López, Jesús López Torres, Verdejo, M.Á.L., Yeste, A.L., Callejo, M.Á.L., Lozano, M.J.M., Núñez, J.M., Rodríguez, K.N., García, I.R., Castillo, C.S. and Lapeira, J.M.T. (2021). 'Effectiveness of physical exercise in older adults with mild to moderate depression', *Annals of Family Medicine*, 19(4), pp. 302–309. Available at: <https://doi.org/10.1370/afm.2670>.

Luthfiana, A., dan Harliansyah, (2019). Examination of Memory Index, MMSE (Mini Mental State Examination) and MoCA-Ina (Montreal Cognitive Assesment Indonesian Version) at Yarsi University Employees, *JURNAL KEDOKTERAN YARSI*, vol. 27 (2): 062-068.

Maier, A., Riedel-Heller, S.G., Pabst, A. and Lippa, M. (2021). 'Risk factors and protective factors of depression in older people 65+. A systematic review', *PLoS ONE*, 16(5 May), pp. 1–38. Available at: <https://doi.org/10.1371/journal.pone.0251326>.

Maricar, N., Akbar, M., Handayani, F., (2017). Hubungan Skormini-Mental State Examination (Mmse) Dan Skor Montreal Cognitive Assessment-Versi Indonesia (Moca-Ina) Terhadap Usia Dan Lama Pendidikan Penerima Manfaat Panti Sosial Tresna Werdha (Pstw) Gau Mabaji Gowa, Sulawesi

Selatan Tahun 2017, *Medika Tadulako*, Jurnal Ilmiah Kedokteran, Vol. 4 No. 3, pp. 36-46.

Maylasari, I., Sulistyowati, R., Ramadani, K.D., Annisa, L., (2018). *Statistik Penduduk Lanjut Usia 2017*. Subdirektorat Statistik Pendidikan dan Kesejahteraan Sosial, Badan Pusat Statistik.

Melone, L, (2009). *Brain Exercise that Boost Memory-and May Fight Alzheimer's*, Everyday Health Network, Waterfront Media Inc.

Milanović Z., Pantelić S., Trajković N., Sporiš G., Kostić R., James N., (2013). Age-related decrease in physical activity and functional fitness among elderly men and women, *Clinical Interventions in Aging* vol 8: 549–556.

Ngadiran, A. and Eny Pujiati (2024). 'Efektivitas Senam Lansia Terhadap Perubahan Depresi dan Kualitas Hidup Lansia', *Jurnal Kesehatan*, 13(1), pp. 78–83. Available at: <https://doi.org/10.46815/jk.v13i1.227>.

Ningrum, R.R., Sunandar, K. and Rumijati, T. (2023) 'Aktivitas Fisik dapat Memelihara Fungsi Kognitif Lansia', *Jurnal Keperawatan Indonesia Florence Nightingale*, 3(2), pp. 34–39. Available at: <https://doi.org/10.34011/jkifn.v3i2.1783>.

Nisa, K., (2015). Brain Gym Effects on The Change of Cognitive Function And Insomnia To Improve Quality Of Life In Elderly In Panti Tresna Werda Natar Lampung Selatan, *Seminar Nasional Sains & Teknologi VI Lembaga Penelitian dan Pengabdian Universitas Lampung*, Lampung.

Noetel, M., Sanders, T., Gallardo-Gómez, D., Taylor, P., Del Pozo Cruz, B., Van Den Hoek, D., Smith, J.J., Mahoney, J., Spathis, J., Moresi, M., Pagano, R., Pagano, L., Vasconcellos, R., Arnott, H., Varley, B., Parker, P., Biddle, S. and Lonsdale, C. (2024). 'Effect of exercise for depression: Systematic review and network meta-analysis of randomised controlled trials', *Bmj* [Preprint]. Available at: <https://doi.org/10.1136/bmj-2023-075847>.

Notoatmodjo, S., (2014). *Metodologi Penelitian Kesehatan*, Cetakan Kedua, PT Rineka Cipta, Jakarta.

Noyumala and Musaidah (2023) 'Senam Otak dengan Fungsi Kognitif Lansia Brain Gym with Elderly Cognitive Function', *Jurnal Ilmiah Kesehatan*, 5(1), pp. 181–189. Available at: <https://doi.org/10.36590/jika.v5i2.505http://salnesia.id/index.php/jika>.

Nugroho W. 2008. *Keperawatan Gerontik dan Geriatrik*. Jakarta: EGC

Oktivya, W., Fuadi, I., (2019). Perbandingan Mini Mental State Examination (MMSE) dan Clock Drawing Test (CDT) untuk Mendeteksi Disfungsi Kognitif pada Cedera Otak Traumatik Ringan dan Sedang, *JNI*, vol. 8 (2):

90–8.

Ong, PA, (2018). *Lembar Kerja, Pedoman Wawancara Klinis, Pemeriksaan Dan Penilaian Tes Penapisan Mini Mental Status Examination, Clock Drawing Test, Ad8-Ina, Moca-Ina, Adl/Iadl, Dan Skala Depresi Geriatrik-15, Abe's Bpsd Score*, Kelompok Studi Neurobehavior Perhimpunan Dokter Spesialis Saraf Indonesia.

Orimo, H., Ito, H., Suzuki, T., Araki, A., Hosoi, T and Sawabe, M. (2006). Reviewing The Devinition of Elderly, *Geriatr Gerontol Int*; vol. 6, pp. 149-158.

Panentu, D. dan Irfan, M., (2013). Uji Validitas dan Reliabilitas Butir Pemeriksaan dengan Montreal Cognitive Assesment Versi Indonesia (MOCA-Ina) Pada Insan Pasca Stroke Fase Recovery, *Jurnal Fisioterapi*, vol. 13 (1): 55-67.

Paramita, A. & Kristiana, L., (2013). Teknik Fokus Group Discussion dalam Penelitian Kualitatif, *Buletin Penelitian Sistem Kesehatan*, vol. 16 No. 2, pp. 117-127.

Pemda, D. (2022). *RPJMD Rencana Pembangunan Jangka Menengah Daerah DIY 2022-2027*. Badan Perencanaan Pembangunan Daerah, DIY. Available at: <https://www.dprd-diy.go.id/wp-content/uploads/2023/02/RPJMD-DIY-Tahun-2022-2027.pdf>.

Pfeifer, C.E., Ross, L.M., Weber, S.R., Sui, X. and Blair, S.N. (2022). ‘Are flexibility and muscle-strengthening activities associated with functional limitation?’, *Sports Medicine and Health Science*, 4(2), pp. 95–100. Available at: <https://doi.org/10.1016/j.smhs.2022.03.001>.

Portugal, EMM., Cevada, T., Monteiro-Junior, RS., Guimarães, TT., Rubini, EC., Lattari, E., Blois, C., Deslandes, AC., (2013). Neuroscience of exercise: From Neurobiology Mechanism to Mental Health, Review, *Neuropsychobiology*, vol. 68, pp. 1-14.

Prince, M., Bryce, R., Albanese, E., Wimo, A., Ribeiro, W., Ferri, CP., (2013). Review Articles: The global prevalence of dementia: A systematic review and metaanalysis, *Alzheimer's & Dementia*, vol. 9, pp. 63–75. <http://dx.doi.org/10.1016/j.jalz.2012.11.007>

Pusdatin Kementrian Kesehatan RI, (2017). Analisis Lansia di Indonesia, Jalan HR Rasuna Said Blok X5 Kav. 4-9 Lantai 6 Blok C, Jakarta Selatan.

Putri, NMRK., Agustin, ID., and Vittala, G., (2024). ‘The Level of Flexibility, Muscle Strength and Balance in the Elderly at Banjar Bhineka Nusa Kargin,

Badung, Bali', *ABDIMAS: Jurnal Pengabdian Masyarakat*, 7(1), pp. 197–204. Available at: <https://doi.org/10.35568/abdimas.v7i1.4219>.

Ranjbar, E., Memari, AH., Hafizi, S., Shayestehfar, M., Mirfaseli, FS., Esghi, MA., (2015). Depression and Exercise: A Clinical Review and Manajemen Guideline, *Asian J Sports Med.*, vol. 6 (2): e24055.

Rikli, ER and Jones CJ, (2012). Development and Validation of Criterion-Referenced Clinically Relevant Fitness Standards for Maintaining Physical Independence in Later Years, *The Gerontologist*, Vol. 53, No. 2, 255-67.

Rikli, RE., Jones, CJ. (2013). Senior Fitness Test Manual, Second Edition, ISBN-13: 978-1-4504-1118-9, Human Kinetics, [www.HumanKinetics.com](http://www.HumanKinetics.com), United States of America.

Riviati, N. and Indra, B. (2023). 'Relationship between muscle mass and muscle strength with physical performance in older adults: A systematic review', *SAGE Open Medicine*, 11. Available at: <https://doi.org/10.1177/20503121231214650>.

Roma, MFB, Busse, AL., Betoni, RA., Cesar de Melo, A., Kong, J., Santarem, JM., Filho, WJ., (2013). Effects of Resistance Training and Aerobic Exercise in Elderly People Concerning Physical Fitness and Ability: A Prospective Clinical Trial, *Einstein*, Vol.11(2), pp.153-7.

Rum, IA. & Heliati, R., (2018). *Modul Metode Delphi*, untuk Direktorat Jasa Keuangan dan BUMN, BAPPENAS, Universitas Padjadjaran, Bandung.

Sangundo, MF. & Sagiran, (2009). Pengaruh Brain Gym terhadap Fungsi Kognitif pada Usia Lanjut. *Mutiara Medika*, Edisi Khusus Vol. 9 No. 2: 86 – 94.

Sarkamo, T., (2017). Cognitive, Emotional, and Neural Benefits of Musical Leisure Activities in Aging and Neurological Rehabilitation: A critical review, *Ann Phys Rehabil Med*, <http://dx.doi.org/10.1016/j.rehab.2017.03.006>

Setyopranoto, I., (2002). Reliabilitas dan Validitas Mini Mental State Examination untuk Penapisan Demensia, *Logika*, vol. 9 no. 2, pp. 3-9.

Sharkey, B.J, (2003). *Kebugaran dan Kesehatan*. Penerjemah: Eri Desmarini Nasution. Jakarta: PT. Raja Grafindo Persada.

Shiddieqy, A.A., Zulfitri, R. and Elita, V. (2022). 'Analisis Faktor Risiko Yang Berhubungan Dengan Fungsi Kognitif Pada Lansia Suku Melayu', *Jkep*, 7(1), pp. 12–26. Available at: <https://doi.org/10.32668/jkep.v7i1.775>.

Silbernagl, S. and Lang, F. (2020). *Color Atlas of Pathophysiology, 3rd Edition (Brahm U Pendit, trans.)*. 3rd edn. Jakarta: EGC.

- Song, D. and Yu, D.S.F. (2019). 'Effects of a moderate-intensity aerobic exercise programme on the cognitive function and quality of life of community-dwelling elderly people with mild cognitive impairment: A randomised controlled trial', *International Journal of Nursing Studies*, 93, pp. 97–105. Available at: <https://doi.org/10.1016/j.ijnurstu.2019.02.019>.
- Sudibjo, P., Waluyo, S.D., Kushartanti, B.M.W. and Sutarni, S. (2025) 'The role of traditional local culture-based exercise games in preventing cognitive function decline and increased levels of depression in the elderly', *J. Med. Pharm. Chem. Res.*, 7(March), pp. 2755–2767. Available at: <https://doi.org/10.48309/JMPCR.2025.511755.1631>.
- Sugiyono, (2018). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*, Cetakan ke-28, Alfabeta, CV, Bandung.
- Sularyo, TS. dan Handryastuti, (2002). Senam Otak, *Sari Pediatri*, Vol. 4, No. 1 Juni: 36-44.
- Sumarni, S., Triwirasto, T., Kusumadewi, A.F., Yuliani, S., Dwi, D. and Kusumaningrum, N. (2019). 'Penanggulangan depresi lansia pascaerupsi Gunung Merapi melalui permainan humor berbasis kearifan budaya lokal pada kader yandu lansia', *Journal of Community Empowerment for Health*, 2(1), pp. 27–35. Available at: <https://doi.org/10.22146/jcoemph.41290>.
- Sumarni-DW, Sutarni, S., Kushartanti, BMW., Sudibjo, P. (2020). *Efektivitas Aktivitas Fisik Senam Permainan Berbasis Budaya Lokal terhadap Depresi, Fungsi Kognitif, dan Kebugaran pada Lansia di Pokja Yandu Lansia Teratai Perumahan Nogotirto I Gamping Sleman*. Universitas Gadjah Mada, Yogyakarta.
- Sumintarsih. (2007). Kebugaran Jasmani untuk Lanjut Usia. *Olahraga*. Vol. 13, hal. 29.
- Suryanto dan Sutapa, P., (2006). Penilaian Tes Kesegaran Jasmani dengan ACSPFT dan TKJI. *Jurnal Ilmiah Kesehatan Olahraga*. Vol. II, No. 2. Hlm. 147-160.
- Suwarsih, S., Kirnantoro, Sulistyarini, WD., (2013). Pengaruh Musik Campursari Terhadap Penurunan Skor Depresi pada Lansia di PSTW Unit Budi Luhur Yogyakarta, *JNKI*, Vol. 1, No. 2, pp: 37-42.
- Tinôco, M.A., Nascimento, M. de M., Marques, A., Gouveia, É.R., Miguel, S., Santos, F. and Ihle, A. (2023) 'The Relationship between Physical Fitness and Cognitive Functions in Older People: A Systematic Review', *Sustainability (Switzerland)*, 15(23). Available at: <https://doi.org/10.3390/su152316314>.
- U.S. Department of Health and Human Services, (2008). Physical Activity Guidelines for Americans, be Active, Healthy, and Happy, pp. 1-61, [www.health.gov/paguidelines](http://www.health.gov/paguidelines)

- Utami, N., Loebis, B., Husada, S., (2019). Validitas dan Reliabilitas Geriatric Depression Scale-15 Versi Bahasa Indonesia, Tesis, Program Pendidikan Dokter Spesialis-I Psikiatri, Fakultas Kedokteran Universitas Sumatra Utara.
- Vaynman, S., Ying, Z., and Gomez-Pinilla, F. (2004). Hippocampal BDNF mediates the efficacy of exercise on synaptic plasticity and cognition, *European Journal of Neuroscience*, Vol. 20, pp. 2580–90.
- WHO (2017). *Depression and Other Common Mental Disorders: Global Health Estimates*, World Health Organization. Geneva, Switzerland: WHO Document Production Services, Geneva, Switzerland.
- WHO (2019). *Risk Reduction of Cognitive Decline and Dementia: WHO Guidelines*, Who. Available at: <https://www.who.int/publications/i/item/9789241550543>.
- Wiaro, G., (2013). *Fisiologi dan Olahraga*, Graha Ilmu, Edisi Pertama, Cetakan Pertama, Ruko Jambusari No. 7A, Yogyakarta.
- World Health Organization, (2010). *Global Recommendation on Physical Activity for Health*, ISBN 978 92 4 159 997 9, WHO Library Cataloguing-in-Publication Data, WHP Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27 Switzerland.
- Yamasaki, T. (2023) ‘Preventive Strategies for Cognitive Decline and Dementia: Benefits of Aerobic Physical Activity, Especially Open-Skill Exercise’, *Brain Sciences*, 13(3), pp. 1–13. Available at: <https://doi.org/10.3390/brainsci13030521>.
- Young J, Angevaren M, Rusted J, Tabet N, (2015). Aerobic Exercise To Improve Cognitive Function In Older People Without Known Cognitive Impairment (Review), *Cochrane Database of Systematic Reviews*, Issue 4. Art. No.: CD005381.DOI:10.1002/14651858. CD005381.pub4.
- Yusuf, Ah., Indarwati, R., Jayanto, AD., (2010). Senam Otak Meningkatkan Fungsi Kognitif Lansia (Brain Gym Improves Cognitive Function for Elderly), *Jurnal Ners*, vol. 5 No. 1 April: 79–86.
- Zhang, S., Xiang, K., Li, S. and Pan, H.F. (2021). ‘Physical activity and depression in older adults: the knowns and unknowns’, *Psychiatry Research*, 297(January), p. 113738. Available at: <https://doi.org/10.1016/j.psychres.2021.113738>.