

DAFTAR PUSTAKA

- Apriyantono, A., Fardiaz, D., Puspitasari, N. L., Sedarnawati, & Budiyanto, S. (1998). *Food Analysis*. IPB Press.
- Benavent-Gil, Y., & Rosell, C. M. (2017). Comparison of porous starches obtained from different enzyme types and levels. *Carbohydrate Polymers*, *157*, 533–540. <https://doi.org/10.1016/j.carbpol.2016.10.047>
- BPS. (2023). *Produksi Tanaman Buah-buahan, 2023*.
- Cao, F., Lu, S., Wang, L., Zheng, M., & Young Quek, S. (2023). Modified porous starch for enhanced properties: Synthesis, characterization and applications. *Food Chemistry*, *415*, 135765. <https://doi.org/10.1016/j.foodchem.2023.135765>
- Chávez-Salazar, A., Bello-Pérez, L. A., Agama-Acevedo, E., Castellanos-Galeano, F. J., Álvarez-Barreto, C. I., & Pacheco-Vargas, G. (2017). Isolation and partial characterization of starch from banana cultivars grown in Colombia. *International Journal of Biological Macromolecules*, *98*, 240–246. <https://doi.org/10.1016/j.ijbiomac.2017.01.024>
- Chen, B.-R., Wen, Q.-H., Zeng, X.-A., Abdul, R., Roobab, U., & Xu, F.-Y. (2021). Pulsed electric field assisted modification of octenyl succinylated potato starch and its influence on pasting properties. *Carbohydrate Polymers*, *254*, 117294. <https://doi.org/10.1016/j.carbpol.2020.117294>
- Chen, J., Wang, Y., Liu, J., & Xu, X. (2020). Preparation, characterization, physicochemical property and potential application of porous starch: A review. *International Journal of Biological Macromolecules*, *148*, 1169–1181. <https://doi.org/10.1016/j.ijbiomac.2020.02.055>
- Chen, Y., Dai, G., & Gao, Q. (2020). Preparation and properties of granular cold-water-soluble porous starch. *International Journal of Biological Macromolecules*, *144*, 656–662. <https://doi.org/10.1016/j.ijbiomac.2019.12.060>
- Chen, Y., Huang, S., Tang, Z., Chen, X., & Zhang, Z. (2011). Structural changes of cassava starch granules hydrolyzed by a mixture of α -amylase and glucoamylase. *Carbohydrate Polymers*, *85*(1), 272–275. <https://doi.org/10.1016/j.carbpol.2011.01.047>
- Davoudi, Z., Azizi, M. H., & Barzegar, M. (2022). Porous corn starch obtained from combined cold plasma and enzymatic hydrolysis: Microstructure and physicochemical properties. *International Journal of Biological Macromolecules*, *223*, 790–797. <https://doi.org/10.1016/j.ijbiomac.2022.11.058>
- Dhital, S., Shrestha, A. K., & Gidley, M. J. (2010). Relationship between granule size and in vitro digestibility of maize and potato starches. *Carbohydrate Polymers*, *82*(2), 480–488. <https://doi.org/10.1016/j.carbpol.2010.05.018>
- Dong, S., Fang, G., Luo, Z., & Gao, Q. (2021). Effect of granule size on the structure and digestibility of jackfruit seed starch. *Food Hydrocolloids*, *120*, 106964. <https://doi.org/10.1016/j.foodhyd.2021.106964>
- dos Santos, T. P. R., Leonel, M., Garcia, É. L., do Carmo, E. L., & Franco, C. M. L. (2016). Crystallinity, thermal and pasting properties of starches from different potato cultivars grown in Brazil. *International Journal of Biological*

- Macromolecules*, 82, 144–149.
<https://doi.org/10.1016/j.ijbiomac.2015.10.091>
- Dura, A., Błaszczak, W., & Rosell, C. M. (2014). Functionality of porous starch obtained by amylase or amyloglucosidase treatments. *Carbohydrate Polymers*, 101, 837–845. <https://doi.org/10.1016/j.carbpol.2013.10.013>
- Dura, A., & Rosell, C. M. (2016). Physico-chemical properties of corn starch modified with cyclodextrin glycosyltransferase. *International Journal of Biological Macromolecules*, 87, 466–472.
<https://doi.org/10.1016/j.ijbiomac.2016.03.012>
- Dutta, H., Paul, S. K., Kalita, D., & Mahanta, C. L. (2011). Effect of acid concentration and treatment time on acid–alcohol modified jackfruit seed starch properties. *Food Chemistry*, 128(2), 284–291.
<https://doi.org/10.1016/j.foodchem.2011.03.016>
- Gonzalez, A., & Wang, Y. (2020). Enhancing the Formation of Porous Potato Starch by Combining α -Amylase or Glucoamylase Digestion with Acid Hydrolysis. *Starch - Stärke*, 72(7–8). <https://doi.org/10.1002/star.201900269>
- Guo, L., Li, J., Gui, Y., Zhu, Y., Yu, B., Tan, C., Fang, Y., & Cui, B. (2020). Porous starches modified with double enzymes: Structure and adsorption properties. *International Journal of Biological Macromolecules*, 164, 1758–1765.
<https://doi.org/10.1016/j.ijbiomac.2020.07.323>
- Guo, L., Yuan, Y., Li, J., Tan, C., Janaswamy, S., Lu, L., Fang, Y., & Cui, B. (2021). Comparison of functional properties of porous starches produced with different enzyme combinations. *International Journal of Biological Macromolecules*, 174, 110–119.
<https://doi.org/10.1016/j.ijbiomac.2021.01.165>
- Han, X., Wen, H., Luo, Y., Yang, J., Xiao, W., Ji, X., & Xie, J. (2021). Effects of α -amylase and glucoamylase on the characterization and function of maize porous starches. *Food Hydrocolloids*, 116, 106661.
<https://doi.org/10.1016/j.foodhyd.2021.106661>
- Hidalgo, A., Brusco, M., Plizzari, L., & Brandolini, A. (2013). Polyphenol oxidase, alpha-amylase and beta-amylase activities of *Triticum monococcum*, *Triticum turgidum* and *Triticum aestivum*: A two-year study. *Journal of Cereal Science*, 58(1), 51–58. <https://doi.org/10.1016/j.jcs.2013.04.004>
- Hj. Latip, D. N., Samsudin, H., Utra, U., & Alias, A. K. (2021). Modification methods toward the production of porous starch: a review. *Critical Reviews in Food Science and Nutrition*, 61(17), 2841–2862.
<https://doi.org/10.1080/10408398.2020.1789064>
- Horvathova, V., S. Janecek, & E. Sturdik. (2000). Amylolytic enzymes: Their specificities, origins and properties. *Biologia*.
- Jiang, S., Yu, Z., Hu, H., Lv, J., Wang, H., & Jiang, S. (2017). Adsorption of procyanidins onto chitosan-modified porous rice starch. *LWT*, 84, 10–17.
<https://doi.org/10.1016/j.lwt.2017.05.047>
- Jin, Z. (2018). *Functional Starch and Applications in Food* (Z. Jin, Ed.). Springer Singapore. <https://doi.org/10.1007/978-981-13-1077-5>
- Jorge, F.-F., Edith, C.-C., Eduardo, R.-S., Jairo, S.-M., & Héctor, C.-V. (2023). Hydrothermal processes and simultaneous enzymatic hydrolysis in the

- production of modified cassava starches with porous-surfaces. *Heliyon*, 9(7), e17742. <https://doi.org/10.1016/j.heliyon.2023.e17742>
- Jung, Y., Lee, B.-H., & Yoo, S.-H. (2017). Physical structure and absorption properties of tailor-made porous starch granules produced by selected amyolytic enzymes. *PLOS ONE*, 12(7), e0181372. <https://doi.org/10.1371/journal.pone.0181372>
- Karim, A. A., Nadiha, M. Z., Chen, F. K., Phuah, Y. P., Chui, Y. M., & Fazilah, A. (2008). Pasting and retrogradation properties of alkali-treated sago (*Metroxylon sago*) starch. *Food Hydrocolloids*, 22(6), 1044–1053. <https://doi.org/10.1016/j.foodhyd.2007.05.011>
- Keeratiburana, T., Hansen, A. R., Soontaranon, S., Blennow, A., & Tongta, S. (2020). Porous high amylose rice starch modified by amyloglucosidase and maltogenic α -amylase. *Carbohydrate Polymers*, 230, 115611. <https://doi.org/10.1016/j.carbpol.2019.115611>
- Kittipongpatana, O. S., & Kittipongpatana, N. (2011). Preparation and physicochemical properties of modified jackfruit starches. *LWT - Food Science and Technology*, 44(8), 1766–1773. <https://doi.org/10.1016/j.lwt.2011.03.023>
- Kittipongpatana, O. S., & Kittipongpatana, N. (2015). Resistant Starch Contents of Native and Heat-Moisture Treated Jackfruit Seed Starch. *The Scientific World Journal*, 2015(1). <https://doi.org/10.1155/2015/519854>
- Lacerda, L. D., Leite, D. C., Soares, R. M. D., & da Silveira, N. P. (2018). Effects of α -Amylase, Amyloglucosidase, and Their Mixture on Hierarchical Porosity of Rice Starch. *Starch - Stärke*, 70(11–12). <https://doi.org/10.1002/star.201800008>
- Li, S., Dong, S., Fang, G., Hao, Y., & Gao, Q. (2022). Study on internal structure and digestibility of jackfruit seed starch revealed by chemical surface gelatinization. *Food Hydrocolloids*, 131, 107779. <https://doi.org/10.1016/j.foodhyd.2022.107779>
- Liu, L., Shen, W., Zhang, W., Li, F., & Zhu, Z. (2018). Porous Starch and Its Applications. In *Functional Starch and Applications in Food* (pp. 91–117). Springer Singapore. https://doi.org/10.1007/978-981-13-1077-5_4
- Liu, Q.-Z., Zhang, H., Dai, H.-Q., Zhao, P., Mao, Y.-F., Chen, K.-X., & Chen, Z.-X. (2021). Inhibition of starch digestion: The role of hydrophobic domain of both α -amylase and substrates. *Food Chemistry*, 341, 128211. <https://doi.org/10.1016/j.foodchem.2020.128211>
- Luciano, C. G., Landi Franco, C. M., Ayala Valencia, G., do Amaral Sobral, P. J., & Freitas Moraes, I. C. (2017). Evaluation of extraction method on the structure and physicochemical properties of starch from seeds of two jackfruit varieties. *Starch - Stärke*, 69(11–12). <https://doi.org/10.1002/star.201700078>
- Madrigal-Aldana, D. L., Tovar-Gómez, B., de Oca, M. M., Sáyago-Ayerdi, S. G., Gutierrez-Meraz, F., & Bello-Pérez, L. A. (2011). Isolation and characterization of Mexican jackfruit (*Artocarpus heterophyllus* L) seeds starch in two mature stages. *Starch - Stärke*, 63(6), 364–372. <https://doi.org/10.1002/star.201100008>

- Madruga, M. S., de Albuquerque, F. S. M., Silva, I. R. A., do Amaral, D. S., Magnani, M., & Queiroga Neto, V. (2014). Chemical, morphological and functional properties of Brazilian jackfruit (*Artocarpus heterophyllus* L.) seeds starch. *Food Chemistry*, *143*, 440–445. <https://doi.org/10.1016/j.foodchem.2013.08.003>
- Majzoobi, M., Hedayati, S., & Farahnaky, A. (2015). Functional properties of microporous wheat starch produced by α -amylase and sonication. *Food Bioscience*, *11*, 79–84. <https://doi.org/10.1016/j.fbio.2015.05.001>
- Narkhede, S. B., Bendale, A. R., Jadhav, A. G., Patel, K., & Vidyasagar, G. (2011). Isolation and evaluation of starch of *Artocarpus heterophyllus* as a tablet binder. *Journal of PharmTech Research*, *3*(2), 836–840.
- Ocloo, F., Bansa, D., Boatin, R., Adom, T., & Agbemavor, W. (2010). Physico-chemical, functional and pasting characteristics of flour produced from Jackfruits (*Artocarpus heterophyllus*) seeds. *Agriculture and Biology Journal of North America*, *1*(5), 903–908. <https://doi.org/10.5251/abjna.2010.1.5.903.908>
- Patel, A. S., Kar, A., & Mohapatra, D. (2020). Development of microencapsulated anthocyanin-rich powder using soy protein isolate, jackfruit seed starch and an emulsifier (NBRE-15) as encapsulating materials. *Scientific Reports*, *10*(1), 10198. <https://doi.org/10.1038/s41598-020-67191-3>
- Rengsutthi, K., & Charoenrein, S. (2011). Physico-chemical properties of jackfruit seed starch (*Artocarpus heterophyllus*) and its application as a thickener and stabilizer in chilli sauce. *LWT - Food Science and Technology*, *44*(5), 1309–1313. <https://doi.org/10.1016/j.lwt.2010.12.019>
- Rocha, T. de S., Carneiro, A. P. de A., & Franco, C. M. L. (2010). Effect of enzymatic hydrolysis on some physicochemical properties of root and tuber granular starches. *Ciência e Tecnologia de Alimentos*, *30*(2), 544–551. <https://doi.org/10.1590/S0101-20612010000200039>
- Rodríguez, H. M. P., Torres, A. V., & López, R. L. (2024). Porous Starch: Enzymatic Methods to Obtain it and Apply it as a Carrier Material in the Food Area. *Biointerface Research in Applied Chemistry*, *14*(2), 45. <https://doi.org/10.33263/BRIAC142.045>
- Santos, L. S., Bonomo, R. C. F., Fontan, R. C. I., Santos, W. O., & Silva, A. A. L. (2009). Gelatinization temperature and acid resistance of jackfruit seed starch. *CyTA - Journal of Food*, *7*(1), 1–5. <https://doi.org/10.1080/11358120902850461>
- Sujka, M., & Jamroz, J. (2007). Starch granule porosity and its changes by means of amylolysis. *International Agrophysics*, *21*(1).
- Sun, H., Zhao, P., Ge, X., Xia, Y., Hao, Z., Liu, J., & Peng, M. (2010). Recent Advances in Microbial Raw Starch Degrading Enzymes. *Applied Biochemistry and Biotechnology*, *160*(4), 988–1003. <https://doi.org/10.1007/s12010-009-8579-y>
- Sy Mohamad, S. F., Mohd Said, F., Abdul Munaim, M. S., Mohamad, S., & Wan Sulaiman, W. M. A. (2019). Proximate composition, minerals contents, functional properties of Mastura variety jackfruit (*Artocarpus heterophyllus*)

- seeds and lethal effects of its crude extract on zebrafish (*Danio rerio*) embryos. *Food Research*, 3(5), 546–555. [https://doi.org/10.26656/fr.2017.3\(5\).095](https://doi.org/10.26656/fr.2017.3(5).095)
- Tung, N. T., Thuy, L. T. H., Luong, N. T., Van Khoi, N., Ha, P. T. T., & Thang, N. H. (2021). The molecular structural transformation of jackfruit seed starch in hydrogen peroxide oxidation condition. *Journal of the Indian Chemical Society*, 98(11), 100192. <https://doi.org/10.1016/j.jics.2021.100192>
- Wang, H., Lv, J., Jiang, S., Niu, B., Pang, M., & Jiang, S. (2016). Preparation and characterization of porous corn starch and its adsorption toward grape seed proanthocyanidins. *Starch - Stärke*, 68(11–12), 1254–1263. <https://doi.org/10.1002/star.201600009>
- Wang, X., Huang, L., Zhang, C., Deng, Y., Xie, P., Liu, L., & Cheng, J. (2020). Research advances in chemical modifications of starch for hydrophobicity and its applications: A review. *Carbohydrate Polymers*, 240, 116292. <https://doi.org/10.1016/j.carbpol.2020.116292>
- Wang, Z., Mhaske, P., Farahnaky, A., Kasapis, S., & Majzoobi, M. (2022). Cassava starch: Chemical modification and its impact on functional properties and digestibility, a review. *Food Hydrocolloids*, 129, 107542. <https://doi.org/10.1016/j.foodhyd.2022.107542>
- Windarsih, A., Irnawati, & Rohman, A. (2020). Application of FTIR-ATR spectroscopy and chemometrics for the detection and quantification of lard oil in bovine milk fat. *Food Research*, 4(5), 1732–1738. [https://doi.org/10.26656/fr.2017.4\(5\).087](https://doi.org/10.26656/fr.2017.4(5).087)
- Witasari, L. D., Heryadi, A. A., Yani, A. I. T., Nisrina, S., Purwitasari, L., & Pranoto, Y. (2024). Characterization of porous starch produced from edible canna (*Canna edulis* Kerr.) via enzymatic hydrolysis using thermostable α -amylase and glucoamylase. *Biocatalysis and Agricultural Biotechnology*, 55, 102990. <https://doi.org/10.1016/j.bcab.2023.102990>
- Witasari, L. D., Nisrina, S., Yani, A. I. T., Heryadi, A. A., & Pranoto, Y. (2024). Characterization of porous starch produced from arrowroot (*Maranta arundinacea* L.) by enzymatic hydrolysis with α -amylase and glucoamylase. *Carbohydrate Polymer Technologies and Applications*, 7, 100445. <https://doi.org/10.1016/j.carpta.2024.100445>
- Wong, K. T., Poh, G. Y. Y., Goh, K. K. T., Wee, M. S. M., & Jeyakumar Henry, C. (2021). Comparison of physicochemical properties of jackfruit seed starch with potato and rice starches. *International Journal of Food Properties*, 24(1), 364–379. <https://doi.org/10.1080/10942912.2021.1885439>
- Xie, Y., Li, M.-N., Chen, H.-Q., & Zhang, B. (2019). Effects of the combination of repeated heat-moisture treatment and compound enzymes hydrolysis on the structural and physicochemical properties of porous wheat starch. *Food Chemistry*, 274, 351–359. <https://doi.org/10.1016/j.foodchem.2018.09.034>
- Yu, H., Cheng, L., Yin, J., Yan, S., Liu, K., Zhang, F., Xu, B., & Li, L. (2013). Structure and physicochemical properties of starches in lotus (*Nelumbo elumbo nucifera* Gaertn.) rhizome. *Food Science & Nutrition*, 1(4), 273–283. <https://doi.org/10.1002/fsn3.37>
- Yussof, N. S., Utra, U., & Alias, A. K. (2013). Hydrolysis of native and cross-linked corn, tapioca, and sweet potato starches at sub-gelatinization temperature

- using a mixture of amylolytic enzymes. *Starch - Stärke*, 65(3–4), 285–295. <https://doi.org/10.1002/star.201200002>
- Zhang, Y., Hu, M., Zhu, K., Wu, G., & Tan, L. (2018). Functional properties and utilization of *Artocarpus heterophyllus* Lam seed starch from new species in China. *International Journal of Biological Macromolecules*, 107, 1395–1405. <https://doi.org/10.1016/j.ijbiomac.2017.10.001>
- Zhang, Y., Li, B., Xu, F., He, S., Zhang, Y., Sun, L., Zhu, K., Li, S., Wu, G., & Tan, L. (2021). Jackfruit starch: Composition, structure, functional properties, modifications and applications. *Trends in Food Science & Technology*, 107, 268–283. <https://doi.org/10.1016/j.tifs.2020.10.041>
- Zhang, Y., Zhang, Y., Xu, F., Wu, G., & Tan, L. (2017). Molecular structure of starch isolated from jackfruit and its relationship with physicochemical properties. *Scientific Reports*, 7(1), 13423. <https://doi.org/10.1038/s41598-017-13435-8>
- Zhang, Y., Zhu, K., He, S., Tan, L., & Kong, X. (2016). Characterizations of high purity starches isolated from five different jackfruit cultivars. *Food Hydrocolloids*, 52, 785–794. <https://doi.org/10.1016/j.foodhyd.2015.07.037>
- Zhang, Y., Zuo, H., Xu, F., Zhu, K., Tan, L., Dong, W., & Wu, G. (2021). The digestion mechanism of jackfruit seed starch using improved extrusion cooking technology. *Food Hydrocolloids*, 110, 106154. <https://doi.org/10.1016/j.foodhyd.2020.106154>
- Zhao, A.-Q., Yu, L., Yang, M., Wang, C.-J., Wang, M.-M., & Bai, X. (2018). Effects of the combination of freeze-thawing and enzymatic hydrolysis on the microstructure and physicochemical properties of porous corn starch. *Food Hydrocolloids*, 83, 465–472. <https://doi.org/10.1016/j.foodhyd.2018.04.041>
- Zhao, Y., Sun, Y., Meng, Z., Guo, J., Peng, G., Sun, W., Zhu, X., Gu, R., Wu, Z., Gan, H., Dou, G., Jin, Y., & Liu, S. (2023a). Effects of enzymatic treatments on different crystal types of starch. *Food Chemistry Advances*, 3, 100334. <https://doi.org/10.1016/j.focha.2023.100334>
- Zhao, Y., Sun, Y., Meng, Z., Guo, J., Peng, G., Sun, W., Zhu, X., Gu, R., Wu, Z., Gan, H., Dou, G., Jin, Y., & Liu, S. (2023b). Effects of enzymatic treatments on different crystal types of starch. *Food Chemistry Advances*, 3, 100334. <https://doi.org/10.1016/j.focha.2023.100334>
- Zhu, F. (2020). Underutilized and unconventional starches: Why should we care? *Trends in Food Science & Technology*, 100, 363–373. <https://doi.org/10.1016/j.tifs.2020.04.018>
- Zhu, J., Sun, W., Meng, Z., Zhu, X., Gan, H., Gu, R., Wu, Z., & Dou, G. (2018). Preparation and characterization of a new type of porous starch microspheres (PSM) and effect of physicochemical properties on water uptake rate. *International Journal of Biological Macromolecules*, 116, 707–714. <https://doi.org/10.1016/j.ijbiomac.2018.05.059>