

DAFTAR PUSTAKA

- Abd, A. A., & Naji, S. Z. (2017). Analysis study of shell and tube heat exchanger for clough company with reselect different parameters to improve the design. *Case Studies in Thermal Engineering*, 10(October), 455–467.
<https://doi.org/10.1016/j.csite.2017.10.002>
- Achille, K., Ghislain, M. M., Louis, M., & Adolphe, M. I. (2023). Determination at Variable Temperatures and Analysis of the Physico-Thermal Properties of Palm Kernel and Castor Oil Methyl Esters as Dielectrics for Power Transformers. *International Journal of Heat and Technology*, 41(1), 63–71.
<https://doi.org/10.18280/ijht.410107>
- Adekunle, A. A., & Oparanti, S. O. (2023). A Review on Physicochemical and Electrical Performance of Vegetable Oil-Based Nanofluids for High Voltage Equipment. *Electric Power Systems Research*, 214, 108873.
<https://doi.org/https://doi.org/10.1016/j.epsr.2022.108873>
- Agustina, T. E., Herald, E., Hadijah, F., Hasanudin, Arita, S., Prakoso, T., Sari, T. I., Suprpto, B. Y., Putra, M. F. K., & Ramadhani, D. L. (2022). Biodiesel Production of Palm Oil Mill Effluent by Using Hydrotalcite Catalyst. *Journal of Ecological Engineering*, 23(6), 172–181.
<https://doi.org/10.12911/22998993/148153>
- Ahmad, N. D., Omar, N., Ramli, S. S. M., & ... (2019). A Study on Varies Temperature and Varies Gap Distance on Mixed Vegetable Oil as a Transformer Oil. ... and Workshops on ..., Query date: 2022-01-18 09:19:59. <https://ieeexplore.ieee.org/abstract/document/9037774/>
- Aliwarga, L., Widodo, S., Suwardana, N., Darmawan, H., Khoiruddin, & Wenten, I. G. (2019). Impurity removal of waste cooking oil using hydrophobic polypropylene hollow fiber membrane. *Journal of Engineering and Technological Sciences*, 51(2), 216–230.
<https://doi.org/10.5614/j.eng.technol.sci.2019.51.2.5>
- Arief, Y. Z., Ahmad, M. H., Lau, K. Y., Muhamad, N. A., Bashir, N., Mohd, N.

- K., Huey, L. W., Kiat, Y. S., & Azli, S. A. (2014). A comparative study on the effect of electrical ageing on electrical properties of palm fatty acid ester (PFAE) and FR3 as dielectric materials. *Conference Proceeding - 2014 IEEE International Conference on Power and Energy, PECon 2014, March*, 128–133. <https://doi.org/10.1109/PECON.2014.7062427>
- Arief, Y. Z., Suhaidi, M. S., Mubarakah, N., Raksmey, M., Sukmana, I., & Al Hakim, R. R. (2021). Simulation of Heat Transfer Characteristics on Palm Oil as Electrical Insulating Material Using Finite Difference Method. *2021 5th International Conference on Electrical, Telecommunication and Computer Engineering, ELTICOM 2021 - Proceedings*, 5, 19–23. <https://doi.org/10.1109/ELTICOM53303.2021.9590126>
- Aryanti, N., Wardhani, D. H., & Nafiunisa, A. (2018). Ultrafiltration membrane for degumming of crude palm oil-isopropanol mixture. *Chemical and Biochemical Engineering Quarterly*, 32(3), 325–334. <https://doi.org/10.15255/CABEQ.2017.1244>
- Ashrafi, N. (2012). Effects of temperature on rheology of olive oils. *Applied Rheology*, 22(3), 342031–342037. <https://doi.org/10.3933/ApplRheol-22-34203>
- Atanasova-Höhlein, I. (2021). IEC 60296 (Ed. 5)—a standard for classification of mineral insulating oil on performance and not on the origin. *Transformers Magazine*, 8(1), 86–91.
- Azis, N., Jasni, J., Ab Kadir, M. Z. A., & Mohtar, M. N. (2014). Suitability of palm based oil as dielectric insulating fluid in transformers. *Journal of Electrical Engineering and Technology*, 9(2), 662–669. <https://doi.org/10.5370/JEET.2014.9.2.662>
- Aziz, M. K. A., Okayama, T., Kose, R., Morad, N. A., & ... (2019). Green extraction process for oil recovery using bioethanol. *Green Technologies for ...* https://doi.org/10.1007/978-981-13-2236-5_3
- Azmi, K., Ahmad, M. A., & Jamil, M. K. M. (2015). Study of dielectric properties of a potential RBD palm oil and RBD soybean oil mixture as insulating

- liquid in transformer. *Journal of Electrical Engineering and Technology*, 10(5), 2105–2119. <https://doi.org/10.5370/JEET.2015.10.5.2105>
- Baek, S., Radebaugh, R., & Bradley, P. E. (2020). A new method for heat transfer coefficient measurements of single-phase fluids during laminar flow in microchannels. *International Journal of Heat and Mass Transfer*, 157, 119891. <https://doi.org/10.1016/j.ijheatmasstransfer.2020.119891>
- Beroual, A., Khaled, U., Mbolo Noah, P. S., & Sitorus, H. (2017). Comparative Study of Breakdown Voltage of Mineral, Synthetic and Natural Oils and Based Mineral Oil Mixtures under AC and DC Voltages. In *Energies* (Vol. 10, Issue 4). <https://doi.org/10.3390/en10040511>
- Brewer, P. G., & Peltzer, E. T. (2019). The Molecular Basis for the Heat Capacity and Thermal Expansion of Natural Waters. *Geophysical Research Letters*, 46(22), 13227–13233. <https://doi.org/10.1029/2019GL085117>
- Budihardjo, Nasruddin, & Nugraha, M. H. (2015). Experimental and simulation study on the performance of counter flow closed cooling tower systems. *International Journal of Technology*, 6(3), 365–379. <https://doi.org/10.14716/ijtech.v6i3.986>
- Budiman, A. (2016). *Distilasi Teori dan Pengendalian Operasi*.
- Cai, Z., Zhang, H., Liu, K., Chen, Y., & Yu, Q. (2020). Experimental investigation and mechanism analysis on rock damage by high voltage spark discharge in water: Effect of electrical conductivity. *Energies*, 13(20). <https://doi.org/10.3390/en13205432>
- Calliauw, G. (n.d.). *Dry Fractionation*. <https://lipidlibrary.aocs.org/edible-oil-processing/dry-fractionation>
- CAPARRÓ DA SELVA, J. (2020). A Analysis of the application of Insulating Vegetable Oil in electric power distribution transformers. *Academic Journal on Computing, Engineering and Applied Mathematics*, 01(03), 1–10.
- Cárdenas, J., Orjuela, A., Sánchez, D. L., Narváez, P. C., Katryniok, B., & Clark, J. (2021). Pre-treatment of used cooking oils for the production of green chemicals: A review. *Journal of Cleaner Production*, 289, 125129.

<https://doi.org/https://doi.org/10.1016/j.jclepro.2020.125129>

- Chahal, J. S., & Reddy, C. C. (2017). Investigations on mustard oil for its suitability as insulating fluid in transformers. In *2017 IEEE 19th International Conference on Dielectric Liquids, ICDL 2017* (Vols. 2017-Janua, pp. 1–3). <https://doi.org/10.1109/ICDL.2017.8124714>
- Che Man, Y. B., Haryati, T., Ghazali, H. M., & Asbi, B. A. (1999). Composition and thermal profile of crude palm oil and its products. *Journal of the American Oil Chemists' Society*, 76(2), 237–242. <https://doi.org/10.1007/s11746-999-0224-y>
- Cherif, A., & Slama, A. (2022). Stability and Change in Fatty Acids Composition of Soybean, Corn, and Sunflower Oils during the Heating Process. *Journal of Food Quality*, 2022. <https://doi.org/10.1155/2022/6761029>
- Chompoo, M., Damrongwattanakool, N., & Raviyan, P. (2019). Effect of chemical degumming process on physicochemical properties of red palm oil. *Songklanakarin Journal of Science and Technology*, 41(3), 513–521. <https://doi.org/10.14456/sjst-psu.2019.70>
- Codex Alimentarius. (1999). Standard for Named Vegetable Oils Codex Stan 210-1999. *Codex Alimentarius*, 1–13.
- Colombo, C. A., Berton, L. H. C., Diaz, B. G., & Ferrari, R. A. (2018). Macauba: A promising tropical palm for the production of vegetable oil. *OCL - Oilseeds and Fats, Crops and Lipids*, 25(1). <https://doi.org/10.1051/ocl/2017038>
- Cosemans, H. (2011). *Properties behind effective Transformer Oil Cooling*. 1–15.
- Danikas, M., Sarathi, R., & Morsalin, S. (2020). A short review of some of the factors affecting the breakdown strength of insulating oil for power transformers. *Engineering, Technology & Applied ...*. <http://etasr.com/index.php/ETASR/article/view/3554>
- David Samuel, O., Adekojo Waheed, M., Taheri-Garavand, A., Verma, T. N., Dairo, O. U., Bolaji, B. O., & Afzal, A. (2021a). Prandtl number of optimum

biodiesel from food industrial waste oil and diesel fuel blend for diesel engine. *Fuel*, 285, 119049.

<https://doi.org/https://doi.org/10.1016/j.fuel.2020.119049>

David Samuel, O., Adekojo Waheed, M., Taheri-Garavand, A., Verma, T. N., Dairo, O. U., Bolaji, B. O., & Afzal, A. (2021b). Prandtl number of optimum biodiesel from food industrial waste oil and diesel fuel blend for diesel engine. *Fuel*, 285(August 2020), 119049.

<https://doi.org/10.1016/j.fuel.2020.119049>

De Césaró Oliveski, R. (2013). Correlation for the cooling process of vertical storage tanks under natural convection for high Prandtl number.

International Journal of Heat and Mass Transfer, 57(1), 292–298.

<https://doi.org/10.1016/j.ijheatmasstransfer.2012.10.038>

Delgado, A. A. A., Humason, A., Kalescky, R., Freindorf, M., & Kraka, E. (2021). Exceptionally long covalent CC bonds—A local vibrational mode study. *Molecules*, 26(4). <https://doi.org/10.3390/molecules26040950>

Deraman, M. N., Bakar, N. A., Aziz, N. H. A., & ... (2020). The Experimental Study on the Potential of Waste Cooking Oil as a New Transformer Insulating Oil. *Journal of Advanced ...*, Query date: 2022-01-18 09:19:59. <https://www.akademiabaru.com/submit/index.php/arfmts/article/view/2890>

Devi, K. G., Ravindran, M., & Kumar, S. S. (2016). Analysis of critical parameters of vegetable oil as an alternate dielectric fluid to mineral oil. 2016 10th International ..., Query date: 2022-01-18 09:19:59.

<https://ieeexplore.ieee.org/abstract/document/7726885/>

Diamante, L. M., & Lan, T. (2014). Absolute Viscosities of Vegetable Oils at Different Temperatures and Shear Rate Range of 64.5 to 4835 s⁻¹. *Journal of Food Processing*, 2014, 1–6. <https://doi.org/10.1155/2014/234583>

Doing. (2018). *Crude palm oil refining methods and palm oil refining process flow chart*.

https://www.palmoilrefineryplant.com/FAQ/palm_oil_refining_methods_44.html

- Dombek, G., Goscinski, P., & Nadolny, Z. (2017). Comparison of mineral oil and esters as cooling liquids in high voltage transformer in aspect of environment protection. *E3S Web Conf.*, 14. <https://doi.org/10.1051/e3sconf/20171401053>
- Dr. Zainuri, S.T., M. T. (2021). Ekonomi Teknik. In *Analytical Biochemistry* (Vol. 11, Issue 1). PT Rajagrafindo Persada.
<http://link.springer.com/10.1007/978-3-319-59379-1%0Ahttp://dx.doi.org/10.1016/B978-0-12-420070-8.00002-7%0Ahttp://dx.doi.org/10.1016/j.ab.2015.03.024%0Ahttps://doi.org/10.1080/07352689.2018.1441103%0Ahttp://www.chile.bmw-motorrad.cl/sync/showroom/lam/es/>
- Earle, M. J., Esperança, J. M. S. S., Gilea, M. A., Canongia Lopes, J. N., Rebelo, L. P. N., Magee, J. W., Seddon, K. R., & Widegren, J. A. (2006). The distillation and volatility of ionic liquids. *Nature*, 439(7078), 831–834.
<https://doi.org/10.1038/nature04451>
- Eijkelboom, N. M., van Boven, A. P., Siemons, I., Wilms, P. F. C., Boom, R. M., Kohlus, R., & Schutyser, M. A. I. (2023). Particle structure development during spray drying from a single droplet to pilot-scale perspective. *Journal of Food Engineering*, 337(July 2022), 111222.
<https://doi.org/10.1016/j.jfoodeng.2022.111222>
- Eka Nurus Sakinah, I Nyoman Dita Pahang Putra, & Anna Rumintang. (2021). Analisis Kelayakan Ekonomi Pada Pembangunan Perkantoran Tower Poros Maritim Surabaya. *PADURAKSA: Jurnal Teknik Sipil Universitas Warmadewa*, 10(2), 224–231. <https://doi.org/10.22225/pd.10.2.2773.224-231>
- Estiasih, T., Harijono, H., Waziroh, E., & Fibrianto, K. (2018). *Kimia dan Fisik Pangan*.
- Evangelista Jr., J. M. G., Coelho, F. E. B., Carvalho, J. A. O., Araújo, E. M. R., Miranda, T. L. S., & Salum, A. (2017). Development of a New Bio-Based Insulating Fluid from <i>Jatropha curcas</i> Oil for Power Transformers. *Advances in Chemical Engineering and Science*, 07(02), 235–255. <https://doi.org/10.4236/aces.2017.72018>

- Fasina, O. O., & Colley, Z. (2008). Viscosity and specific heat of vegetable oils as a function of temperature: 35°C to 180°C. *International Journal of Food Properties*, 11(4), 738–746. <https://doi.org/10.1080/10942910701586273>
- Fasina, O. O., Hallman, H., Craig-Schmidt, M., & Clements, C. (2006). Predicting temperature-dependence viscosity of vegetable oils from fatty acid composition. *Journal of the American Oil Chemists' Society*, 83(10), 899–903. <https://doi.org/10.1007/s11746-006-5044-8>
- Fereidooni, L., Tahvildari, K., & Mehrpooya, M. (2018). Trans-esterification of waste cooking oil with methanol by electrolysis process using KOH. *Renewable Energy*, 116, 183–193. <https://doi.org/10.1016/j.renene.2017.08.067>
- Fofana, I. (2013). 50 Years in the Development of Insulating Liquids. *IEEE Electrical Insulation Magazine*, 29(5), 13–25. <https://doi.org/10.1109/MEI.2013.6585853>
- Ghani, S. A., Muhamad, N. A., Chairul, I. S., & ... (2016). A study of moisture effects on the breakdown voltage and spectral characteristics of mineral and palm oil-based insulation oils. *ARPJ. Eng. Appl. Sci*, Query date: 2022-01-18 09:19:59. http://www.arpnjournals.org/jeas/research_papers/rp_2016/jeas_0416_4062.pdf
- Gharby, S. (2022). Refining Vegetable Oils: Chemical and Physical Refining. *Scientific World Journal*, 2022(Table 1). <https://doi.org/10.1155/2022/6627013>
- Giakoumis, E. G., & Sarakatsanis, C. K. (2018). Estimation of biodiesel cetane number, density, kinematic viscosity and heating values from its fatty acid weight composition. *Fuel*, 222(February), 574–585. <https://doi.org/10.1016/j.fuel.2018.02.187>
- Gibon, V. (2006). 10 - Fractionation of lipids for use in food. In F. D. B. T.-M. L. for U. in F. Gunstone (Ed.), *Woodhead Publishing Series in Food Science, Technology and Nutrition* (pp. 201–233). Woodhead Publishing.

<https://doi.org/https://doi.org/10.1533/9781845691684.2.201>

- Gómez, N. A., Wilhelm, H. M., Santos, C. C., & Stocco, G. B. (2014). Dissolved gas analysis (DGA) of natural ester insulating fluids with different chemical compositions. *IEEE Transactions on Dielectrics and Electrical Insulation*, 21(3), 1071–1078. <https://doi.org/10.1109/TDEI.2014.6832250>
- Goscinski, P., Nadolny, Z., Tomczewski, A., Nawrowski, R., & Boczar, T. (2023). The Influence of Heat Transfer Coefficient α of Insulating Liquids on Power Transformer Cooling Systems. *Energies*, 16(6). <https://doi.org/10.3390/en16062627>
- Hao, J., Zhang, J., Ye, W., & Member, S. (2024). *Development of Mixed Insulation Oil as Alternative Liquid Dielectric : A Review*. 10(3), 1242–1258. <https://doi.org/10.17775/CSEEJPES.2023.05960>
- Haryati, T., Che Man, Y. B., & Swe, P. Z. (1997). Effect of repeated heating on thermal behavior of crude palm oil. *Journal of the American Oil Chemists' Society*, 74(4), 393–396. <https://doi.org/10.1007/s11746-997-0096-y>
- Hasibuan, H. A., & Nuryanto, E. (2011). *Kandungan P, Fe, Cu dan Ni pada Minyak Sawit, Minyak Inti Sawit dan Minyak Kelapa Selama Proses Rafinasi*.
- Hassan, M. (2022). *Corn Oil Performance ' s A Bio Cooling Fluid in Electric Distribution Corn Oil Performance ' s A Bio Cooling Fluid in Electric Distribution Transformer*. February. <https://doi.org/10.30684/etj.v40i1.2031>
- He, Z., Zhao, Z., Zhang, Y., Lv, H., & Yi, S. (2015). Convective heat and mass transfer during vacuum drying process. *Wood Research*, 60(6), 929–938.
- Helwani, Z., Muslem, M., Othman, M. R., & Idroes, R. (2021). *Polyunsaturated Fatty Acid Fractionation from Crude Palm*.
- Hew, K. S., Asis, A. J., Tan, T. B., Yusoff, M. M., Lai, O. M., Nehdi, I. A., & Tan, C. P. (2020). Revising degumming and bleaching processes of palm oil refining for the mitigation of 3-monochloropropane-1,2-diol esters (3-MCPDE) and glycidyl esters (GE) contents in refined palm oil. *Food Chemistry*, 307(May 2019), 125545.

<https://doi.org/10.1016/j.foodchem.2019.125545>

HICKMAN, K. C. D. (1945). ADVENTURES IN VACUUM CHEMISTRY.

American Scientist, 33(4), xxx–231. <http://www.jstor.org/stable/27826079>

Hosseini, S. E., & Wahid, M. A. (2015). Utilization of biogas released from palm oil mill effluent for power generation using self-preheated reactor. *Energy Conversion and Management*, 105, 957–966.

<https://doi.org/https://doi.org/10.1016/j.enconman.2015.08.058>

Huang, Z., Li, J., Yao, W., Wang, F., Wan, F., Tan, Y., & Mehmood, M. A. (2019). Electrical and thermal properties of insulating oil-based nanofluids a comprehensive (1).pdf. *IET Nanodielectrics*, 2(1), 27–40.

Huminić, G., & Huminić, A. (2018). International Journal of Heat and Mass Transfer Hybrid nanofluids for heat transfer applications – A state-of-the-art review. *International Journal of Heat and Mass Transfer*, 125, 82–103.

<https://doi.org/10.1016/j.ijheatmasstransfer.2018.04.059>

Hurst, M. O., & Fortenberry, R. C. (2015). Factors affecting the solubility of ionic compounds. *Computational and Theoretical Chemistry*, 1069, 132–137.

<https://doi.org/10.1016/j.comptc.2015.07.019>

Hussain, M., Mir, F. A., & Ansari, M. A. (2022). Nanofluid transformer oil for cooling and insulating applications: A brief review. *Applied Surface Science Advances*, 8. <https://doi.org/10.1016/j.apsadv.2022.100223>

Iakovlieva, A., Boichenko, S., Lejda, K., Vovk, O., & Shkilniuk, I. (2017). Vacuum Distillation of Rapeseed Oil Esters for Production of Jet Fuel Bio-Additives. *Procedia Engineering*, 187, 363–370.

<https://doi.org/10.1016/j.proeng.2017.04.387>

IEC, 62770-2013. (2013). *Fluids for electrotechnical applications - Unused natural esters for transformers and similar electrical equipment*.

IEEE. (1995). IEEE Guide for Loading Mineral-Oil-Immersed Transformers. In *IEEE Std C57.91-1995* (pp. 1–112).

<https://doi.org/10.1109/IEEESTD.1995.8684643>

Ilyin, S., Arinina, M., Polyakova, M., Bondarenko, G., Konstantinov, I.,

- Kulichikhin, V., & Malkin, A. (2016). Asphaltenes in heavy crude oil: Designation, precipitation, solutions, and effects on viscosity. *Journal of Petroleum Science and Engineering*, 147, 211–217.
<https://doi.org/https://doi.org/10.1016/j.petrol.2016.06.020>
- J. C, O. (2014). Effect of Bleaching on Some Quality Attributes of Crude Palm Oil. *IOSR Journal of Engineering*, 04(12), 25–28.
<https://doi.org/10.9790/3021-041203025028>
- Jacob, J., Preetha, P., & Krishnan, S. T. (2020). Review on natural ester and nanofluids as an environmental friendly alternative to transformer mineral oil. *IET Nanodielectrics*, *Query date: 2022-01-18 09:19:59*.
<https://ieeexplore.ieee.org/iel7/8336463/9117266/09117588.pdf>
- Jain, H., Gosai, S., & Guruprasad, N. (2023). Transforming Oilseed Production with the Power of IoT: Opportunities and Challenges. *2023 International Conference on IoT, Communication and Automation Technology (ICICAT)*, 1–6. <https://doi.org/10.1109/ICICAT57735.2023.10263750>
- Jamail, N. A. M., Azali, N. A., Sulaiman, E., Kamarudin, Q. E., & ... (2018). Breakdown Characteristic of Palm and Coconut Oil with Different Moisture. *Indonesian Journal of ...*, *Query date: 2022-01-18 09:19:59*.
- Jamail, N., Ishak, M. H., & Muhamad, N. A. (2017a). Insulation characteristic analysis of coconut oil and palm oil as liquid insulating material. *International Journal of Simulation ...*, *Query date: 2022-01-18 09:19:59*.
<https://www.ijssst.info/Vol-17/No-41/paper49.pdf>
- Jamail, N., Ishak, M. H., & Muhamad, N. A. (2017b). Insulation characteristic analysis of coconut oil and palm oil as liquid insulating material. In *International Journal of Simulation ijssst.info*.
<https://www.ijssst.info/Vol-17/No-41/paper49.pdf>
- Janic, Z., Gavrilov, N., & Roketinec, I. (2023). *Influence of Cooling Management to Transformer Efficiency and Ageing*.
- Janvier, P. (1989). Breakdown of trust. *Nature*, 341(6237), 16.
<https://doi.org/10.1038/341016a0>

- Japir, A. A. W., Salimon, J., Derawi, D., Bahadi, M., Al-Shuja'A, S., & Yusop, M. R. (2017). Physicochemical characteristics of high free fatty acid crude palm oil. *OCL - Oilseeds and Fats, Crops and Lipids*, 24(5).
<https://doi.org/10.1051/ocl/2017033>
- Jean Baptiste, B. M., Daniele, B. K., Marie Charlene, E., Larrissa Canuala, T. T., Antoine, E., & Richard, K. (2020). Adsorption mechanisms of pigments and free fatty acids in the discoloration of shea butter and palm oil by an acid-activated Cameroonian smectite. *Scientific African*, 9, e00498.
<https://doi.org/10.1016/j.sciaf.2020.e00498>
- Juera-Ong, P., Pongraktham, K., Oo, Y. M., & Somnuk, K. (2022). Reduction in Free Fatty Acid Concentration in Sludge Palm Oil Using Heterogeneous and Homogeneous Catalysis: Process Optimization, and Reusable Heterogeneous Catalysts. *Catalysts*, 12(9). <https://doi.org/10.3390/catal12091007>
- Kadariah, L., & Gray, C. (1978). *Pengantar Evaluasi Proyek. Program Perencanaan Nasional, Lembaga Penyelidikan Ekonomi dan Masyarakat*.
- Kalluri, U. C., Yang, X., & Wullschleger, S. D. (2020). Plant Biosystems Design for a Carbon-Neutral Bioeconomy. *BioDesign Research*, 2020, 7914051.
<https://doi.org/https://doi.org/10.34133/2020/7914051>
- Kamhoua, A., Mengata Mengounou, G., Monkam, L., & Moukengue Imano, A. (2024). Contribution to the use of palm kernel oil methyl esters as liquid bio-insulators in distribution transformers: Experimentation and simulation of heat transfer. *Results in Engineering*, 22(November 2023), 102316.
<https://doi.org/10.1016/j.rineng.2024.102316>
- Kassi, K. S., Farinas, M. I., Fofana, I., & Volat, C. (2016). Analysis of aged oil on the cooling of power transformers from computational fluid dynamics and experimental measurements. *Journal of Applied Fluid Mechanics*, 9(SpecialIssue2), 235–243. <https://doi.org/10.36884/jafm.9.SI2.25830>
- Kaya, D., & Hung, Y.-T. (2021). *Advances in Treatment of Vegetable Oil Refining Wastes BT - Environmental and Natural Resources Engineering* (L. K. Wang, M.-H. S. Wang, Y.-T. Hung, & N. K. Shammass (eds.); pp. 325–

- 375). Springer International Publishing. https://doi.org/10.1007/978-3-030-54626-7_8
- Kim, C., Kim, H., & Mun, K. (2020). Use of the international association for the properties of water and steam (IAPWS) formulations, IAPWS-95 & IAPWS-IF97: Making of Mollier diagram and T-s diagram of water and steam. *Thermal Science and Engineering Progress*, 20(August 2019), 100691. <https://doi.org/10.1016/j.tsep.2020.100691>
- Kobasko, N. I., Batista, A. A., Canale, L. C. F., Totten, G. E., & Dobryvechir, V. V. (2013). Cooling capacity of coconut oil, palm oil, and a commercial petroleum oil by solving the heat conductivity inverse problem. *Materials Performance and Characterization*, 2(1), 319–338. <https://doi.org/10.1520/MPC20120047>
- Kobasko, Nikolai Ivanovich, De Souza, E. C., De Compos Franceschini Canale, L., & Totten, G. E. (2010). Vegetable oil quenchants: Calculation and comparison of the cooling properties of a series of vegetable oils. *Strojniski Vestnik/Journal of Mechanical Engineering*, 56(2), 131–142.
- Kozlovich, N., Nir, I., Tsentsiper, B., Zhuravlev, V. I., Aserin, A., Ezrahi, S., Garti, N., & Feldman, Y. (1997). Effect of Free and Bound Water on the Dielectric Properties of Non-Ionic Microemulsions. *Journal of Surface Science and Technology; Vol 13, No 1 (1997)*. <https://www.i-scholar.in/index.php/JSSTISSST/article/view/73157>
- Kusumawardani, D. S., Agustina, T. E., & ... (2020). Utilization of Palm Oil Wastewater as Raw Material Alternative for Transformer Insulation Oil. ... (*Indonesian Journal of ...*, Query date: 2022-01-18 09:19:59. <http://www.ijfac.unsri.ac.id/index.php/ijfac/article/view/165>
- Lai, O.-M., Tan, C.-P., & Akoh, C. C. (2015). *Production, Processing, Characterization, and Uses*.
- Li, J., Liang, W., Chen, J., Han, W., & Law, C. K. (2022). Role of Surface Reactions in Hydrogen–Oxygen Explosion Limits. *Energy & Fuels*, 36(20), 12729–12736. <https://doi.org/10.1021/acs.energyfuels.2c02693>

- Lilley, D., Yu, P., Ma, J., Jain, A., & Prasher, R. (2022). Thermal fluids with high specific heat capacity through reversible Diels-Alder reactions. *IScience*, 25(1). <https://doi.org/10.1016/j.isci.2021.103540>
- Lin, C.-Y., & Ma, L. (2021). Fluid Characteristics of Biodiesel Produced from Palm Oil with Various Initial Water Contents. In *Processes* (Vol. 9, Issue 2). <https://doi.org/10.3390/pr9020309>
- Liu, Y. (2022). *Evaluation of Transformer Insulating Liquid against UN SDGs*.
- Lokman, N. A., Ithnin, A. M., Yahya, W. J., & Yuzir, M. A. (2021). A brief review on biochemical oxygen demand (BOD) treatment methods for palm oil mill effluents (POME). *Environmental Technology & Innovation*, 21, 101258. <https://doi.org/https://doi.org/10.1016/j.eti.2020.101258>
- Lucas, J. R. (2001). *High Voltage Engineering*.
- Luyben, W. L. (2022). Optimum vacuum distillation pressure. *Chemical Engineering and Processing - Process Intensification*, 171(July 2021), 108630. <https://doi.org/10.1016/j.cep.2021.108630>
- M.E., M. (2000). Mineral Insulating Oils Used in the Power Industry. *Electric Power Research Institute*.
- Mahanta, D. K., & Laskar, S. (2017). Electrical insulating liquid: A review. *Journal of Advanced Dielectrics*, Query date: 2022-01-18 09:19:59. <https://doi.org/10.1142/S2010135X17300018>
- Maher, K. D., & Bressler, D. C. (2007). Pyrolysis of triglyceride materials for the production of renewable fuels and chemicals. *Bioresource Technology*, 98(12), 2351–2368. <https://doi.org/10.1016/j.biortech.2006.10.025>
- Malik, M. A. (n.d.). *INTRODUCTION TO*.
- Martinelli, M. (2010). *Application of the spatially resolved sampling technique to the analysis and optimal design of a CH₄-CPO reformer with honeycomb catalyst*.
- Martinez-Vega, J. (2010). *Dielectric Material of Electrical Engineering*.
- McShane, C. P. (2002). Vegetable-oil-based dielectric coolants. *IEEE Industry Applications Magazine*, 8(3), 34–41. <https://doi.org/10.1109/2943.999611>

- Melka, B., Stebel, M., Bodys, J., Kubiczek, K., Lasek, P., Rodriguez, G. R., Garelli, L., Haida, M., Palacz, M., Nowak, A. J., Pessolani, F., Amadei, M., Storti, M., Stepien, M., & Smolka, J. (2023). Effective Cooling of a Distribution Transformer Using Biodegradable Oils at Different Climate Conditions. *IEEE Transactions on Dielectrics and Electrical Insulation*, 30(4), 1557–1565. <https://doi.org/10.1109/TDEI.2023.3282561>
- Mendes, J. D. A. (n.d.). *Analysis of the Cooling Design in Electrical Transformer*. 1–10.
- Mićić, R., Tomić, M., Martinović, F., Kiss, F., Simikić, M., & Aleksic, A. (2019). Reduction of free fatty acids in waste oil for biodiesel production by glycerolysis: Investigation and optimization of process parameters. *Green Processing and Synthesis*, 8(1), 15–23. <https://doi.org/10.1515/gps-2017-0118>
- Mobedi, M., & Gediz Ilis, G. (2023). Fundamentals of Heat Transfer. In *Fundamentals of Heat Transfer*. <https://doi.org/10.1007/978-981-99-0957-5>
- Mohamad, N A, Azis, N., Jasni, J., & ... (2016). Investigation on the dielectric, physical and chemical properties of palm oil and coconut oil under open thermal ageing condition. *Journal of Electrical ...*, Query date: 2022-01-18 09:19:59. <https://www.koreascience.or.kr/article/JAKO201614735146207.page>
- Mohamad, Nur Aqilah, Azis, N., Jasni, J., Kadir, M. Z. A. A., Yunus, R., & Yaakub, Z. (2018). Ageing study of palm oil and coconut oil in the presence of insulation paper for transformers application. *Materials*, 11(4), 6–12. <https://doi.org/10.3390/ma11040532>
- Mohammadshirazi, A., Akram, A., Rafiee, S., & Bagheri Kalhor, E. (2014). Energy and cost analyses of biodiesel production from waste cooking oil. *Renewable and Sustainable Energy Reviews*, 33, 44–49. <https://doi.org/https://doi.org/10.1016/j.rser.2014.01.067>
- Mohammed, L. S., Mazood, Bakruthen, M., Willjuice, M., Iruthayarajan, & Karthik, M. (2015). Studies on critical properties of vegetable oil based

insulating fluids. *2015 Annual IEEE India Conference (INDICON)*, 1–4.

<https://doi.org/10.1109/INDICON.2015.7443438>

Mohan Rao, U., Fofana, I., Jaya, T., Rodriguez-Celis, E. M., Jalbert, J., & Picher, P. (2019). Alternative dielectric fluids for transformer insulation system: Progress, challenges, and future prospects. *IEEE Access*, 7, 184552–184571. <https://doi.org/10.1109/ACCESS.2019.2960020>

Mohd, N. K., Wen-Huei, L., Abu Hassan, N. A. s., & Shoot-Kian, Y. (2021). Potential application of palm oil products as electrical insulating medium in oil-immersed transformers. *Environmental Progress and Sustainable Energy*, 40(6). <https://doi.org/10.1002/ep.13728>

Muangpratoom, P., Suriyasakulpong, C., Maneerot, S., & Vittayakorn, W. (2023). *Experimental Study of the Electrical and Physiochemical Properties of Different Types of Crude Palm Oils as Dielectric Insulating Fluids in Transformers*.

Muhamad, Z., Surya, I., & Prayoga, G. (2024). Analysis of the Effect of Temporal Changes on the Coolant Viscosity of the Pendinggin System on Motorcycles. *Jurnal Indonesia Sosial Teknologi*, 5(7), 3572–3579. <https://doi.org/10.59141/jist.v5i7.1248>

Muhtadi, T. R. (2016). *Industri Produk Hilir Kelapa Sawit*.

Murad Awadh Bahadi, Abd-Wali Japir, Nadia Salih, J. S. (2016). Free Fatty Acids Separation From Malaysian High Free Fatty Acid Crude Palm Oil Using Molecular Distillation. *Malaysian Journal of Analytical Science*, 20(5), 1042–1051.

Murdiya, F. (2015). Research on Creeping Discharge Phenomena in Insulating Oils : Vegetable-Based Oils as Substitute of Mineral Oil. In *Kanazawa Institute of Technology* (p. 133). <http://kitir.kanazawa-it.ac.jp>. <http://kitir.kanazawa-it.ac.jp/infolib/cont/01/G0000002repository/000/000/0000000063.pdf>

Mustangin, M. (2018). The Influence of Resistive and Radiative Heating in the Characteristics of Crude Palm Oil Breakdown Voltage as an Alternative for

Mineral Oil Insulator. *2018 10th International Conference on ...*, Query
date: 2022-01-18 09:19:59.

<https://ieeexplore.ieee.org/abstract/document/8534761/>

- Mustangin, Muhamad, Purwantana, B., Hidayat, C., & Radi, R. (2023). The Influence of Vacuum Pressure Heating Treatment on the Characteristic of Crude Palm Oil for Alternative Mineral Oil Insulator. *Science and Technology Applications*, 126, 167–176. <https://doi.org/10.4028/p-62i269>
- Mustangin, Muhamad, & Suharyanto. (2018). The influence of resistive and radiative heating in the characteristics of crude palm oil breakdown voltage as an alternative for mineral oil insulator. *Proceedings of 2018 10th International Conference on Information Technology and Electrical Engineering: Smart Technology for Better Society, ICITEE 2018*, 459–464. <https://doi.org/10.1109/ICITEED.2018.8534761>
- Nadolny, Z., & Dombek, G. (2017). Thermal properties of mixtures of mineral oil and natural ester in terms of their application in the transformer. *E3S Web of Conferences*, 19. <https://doi.org/10.1051/e3sconf/20171901040>
- Nan, L., Cao, Y., Yuan, S., & Shum, H. C. (2020). Oil-mediated high-throughput generation and sorting of water-in-water droplets. *Microsystems and Nanoengineering*, 6(1). <https://doi.org/10.1038/s41378-020-0180-0>
- Nancarrow, P., Al-Othman, A., Mital, D. K., & Döpking, S. (2021). Comprehensive analysis and correlation of ionic liquid conductivity data for energy applications. *Energy*, 220. <https://doi.org/10.1016/j.energy.2021.119761>
- Nidzam, M. S., Hossain, M. S., Ismail, N., Latip, R. A., Ilias, M. K. M., Siddique, M. B. M., & Zulkifli, M. (2022). Influence of the Degumming Process Parameters on the Formation of Glyceryl Esters and 3-MCPDE in Refined Palm Oil: Optimization and Palm Oil Quality Analyses. *Foods*, 11(1). <https://doi.org/10.3390/foods11010124>
- Noor Atiqah binti Azali. (2018). *Breakdown Characteristic of Palm Oil and Coconut Oil Under. January*.

- Nugraheni, I. K., Sarwanto, D., & Bp, A. A. (2021). *Impregnated Zeolite as Catalyst in Esterification of Free Fatty Acids of Palm Oil Mill Effluent*. 16(1), 20–27.
- Nusantoro, B. P. (2011). Correlation Between Physicochemical Properties of Palm Super/Top-Oleins and Their Transparent Stability. *Agritech*, 31(3), 267–271.
- Nusantoro, B. P. (2016). Dry Fractionation of RBD (Refined Bleached and Deodorized) Palm Oil. *Jurnal Agritech*, 27(04), 171–175.
- Nwaigwe, C., Ndu, R., & Weli, A. (2019). *Wall Motion Effects on Channel Flow with Temperature-Dependent Transport Properties*. 9, 162–168.
<https://doi.org/10.5923/j.am.20190903.04>
- Olagbende, O. H., Falowo, O. A., Latinwo, L. M., & Betiku, E. (2021). Esterification of Khaya senegalensis seed oil with a solid heterogeneous acid catalyst: Modeling, optimization, kinetic and thermodynamic studies. *Cleaner Engineering and Technology*, 4.
<https://doi.org/10.1016/j.clet.2021.100200>
- Olivares-Galván, J. C., Georgilakis, P. S., & Ocon-Valdez, R. (2009). A review of transformer losses. *Electric Power Components and Systems*, 37(9), 1046–1062. <https://doi.org/10.1080/15325000902918990>
- Orifici, L. I., Bahl, C. D., Gely, M. C., Bandoni, A., & Pagano, A. M. (2013). Modeling and Simulation of the Biodiesel Production in a Pilot Continuous Reactor. *Mecanica Computacional*, XXXII, 1451–1461.
- Othman, N. H., Latip, R. A., Noor, A. M., Lau, W. J., Goh, P. S., & Ismail, A. F. (2021). Simultaneous degumming and deacidification of crude palm oil using mixed matrix PVDF membrane. *IOP Conference Series: Materials Science and Engineering*, 1195(1), 012030. <https://doi.org/10.1088/1757-899x/1195/1/012030>
- Otunga, G. N., Maiyoh, G. K., Macharia, B. N., & Tuei, V. C. (2019). Heliyon Transformer mineral oil ingestion induces systemic sub-acute toxicity in Wistar rats. *Heliyon*, 5(May), e02998.

<https://doi.org/10.1016/j.heliyon.2019.e02998>

Oyularan, O. A., Borisade, S. G., Abioye, J. O., & Bolaji, B. O. (2022).

Development of Eco-Friendly Transformer Oil from Neem Seed Oil using Periwinkle Waste Shell as Catalyst. *Environmental and Climate Technologies*, 26(1), 1299–1309. <https://doi.org/10.2478/rtuect-2022-0098>

Palanisamy, K., Idran, M. K., & Saifudin, N. (2013). Preliminary evaluation of the effectiveness of moisture removal and energy usage in pretreatment module of waste cooking oil for biodiesel production. *IOP Conference Series: Earth and Environmental Science*, 16(1), 8–12. <https://doi.org/10.1088/1755-1315/16/1/012053>

Palanisamy, U. D., Sivanathan, M., Radhakrishnan, A. K., Haleagrahara, N., Subramaniam, T., & Chiew, G. S. (2011). An effective Ostrich oil bleaching technique using peroxide value as an indicator. *Molecules*, 16(7), 5709–5719. <https://doi.org/10.3390/molecules16075709>

Pamuk, N. (2015). Investigation of the usage of palm oils with the aim of insulation in high voltage power system equipments. *Tehnicki Vjesnik*, 22(5), 1287–1296. <https://doi.org/10.17559/TV-20141106141239>

Pathmasiri, T. K. K. S., & Perera, G. I. P. (2020). Potential of using polyethylene as viscosity enhancer of palm oil to use as a lubricating oil. *Advances in Mechanical Engineering*, 12(11), 1–13. <https://doi.org/10.1177/1687814020970745>

Pattiapon, M. L. (2021). *Ekonomi Teknik*. enerbit Widina Bhakti Persada.

Phillips, J., & Roman, A. (2019). Understanding dielectrics: Impact of external salt water bath. *Materials*, 12(12). <https://doi.org/10.3390/ma12122033>

Pipitone, E., & Costanza, A. (2018). An experimental investigation on the long-term compatibility of preheated crude palm oil in a large compression ignition diesel engine. *Biofuel Research Journal*, 5(4), 900–908. <https://doi.org/10.18331/BRJ2018.5.4.5>

Primandari, S. R. P., Krismadinata, K., Yuvenda, D., Lapisa, R., Kurniawan, A., Mulianti, M., Bustan, M. D., Haryati, S., Sushanti, G., Elshaarani, T., &

- Chaniago, Y. D. (2023). Triglycerides of Crude Palm Oil to Biokerosene: Studies on Electrolysis and Electromagnetic Effect. *Journal of Applied Engineering and Technological Science (JAETS)*, 5(1 SE-Articles), 557–568.
<https://doi.org/10.37385/jaets.v5i1.3127>
- Qureshi, M. I., & Qureshi, M. I. (2012). *Evaluation of Food Grade Corn Oil for Electrical Applications FOR ELECTRICAL APPLICATIONS*. 5075.
<https://doi.org/10.1080/15435075.2011.641186>
- Raeisian, L., Niazmand, H., & ... (2019). Feasibility study of waste vegetable oil as an alternative cooling medium in transformers. *Applied Thermal ...*, *Query date: 2022-01-18 09:19:59*.
<https://www.sciencedirect.com/science/article/pii/S1359431118358587>
- Rafiq, M., Lv, Y. Z., Zhou, Y., Ma, K. B., Wang, W., Li, C. R., & Wang, Q. (2015). Use of vegetable oils as transformer oils-A review. *Renewable and Sustainable Energy Reviews*, 52, 308–324.
<https://doi.org/10.1016/j.rser.2015.07.032>
- Rafiq, M., Shafique, M., Azam, A., Ateeq, M., Khan, I. A., & ... (2020). Sustainable, renewable and environmental-friendly insulation systems for high voltages applications. *Molecules*, *Query date: 2022-01-18 09:19:59*.
<https://www.mdpi.com/809406>
- Raj, R. A., Samikannu, R., Yahya, A., & Mosalaosi, M. (2020). An overview of potential liquid insulation in power transformer. *International Journal on Energy Conversion*, 8(4), 126–140.
<https://doi.org/10.15866/irecon.v8i4.19213>
- Ramadhani, S. D., Fakhri, S. N., & ... (2018). Performance of novel dielectric barrier discharge reactor for biodiesel production from palm oil and ethanol. *E3S Web of ...*. https://www.e3s-conferences.org/articles/e3sconf/abs/2018/42/e3sconf_i-trec2018_02010/e3sconf_i-trec2018_02010.html
- Ramires, M. L. V., Nieto Castro, C. A., Nagasaka, Y., Nagashima, A., Assael, M. J., & Wakeham, W. A. (1995). Standard Reference Data for the Thermal

- Conductivity of Water. In *Journal of Physical and Chemical Reference Data* (Vol. 24, Issue 3, pp. 1377–1381). <https://doi.org/10.1063/1.555963>
- Ranjit, P. S., Ahmed, Z., Bhurat, S. S., Alur, V. B., Venkatesan, E. P., Samuel, O. D., Enweremadu, C., Kumar, A. S., & Sekar, P. (2024). Comprehensive Comparative Study of the Durability Wear Assessment of a Diesel Engine Fuelled with Jatropha Seed Oil and Diesel Fuel and Its Troubleshooting and Scheduled Maintenance. *ACS Omega*.
<https://doi.org/10.1021/acsomega.4c00204>
- Reddy, G. G., Singaravel, B., & Shekar, K. C. (2019). Experimental investigation of sunflower oil as dielectric fluid in die sinking electric discharge machining process. *Materials Science Forum*. <https://www.scientific.net/MSF.969.715>
- Reyero, I., Arzamendi, G., Zabala, S., & Gandía, L. M. (2015). Kinetics of the NaOH-catalyzed transesterification of sunflower oil with ethanol to produce biodiesel. *Fuel Processing Technology*, 129, 147–155.
<https://doi.org/https://doi.org/10.1016/j.fuproc.2014.09.008>
- Ridzuan, N L M, Bakar, N. A., Ghani, S. A., & ... (2018). Effect of temperature in purification process on the properties of natural ester insulating oils. *ARP N J. Eng. Appl ...*, Query date: 2022-01-18 09:19:59.
http://www.arpnjournals.org/jeas/research_papers/rp_2018/jeas_1018_7300.pdf
- Ridzuan, N L M, Bakar, N. A., Ghani, S. A., Chairul, I. S., & ... (2019). Comparative study on the accelerated thermal aging behavior between palm and rapeseed natural ester oils. *Bulletin of Electrical ...*, Query date: 2022-01-18 09:19:59. <https://beei.org/index.php/EEI/article/view/1590>
- Ridzuan, Nur Lidiya Muhd, Abu Bakar, N., Ghani, S. A., Chairul, I. S., & Aziz, N. H. A. (2018). Effect of temperature in purification process on the properties of natural ester insulating oils. *ARP N Journal of Engineering and Applied Sciences*, 13(19), 8025–8031.
- Ristianingsih, Y., Sutijan, & Budiman, A. (2011). Studi Kinetika Proses Kimia dan Fisika Penghilangan Getah *Crude Palm Oil* (CPO) dengan Asam Fosfat.

Jurnal Reaktor, 13(4), 242–247.

Rival, A., & Jaligot, E. (2010). *A role for biotechnologies in the improvement of oil palm sustainability*. <https://api.semanticscholar.org/CorpusID:134045625>

Riyadi, A. H., Muchtadi, T. R., Andarwulan, N., & Haryati, T. (2016). Pilot Plant Study of Red Palm Oil Deodorization Using Moderate Temperature.

Agriculture and Agriculture Science Procedia, 9, 209–216.

<https://doi.org/10.1016/j.aaspro.2016.02.129>

Roslan, Muhammad H, Azis, N., Kadir, M. Z., Jasni, J., Ibrahim, Z., & Ahmad, A. (2017). A Simplified Top-Oil Temperature Model for Transformers Based on the Pathway of Energy Transfer Concept and the Thermal-Electrical Analogy. In *Energies* (Vol. 10, Issue 11).

<https://doi.org/10.3390/en10111843>

Roslan, Muhammad Hakirin, Mohamad, N. A., Von, T. Y., Zadeh, H. M., & Gomes, C. (2021). Latest developments of palm oil as a sustainable transformer fluid: A green alternative to mineral oils. *Biointerface Research in Applied Chemistry*, 11(5), 13715–13728.

<https://doi.org/10.33263/BRIAC115.1371513728>

Rouag, A., Benchabane, A., Labed, A., Belhadj, K. B., & Boultif, N. (2016). Applicability of a solar adsorption cooling machine in semiarid regions: Proposal of supplementary cooler using earth-water heat exchanger.

International Journal of Heat and Technology, 34(2), 281–286.

<https://doi.org/10.18280/ijht.340218>

Rouse, T. O. (1998). Mineral insulating oil in transformers. *IEEE Electrical Insulation Magazine*, 14(3), 6–16. <https://doi.org/10.1109/57.675572>

Roy, U., & Roy, P. K. (2020). *Chapter 7 - Advances in heat intensification techniques in shell and tube heat exchanger* (L. B. T.-A. A. and C. T. for T. S. with H. E. Pekař (ed.); pp. 197–207). Academic Press.

<https://doi.org/https://doi.org/10.1016/B978-0-12-819422-5.00007-4>

Rozga, P. (2013). *PROPERTIES OF NEW ENVIRONMENTALLY FRIENDLY BIODEGRADABLE INSULATING FLUIDS FOR POWER*. 24–26.

- S. Almeida, L., & R. Muniz, P. (2021). *Análise Econômica da Utilização do Transformador de Potência Isolado a Óleo Vegetal em Relação ao Transformador Isolado a Óleo Mineral em Redes de Distribuição de Energia*. <https://doi.org/10.48011/sbse.v1i1.2148>
- Salama, M. M. M., Mansour, D. E. A., Daghrah, M., Abdelkasoud, S. M., & Abbas, A. A. (2020). Thermal performance of transformers filled with environmentally friendly oils under various loading conditions. *International Journal of Electrical Power and Energy Systems*, 118(December 2019), 105743. <https://doi.org/10.1016/j.ijepes.2019.105743>
- Saleh, H. M., Eskander, S. B., Mahmoud, H. H., & Abdou, M. I. (2022). Groundwater quality and health assessments based on heavy metals and trace elements content in Dakhla Oasis, New Valley Governorate, Egypt. *Water Science*, 36(1), 1–12. <https://doi.org/10.1080/23570008.2021.2018540>
- Santos, J. C. O., Santos, I. M. G., Conceição, M. M., Porto, S. L., Trindade, M. F. S., Souza, A. G., Prasad, S., Fernandes, V. J., & Araújo, A. S. (2004). Thermoanalytical, kinetic and rheological parameters of commercial edible vegetable oils. *Journal of Thermal Analysis and Calorimetry*, 75(2), 419–428. <https://doi.org/10.1023/B:JTAN.0000027128.62480.db>
- Santos, J. C. O., Santos, I. M. G., & Souza, A. G. (2005). Effect of heating and cooling on rheological parameters of edible vegetable oils. *Journal of Food Engineering*, 67(4), 401–405. <https://doi.org/10.1016/j.jfoodeng.2004.05.007>
- Sarip, M. S. M., Morad, N. A., Aziz, M. K. T. A., Saparin, N., & Nawi, M. A. H. M. (2023). Composition of Crude Palm Oil Extracted Using Hot Compressed Water Extraction. *Journal of Oleo Science*, 72(1), 33–38. <https://doi.org/10.5650/jos.ess22248>
- Sarkar, S., & Tiwari, K. (2015). Comparison of palm oil with mineral oil to be used in transformer as an insulation dielectrics: a review. In *International Journal of Applied Science Engineering*
- Selvamuthukumaran, M., Tranchant, C., & Shi, J. (2019). Spraying drying: Concept, application and its recent advances in food processing. In

Handbook on Spray Drying Applications for Food Industries.

<https://doi.org/10.1201/9780429055133-1>

- Serrano-Bermúdez, L. M., Monroy-Peña, C. A., Moreno, D., Abril, A., Imbachi Niño, A. D., Martínez Riascos, C. A., Buitrago Hurtado, G., & Narváez Rincón, P. C. (2021). Kinetic models for degumming and bleaching of phospholipids from crude palm oil using citric acid and Super Flo B80® and Tonsil®. *Food and Bioproducts Processing*, 129, 75–83.
<https://doi.org/10.1016/j.fbp.2021.07.005>
- Shen, S., Sun, K., Che, Z., Wang, T., Jia, M., & Cai, J. (2019). An experimental investigation of the heating behaviors of droplets of emulsified fuels at high temperature. *Applied Thermal Engineering*, 161(July), 114059.
<https://doi.org/10.1016/j.applthermaleng.2019.114059>
- Shukri, M. S., Azis, N., Jasni, J., Yunus, R., & Yaakub, Z. (2021). Statistical analysis of AC dielectric strength for palm oil under the influence of moisture. In *Pertanika Journal of Science and Technology* (Vol. 29, Issue 1, pp. 77–94). journals-jd.upm.edu.my. <https://doi.org/10.47836/pjst.29.1.04>
- Sibarani, M. T. P. (2018). Pengujian Tegangan Tembus Bolak Balik Minyak Goreng Berbagai Merk dengan Menggunakan Variasi Bentuk Elektroda. *Jurnal Inovtek Polbeng*, 8(2), 272–278. <https://doi.org/10.35314/ip.v8i2.775>
- Siddique, A., Tanzeela, Aslam, W., & Siddique, S. (2024). Upgradation of highly efficient and profitable eco-friendly nanofluid-based vegetable oil prepared by green synthesis method for the insulation and cooling of transformer. *Clean Technologies and Environmental Policy*.
<https://doi.org/10.1007/s10098-023-02698-7>
- Siew, W. L. (2002). *Vege_table oils in food technology: composition, properties and uses*. Florida. CRC, 59-97.
- Sigma-Aldrich. (n.d.). *Pressure-Temperature Nomograph Interactive Tool*.
<https://www.sigmaaldrich.com/ID/en/support/calculators-and-apps/pressure-temperature-nomograph-interactive-tool>
- Silva, W. C., Rocha, A. M., Castro, M. P. P., Sthel, M. S., Vargas, H., David, G.

- F., & Perez, V. H. (2014). Unconventional characterization of biodiesel from several sources by thermal lens spectroscopy to determine thermal diffusivity: Phenomenological correlation among their physicochemical and rheological properties. *Fuel*, 130, 105–111.
<https://doi.org/https://doi.org/10.1016/j.fuel.2014.04.025>
- Sing, R. P., & Heldman, D. R. (2014). *Introduction to Food Engineering* (Fifth). Elsevier.
- Sitanggang, A., Isharyadi, F., Faridah, D., & Andarwulan, N. (2020). *Physicochemical Characterization of Crude Palm Oil (CPO) in Sumatra and Non Sumatra Region. October*, 43–48.
<https://doi.org/10.5220/0009978000430048>
- Soni, R., & Mehta, B. (2023). A review on transformer condition monitoring with critical investigation of mineral oil and alternate dielectric fluids. *Electric Power Systems Research*, 214, 108954.
<https://doi.org/https://doi.org/10.1016/j.epsr.2022.108954>
- Suhaimi, N. U. R. S., Ishak, M. T., & Rahman, A. R. A. (2022). A Review on Palm Oil-Based Nanofluids as a Future Resource for Green Transformer Insulation System. *IEEE Access*, 10(September), 103563–103586.
<https://doi.org/10.1109/ACCESS.2022.3209416>
- Suleiman, A. A., Muhamad, N. A., Bashir, N., Murad, N. S., Arief, Y. Z., & Phung, B. T. (2014). Effect of moisture on breakdown voltage and structure of palm based insulation oils. *IEEE Transactions on Dielectrics and Electrical Insulation*, 21(5), 2119–2126.
<https://doi.org/10.1109/TDEI.2014.004431>
- Suominen, L. (2016). *Impurity removal of vacuum gas oil*.
- Susilo, A., Muslim, J., Hikita, M., Kozako, M., Tsuchie, M., Arief, Y. Z., Muhamad, N. A., Suzuki, T., Hatada, S., Kanetani, A., Kano, T., Suwarno, & Khayam, U. (2014). Comparative study of partial discharge characteristics and dissolved gas analysis on palm-based oil as insulating material. *The 2nd IEEE Conference on Power Engineering and Renewable Energy (ICPERE)*

2014, 232–236. <https://doi.org/10.1109/ICPERE.2014.7067206>

Suwarno, & Darma, I. S. (2008). Dielectric properties of mixtures between mineral oil and natural ester. *Proceedings of the International Symposium on Electrical Insulating Materials*, 3(2), 514–517.

<https://doi.org/10.1109/ISEIM.2008.4664471>

Tan, C.-P., & Nehdi, I. A. (2012). *13 - The Physicochemical Properties of Palm Oil and Its Components* (O.-M. Lai, C.-P. Tan, & C. C. B. T.-P. O. Akoh (eds.); pp. 377–391). AOCS Press.

<https://doi.org/https://doi.org/10.1016/B978-0-9818936-9-3.50016-2>

Tohpong, N. (2019). Separation of Free Fatty Acid (FFA) from High-FFA Crude Palm Oil Using Vacuum Distillation and Production of Glycerides from the FFA Distillate by Lipase-catalyzed Reaction Nantanit Tohpong. *Nantanit Tohpong A Thesis Submitted in Partial Fulfillment of the Requirements for the Degree of Master of Science in Biotechnology Prince of Songkla University*, 1–138.

Tokopedia. (2024). *Oli Trafo SHELL Diala S4 ZXI*.

<https://www.tokopedia.com/gudangoliindustti/oli-trafo-shell-diala-s4-zxi?extParam=ivf%3Dfalse&src=topads>

Tommasini, D. (2010). Dielectric insulation and high-voltage issues. *CAS 2009 - CERN Accelerator School: Magnets, Proceedings*, 335–355.

Ulrych, J., & Mentlík, V. (2016). Dielectric properties of sunflower, rapeseed and commonly used mineral oil. *2016 17th International Scientific ...*, Query date: 2022-01-18 09:19:59.

<https://ieeexplore.ieee.org/abstract/document/7521753/>

Villarroel, R., García, D. F., García, B., & Burgos, J. C. (2015). Moisture diffusion coefficients of transformer pressboard insulation impregnated with natural esters. *IEEE Transactions on Dielectrics and Electrical Insulation*, 22(1), 581–589. <https://doi.org/10.1109/TDEI.2014.004620>

Wan Isahak, W. N. R., Che Ramli, Z. A., Ismail, M., Jahim, J. M., & Yarmo, M. A. (2015). Recovery and purification of crude glycerol from vegetable oil

- transesterification. *Separation and Purification Reviews*, 44(3), 250–267.
<https://doi.org/10.1080/15422119.2013.851696>
- Wang, Z., Li, J., Yang, L., & Liao, R. (2014). Characteristics of acid value in vegetable insulating oil during thermal aging. *2014 ICHVE International Conference on High Voltage Engineering and Application*, 1–4.
<https://doi.org/10.1109/ICHVE.2014.7035398>
- Wei, P. C., May, C. Y., & Hock, C. C. (2004). Degumming and Bleaching : Effect on Selected Constituents of Palm Oil. *Journal of Oil Palm Research*, 16(2), 57–63.
- Widayat. (2009). Studi Pengurangan Bilangan Asam, Bilangan Peroksida dan Absorbansi dalam Proses Pemurnian Minyak Goreng Bekas dengan Zeolit Alam Aktif. *Jurnal Rekayasa Kimia & Lingkungan*.
- Widiastuti, N., Silitonga, R. S., Dharma, H. N. C., Jaafar, J., Widyanto, A. R., & Purwanto, M. (2022). Decreasing free fatty acid of crude palm oil with polyvinylidene fluoride hollow fiber membranes using a combination of chitosan and glutaraldehyde. *RSC Advances*, 12(35), 22662–22670.
<https://doi.org/10.1039/d2ra04005k>
- Wilhelm, E., & Letcher, T. M. (2018). Enthalpy and internal energy : liquids, solutions and vapours. In *TA - TT -*. Royal Society of Chemistry London, UK. <https://doi.org/LK> - <https://worldcat.org/title/1022273742>
- Yang, X., Chen, L., Xiang, S., Li, L., & Xia, D. (2013). Regeneration of Waste Lubricant Oil by Extraction–Flocculation Composite Refining. *Industrial & Engineering Chemistry Research*, 52(36), 12763–12770.
<https://doi.org/10.1021/ie4015099>
- Yao, W., Huang, Z., Li, J., Wu, L., & Xiang, C. (2018). Enhanced Electrical Insulation and Heat Transfer Performance of Vegetable Oil Based Nanofluids. *Journal of Nanomaterials*, 2018.
<https://doi.org/10.1155/2018/4504208>
- YCW. (2014). *Composition of Palm Oil*. *Oil Palm Knowledge Base*.
<https://oilpalmblog.wordpress.com/2014/01/25/1-composition-of-palm-oil/>

- Yu, D., Huang, W., Wan, X., Fan, S., & Sun, T. (2024). Optimization of simultaneous utilization of air and water flow in a hybrid cooling system for thermal management of a lithium-ion battery pack. *Renewable Energy*, 225(March), 120248. <https://doi.org/10.1016/j.renene.2024.120248>
- Yun, J., Lee, J. G., Oh, K., Kang, K., & Chung, T. D. (2020). Aqueous ionic effect on electrochemical breakdown of Si-dielectric–electrolyte interface. *Scientific Reports*, 10(1), 16795. <https://doi.org/10.1038/s41598-020-73880-w>
- Zainuri. (2021). *Ekonomi Teknik*. CV. Jasa Surya.
- Zhang, Chen, Dong, X., Ruan, J., & Deng, Y. (2023). Dynamic thermal rating assessment of oil-immersed power transformers for multiple operating.pdf. *High Voltage*, 1–11.
- Zhang, Chunyi, Yue, S., Panagiotopoulos, A. Z., Klein, M. L., & Wu, X. (2023). Why Dissolving Salt in Water Decreases Its Dielectric Permittivity. *Physical Review Letters*, 131(7), 76801. <https://doi.org/10.1103/PhysRevLett.131.076801>
- Zhang, Y., Ho, S., & Fu, W. (2018). Heat transfer comparison of nanofluid filled transformer and traditional oil-immersed transformer. *AIP Advances*. <https://doi.org/10.1063/1.5006749>
- Zhang, Z., Li, J., Zou, P., & Grzybowski, S. (2010). Electrical properties of nano-modified insulating vegetable oil. *2010 Annual Report Conference on Electrical Insulation and Dielectric Phenomena*, 1–4. <https://doi.org/10.1109/CEIDP.2010.5724057>
- Zhou, J., Sui, H., Jia, Z., Yang, Z., He, L., & Li, X. (2018). Recovery and purification of ionic liquids from solutions: A review. *RSC Advances*, 8(57), 32832–32864. <https://doi.org/10.1039/c8ra06384b>