

## DAFTAR PUSTAKA

- Alloys, W. A. (2018). International Alloy Designations and Chemical Composition Limits for Wrought Aluminum and Wrought Aluminum Alloys. *The Aluminum Association, Arlington, Virginia, ISSN: 2377*(August), 34. <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:International+Alloy+Designations+and+Chemical+Composition+Limits+for+Wrought+Aluminum+and+Wrought+Aluminum+Alloys#0%5Cnwww.aluminum.org%5Cnhttp://www.alueurope.eu/wp-content/uploads/2012/03/Tea>
- Askeland, D. R. (1991). Dispersion Strengthening by Phase Transformation and Heat Treatment. *The Science and Engineering of Materials*, 126–134. [https://doi.org/10.1007/978-94-009-1842-9\\_11](https://doi.org/10.1007/978-94-009-1842-9_11)
- ASTM E8. (2010). ASTM E8/E8M standard test methods for tension testing of metallic materials 1. *Annual Book of ASTM Standards 4, i(C)*, 1–27. <https://doi.org/10.1520/E0008>
- Balamurugan, S., Jayakumar, K., Anbarasan, B., & Rajesh, M. (2023a). Effect of tool pin shapes on microstructure and mechanical behaviour of friction stir welding of dissimilar aluminium alloys. *Materials Today: Proceedings*, 72, 2181–2185. <https://doi.org/10.1016/j.matpr.2022.08.459>
- Balamurugan, S., Jayakumar, K., Anbarasan, B., & Rajesh, M. (2023b). Effect of tool pin shapes on microstructure and mechanical behaviour of friction stir welding of dissimilar aluminium alloys. *Materials Today: Proceedings*, 72, 2181–2185. <https://doi.org/10.1016/j.matpr.2022.08.459>
- Bucci, R. J. (1979). Selecting aluminum alloys to resist failure by fracture mechanisms. *Engineering Fracture Mechanics*, 12(3), 407–441. [https://doi.org/10.1016/0013-7944\(79\)90053-5](https://doi.org/10.1016/0013-7944(79)90053-5)
- Buglioni, L., Tufaro, L. N., & Svoboda, H. G. (2015). Thermal Cycles and Residual Stresses in FSW of Aluminum Alloys: Experimental Measurements and Numerical Models. *Procedia Materials Science*, 9, 87–96. <https://doi.org/10.1016/j.mspro.2015.04.011>
- Cabibbo, M., Forcellese, A., Santecchia, E., Paoletti, C., Spigarelli, S., & Simoncini, M. (2020). New approaches to friction stir welding of aluminum light-alloys. *Metals*, 10(2). <https://doi.org/10.3390/met10020233>
- Callister, W. D., & David Rethwisch, J. G. (n.d.). *MATERIALS SCIENCE and ENGINEERING*.
- Chen, H. Bin, Yan, K., Lin, T., Chen, S. Ben, Jiang, C. Y., & Zhao, Y. (2006). The investigation of typical welding defects for 5456 aluminum alloy friction stir welds. *Materials Science and Engineering: A*, 433(1–2), 64–69. <https://doi.org/10.1016/j.msea.2006.06.056>
- Devaraju, A., Shalem, M. J., & Manichandra, B. (2019). Effect of Rotation speed

- on Tensile Properties and Microhardness of Dissimilar Al Alloys 6061-T6 to 2024 -T6 Welded via Solid State Joining Technique. *Materials Today: Proceedings*, 18(2019), 3286–3290. <https://doi.org/10.1016/j.matpr.2019.07.235>
- Dialami, N., Cervera, M., & Chiumenti, M. (2019). Effect of the tool tilt angle on the heat generation and the material flow in friction stir welding. *Metals*, 9(1). <https://doi.org/10.3390/met9010028>
- Drossou-Agakidou, V., Kanakoudi-Tsakalidou, F., Sarafidis, K., Taparkou, A., Tzimouli, V., Tsandali, H., & Kremenopoulos, G. (1998). Administration of recombinant human granulocyte colony stimulating factor to septic neonates induces neutrophilia and enhances the neutrophil respiratory burst and  $\beta 2$  integrin expression results of a randomized controlled trial. *European Journal of Pediatrics*, 157(7), 583–588. <https://doi.org/10.1007/s004310050884>
- Edition, T. (2005). Physical metallurgy. *Choice Reviews Online*, 43(03), 43-1586-43–1586. <https://doi.org/10.5860/choice.43-1586>
- Garg, A., Raturi, M., & Bhattacharya, A. (2020). Strength, failure and microstructure development for friction stir welded AA6061-T6 joints with different tool pin profiles. *CIRP Journal of Manufacturing Science and Technology*, 29, 99–114. <https://doi.org/10.1016/j.cirpj.2020.03.001>
- Gordon, M. W. (1969). Neuronal plasticity and memory. In *The American journal of orthopsychiatry* (Vol. 39, Issue 4). <https://doi.org/10.1111/j.1939-0025.1969.tb02453.x>
- Hwang, Y. M., Kang, Z. W., Chiou, Y. C., & Hsu, H. H. (2008). Experimental study on temperature distributions within the workpiece during friction stir welding of aluminum alloys. *International Journal of Machine Tools and Manufacture*, 48(7–8), 778–787. <https://doi.org/10.1016/j.ijmachtools.2007.12.003>
- Ilangovan, M., Rajendra Boopathy, S., & Balasubramanian, V. (2015). Effect of tool pin profile on microstructure and tensile properties of friction stir welded dissimilar AA 6061–AA 5086 aluminium alloy joints. *Defence Technology*, 11(2), 174–184. <https://doi.org/10.1016/j.dt.2015.01.004>
- Joska, L., Fojt, J., Hradilova, M., Hnilica, F., & Cvrcek, L. (2010). Corrosion behaviour of TiN and ZrN in the environment containing fluoride ions. *Biomedical Materials*, 5(5). <https://doi.org/10.1088/1748-6041/5/5/054108>
- Kammer, C. (2018). Aluminum and aluminum alloys. *Springer Handbooks*, 157–193. [https://doi.org/10.1007/978-3-319-69743-7\\_6](https://doi.org/10.1007/978-3-319-69743-7_6)
- Kumar, K. K., Kumar, A., & Sundar, S. (2023). Investigation of microstructure characteristics and work hardening behaviour of water-cooled FSW dissimilar aluminium alloys. *Materials Today Communications*, 35(January). <https://doi.org/10.1016/j.mtcomm.2023.105857>
- Kumar, P. S., Shastry, C. S. R., & Devaraju, A. (2017). Influence of Tool Revolving

- on Mechanical Properties of Friction Stir Welded 5083Aluminum alloy. *Materials Today: Proceedings*, 4(2), 330–335. <https://doi.org/10.1016/j.matpr.2017.01.029>
- Lumley, J. S. (1981). Microsurgery: renewed sensation. *Journal of the Royal Society of Medicine*, 74(10), 715–718. <https://doi.org/10.1177/014107688107401002>
- Marioara, C. D., Andersen, S. J., Zandbergen, H. W., & Holmestad, R. (2005). The influence of alloy composition on precipitates of the Al-Mg-Si system. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, 36(13), 691–702. <https://doi.org/10.1007/s11661-005-1001-7>
- Marzbanrad, J., Akbari, M., Asadi, P., & Safaee, S. (2014). Characterization of the Influence of Tool Pin Profile on Microstructural and Mechanical Properties of Friction Stir Welding. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, 45(5), 1887–1894. <https://doi.org/10.1007/s11663-014-0089-9>
- Mishra, R. S., & Ma, Z. Y. (2005). Friction stir welding and processing. *Materials Science and Engineering R: Reports*, 50(1–2), 1–78. <https://doi.org/10.1016/j.mserr.2005.07.001>
- Nandan, R., DebRoy, T., & Bhadeshia, H. K. D. H. (2008). Recent advances in friction-stir welding - Process, weldment structure and properties. *Progress in Materials Science*, 53(6), 980–1023. <https://doi.org/10.1016/j.pmatsci.2008.05.001>
- Ni, Y., Liu, Y., Zhang, P., Huang, J., & Yu, X. (2022). Thermal cycles, microstructures and mechanical properties of AA7075-T6 ultrathin sheet joints produced by high speed friction stir welding. *Materials Characterization*, 187(February). <https://doi.org/10.1016/j.matchar.2022.111873>
- Padmanaban, G., & Balasubramanian, V. (2009). Selection of FSW tool pin profile, shoulder diameter and material for joining AZ31B magnesium alloy - An experimental approach. *Materials and Design*, 30(7), 2647–2656. <https://doi.org/10.1016/j.matdes.2008.10.021>
- Paidar, M., Ghavamian, S., Ojo, O. O., Khorram, A., & Shahbaz, A. (2019). Modified friction stir clinching of dissimilar AA2024-T3 to AA7075-T6: Effect of tool rotational speed and penetration depth. *Journal of Manufacturing Processes*, 47(June 2019), 157–171. <https://doi.org/10.1016/j.jmapro.2019.09.028>
- Paksi, J. G. A., Putra, I. A. C. P., & Indriansyah, R. (2021). Perancangan Struktur Road Bike Frame Menggunakan Aluminium 6063 Melalui Proses Optimalisasi Perlakuan Panas. *Jurnal Teknik Mesin ITI*, 5(2), 49. <https://doi.org/10.31543/jtm.v5i2.575>

- Polmear, I., St. John, D., Nie, J. F., & Qian, M. (2017). Light Alloys: Metallurgy of the Light Metals: Fifth Ed. In *Light Alloys: Metallurgy of the Light Metals: Fifth Edition*.
- Prabhakar, D. A. P., Korgal, A., Shettigar, A. K., Herbert, M. A., Chandrashekhara, M. P. G., Pimenov, D. Y., & Giasin, K. (2023). A Review of Optimization and Measurement Techniques of the Friction Stir Welding (FSW) Process. *Journal of Manufacturing and Materials Processing*, 7(5). <https://doi.org/10.3390/jmmp7050181>
- Raghavan, V. (2007). Al-Mg-Si (Aluminum-Magnesium-Silicon). *Journal of Phase Equilibria and Diffusion*, 28(2), 189–191. <https://doi.org/10.1007/s11669-007-9027-8>
- Rathinasuriyan, C., Puviyarasan, M., Sankar, R., & Selvakumar, V. (2024). Effect of process parameters on weld geometry and mechanical properties in friction stir welding of AA2024 and AA7075 alloys. *Journal of Alloys and Metallurgical Systems*, 7(June). <https://doi.org/10.1016/j.jalmes.2024.100091>
- Satish Kumar, P., & Shiva Chander, M. (2020). Effect of tool pin geometry on FSW dissimilar aluminum alloys - (AA5083 & AA6061). *Materials Today: Proceedings*, 39, 472–477. <https://doi.org/10.1016/j.matpr.2020.08.204>
- Schijve, J. (2003). Fatigue of structures and materials in the 20th century and the state of the art. *International Journal of Fatigue*, 25(8), 679–702. [https://doi.org/10.1016/S0142-1123\(03\)00051-3](https://doi.org/10.1016/S0142-1123(03)00051-3)
- Schmidt, H., Hattel, J., & Wert, J. (2004). An analytical model for the heat generation in friction stir welding. *Modelling and Simulation in Materials Science and Engineering*, 12(1), 143–157. <https://doi.org/10.1088/0965-0393/12/1/013>
- Shettigar, A. K., & Manjaiah, M. (2017). *Friction Stir Welding—An Overview*. 161–184. [https://doi.org/10.1007/978-3-319-56099-1\\_7](https://doi.org/10.1007/978-3-319-56099-1_7)
- Shine, K., & Jayakumar, K. (2022). Effect of tool pin profile on the mechanical and microstructural properties of dissimilar friction stir welded AA5083-H111 and AA6061-T6 aluminium alloys. *Journal of the Chinese Institute of Engineers, Transactions of the Chinese Institute of Engineers, Series A*, 45(3), 227–236. <https://doi.org/10.1080/02533839.2022.2034054>
- Singh, B., Saxena, K. K., Singhal, P., & Joshi, T. C. (2021). Role of Various Tool Pin Profiles in Friction Stir Welding of AA2024 Alloys. *Journal of Materials Engineering and Performance*, 30(11), 8606–8615. <https://doi.org/10.1007/s11665-021-06017-3>
- Steiner, R. (1998). ASM handbook volume 3: Alloy phase diagrams. In *ASM Handbook*.
- Venkat Ramana, G., Yelamasetti, B., & Vishnu Vardhan, T. (2021). Effect of FSW process parameters and tool profile on mechanical properties of AA 5082 and

AA 6061 welds. *Materials Today: Proceedings*, 46, 826–830.  
<https://doi.org/10.1016/j.matpr.2020.12.801>

Wang, W., Li, T., Wang, K., Cai, J., & Qiao, K. (2016). Effect of Travel Speed on the Stress Corrosion Behavior of Friction Stir Welded 2024-T4 Aluminum Alloy. *Journal of Materials Engineering and Performance*, 25(5), 1820–1828.  
<https://doi.org/10.1007/s11665-016-1979-6>