

- Anderson, T. L., dan Anderson, T. L. (2005). *Fracture Mechanics*. CRC Press.
- ASM International. (1998). *ASM INTERNATIONAL® The Materials Information Company*.
- ASTM E8. (2013). *Designation: E8/E8M – 13a Standard Test Methods for Tension Testing of Metallic Materials 1*.
- ASTM E647-13. (2014). *Standard Test Method for Measurement of Fatigue Crack Growth Rates 1 Precision and Bias 11 Special Requirements for Testing in Aqueous Environments Annex A4 Guidelines for Use of Compliance to Determine Crack Size Annex A5 Guidelines for Electric Potential Difference Determination of Crack Size Annex A6 Recommended Data Reduction Techniques Appendix X1 Recommended Practice for Determination of Fatigue Crack Opening Force From Compliance Appendix X2*.
- ASTM G102-23. (2014). *Standard Practice for Calculation of Corrosion Rates and Related Information from Electrochemical Measurements 1*.
- Babu, S., Elangovan, K., Balasubramanian, V., dan Balasubramanian, M. (2009). Optimizing friction stir welding parameters to maximize tensile strength of AA2219 aluminum alloy joints. *Metals and Materials International*, 15(2), 321–330.
- Bahrami, M., Helmi, N., Dehghani, K., dan Givi, M. K. B. (2014). Exploring the effects of SiC reinforcement incorporation on mechanical properties of friction stir welded 7075 aluminum alloy: Fatigue life, impact energy, tensile strength. *Materials Science and Engineering: A*, 595, 173–178.
- Bard, A. J., dan Faulkner, L. R. (2001). *Electrochemical methods: fundamentals and applications*.
- Callister, W. D., dan David Rethwisch, J. G. (2014). *MATERIALS SCIENCE and ENGINEERING*.
- Chang, W.-S., Rajesh, S. R., Chun, C.-K., dan Kim, H.-J. (2011). Microstructure and Mechanical Properties of Hybrid Laser-Friction Stir Welding between AA6061-T6 Al Alloy and AZ31 Mg Alloy. In *J. Mater. Sci. Technol* (Vol. 27, Issue 3).
- Dialami, N., Cervera, M., Chiumenti, M., dan Agelet de Saracibar, C. (2017). A fast and accurate two-stage strategy to evaluate the effect of the pin tool profile on metal flow, torque and forces in friction stir welding. *International Journal of Mechanical Sciences*, 122, 215–227.
- Dixit, S., Madhu, H. C., Kailas, S. V., dan Chattopadhyay, K. (2017). Role of insert material on process loads during FSW. *International Journal of Advanced Manufacturing Technology*, 91(9–12), 3427–3435.
- Essa, G. M. F., Zakria, H. M., Mahmoud, T. S., dan Khalifa, T. A. (2018). Microstructure examination and microhardness of friction stir welded joint of (AA7020-O) after PWHT. *HBRC Journal*, 14(1), 22–28.



UNIVERSITAS  
GADJAH MADA

**Pengaruh Penambahan Material Sisipan Aluminium Paduan AA2024-O Terhadap Struktur Mikro, Sifat-Sifat Mekanik, dan Laju Korosi Sambungan Las Single-Side dan Double -Side Pada Pengelasan FSW Aluminium AA5083-H112**

Aszul Kifri, Prof. Dr. Ir. M. Noer Ilman, S.T., M.Sc., Ph.D., IPM, ASEAN Eng.  
Febrianti, E., Priadi, D., Klastuti, R., Besar, B., Kekuatan, T., Bztkk, S. (, Pengkajian, B.,  
Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>  
Tehnologi, P., dan Struktur, K. (2015). *MAJALAH METALURGI* (2015) 3: 141-148  
*PENGARUH THERMOMECHANICAL CONTROLLED PROCESSED (TMCP) TERHADAP PENGHALUSAN BUTIR DAN SIFAT MEKANIK PADUAN Cu-Zn 70/30.*  
[www.ejurnalmaterialmetalurgi.com](http://www.ejurnalmaterialmetalurgi.com)

- Fonda, R. W., Pao, P. S., Jones, H. N., Feng, C. R., Connolly, B. J., dan Davenport, A. J. (2009). Microstructure, mechanical properties, and corrosion of friction stir welded Al 5456. *Materials Science and Engineering: A*, 519(1–2), 1–8.
- Gan, W., Okamoto, K., Hirano, S., Chung, K., Kim, C., dan Wagoner, R. H. (2008). Properties of Friction-Stir Welded Aluminum Alloys 6111 and 5083. *Journal of Engineering Materials and Technology*, 130(3).
- Gan, Y. X., Solomon, D., dan Reinbolt, M. (2010). Friction stir processing of particle reinforced composite materials. *Materials*, 3(1), 329–350.
- Genevois, C., Deschamps, A., Denquin, A., dan Doisneau-Cottignies, B. (2005). Quantitative investigation of precipitation and mechanical behaviour for AA2024 friction stir welds. *Acta Materialia*, 53(8), 2447–2458.
- Gilang Anarkhi Paksi, J., Aditya Cristian, I., Indriansyah, R., Studi Teknik Mesin ITI, P., Raya Puspipstek Serpong, J., dan Selatan-Banten, T. (2021). *Perancangan Struktur Road Bike Frame Menggunakan Aluminium 6063 Melalui Proses Optimalisasi Perlakuan Panas.* 5(2).
- Hassanifard, S., Alipour, H., Ghiasvand, A., dan Varvani-Farahani, A. (2021). Fatigue response of friction stir welded joints of Al 6061 in the absence and presence of inserted copper foils in the butt weld. *Journal of Manufacturing Processes*, 64, 1–9.
- Hassanifard, S., Mousavi, H., dan Varvani-Farahani, A. (2019). The influence of low-plasticity burnishing process on the fatigue life of friction-stir-processed Al 7075-T6 samples. *Fatigue and Fracture of Engineering Materials and Structures*, 42(3), 764–772.
- Huang, H. Y., Yang, C. W., dan Deng, W. Y. (2018). Incorporating oxygen-free copper to improve the microstructure and mechanical properties of friction-stir-welded joints for aluminum alloys. *IEEE Journal of Selected Topics in Quantum Electronics*, 25(6), 1219–1228.
- Jones, D. A. (1996). *Principles and Prevention of CORROSION Second Edition.*
- Karkhin, V. A. (2019). *Thermal Processes in Welding.* Springer Singapore.
- Kim, Y. G., Fujii, H., Tsumura, T., Komazaki, T., dan Nakata, K. (2006). Effect of welding parameters on microstructure in the stir zone of FSW joints of aluminum die casting alloy. *Materials Letters*, 60(29–30), 3830–3837.
- Kumar, P. V., Reddy, G. M., dan Rao, K. S. (2015). Microstructure, mechanical and corrosion behavior of high strength AA7075 aluminium alloy friction stir welds – Effect of post weld heat treatment. *Defence Technology*, 11(4), 362–369.

- Lenin, A. W. A., Periyasamy, N., dan George, L. (2016). Influence of interlayer thickness (Zn) on the Properties of Al 7020 FSW Joints. *Materials Research*, 19(4), 817–823.
- Lim, D. K., Shibayanagi, T., dan Gerlich, A. P. (2009). Synthesis of multi-walled CNT reinforced aluminium alloy composite via friction stir processing. *Materials Science and Engineering: A*, 507(1–2), 194–199.
- López-Acosta, N. P., dan Martínez-Hernández, E. (2018). Experimental data on the mechanical properties of individual caobilla wood cubes used on control pile systems. *Data in Brief*, 20, 672–679.
- Mandal, N. R. (2005). *Aluminum\_Welding* (2nd ed.). Narosa Publishing House.
- Messler, R. W. (2004). *Principles of Welding*. Wiley.
- Mishra, R. S., De, P. S., dan Kumar, N. (2014). *Friction Stir Welding and Processing*. Springer International Publishing.
- Mishra, R. S., dan Ma, Z. Y. (2005). Friction stir welding and processing. *Materials Science and Engineering: R: Reports*, 50(1–2), 1–78.
- Morisada, Y., Fujii, H., Nagaoka, T., dan Fukusumi, M. (2006). Effect of friction stir processing with SiC particles on microstructure and hardness of AZ31. *Materials Science and Engineering: A*, 433(1–2), 50–54.
- Nami, H., Adgi, H., Sharifitabar, M., dan Shamabadi, H. (2011). Microstructure and mechanical properties of friction stir welded Al/Mg<sub>2</sub>Si metal matrix cast composite. *Materials and Design*, 32(2), 976–983.
- Padmanaban, G., dan Balasubramanian, V. (2009). Selection of FSW tool pin profile, shoulder diameter and material for joining AZ31B magnesium alloy - An experimental approach. *Materials and Design*, 30(7), 2647–2656.
- Raghavan, V. (2007). Al-Mg-Si (Aluminum-Magnesium-Silicon). *Journal of Phase Equilibria and Diffusion*, 28(2), 189–191.
- Rao, D., Huber, K., Heerens, J., dos Santos, J. F., dan Huber, N. (2013). Asymmetric mechanical properties and tensile behaviour prediction of aluminium alloy 5083 friction stir welding joints. *Materials Science and Engineering: A*, 565, 44–50.
- Ren, S. R., Ma, Z. Y., dan Chen, L. Q. (2007). Effect of welding parameters on tensile properties and fracture behavior of friction stir welded Al-Mg-Si alloy. *Scripta Materialia*, 56(1), 69–72.
- Rodríguez, A., Calleja, A., López de Lacalle, L. N., Pereira, O., González, H., Urbikain, G., dan Laye, J. (2019). Burnishing of FSW Aluminum Al-Cu-Li components. *Metals*, 9(2).
- Sahu, P. K., Pal, S., dan Pal, S. K. (2017). Al/Cu Dissimilar Friction Stir Welding with Ni, Ti, and Zn Foil as the Interlayer for Flow Control, Enhancing Mechanical and Metallurgical

- Schijve, J. (2012). Fatigue predictions of welded joints and the effective notch stress concept. *International Journal of Fatigue*, 45, 31–38.
- Shafiei-Zarghani, A., Kashani-Bozorg, S. F., dan Zarei-Hanzaki, A. (2009). Microstructures and mechanical properties of Al/Al<sub>2</sub>O<sub>3</sub> surface nano-composite layer produced by friction stir processing. *Materials Science and Engineering: A*, 500(1–2), 84–91.
- Shindo, D. J., Rivera, A. R., dan Murr, L. E. (2002). Shape optimization for tool wear in the friction-stir welding of cast Al359-20% SiC MMC. In *JOURNAL OF MATERIALS SCIENCE* (Vol. 37).
- Shiri, S. G., Sarani, A., Hosseini, S. R. E., dan Roudini, G. (2013). Diffusion in FSW joints by inserting the metallic foils. *Journal of Materials Science and Technology*, 29(11), 1091–1095.
- Singh, T., Tiwari, S. K., dan Shukla, D. K. (2020). Mechanical and microstructural characterization of friction stir welded AA6061-T6 joints reinforced with nano-sized particles. *Materials Characterization*, 159.
- Soboyejo, W. (2002). *Mechanical Properties of Engineered Materials*. CRC Press.
- Trethewey, K. R. (1991). *Korosi : untuk Mahasiswa Sains dan Rekayasa*. PT Gramedia Pustaka Utama.
- Vargel, C. (2004). *Corrosion of Aluminium*. Elsevier.
- Wahid, M. A., Siddiquee, A. N., dan Khan, Z. A. (2020). Aluminum alloys in marine construction: characteristics, application, and problems from a fabrication viewpoint. *Marine Systems dan Ocean Technology*, 15(1), 70–80.
- Yu, S., Chen, X., Huang, Z., dan Liu, Y. (2010). Microstructure and mechanical properties of friction stir welding of AZ31B magnesium alloy added with cerium. *Journal of Rare Earths*, 28(2), 316–320.
- Zens, A., Zaeh, M. F., Marstatt, R., dan Haider, F. (2019). Friction stir welding of dissimilar metal joints. *Materialwissenschaft Und Werkstofftechnik*, 50(8), 949–957.
- Zhang, L., Zhong, H., Li, S., Zhao, H., Chen, J., dan Qi, L. (2020). Microstructure, mechanical properties and fatigue crack growth behavior of friction stir welded joint of 6061-T6 aluminum alloy. *International Journal of Fatigue*, 135.
- Zhang, Z., Xiao, B. L., dan Ma, Z. Y. (2012). Effect of welding parameters on microstructure and mechanical properties of friction stir welded 2219Al-T6 joints. *Journal of Materials Science*, 47(9), 4075–4086.
- Zhao, Z., Liang, H., Zhao, Y., dan Yan, K. (2018). Effect of Exchanging Advancing and Retreating Side Materials on Mechanical Properties and Electrochemical Corrosion Resistance of Dissimilar 6013-T4 and 7003 Aluminum Alloys FSW Joints. *Journal of Materials Engineering and Performance*, 27(4), 1777–1783.