

DAFTAR PUSTAKA

- Ackerson, J. P., Demattê, J. A. M., & Morgan, C. L. S. (2015). Predicting clay content on field-moist intact tropical soils using a dried, ground VisNIR library with external parameter orthogonalization. *Geoderma*, 259–260, 196–204. <https://doi.org/10.1016/j.geoderma.2015.06.002>
- Agustawijaya, D. S. (2019). *Geologi Teknik*. Penerbit ANDI.
- Ain-Lhout, F., Boutaleb, S., Diaz-Barradas, M. C., Jauregui, J., & Zunzunegui, M. (2016). Monitoring the evolution of soil moisture in root zone system of *Argania spinosa* using electrical resistivity imaging. *Agricultural Water Management*, 164, 158–166. <https://doi.org/10.1016/j.agwat.2015.08.007>
- Al-Saigh, N. H., & Al-Dabbagh, T. H. (2010). Identification of landslide slip-surface and its shear strength: A new application for shallow seismic refraction method. *Journal of the Geological Society of India*, 76(2), 175–180. <https://doi.org/10.1007/s12594-010-0092-y>
- Alvis, A. D., Luce, C. H., Istanbuluoglu, E., Black, T., Dieu, J., & Black, J. (2024). Using additional roughness to characterize erosion control treatment effectiveness in roadside ditch lines. *Earth Surface Processes and Landforms*, 49(4), 1255–1272. <https://doi.org/10.1002/esp.5763>
- Baeyens, B., & Bradbury, M. H. (2004). Cation exchange capacity measurements on illite using the sodium and cesium isotope dilution technique: Effects of the index cation, electrolyte concentration and competition: Modeling. *Clays and Clay Minerals*, 52(4), 421–431. <https://doi.org/10.1346/CCMN.2004.0520403>
- Bellinaso, H., Silvero, N. E. Q., Ruiz, L. F. C., Accorsi Amorim, M. T., Rosin, N. A., Mendes, W. de S., Sousa, G. P. B. de, Sepulveda, L. M. A., Queiroz, L. G. de, Nanni, M. R., & Demattê, J. A. M. (2021). Clay content prediction using spectra data collected from the ground to space platforms in a smallholder tropical area. *Geoderma*, 399(July 2020). <https://doi.org/10.1016/j.geoderma.2021.115116>
- Birkeland, P. W. (1984a). *Soils and Geomorphology*. Oxford University Press. <https://doi.org/10.1017/S0016756800031617>
- Birkeland, P. W. (1984b). Soils and Geomorphology. In *Geological Magazine* (Vol. 122, Issue 3). Oxford University Press. <https://doi.org/10.1017/S0016756800031617>
- Cesarano, M., Bish, D. L., Cappelletti, P., Cavalcante, F., Belviso, C., & Fiore, S. (2018). Quantitative mineralogy of clay-rich siliciclastic landslide terrain of the sorrento Peninsula, Italy, using a combined XRPD and XRF approach. *Clays and Clay Minerals*, 66(4), 353–369. <https://doi.org/10.1346/CCMN.2018.064108>

- Chen, C. Y., & Huang, W. L. (2013). Land use change and landslide characteristics analysis for community-based disaster mitigation. *Environmental Monitoring and Assessment*, 185(5), 4125–4139. <https://doi.org/10.1007/s10661-012-2855-y>
- Crawford, M. M., Bryson, L. S., Woolery, E. W., & Wang, Z. (2018). Using 2-D electrical resistivity imaging for joint geophysical and geotechnical characterization of shallow landslides. *Journal of Applied Geophysics*, 157, 37–46. <https://doi.org/10.1016/j.jappgeo.2018.06.009>
- Daraini, D. P., Syafriani, Akmam, & Dwiridal, L. (2023). Identification of surface layer structure using seismic refraction for landslide mitigation in Tandikek region, West Sumatra Indonesia. *IOP Conference Series: Earth and Environmental Science*, 1228(1), 0–12. <https://doi.org/10.1088/1755-1315/1228/1/012019>
- Dietel, J., Ufer, K., Kaufhold, S., & Dohrmann, R. (2019). Crystal structure model development for soil clay minerals – II. Quantification and characterization of hydroxy-interlayered smectite (HIS) using the Rietveld refinement technique. *Geoderma*, 347(March), 1–12. <https://doi.org/10.1016/j.geoderma.2019.03.020>
- Dindaroglu, T., Vermez, Y., Gundogan, R., Yakupoglu, T., Gunal, H., & Akay, A. E. (2023). Importance of geotechnical soil properties for precision Forest activities in a karst area. *Acta Ecologica Sinica*, 44(1), 120–128. <https://doi.org/10.1016/j.chnaes.2023.08.001>
- Fan, X., Dufresne, A., Whiteley, J., Yunus, A. P., Subramanian, S. S., Okeke, C. A. U., Pánek, T., Hermanns, R. L., Ming, P., Strom, A., Havenith, H. B., Dunning, S., Wang, G., & Tacconi Stefanelli, C. (2021). Recent technological and methodological advances for the investigation of landslide dams. *Earth-Science Reviews*, 218, 103646. <https://doi.org/10.1016/j.earscirev.2021.103646>
- Fan, Y., Wang, H., & Pan, C. (2021). Analysis of landslide disaster characteristics of Zugong highway (G4218) line. *IOP Conference Series: Earth and Environmental Science*, 804(2), 1–6. <https://doi.org/10.1088/1755-1315/804/2/022016>
- Flores Nicolás, M., Chávez, M. M., Vlasova, M., & Pi Puig, T. (2024). Low-temperature sintering of ceramic bricks from clay, waste glass and sand. *Boletín de La Sociedad Española de Cerámica y Vidrio*, 63(5), 377–388. <https://doi.org/10.1016/j.bsecv.2024.06.003>
- Foti, S., Lai, C., Rix, G. J., & Strobbia, C. (2014). Surface Wave Methods for Near-Surface Site Characterization. In *Surface Wave Methods for Near-Surface Site Characterization*. <https://doi.org/10.1201/b17268>
- Francioni, M., Calamita, F., Coggan, J., De Nardis, A., Eyre, M., Miccadei, E., Piacentini, T., Stead, D., & Sciarra, N. (2019). A multi-disciplinary approach

to the study of large rock avalanches combining remote sensing, GIS and field surveys: The case of the Scanno landslide, Italy. *Remote Sensing*, 11(13). <https://doi.org/10.3390/rs11131570>

Gorstein, M., & Ezersky, M. (2015). Combination of HVSR and MASW Methods to Obtain Shear Wave Velocity Model of Subsurface in Israel Combination of HVSR and MASW Methods to Obtain Shear Wave Velocity Model of Subsurface in Israel. *International Journal of Geohazards and Environment*, 1(September), 20–41. <https://doi.org/10.15273/ijge.2015.01.004>

Gutierrez, M. (2013). *Geomorphology*. CRC Press.

Hadzick, Z. Z., Guber, A. K., Pachepsky, Y. A., & Hill, R. L. (2011). Pedotransfer functions in soil electrical resistivity estimation. *Geoderma*, 164(3–4), 195–202. <https://doi.org/10.1016/j.geoderma.2011.06.004>

Highland, L. M., & Bobrowsky, P. (2008). The landslide Handbook - A guide to understanding landslides. *US Geological Survey Circular*, 1325, 1–147. <https://doi.org/10.3133/cir1325>

Hillel, D. (1980). *Fundamentals of Soil Physics*. Academic Press.

Hillel, D. (1998). *Environmental Soil Physics*. Academic Press.

Hu, W., & Si, B. C. (2016). Estimating spatially distributed soil water content at small watershed scales based on decomposition of temporal anomaly and time stability analysis. *Hydrology and Earth System Sciences*, 20(1), 571–587. <https://doi.org/10.5194/hess-20-571-2016>

Huggett, R. J. (2011). *Fundamentals of Geomorphology* (3rd ed.). Routledge. <https://doi.org/10.4324/9780203860083>

Iannucci, R., Lenti, L., & Martino, S. (2020). Seismic monitoring system for landslide hazard assessment and risk management at the drainage plant of the Peschiera Springs (Central Italy). *Engineering Geology*, 277(August), 105787. <https://doi.org/10.1016/j.enggeo.2020.105787>

Imani, P., Tian, G., Hadiloo, S., & El-Raouf, A. A. (2021). Application of combined electrical resistivity tomography (ERT) and seismic refraction tomography (SRT) methods to investigate Xiaoshan District landslide site: Hangzhou, China. *Journal of Applied Geophysics*, 184, 104236. <https://doi.org/10.1016/j.jappgeo.2020.104236>

Jaboyedoff, M., Del Gaudio, V., Derron, M. H., Grandjean, G., & Jongmans, D. (2019). Characterizing and monitoring landslide processes using remote sensing and geophysics. *Engineering Geology*, 259(May). <https://doi.org/10.1016/j.enggeo.2019.105167>

Jacob, T., Samyn, K., Bitri, A., Quesnel, F., Dewez, T., Pannet, P., & Meire, B. (2018). Mapping sand and clay-filled depressions on a coastal chalk cliff top using gravity and seismic tomography refraction for landslide hazard

- assessment, in Normandy, France. *Engineering Geology*, 246(April), 262–276. <https://doi.org/10.1016/j.enggeo.2018.10.007>
- Kameda, J., & Morisaki, T. (2022). Rheological properties of concentrated allophane, halloysite, and kaolinite suspensions. *Applied Clay Science*, 226(April), 106557. <https://doi.org/10.1016/j.clay.2022.106557>
- Lal, R., & Shukla, M. K. (2005a). Principles of soil physics, The Ohio State University Columbus, Ohio, U.S.A. In *Mercel Dekker, INC. New York, Basel* (Vol. 4, Issue March).
- Lal, R., & Shukla, M. K. (2005b). *Principles of Soil Physics*. Mercel Dekker, INC. <https://dewagumay.files.wordpress.com/2011/12/principles-of-soil-physics.pdf>
- Lashari, L., Kusumawardani, R., Cahyadi Upomo, T., Supriyadi, S., & Mugiayulhaq, A. (2019). Application of 2D spatial imaging method for identification of a fault lines and subsurface landslide at “Taman Unnes”, Semarang, Indonesia. *MATEC Web of Conferences*, 258, 03005. <https://doi.org/10.1051/mateconf/201925803005>
- Lee, E. M., & Jones, D. K. C. (2004). *Landslide Risk Assessment*. Thomas Telford Publishing. <https://doi.org/10.1680/lra.31715>
- Lucas, D. R., Fankhauser, K., & Springman, S. M. (2015). Application of geotechnical and geophysical field measurements in an active alpine environment. *IOP Conference Series: Earth and Environmental Science*, 26(1), 1–15. <https://doi.org/10.1088/1755-1315/26/1/012023>
- Marciniak, A., Kowalczyk, S., Gontar, T., Owoc, B., Nawrot, A., Luks, B., Cader, J., & Majdański, M. (2021). Integrated geophysical imaging of a mountain landslide – A case study from the Outer Carpathians, Poland. *Journal of Applied Geophysics*, 191. <https://doi.org/10.1016/j.jappgeo.2021.104364>
- Melo, L. B. B. de, Silva, B. M., Peixoto, D. S., Chiarini, T. P. A., de Oliveira, G. C., & Curi, N. (2021). Effect of compaction on the relationship between electrical resistivity and soil water content in Oxisol. *Soil and Tillage Research*, 208(November 2019). <https://doi.org/10.1016/j.still.2020.104876>
- Noviyanto, A., Sartohadi, J., & Purwanto, B. H. (2020). The distribution of soil morphological characteristics for landslide-impacted Sumbing Volcano, Central Java - Indonesia. *Geoenvironmental Disasters*, 7(1). <https://doi.org/10.1186/s40677-020-00158-8>
- Park. (1999). *Product from MASW Surveys*. Multichannels Analysis of Surface Waves (MASW).
- Park, C. B., Miller, R. D., & Xia, J. (1999). *Multichannel analysis of surface waves*. 64(3), 800–808.
- Perrone, A., Lapenna, V., & Piscitelli, S. (2014). Electrical resistivity tomography

- technique for landslide investigation: A review. *Earth-Science Reviews*, 135, 65–82. <https://doi.org/10.1016/j.earscirev.2014.04.002>
- Petronio, L., Boaga, J., & Cassiani, G. (2016). Characterization of the Vajont landslide (North-Eastern Italy) by means of reflection and surface wave seismics. *Journal of Applied Geophysics*, 128, 58–67. <https://doi.org/10.1016/j.jappgeo.2016.03.012>
- Piegari, E., Maio, R. D., & Milano, L. (2009). Characteristic scales in landslide modelling. *Nonlinear Processes in Geophysics*, 16(4), 515–523. <https://doi.org/10.5194/npg-16-515-2009>
- Pitty, A. F. (1971). *Introduction To Geomorphology*. Barnes & Noble Inc. <https://doi.org/10.4324/9780429273131>
- Prasetyo, S. Y. J., & Hartomo, K. D. (2018). Accuration of Time Series and Spatial Interpolation Method for Prediction of Precipitation Distribution on the Geographical Information System. *IOP Conference Series: Materials Science and Engineering*, 288(1). <https://doi.org/10.1088/1757-899X/288/1/012140>
- Prayitno, A., Sartohadi, J., & Nurudin, M. (2019). Utilization of soil function information for assessing soil quality of rice field in the quaternary-tertiary volcanic transitional zones in Central Java. *Sains Tanah*, 16(2), 169–180. <https://doi.org/10.20961/STJSSA.V16I2.35492>
- Pulungan, N. A., & Sartohadi, J. (2017). Variability of Soil Development in Hilly Region, Bogowonto Catchment, Java, Indonesia. *International Journal of Soil Science*, 13(1), 1–8. <https://doi.org/10.3923/ijss.2018.1.8>
- Pulungan, N. A., & Sartohadi, J. (2018). New Approach to Soil Formation in the Transitional Landscape Zone: Weathering and Alteration of Parent Rocks. *Journal of Environments*, 5(1), 1–7. <https://doi.org/10.20448/journal.505.2018.51.1.7>
- Purwaningsih, R., Sartohadi, J., & Anggri, M. (2020). Trees and crops arrangement in the agroforestry system based on slope units to control landslide reactivation on volcanic foot slopes in Java, Indonesia. *Land*, 9(9). <https://doi.org/10.3390/LAND9090327>
- Qi, W., Zhang, Z. yu, Wang, C., Chen, Y., & Zhang, Z. min. (2020). Crack closure and flow regimes in cracked clay loam subjected to different irrigation methods. *Geoderma*, 358(September 2019), 113978. <https://doi.org/10.1016/j.geoderma.2019.113978>
- Reynolds, J. M. (2011). *An Introduction to Applied and Environmental Geophysics* (2nd ed.). John Wiley & Sons, Ltd.
- Romanov, V. V., Shubina, D. D., & Ivanov, A. I. (2021). Application of Geophysical Methods in Landslide Danger Assessment within the Slopes of Kremlin in Nizhny Novgorod. *IOP Conference Series: Earth and Environmental Science*, 666(4), 1–7. <https://doi.org/10.1088/1755->

1315/666/4/042077

- Rosenberg, L. I. (2007). Landslide Hazard and Risk: (Thomas Glade, Malcolm Anderson, and Michael J. Crozier, editors). In *Environmental and Engineering Geoscience* (Vol. 13, Issue 1). <https://doi.org/10.2113/gsegeosci.13.1.80>
- Sambodo, A. P., & Arpornthip, T. (2021). Increasing the Efficiency of Detailed Soil Resource Mapping on Transitional Volcanic Landforms Using a Geomorphometric Approach. *Applied and Environmental Soil Science*, 2021. <https://doi.org/10.1155/2021/8867647>
- Samyn, K., Travelletti, J., Bitri, A., Grandjean, G., & Malet, J. P. (2012). Characterization of a landslide geometry using 3D seismic refraction travelttime tomography: The La Valette landslide case history. *Journal of Applied Geophysics*, 86, 120–132. <https://doi.org/10.1016/j.jappgeo.2012.07.014>
- Sartohadi, J., Harlin Jennie Pulungan, N. A., Nurudin, M., & Wahyudi, W. (2018). The ecological perspective of landslides at soils with high clay content in the middle bogowonto watershed, central Java, Indonesia. *Applied and Environmental Soil Science*, 2018. <https://doi.org/10.1155/2018/2648185>
- Sartohadi, J., Pulungan, N. A. H. J., Nurudin, M., Wardhani, P. I., & Syahbana, D. K. (2019). *Atlas Bentang Sumberdaya Lahan Gunungapi Jawa Bagian Tengah*. Badan Informasi Geospasial.
- Sassa, K., Canuti, P., & Yin, Y. (2014). Landslide science for a safer geoenvironment. In *Landslide Science for a Safer Geoenvironment* (Vol. 1). <https://doi.org/10.1007/978-3-319-04999-1>
- Schaetzl, R., & Anderson, S. (2005). *Soils Genesis and Geomorphology*. Cambridge University Press.
- Schaetzl, R., & Anderson, S. (2015). *Soils Genesis and Geomorphology*. Cambridge University Press.
- Scheidegger, A. E. (1987). *Systematic Geomorphology*. Springer-Verlag. <https://doi.org/10.1007/978-3-7091-8915-3>
- Singh, N., Gupta, S. K., & Shukla, D. P. (2020). ANALYSIS of LANDSLIDE REACTIVATION USING SATELLITE DATA: A CASE STUDY of KOTRUPI LANDSLIDE, MANDI, HIMACHAL PRADESH, India. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 42(3/W11), 137–142. <https://doi.org/10.5194/isprs-archives-XLII-3-W11-137-2020>
- Sousa, J. E. S. de, Andrade, G. R. P., Araújo Filho, J. C. de, Santos, J. C. B. dos, Corrêa, M. M., Ferreira, T. O., Camargo, P. B. de, Araújo, J. K. S., Silva, A. H. N. da, Sousa, M. G., & Souza Júnior, V. S. de. (2023). Weathering and mineral alteration of metamorphic rocks and genesis of Planosols along a rainfall gradient in Borborema Province, Northeast Brazil. *Geoderma*

- Regional*, 33(December 2022). <https://doi.org/10.1016/j.geodrs.2023.e00642>
- Summerfield, M. A. (2013). *Global Geomorphology*. Routledge.
- Suribabu, C. R., & Sujatha, E. R. (2019). Evaluation of moisture level using precipitation indices as a landslide triggering factor-a study of Coonor Hill Station. *Climate*, 7(9). <https://doi.org/10.3390/cli7090111>
- Tabbagh, J., Samouëlian, A., Tabbagh, A., & Cousin, I. (2007). Numerical modelling of direct current electrical resistivity for the characterisation of cracks in soils. *Journal of Applied Geophysics*, 62(4), 313–323. <https://doi.org/10.1016/j.jappgeo.2007.01.004>
- Tan, K. H. (2010). *Principles of Soil Chemistry* (4th ed.). CRC Press.
- Telford, W. M., Geldart, L. P., Sheriff, R. E., & Keys, D. A. (1990). *Applied Geophysics*. Press Syndicate of the Cambridge University Press.
- Tollenaar, R. N., van Paassen, L. A., & Jommi, C. (2017). Observations on the desiccation and cracking of clay layers. *Engineering Geology*, 230(June), 23–31. <https://doi.org/10.1016/j.enggeo.2017.08.022>
- Tric, E., Lebourg, T., Jomard, H., & Le Cossec, J. (2010). Study of large-scale deformation induced by gravity on the La Clapière landslide (Saint-Etienne de Tinée, France) using numerical and geophysical approaches. *Journal of Applied Geophysics*, 70(3), 206–215. <https://doi.org/10.1016/j.jappgeo.2009.12.008>
- Uhlemann, S., Hagedorn, S., Dashwood, B., Maurer, H., Gunn, D., Dijkstra, T., & Chambers, J. (2016). Landslide characterization using P- and S-wave seismic refraction tomography — The importance of elastic moduli. *Journal of Applied Geophysics*, 134, 64–76. <https://doi.org/10.1016/j.jappgeo.2016.08.014>
- Vogelsang, D. (1995). *Environmental geophysics*. Springer-Verlag. <https://doi.org/10.1029/95RG00282>
- Wang, C., Li, S. yang, He, X. jia, Chen, Q., Zhang, H., & Liu, X. yu. (2021). Improved prediction of water retention characteristic based on soil gradation and clay fraction. *Geoderma*, 404(June), 115293. <https://doi.org/10.1016/j.geoderma.2021.115293>
- Well, R. R., & Brady, N. C. (2017). *The Nature and Properties of Soils* (Fifteenth). Pearson Education Limited.
- Wen, X., Jing, M., Cai, H., Zhang, Y., Hu, S., Teng, Y., Liu, G., Lan, L., & Lu, H. (2020). Temperature characteristics and influence of water-saturated soil resistivity on the HVDC grounding electrode temperature rise. *International Journal of Electrical Power and Energy Systems*, 118(March 2019), 105720. <https://doi.org/10.1016/j.ijepes.2019.105720>
- White, D. J. (1989). Two-dimensional seismic refraction tomography. *Geophysical*

Journal, 97, 223–245.

- Whiteley, J. S., Chambers, J. E., Uhlemann, S., Boyd, J., Cimpoiasu, M. O., Holmes, J. L., Inauen, C. M., Watlet, A., Hawley-Sibbett, L. R., Sujitapan, C., Swift, R. T., & Kendall, J. M. (2020). Landslide monitoring using seismic refraction tomography – The importance of incorporating topographic variations. *Engineering Geology*, 268(June 2019), 105525. <https://doi.org/10.1016/j.enggeo.2020.105525>
- Whiteley, J. S., Watlet, A., Uhlemann, S., Wilkinson, P., Boyd, J. P., Jordan, C., Kendall, J. M., & Chambers, J. E. (2021). Rapid characterisation of landslide heterogeneity using unsupervised classification of electrical resistivity and seismic refraction surveys. *Engineering Geology*, 290(December 2020), 106189. <https://doi.org/10.1016/j.enggeo.2021.106189>
- Yalcinkaya, E., Alp, H., Ozel, O., Gorgun, E., Martino, S., Lenti, L., Bourdeau, C., Bigarre, P., & Coccia, S. (2016). Near-surface geophysical methods for investigating the Buyukcekmece landslide in Istanbul, Turkey. *Journal of Applied Geophysics*, 134, 23–35. <https://doi.org/10.1016/j.jappgeo.2016.08.012>
- Zainal, M., Munir, B., & Marwan. (2021). The electrical resistivity tomography technique for landslide characterization in Blangkejeren Aceh. *Journal of Physics: Conference Series*, 1825(1). <https://doi.org/10.1088/1742-6596/1825/1/012022>
- Zhang, Y., Gu, K., Li, J., Tang, C., Shen, Z., & Shi, B. (2020). Effect of biochar on desiccation cracking characteristics of clayey soils. *Geoderma*, 364(August 2019), 114182. <https://doi.org/10.1016/j.geoderma.2020.114182>
- Zinck, J. A., Metternicht, G., & Bocco, G. (2016). *Geopedology*. Springer. <https://doi.org/10.1007/978-3-319-19159-1>
- Zuo, F. L., Li, X. Y., Yang, X. F., Ma, Y. J., Shi, F. Z., Liao, Q. W., Li, D. S., Wang, Y., & Wang, R. D. (2021). Linking root traits and soil moisture redistribution under *Achnatherum splendens* using electrical resistivity tomography and dye experiments. *Geoderma*, 386(May 2020), 114908. <https://doi.org/10.1016/j.geoderma.2020.114908>