Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap
Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Akpinar, O., Erdogan, K., Bakir, U., & Yilmaz, L. (2010). Comparison of acid and enzymatic hydrolysis of tobacco stalk xylan for preparation of xylooligosaccharides. *LWT - Food Science and Technology*, *43*(1), 119–125. https://doi.org/10.1016/j.lwt.2009.06.025

Al-Ghazzewi, F. H., & Tester, R. F. (2012). Efficacy of cellulase and mannanase hydrolysates of konjac glucomannan to promote the growth of lactic acid bacteria. *Journal of the Science of Food and Agriculture*, *92*(11), 2394–2396. https://doi.org/10.1002/jsfa.5678

Al-Ghazzewi, F. H., Khanna, S., Tester, R. F., & Piggott, J. (2007). The potential use of hydrolysed konjac glucomannan as a prebiotic. *Journal of the Science of Food and Agriculture*, *87*, 1758–1766. https://doi.org/10.1002/jsfa.2919

Alahmad, K., Noman, A., Xia, W., Jiang, Q., & Xu, Y. (2023). Influence of the Enzymatic Hydrolysis Using Flavourzyme Enzyme on Functional, Secondary Structure, and Antioxidant Characteristics of Protein Hydrolysates Produced from Bighead Carp (Hypophthalmichthys nobilis). *Molecules*, *28*(2). https://doi.org/10.3390/molecules28020519

Albrecht, S., Van Muiswinkel, G. C. J., Schols, H. A., Voragen, A. G. J., & Gruppen, H. (2009). Introducing capillary electrophoresis with laser-induced fluorescence detection (CE-LIF) for the characterization of konjac glucomannan oligosaccharides and their in vitro fermentation behavior. *Journal of Agricultural and Food Chemistry*, *57*(9), 3867–3876. https://doi.org/10.1021/jf8038956

Altschul, S. F., Gish, W., Miller, W., Myers, E. W., & Lipman, D. J. (1990). Basic local alignment search tool. *Journal of Molecular Biology*, *215*(3), 403–410. https://doi.org/10.1016/S0022-2836(05)80360-2

Anggela. (2020). Production of Porang Oligo-Glucomanan and Its Prebiotic Activity In Vitro Fecal Batch Culture Fermentation. *Tesis*. Universitas Gadjah Mada.

Anggela, A., Setyaningsih, W., Wichienchot, S., & Harmayani, E. (2020). Oligo-glucomannan production from porang (Amorphophallus oncophyllus) glucomannan by enzymatic hydrolysis using β-mannanase. *Indonesian Food and Nutrition Progress*, *17*(1), 23. https://doi.org/10.22146/ifnp.57217

Anggela, Harmayani, E., Setyaningsih, W., & Wichienchot, S. (2021). Prebiotic effect of porang oligo-glucomannan using fecal batch culture fermentation. *Food Science and Technology*, *2061*, 1–7. https://doi.org/10.1590/fst.06321

Anggraeni, AA. (2024). Evaluasi Sifat Fisikokimia, Struktur, dan Potensi Prebiotik Kukis Mocaf dengan Penambahan Glukomanan Porang (*Amorphophallus oncophyllus*). *Disertasi.* Universitas Gadjah Mada.

UNIVERSITAS GADJAH MADA
Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Anggraeni, A. A., Triwitono, P., Lestari, L. A., & Harmayani, E. (2024). Evaluation of glucomannan as a fat replacer in the dough and cookies made from fermented cassava flour and soy protein concentrate. *Food Chemistry*, *434*(March 2023), 137452. https://doi.org/10.1016/j.foodchem.2023.137452

AOAC. (2005). *Official Methods of Analysis*. Association of Official Analytical Chemists.

Aoun, A., Darwish, F., & Hamod, N. (2020). The influence of the gut microbiome on obesity in adults and the role of probiotifcs prebiotics and synbiotics for weight loss. *Preventive Nutrition and Food Science*, *25*(2), 113–123. https://doi.org/10.3746/pnf.2020.25.2.113

Ariestanti, C. A., Seechamnanturakit, V., Harmayani, E., & Wichienchot, S. (2019). Optimization on production of konjac oligo-glucomannan and their effect on the gut microbiota. *Food Science and Nutrition*, *7*(September 2018), 788–796. https://doi.org/10.1002/fsn3.927

Arnold, J. W., Roach, J., Fabela, S., Moorfield, E., Ding, S., Blue, E., Dagher, S., Magness, S., Tamayo, R., Bruno-Barcena, J. M., & Azcarate-Peril, M. A. (2021). The pleiotropic effects of prebiotic galacto-oligosaccharides on the aging gut. *Microbiome*, *9*(1), 1–19. https://doi.org/10.1186/s40168-020-00980-0

Azhar, B., Gunawan, S., Febriana Setyadi, E. R., Majidah, L., Taufany, F., Atmaja, L., & Aparamarta, H. W. (2023). Purification and separation of glucomannan from porang tuber flour (Amorphophallus muelleri) using microwave assisted extraction as an innovative gelatine substituent. *Heliyon*, *9*(11), e21972. https://doi.org/10.1016/j.heliyon.2023.e21972

Baskara, G., Gofar, N., Harun, U., Widada, J., Hardini, P. A., Wandri, R., & Asmono, D. (2024). Profiling of rhizobacteria to alleviate drought stress in oil palm using ribosomal intergenic spacer analysis. *IOP Conference Series: Earth and Environmental Science*, *1308*(1). https://doi.org/10.1088/1755-1315/1308/1/012035

Behera, S. S., & Ray, R. C. (2016). Konjac glucomannan, a promising polysaccharide of Amorphophallus konjac K. Koch in health care. *International Journal of Biological Macromolecules*, *92*, 942–956. https://doi.org/10.1016/j.ijbiomac.2016.07.098

Bhotmange, D. U., Wallenius, J. H., Singhal, R. S., & Shamekh, S. S. (2017). Enzymatic extraction and characterization of polysaccharide from Tuber aestivum. *Bioactive Carbohydrates and Dietary Fibre*, *10*(January), 1–9. https://doi.org/10.1016/j.bcdf.2017.02.001

Blibech, M., Chaari, F., Bhiri, F., Dammak, I., Ghorbel, R. E., & Chaabouni, S. E. (2011). Production of manno-oligosaccharides from locust bean gum using immobilized Penicillium occitanis mannanase. *Journal of Molecular Catalysis B: Enzymatic*, *73*(1–4), 111–115.

UNIVERSITAS
GADJAH MADA
**Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap
Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus**
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1016/j.molcatb.2011.08.007

Bokulich, N. A., Subramanian, S., Faith, J. J., Gevers, D., Gordon, J. I., Knight, R., Mills, D. A., & Caporaso, J. G. (2013). Quality-filtering vastly improves diversity estimates from Illumina amplicon sequencing. *Nature Methods*, *10*(1), 57–59. https://doi.org/10.1038/nmeth.2276

Bolognini, D., Tobin, A. B., Milligan, G., & Moss, C. E. (2016). The pharmacology and function of receptors for short-chain fatty acids. *Molecular Pharmacology*, *89*(3), 388–398. https://doi.org/10.1124/mol.115.102301

Boonchuay, P., Wongpoomchai, R., Jaturasitha, S., Mahatheeranont, S., Watanabe, M., & Chaiyaso, T. (2021). Prebiotic properties, antioxidant activity, and acute oral toxicity of xylooligosaccharides derived enzymatically from corncob. *Food Bioscience*, *40*(December 2020), 100895. https://doi.org/10.1016/j.fbio.2021.100895

Brooks, S. P. J., McAllister, M., Sandoz, M., & Kalmokoff, M. L. (2003). Culture-independent phylogenetic analysis of the faecal flora of the rat. *Canadian Journal of Microbiology*, *49*(10), 589–601. https://doi.org/10.1139/w03-075

Cai, B., Yi, X., Han, Q., Pan, J., Chen, H., Sun, H., & Wan, P. (2022). Structural characterization of oligosaccharide from Spirulina platensis and its effect on the faecal microbiota in vitro. *Food Science and Human Wellness*, *11*(1), 109–118. https://doi.org/10.1016/j.fshw.2021.07.012

Cantu-Jungles, T. M., & Hamaker, B. R. (2020). New view on dietary fiber selection for predictable shifts in gut microbiota. *MBio*, *11*(1). https://doi.org/10.1128/mBio.02179-19

Cescutti, P., Campa, C., Delben, F., & Rizzo, R. (2002). Structure of the oligomers obtained by enzymatic hydrolysis of the glucomannan produced by the plant Amorphophallus konjac. *Carbohydrate Research*, *337*(24), 2505–2511. https://doi.org/10.1016/S0008-6215(02)00332-4

Chan, S. W., Lee, C. Y., Yap, C. F., Wan Aida, W. M., & Ho, C. W. (2009). Optimisation of extraction conditions for phenolic compounds from limau purut (Citrus hystrix) peels. *International Food Research Journal*, *16*(2), 203–213.

Chauhan, P. S., Puri, N., Sharma, P., & Gupta, N. (2012). Mannanases : Microbial sources , production , properties and potential biotechnological applications. *Applied Microbiology and Biotechnology*, *93*(February), 1817–1830. https://doi.org/10.1007/s00253-012-3887-5

Chauhan, P. S., Sharma, P., Puri, N., & Gupta, N. (2014). Purification and characterization of an alkali-thermostable β-mannanase from Bacillus nealsonii PN-11 and its application in mannooligosaccharides preparation having prebiotic potential. *European Food Research and Technology*, *238*(6), 927–936. https://doi.org/10.1007/s00217-014-2170-7

UNIVERSITAS GADJAH MADA
Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Chen, H. L., Cheng, H. C., Liu, Y. J., Liu, S. Y., & Wu, W. T. (2006). Konjac acts as a natural laxative by increasing stool bulk and improving colonic ecology in healthy adults. *Nutrition*, *22*(11–12), 1112–1119. https://doi.org/10.1016/j.nut.2006.08.009

Chen, H. L., Cheng, H. C., Wu, W. T., Liu, S. Y., & Liu, Y. J. (2008). Supplementation of Konjac Glucomannan into a Low-Fiber Chinese Diet Promoted Bowel Movement and Improved Colonic Ecology in Constipated Adults: A Placebo-Controlled, Diet-Controlled Trial. *Journal of the American College of Nutrition*, *27*(1), 102–108. https://doi.org/10.1080/07315724.2008.10719681

Chen, H. L., Fan, Y. H., Chen, M. E., & Chan, Y. (2005). Unhydrolyzed and hydrolyzed konjac glucomannans modulated cecal and fecal microflora in Balb/c mice. *Nutrition*, *21*(10), 1059–1064. https://doi.org/10.1016/j.nut.2005.02.008

Chen, J., Liu, D., Shi, B., Wang, H., Cheng, Y., & Zhang, W. (2013). Optimization of hydrolysis conditions for the production of glucomanno-oligosaccharides from konjac using β-mannanase by response surface methodology. *Carbohydrate Polymers*, *93*(1), 81–88. https://doi.org/10.1016/j.carbpol.2012.05.037

Chen, T., Long, W., Zhang, C., Liu, S., Zhao, L., & Hamaker, B. R. (2017). Fiber-utilizing capacity varies in Prevotella- versus Bacteroides-dominated gut microbiota. *Scientific Reports*, *7*(1), 1–7. https://doi.org/10.1038/s41598-017-02995-4

Chen, Z., Wang, S., Shang, L., Zhou, P., Li, J., & Li, B. (2020). An efficient and simple approach for the controlled preparation of partially degraded konjac glucomannan. *Food Hydrocolloids*, *108*(March), 106017. https://doi.org/10.1016/j.foodhyd.2020.106017

Cheng, L. H., Abd Karim, A., & Seow, C. C. (2007). Effects of acid modification on physical properties of konjac glucomannan (KGM) films. *Food Chemistry*, *103*(3), 994–1002. https://doi.org/10.1016/j.foodchem.2006.09.052

Cheng, R., Cheng, L., Zhao, Y., Wang, L., Wang, S., & Zhang, J. (2021). Biosynthesis and prebiotic activity of a linear levan from a new Paenibacillus isolate. *Applied Microbiology and Biotechnology*, *105*(2), 769–787. https://doi.org/10.1007/s00253-020-11088-8

Chua, M., Chan, K., Hocking, T. J., Williams, P. A., Perry, C. J., & Baldwin, T. C. (2012). Methodologies for the extraction and analysis of konjac glucomannan from corms of Amorphophallus konjac K. Koch. *Carbohydrate Polymers*, *87*(3), 2202–2210. https://doi.org/10.1016/j.carbpol.2011.10.053

Clemente-Suárez, V. J., Beltrán-Velasco, A. I., Redondo-Flórez, L., Martín-Rodríguez, A., & Tornero-Aguilera, J. F. (2023). Global Impacts of Western Diet and Its Effects on Metabolism and Health: A Narrative Review. *Nutrients*,

UNIVERSITAS GADJAH MADA
Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

15(12), 1–43. https://doi.org/10.3390/nu15122749

Čoklo, M., Maslov, D. R., & Kraljević Pavelić, S. (2020). Modulation of gut microbiota in healthy rats after exposure to nutritional supplements. *Gut Microbes*, *12*(1), 1–28. https://doi.org/10.1080/19490976.2020.1779002

Connolly, M. L., Lovegrove, J. A., & Tuohy, K. M. (2010). Konjac glucomannan hydrolysate beneficially modulates bacterial composition and activity within the faecal microbiota. *Journal of Functional Foods*, *2*(3), 219–224. https://doi.org/10.1016/j.jff.2010.05.001

Cui, T., Wu, T., Liu, R., Sui, W., Wang, S., & Zhang, M. (2019). Effect of Degree of Konjac Glucomannan Enzymatic Hydrolysis on the Physicochemical Characteristic of Gluten and Dough [Research-article]. *ACS Omega*, *4*(6), 9654–9663. https://doi.org/10.1021/acsomega.9b00061

Danneskiold-Samsøe, N. B., Dias de Freitas Queiroz Barros, H., Santos, R., Bicas, J. L., Cazarin, C. B. B., Madsen, L., Kristiansen, K., Pastore, G. M., Brix, S., & Maróstica Júnior, M. R. (2019). Interplay between food and gut microbiota in health and disease. *Food Research International*, *115*(July 2018), 23–31. https://doi.org/10.1016/j.foodres.2018.07.043

Darma, A., Dewi, D. K., Chandra, D. N., Basrowi, R. W., Khoe, L. C., Pratiwi, D., & Sundjaya, T. (2024). The Role of Prebiotic, Probiotic, and Synbiotic in Gut Microbiota and Gut Permeability in Children Affected by Air Pollution. *Current Nutrition & Food Science*, *20*(10), 1272–1281. https://doi.org/10.2174/0115734013284557240108081832

Davani-Davari, D., Negahdaripour, M., Karimzadeh, I., Seifan, M., Mohkam, M., Masoumi, S. J., Berenjian, A., & Ghasemi, Y. (2019). Prebiotics: Definition, types, sources, mechanisms, and clinical applications. *Foods*, *8*(3), 1–27. https://doi.org/10.3390/foods8030092

Davarani, S. S. H., Rezayati zad, Z., Taheri, A. R., & Rahmatian, N. (2017). Highly selective solid phase extraction and preconcentration of Azathioprine with nano-sized imprinted polymer based on multivariate optimization and its trace determination in biological and pharmaceutical samples. *Materials Science and Engineering C*, *71*, 572–583. https://doi.org/10.1016/j.msec.2016.09.075

Dawood, A., & Ma, K. (2020). Applications of Microbial β-Mannanases. *Frontiers in Bioengineering and Biotechnology*, *8*, 1–17. https://doi.org/10.3389/fbioe.2020.598630

Deng, J., Zou, X., Liang, Y., Zhong, J., Zhou, K., Zhang, J., Zhang, M., Wang, Z., Sun, Y., & Li, M. (2023). Hypoglycemic effects of different molecular weight konjac glucomannans via intestinal microbiota and SCFAs mediated mechanism. *International Journal of Biological Macromolecules*, *234*(July 2022), 122941. https://doi.org/10.1016/j.ijbiomac.2022.12.160

Dinoto, A., Watumlawar, C. C., & Yopi, Y. (2013). In Vitro Modulation of Human

UNIVERSITAS GADJAH MADA
Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Intestinal Microbiota by Mannoligosaccharides Synthesized from Amorphophallus muelleri Glucomannan. *Microbiology Indonesia*, *7*(4), 144–151. https://doi.org/10.5454/mi.7.4.2

Du, X., Li, J., Chen, J., & Li, B. (2012). Effect of degree of deacetylation on physicochemical and gelation properties of konjac glucomannan. *Food Research International*, *46*(1), 270–278. https://doi.org/10.1016/j.foodres.2011.12.015

Duboux, S., Pruvost, S., Joyce, C., Bogicevic, B., Muller, J. A., Mercenier, A., & Kleerebezem, M. (2023). The Pleiotropic Effects of Carbohydrate-Mediated Growth Rate Modifications in Bifidobacterium longum NCC 2705. *Microorganisms*, *11*(3), 1–19. https://doi.org/10.3390/microorganisms11030588

Duysburgh, C., Miclotte, L., Greyling, A., Pyle, S., Dixon, R., & Marzorati, M. (2024). Exploration of the prebiotic potential of black tea infusion powder on the human gut microbiota in vitro. *Food Bioscience*, *62*(June), 105150. https://doi.org/10.1016/j.fbio.2024.105150

Edgar, R. C. (2004). MUSCLE: Multiple sequence alignment with high accuracy and high throughput. *Nucleic Acids Research*, *32*(5), 1792–1797. https://doi.org/10.1093/nar/gkh340

Edgar, R. C. (2013). UPARSE: Highly accurate OTU sequences from microbial amplicon reads. *Nature Methods*, *10*(10), 996–998. https://doi.org/10.1038/nmeth.2604

Edgar, R. C., Haas, B. J., Clemente, J. C., Quince, C., & Knight, R. (2011). UCHIME improves sensitivity and speed of chimera detection. *Bioinformatics*, *27*(16), 2194–2200. https://doi.org/10.1093/bioinformatics/btr381

Egan, M., & Sinderen, D. Van. (2018). Carbohydrate Metabolism in Bifidobacteria. In *The Bifidobacteria and Related Organisms*. Elsevier Inc. https://doi.org/10.1016/B978-0-12-805060-6/00008-9

Elamir, A. A., Tester, R. F., Al-Ghazzewi, F. H., Kaal, H. Y., Ghalbon, A. A., Elmegrahai, N. A., & Piggott, J. R. (2008). Effects of konjac glucomannan hydrolysates on the gut microflora of mice. *Nutrition & Food Science*, *38*(5), 422–429. https://doi.org/10.1108/00346650810906930

Fathi, M., Hosseini, F. S., Reyhane, R., & Rashidi, L. (2022). Optimized Enzymatic Hydrolysis of Olive Pomace Proteins Using Response Surface Methodology. *Applied Food Biotechnology*, *9*(2), 79–90. https://doi.org/10.22037/afb.v9i2.36192

Ferrario, C., Statello, R., Carnevali, L., Mancabelli, L., Milani, C., Mangifesta, M., Duranti, S., Lugli, G. A., Jimenez, B., Lodge, S., Viappiani, A., Alessandri, G., Dall'Asta, M., Rio, D. Del, Sgoifo, A., van Sinderen, D., Ventura, M., & Turroni, F. (2017). How to feed the Mammalian gut microbiota: Bacterial and

UNIVERSITAS GADJAH MADA
Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

metabolic modulation by dietary fibers. *Frontiers in Microbiology*, *8*(SEP), 1–11. https://doi.org/10.3389/fmicb.2017.01749

Figueroa-González, I., Rodríguez-Serrano, G., Gómez-Ruiz, L., García-Garibay, M., & Cruz-Guerrero, A. (2019). Prebiotic effect of commercial saccharides on probiotic bacteria isolated from commercial products. *Food Science and Technology (Brazil)*, *39*(3), 747–753. https://doi.org/10.1590/fst.07318

Flemer, B., Gaci, N., Borrel, G., Sanderson, I. R., Chaudhary, P. P., Tottey, W., O'Toole, P. W., & Brugère, J. F. (2017). Fecal microbiota variation across the lifespan of the healthy laboratory rat. *Gut Microbes*, *8*(5), 428–439. https://doi.org/10.1080/19490976.2017.1334033

Frumuzachi, O., Flanagan, A., Rohn, S., & Mocan, A. (2025). The dichotomy between functional and functionalized foods – A critical characterization of concepts. *Food Research International*, *208*(January), 116173. https://doi.org/10.1016/j.foodres.2025.116173

Fusco, W., Lorenzo, M. B., Cintoni, M., Porcari, S., Rinninella, E., Kaitsas, F., Lener, E., Mele, M. C., Gasbarrini, A., Collado, M. C., Cammarota, G., & Ianiro, G. (2023). Short-Chain Fatty-Acid-Producing Bacteria: Key Components of the Human Gut Microbiota. *Nutrients*, *15*(9), 1–22. https://doi.org/10.3390/nu15092211

Gibson, G. R., Hutkins, R., Sanders, M. E., Prescott, S. L., Reimer, R. A., Salminen, S. J., Scott, K., Stanton, C., Swanson, K. S., Cani, P. D., Verbeke, K., & Reid, G. (2017). Expert consensus document: The International Scientific Association for Probiotics and Prebiotics (ISAPP) consensus statement on the definition and scope of prebiotics. *Nature Reviews Gastroenterology and Hepatology*, *14*(8), 491–502. https://doi.org/10.1038/nrgastro.2017.75

Gómez, B., Míguez, B., Yáñez, R., & Alonso, J. L. (2017). Manufacture and Properties of Glucomannans and Glucomannooligosaccharides Derived from Konjac and Other Sources. *Journal of Agricultural and Food Chemistry*, *65*(10), 2019–2031. https://doi.org/10.1021/acs.jafc.6b05409

Guo, X., Zou, X., & Sun, M. (2010). Optimization of extraction process by response surface methodology and preliminary characterization of polysaccharides from Phellinus igniarius. *Carbohydrate Polymers*, *80*(2), 344–349. https://doi.org/10.1016/j.carbpol.2009.11.028

Gurusmatika, S., Nishi, K., Harmayani, E., Pranoto, Y., & Sugahara, T. (2017). Immunomodulatory Activity of Octenyl Succinic Anhydride Modified Porang (Amorphophallus oncophyllus) Glucomannan on Mouse Macrophage-Like J774.1 Cells and Mouse Primary Peritoneal Macrophages. *Molecules (Basel, Switzerland)*, *22*(7), 1–13. https://doi.org/10.3390/molecules22071187

Haas, B. J., Gevers, D., Earl, A. M., Feldgarden, M., Ward, D. V., Giannoukos, G., Ciulla, D., Tabbaa, D., Highlander, S. K., Sodergren, E., Methé, B., DeSantis, T. Z., Petrosino, J. F., Knight, R., & Birren, B. W. (2011). Chimeric 16S rRNA

Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap
Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

sequence formation and detection in Sanger and 454-pyrosequenced PCR amplicons. *Genome Research*, *21*(3), 494–504. https://doi.org/10.1101/gr.112730.110

Harmayani, E., Aprilia, V., & Marsono, Y. (2014). Characterization of glucomannan from Amorphophallus oncophyllus and its prebiotic activity in vivo. *Carbohydrate Polymers*, *112*, 475–479. https://doi.org/10.1016/j.carbpol.2014.06.019

Hartoyo. (2012). *Budidaya Tanaman Porang*. Modul Training for Farmer. Fakultas Kehutanan UGM, Yogyakarta.

Healey, G., Murphy, R., Butts, C., Brough, L., Rosendale, D., Blatchford, P., Stoklosinski, H., & Coad, J. (2017). Variability in gut microbiota response to an inulin-type fructan prebiotic within an in vitro three-stage continuous colonic model system. *Bioactive Carbohydrates and Dietary Fibre*, *11*(April), 26–37. https://doi.org/10.1016/j.bcdf.2017.07.001

Hernandez-Hernandez, O., Sanz, M. L., Kolida, S., Rastall, R. A., & Moreno, F. J. (2011). In vitro fermentation by human gut bacteria of proteolytically digested caseinomacropeptide nonenzymatically glycosylated with prebiotic carbohydrates. *Journal of Agricultural and Food Chemistry*, *59*(22), 11949–11955. https://doi.org/10.1021/jf203576g

Herrera-Calderon, O., & Vega, R. (2020). Optimization of the extraction of phenolic compounds and antioxidant activity from the roots of waltheria ovata using the response surface methodology. *Food Research*, *4*(6), 2095–2102. https://doi.org/10.26656/fr.2017.4(6).211

Herrero, Y. R., Camas , K. L., & Ullah, A. (2023) Characterization of biobased materials. *Advanced Applications of Biobased Materials: Food, Biomedical, and Environmental Applications*. Elsevier B.V., p. 111-143. https://doi.org/10.1016/B978-0-323-91677-6.00005-2

Hilge, M., Gloor, S. M., Rypniewski, W., Sauer, O., Heightman, T. D., Zimmermann, W., Winterhalter, K., & Piontek, K. (1998). High-resolution native and complex structures of thermostable β-mannanase from Thermomonospora fusca - Substrate specificity in glycosyl hydrolase family 5. *Structure*, *6*(11), 1433–1444. https://doi.org/10.1016/S0969-2126(98)00142-7

Holmberg, S. M., Feeney, R. H., Prasoodanan P.K, V., Puértolas-Balint, F., Singh, D. K., Wongkuna, S., Zandbergen, L., Hauner, H., Brandl, B., Nieminen, A. I., Skurk, T., & Schroeder, B. O. (2024). The gut commensal Blautia maintains colonic mucus function under low-fiber consumption through secretion of short-chain fatty acids. *Nature Communications*, *15*(1), 1–19. https://doi.org/10.1038/s41467-024-47594-w

Hongbo, T., Lan, W., Yanping, L., & Siqing, D. (2019). Effect of acidolysis and oxidation on structure and properties of konjac glucomannan. *International*

UNIVERSITAS
GADJAH MADA
**Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap
Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus**
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Journal of Biological Macromolecules, *130*, 378–387. https://doi.org/10.1016/j.ijbiomac.2019.02.048

Huebner, J., Wehling, R. L., & Hutkins, R. W. (2007). Functional activity of commercial prebiotics. *International Dairy Journal*, *17*, 770–775. https://doi.org/10.1016/j.idairyj.2006.10.006

Isbagio, D.W. (1992). Euthanasia pada Hewan Percobaan. *Media Litbangkes*, *2*(1), 18-24.

Ishak, N., Chin Xin, T., Mohamed Nasir, A., & Siew Hoong, S. (2020). Optimization of Different Parameter in Synthesis Ion Imprinted Polymers via Precipitation Polymerization for Nitrate Adsorption. *IOP Conference Series: Materials Science and Engineering*, *864*(1). https://doi.org/10.1088/1757-899X/864/1/012184

Jena, R., & Choudhury, P. K. (2023). Bifidobacteria in Fermented Dairy Foods: A Health Beneficial Outlook. *Probiotics and Antimicrobial Proteins*. https://doi.org/10.1007/s12602-023-10189-w

Jian, X., Jian, S., & Deng, B. (2024). Konjac Glucomannan : A functional food additive for preventing metabolic syndrome. *Journal of Functional Foods*, *115*(March), 106108. https://doi.org/10.1016/j.jff.2024.106108

Jiang, M., Li, H., Shi, J., & Xu, Z. (2018). Depolymerized konjac glucomannan: preparation and application in health care. *Journal of Zhejiang University-SCIENCE B*, *19*(7), 505–514. https://doi.org/10.1631/jzus.b1700310

Józefiak, D., Krejpcio, Z., Trojanowska, K., Wojciak, R., Tubacka, M., Śmigiel-Papińska, D., & Rutkowski, A. (2005). Effect dietary inulin on microbial ecosystem and concentrations of volatile fatty acids in rat's caecum. *Journal of Animal and Feed Sciences*, *14*(1), 171–178. https://doi.org/10.22358/jafs/66981/2005

Kamil, R. Z., Murdiati, A., Juffrie, M., Nakayama, J., & Rahayu, E. S. (2021). Gut microbiota and short-chain fatty acid profile between normal and moderate malnutrition children in Yogyakarta, Indonesia. *Microorganisms*, *9*(1), 1–15. https://doi.org/10.3390/microorganisms9010127

Kamil, R. Z., Murdiati, A., Juffrie, M., & Rahayu, E. S. (2022). Gut microbiota modulation of moderate undernutrition in infants through gummy Lactobacillus plantarum Dad-13 consumption: A randomized double-blind controlled trial. *Nutrients*, *14*, 1–19. https://doi.org/https://doi.org/10.3390/nu14051049

Kapoor, D. U., Sharma, H., Maheshwari, R., Pareek, A., Gaur, M., Prajapati, B. G., Castro, G. R., Thanawuth, K., Suttiruengwong, S., & Sriamornsak, P. (2024). Konjac glucomannan: A comprehensive review of its extraction, health benefits, and pharmaceutical applications. *Carbohydrate Polymers*, *339*(February), 122266. https://doi.org/10.1016/j.carbpol.2024.122266

UNIVERSITAS
GADJAH MADA
**Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap
Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus**
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Katsuraya, K., Okuyama, K., Hatanaka, K., Oshima, R., Sato, T., & Matsuzaki, K. (2003). Constitution of konjac glucomannan: Chemical analysis and13C NMR spectroscopy. *Carbohydrate Polymers*, *53*(2), 183–189. https://doi.org/10.1016/S0144-8617(03)00039-0

Kelly, S. M., Munoz-Munoz, J., & van Sinderen, D. (2021). Plant Glycan Metabolism by Bifidobacteria. *Frontiers in Microbiology*, *12*(February), 1–18. https://doi.org/10.3389/fmicb.2021.609418

Kim, S. J., Na, G. H., Yim, D. J., Liu, C. F., Lin, T. H., Shih, T. W., Pan, T. M., Lee, C. L., & Koo, Y. K. (2024). Lactobacillus paracasei subsp. paracasei NTU 101 prevents obesity by regulating AMPK pathways and gut microbiota in obese rat. *Biochemical and Biophysical Research Communications*, *731*(March), 150279. https://doi.org/10.1016/j.bbrc.2024.150279

Koswara, S. (2013). Teknologi pengolahan umbi-umbian bagian 1 : Pengolahan umbi talas. *Usaid*, *5*(1), 1–44.

Kraikaew, J., Morakul, S., & Keawsompong, S. (2020). Nutritional improvement of copra meal using mannanase and Saccharomyces cerevisiae. *3 Biotech*, *10*(6), 1–10. https://doi.org/10.1007/s13205-020-02271-9

Kumoro, A. C., Yuganta, T. H. A., Ratnawati, R., & Retnowati, D. S. (2016). Effect of catalyst concentration and reaction time on the extraction of glucomannan from porang (Amorphophallus oncophyllus) flour via acid hydrolysis. *IOP Conference Series: Materials Science and Engineering*, *162*(1). https://doi.org/10.1088/1757-899X/162/1/012020

Kustyawati, M. E., Nurlita, M. E., Fadhallah, E. G., & Rizal, S. (2022). Prebiotic activity of Lactobacillus casei grown on medium containing of Hylocereus undatus extract and its use in the fermentation of goat's milk kefir. *Biodiversitas*, *23*(12), 6513–6519. https://doi.org/10.13057/biodiv/d231249

Lacerda Massa, N. M., Dantas Duarte Menezes, F. N., de Albuquerque, T. M. R., de Oliveira, S. P. A., Lima, M. dos S., Magnani, M., & de Souza, E. L. (2020). Effects of digested jabuticaba (Myrciaria jaboticaba (Vell.) Berg) by-product on growth and metabolism of Lactobacillus and Bifidobacterium indicate prebiotic properties. *Lwt*, *131*(April), 109766. https://doi.org/10.1016/j.lwt.2020.109766

Larasati, Y.N. (2021). Pengaruh Suplementasi Glukomanan Porang (*Amorphophallus oncophyllus*) dan *Bacillus subtilis* FNCC 0059 dalam Pakan Terhadap Mikrobioma Sekum, Imunitas, serta Performan Ayam Broiler. *Disertasi*. Universitas Gadjah Mada.

Larasati, Y. N., Harmayani, E., Widada, J., Nurliyani, N., & Perdinan, A. (2021). Caecal bacterial composition of broiler chickens affected by porang glucomannan. *Journal of the Indonesian Tropical Animal Agriculture*, *46*(3), 187–198. https://doi.org/10.14710/jitaa.46.3.187-198

UNIVERSITAS
GADJAH MADA
**Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap
Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus**
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Lee Nen That, L. F., Xu, B., & Pandohee, J. (2022). Could foodomics hold the key to unlocking the role of prebiotics in gut microbiota and immunity? *Current Opinion in Food Science*, *48*, 100920. https://doi.org/10.1016/j.cofs.2022.100920

Li, D., Chen, H., Mao, B., Yang, Q., Zhao, J., Gu, Z., Zhang, H., Chen, Y. Q., & Chen, W. (2017). Microbial Biogeography and Core Microbiota of the Rat Digestive Tract. *Scientific Reports*, *8*(March), 1–16. https://doi.org/10.1038/srep45840

Li, F., Sun, X., Yu, W., Shi, C., Zhang, X., Yu, H., & Ma, F. (2021a). Enhanced konjac glucomannan hydrolysis by lytic polysaccharide monooxygenases and generating prebiotic oligosaccharides. *Carbohydrate Polymers*, *253*(September 2020), 117241. https://doi.org/10.1016/j.carbpol.2020.117241

Li, H., Wang, G., Yan, X., Hu, X., & Li, J. (2024a). Effects of acetyl groups on the prebiotic properties of glucomannan extracted from Artemisia sphaerocephala Krasch seeds. *Carbohydrate Polymers*, *330*(October 2023), 121805. https://doi.org/10.1016/j.carbpol.2024.121805

Li, J., Ye, T., Wu, X., Chen, J., Wang, S., Lin, L., & Li, B. (2014). Preparation and characterization of heterogeneous deacetylated konjac glucomannan. *Food Hydrocolloids*, *40*, 9–15. https://doi.org/10.1016/j.foodhyd.2014.02.001

Li, Y. F., Zhu, C. R., Gong, X. L., Li, H. L., Xiong, L. K., Wang, K. J., & Liu, G. S. (2019). Beneficial Effects of Probiotic Treatment on Gut Microbiota in Very Low Birth Weight Infants. *Gastroenterology Research and Practice*, *2019*(3682836), 1–7. https://doi.org/10.1155/2019/3682836

Li, Y., Gong, T., Lu, H., Ma, S., & Liu, X. (2023). In vitro fermentation characteristics of oxidized konjac glucomannan and its modulation effects on gut microbiota. *Food Hydrocolloids*, *141*(2), 108693. https://doi.org/10.1016/j.foodhyd.2023.108693

Li, Y., Liu, H., Xie, Y., Shabani, K. I., & Liu, X. (2021b). Preparation, characterization and physicochemical properties of Konjac glucomannan depolymerized by ozone assisted with microwave treatment. *Food Hydrocolloids*, *119*(2), 106878. https://doi.org/10.1016/j.foodhyd.2021.106878

Li, Y., Lu, H., Liao, C., & Liu, X. (2024b). Oxidized konjac glucomannan: A safe dietary fiber influencing mouse gut microbiota. *Food Chemistry: X*, *21*(September 2023), 101089. https://doi.org/10.1016/j.fochx.2023.101089

Li, Y., Faden, H. S., & Zhu, L. (2020). The Response of the Gut Microbiota to Dietary Changes in the First Two Years of Life. *Frontiers in Pharmacology*, *11*(March), 1–7. https://doi.org/10.3389/fphar.2020.00334

Li, Y., Kang, Y., Du, Y., Chen, M., Guo, L., Huang, X., Li, T., Chen, S., Yang, F., Yu, F., Hong, J., & Kong, X. (2022). Effects of Konjaku Flour on the Gut

UNIVERSITAS GADJAH MADA
Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Microbiota of Obese Patients. *Frontiers in Cellular and Infection Microbiology*, *12*(March), 1–11. https://doi.org/10.3389/fcimb.2022.771748

Liu, J., Fang, C., Xu, X., Su, Q., Zhao, P., & Ding, Y. (2019). Physico-chemical and functional properties of silver carp myosin glycated with konjac oligo-glucomannan: Effects of deacetylation. *Food Chemistry*, *291*(October 2018), 223–230. https://doi.org/10.1016/j.foodchem.2019.03.153

Liu, J., Xu, Q., Zhang, J., Zhou, X., Lyu, F., Zhao, P., & Ding, Y. (2015). Preparation, composition analysis and antioxidant activities of konjac oligo-glucomannan. *Carbohydrate Polymers*, *130*, 398–404. https://doi.org/10.1016/j.carbpol.2015.05.025

Liu, J., Basit, A., Miao, T., Zheng, F., Yu, H., Wang, Y., Jiang, W., & Cao, Y. (2018). Secretory expression of β-mannanase in Saccharomyces cerevisiae and its high efficiency for hydrolysis of mannans to mannooligosaccharides. *Applied Microbiology and Biotechnology*, *102*(23), 10027–10041. https://doi.org/10.1007/s00253-018-9355-0

Luo, X., Yao, X., Zhang, C., Lin, X., & Han, B. (2012). Preparation of mid-to-high molecular weight konjac glucomannan (MHKGM) using controllable enzyme-catalyzed degradation and investigation of MHKGM properties. *Journal of Polymer Research*, *19*(4). https://doi.org/10.1007/s10965-012-9849-x

Magne, F., Gotteland, M., Gauthier, L., Zazueta, A., Pesoa, S., Navarrete, P., & Balamurugan, R. (2020). The firmicutes/bacteroidetes ratio: A relevant marker of gut dysbiosis in obese patients? *Nutrients*, *12*(5), 1–17. https://doi.org/10.3390/nu12051474

Magoč, T., & Salzberg, S. L. (2011). FLASH: Fast length adjustment of short reads to improve genome assemblies. *Bioinformatics*, *27*(21), 2957–2963. https://doi.org/10.1093/bioinformatics/btr507

Mahanta, S., Shree, J., Santra, S. C., Moulick, D., & Hossain A. (2023). Deciphering of mycogenic nanoparticles by spectroscopic methods. *Myconanotechnology and Application of Nanoparticles in Biology: Fundamental Concepts, Mechanism and Industrial Applications*. Academic Press, p. 93-117. https://doi.org/10.1016/B978-0-443-15262-7.00003-6

Maheshwari, K., Musyuni, P., Moulick, A., Mishra, H., Ekielski, A., Mishra, P. K., & Aggarwal, G. (2024). Unveiling the microbial symphony: Next-Gen sequencing and bioinformatics insights into the human gut microbiome. *Health Sciences Review*, *11*(March), 100173. https://doi.org/10.1016/j.hsr.2024.100173

Makki, K., Deehan, E. C., Walter, J., & Bäckhed, F. (2018). The Impact of Dietary Fiber on Gut Microbiota in Host Health and Disease. *Cell Host and Microbe*, *23*(6), 705–715. https://doi.org/10.1016/j.chom.2018.05.012

UNIVERSITAS GADJAH MADA
Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Mary, P. R., Prashanth, K. V. H., Vasu, P., & Kapoor, M. (2019). Structural diversity and prebiotic potential of short chain β-manno-oligosaccharides generated from guar gum by endo-β-mannanase (ManB-1601). *Carbohydrate Research*, *486*, 107822. https://doi.org/10.1016/j.carres.2019.107822

Matsuura, Y. (1998). Degradation of konjac glucomannan by enzymes in human feces and formation of short-chain fatty acids by intestinal anaerobic bacteria. *Journal of Nutritional Science and Vitaminology*, *44*(3), 423–436. https://doi.org/10.3177/jnsv.44.423

Mikkelson, A., Maaheimo, H., & Hakala, T. K. (2013). Hydrolysis of konjac glucomannan by Trichoderma reesei mannanase and endoglucanases Cel7B and Cel5A for the production of glucomannooligosaccharides. *Carbohydrate Research*, *372*, 60–68. https://doi.org/10.1016/j.carres.2013.02.012

Mizutani, T., & Mitsuoka, T. (1982). Effect of Konjac mannan on spontaneous liver tumorigenesis and fecal flora in C3H He male mice. *Cancer Letters*, *17*(1), 27–32. https://doi.org/10.1016/0304-3835(82)90104-5

Moles, L., & Otaegui, D. (2020). The impact of diet on microbiota evolution and human health. Is diet an adequate tool for microbiota modulation? *Nutrients*, *12*(6), 1–19. https://doi.org/10.3390/nu12061654

Moreira, L. R. S., & Filho, E. X. F. (2008). An overview of mannan structure and mannan-degrading enzyme systems. *Applied Microbiology and Biotechnology*, *79*(2), 165–178. https://doi.org/10.1007/s00253-008-1423-4

Müller, M., Canfora, E. E., & Blaak, E. E. (2018). Gastrointestinal transit time, glucose homeostasis and metabolic health: Modulation by dietary fibers. *Nutrients*, *10*(3), 1–18. https://doi.org/10.3390/nu10030275

Muller, W. S., Arcidiacono, S., Liebowitz, A., Racicot, K., Stenhouse, P., & Soares, J. (2012). Growth studies of probiotic bacteria on short chain glucomannan, a potential prebiotic substrate. *Technical Report*.

Nandiyanto, A. B. D., Ragadhita, R., & Fiandini, M. (2023). Interpretation of Fourier Transform Infrared Spectra (FTIR): A Practical Approach in the Polymer/Plastic Thermal Decomposition. *Indonesian Journal of Science and Technology*, *8*(1), 113–126. https://doi.org/10.17509/ijost.v8i1.53297

NithyaBalaSundari, S., Nivedita, V., Chakravarthy, M., Srisowmeya, G., Antony, U., & Nandhini Dev, G. (2020). Characterization of microbial polysaccharides and prebiotic enrichment of wheat bread with pullulan. *Lwt*, *122*(August 2019), 109002. https://doi.org/10.1016/j.lwt.2019.109002

Nurlela, Ariesta, N., Santosa, E., & Muhandri, T. (2019). Effect of harvest timing and length of storage time on glucomannan content in porang tubers. *IOP Conference Series: Earth and Environmental Science*, *299*(1). https://doi.org/10.1088/1755-1315/299/1/012012

O'Callaghan, A., & van Sinderen, D. (2016). Bifidobacteria and their role as

UNIVERSITAS GADJAH MADA
Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

members of the human gut microbiota. *Frontiers in Microbiology*, *7*(June), 1–23. https://doi.org/10.3389/fmicb.2016.00925

Ouyang, D., Deng, J., Zhou, K., Liang, Y., Chen, Y., Wang, D., Zhong, J., Sun, Y., & Li, M. (2020). The effect of deacetylation degree of konjac glucomannan on microbial metabolites and gut microbiota in vitro fermentation. *Journal of Functional Foods*, *66*(October 2019), 103796. https://doi.org/10.1016/j.jff.2020.103796

Palframan, R., Gibson, G. R., & Rastall, R. A. (2003). Development of a quantitative tool for the comparison of the prebiotic effect of dietary oligosaccharides. *Letters in Applied Microbiology*, *37*(4), 281–284. https://doi.org/10.1046/j.1472-765X.2003.01398.x

Paturi, G., Mishra, S., Hedderley, D. I., & Monro, J. A. (2021). Gut microbiota responses to dietary fibre sources in rats fed starch-based or quasi-human background diets. *Journal of Functional Foods*, *83*(February), 104565. https://doi.org/10.1016/j.jff.2021.104565

Peng, X., Yang, G., Shi, Y., Zhou, Y., Zhang, M., & Li, S. (2020). Box–Behnken design based statistical modeling for the extraction and physicochemical properties of pectin from sunflower heads and the comparison with commercial low-methoxyl pectin. *Scientific Reports*, *10*(1), 1–10. https://doi.org/10.1038/s41598-020-60339-1

Perdani, C. G., Pranowo, D., Wijana, S., & Muliawati, D. (2020). Characterization of Green Coffee Extract in East Java to Increase Its Economic Value as Medicine Material. *Jurnal Teknologi Dan Manajemen Agroindustri*, *9*(3), 228–240. http://www.industria.ub.ac.id

Pokusaeva, K., Fitzgerald, G. F., & Van Sinderen, D. (2011). Carbohydrate metabolism in Bifidobacteria. *Genes and Nutrition*, *6*, 285–306. https://doi.org/10.1007/s12263-010-0206-6

Portincasa, P., Bonfrate, L., Vacca, M., De Angelis, M., Farella, I., Lanza, E., Khalil, M., Wang, D. Q. H., Sperandio, M., & Di Ciaula, A. (2022). Gut Microbiota and Short Chain Fatty Acids: Implications in Glucose Homeostasis. *International Journal of Molecular Sciences*, *23*(3), 1–23. https://doi.org/10.3390/ijms23031105

Pujari, R., & Banerjee, G. (2021). Impact of prebiotics on immune response: from the bench to the clinic. *Immunology and Cell Biology*, *99*(3), 255–273. https://doi.org/10.1111/imcb.12409

Quast, C., Pruesse, E., Yilmaz, P., Gerken, J., Schweer, T., Yarza, P., Peplies, J., & Glöckner, F. O. (2013). The SILVA ribosomal RNA gene database project: Improved data processing and web-based tools. *Nucleic Acids Research*, *41*(D1), 590–596. https://doi.org/10.1093/nar/gks1219

Ratcliffe, I., Williams, P. A., Viebke, C., & Meadows, J. (2005). Physicochemical

UNIVERSITAS
GADJAH MADA
**Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap
Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus**
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

characterization of konjac glucomannan. *Biomacromolecules*, *6*(4), 1977–1986. https://doi.org/10.1021/bm0492226

Reeves, P. G., Nielsen, F. H., & Fahey, G. C. (1993). AIN-93 purified diets for laboratory rodents: Final report of the American Institute of Nutrition ad hoc writing committee on the reformulation of the AIN-76A rodent diet. *Journal of Nutrition*, *123*(11), 1939–1951. https://doi.org/10.1093/jn/123.11.1939

Riptanti, E. W., Irianto, H., & Mujiyo. (2022). Strategy to improve the sustainability of "porang" (Amorphophallus muelleri Blume) farming in support of the triple export movement policy in Indonesia. *Open Agriculture*, *7*(1), 566–580. https://doi.org/10.1515/opag-2022-0121

Roberfroid, M. (2007). Prebiotics : The Concept Revisited 1 , 2. *The Journal of Nutrition*, *137*, 830–837.

Roberfroid, M., Gibson, G. R., Hoyles, L., McCartney, A. L., Rastall, R., Rowland, I., Wolvers, D., Watzl, B., Szajewska, H., Stahl, B., Guarner, F., Respondek, F., Whelan, K., Coxam, V., Davicco, M.-J., Léotoing, L., Wittrant, Y., Delzenne, N. M., Cani, P. D., … Meheust, A. (2010). Prebiotic effects: metabolic and health benefits. *The British Journal of Nutrition*, *104 Suppl*(November), S1-63. https://doi.org/10.1017/S0007114510003363

Rumney, C. J., & Rowland, I. R. (1992). In Vivo and In Vitro Models of the Human Colonic Flora. *Critical Reviews in Food Science and Nutrition*, *31*(4), 299–331. https://doi.org/10.1080/10408399209527575

Rungruangsaphakun, J., & Keawsompong, S. (2018). Optimization of hydrolysis conditions for the mannooligosaccharides copra meal hydrolysate production. *3 Biotech*, *8*(3), 1–9. https://doi.org/10.1007/s13205-018-1178-2

Safitri, A. H., Yopi, Y., & Meryandini, A. (2014). Enzymatic Hydrolysis of Porang by Streptomyces violascens BF 3.10 Mannanase for the Production of Mannooligosaccharides. *Media Peternakan*, *37*(3), 190–197. https://doi.org/10.5398/medpet.2014.37.3.190

Sánchez y Sánchez de la Barquera, B., Martínez Carrillo, B. E., Aguirre Garrido, J. F., Martínez Méndez, R., Benítez Arciniega, A. D., Valdés Ramos, R., & Soto Piña, A. E. (2022). Emerging Evidence on the Use of Probiotics and Prebiotics to Improve the Gut Microbiota of Older Adults with Frailty Syndrome: A Narrative Review. *Journal of Nutrition, Health and Aging*, *26*(10), 926–935. https://doi.org/10.1007/s12603-022-1842-4

Sari, R., & Suhartati. (2015). Tumbuhan Porang : Prospek Budidaya Sebagai Salah Satu Sistem Agroforestry. *Info Teknis EBONI*, *12*(2), 97–110. http://ejournal.forda-mof.org/ejournal-litbang/index.php/buleboni/article/view/5061

Satiti, R., Utami, T., Widada, J., & Harmayani, E. (2025). Characterization and Prebiotic Activity in Vitro of Hydrolyzed Glucomannan Extracted from Fresh

UNIVERSITAS GADJAH MADA
Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Porang Tuber (Amorphophallus Oncophyllus). *Trends in Sciences*, *22*(1), 1–13. https://doi.org/https://doi.org/10.48048/tis.2024.8617

Seesom, W., Thongket, P., Yamamoto, T., Takenaka, S., Sakamoto, T., & Sukhumsirichart, W. (2017). Purification, characterization, and overexpression of an endo-1,4-β-mannanase from thermotolerant Bacillus sp. SWU60. *World Journal of Microbiology and Biotechnology*, *33*(3). https://doi.org/10.1007/s11274-017-2224-7

Setiawan, O., & Pradipta, T. (2024). Penggunaan Metode Response Surface Methodology Box Behnken Untuk Pemodelan dan Optimasi Proses Fenton pada Pengolahan Limbah Cair Home Industri Sarung Tenun Tradisional Medangan Gresik. *Metana: Media Komunikasi Rekayasa Proses Dan Teknologi Tepat Guna*, *20*(2), 97–107. https://doi.org/https://doi.org/10.14710/metana.v20i2.66413

Shanmugam, H., Ganguly, S., & Priya, B. (2022). Plant food bioactives and its effects on gut microbiota profile modulation for better brain health and functioning in Autism Spectrum Disorder individuals: A review. *Food Frontiers*, *3*(1), 124–141. https://doi.org/10.1002/fft2.125

Shi, X. D., Yin, J. Y., Zhang, L. J., Huang, X. J., & Nie, S. P. (2019). Studies on O-acetyl-glucomannans from Amorphophallus species: Comparison of physicochemical properties and primary structures. *Food Hydrocolloids*, *89*(May 2018), 503–511. https://doi.org/10.1016/j.foodhyd.2018.11.013

Shimahara, H., Suzuki, H., Sugiyama, N., & Nisizawa, K. (1975). Isolation and characterization of oligosaccharides from an enzymic hydrolysate of konjac glucomannan. *Agricultural and Biological Chemistry*, *39*(2), 293–299. https://doi.org/10.1080/00021369.1975.10861604

Singh, S., Singh, G., & Arya, S. K. (2018). Mannans: An overview of properties and application in food products. *International Journal of Biological Macromolecules*, *119*, 79–95. https://doi.org/10.1016/j.ijbiomac.2018.07.130

Somogyi, M. (1945). Determination somogyi. *The Journal of Biological Chemistry*, *160*, 61–68.

Song, A. X., Mao, Y. H., Siu, K. C., & Wu, J. Y. (2018). Bifidogenic effects of Cordyceps sinensis fungal exopolysaccharide and konjac glucomannan after ultrasound and acid degradation. *International Journal of Biological Macromolecules*, *111*, 587–594. https://doi.org/10.1016/j.ijbiomac.2018.01.052

Soni, H., Rawat, H. K., Pletschke, B. I., & Kango, N. (2016). Purification and characterization of β-mannanase from Aspergillus terreus and its applicability in depolymerization of mannans and saccharification of lignocellulosic biomass. *3 Biotech*, *6*(2). https://doi.org/10.1007/s13205-016-0454-2

Spadoni Andreani, E., Li, M., Ronholm, J., & Karboune, S. (2021). Feruloylation

UNIVERSITAS GADJAH MADA
Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

of polysaccharides from cranberry and characterization of their prebiotic properties. *Food Bioscience*, *42*(April), 101071. https://doi.org/10.1016/j.fbio.2021.101071

Srivastava, P. K., & Kapoor, M. (2017). Production, properties, and applications of endo-β-mannanases. *Biotechnology Advances*, *35*(1), 1–19. https://doi.org/10.1016/j.biotechadv.2016.11.001

Stojanov, S., Berlec, A., & Štrukelj, B. (2020). The influence of probiotics on the firmicutes/bacteroidetes ratio in the treatment of obesity and inflammatory bowel disease. *Microorganisms*, *8*(11), 1–16. https://doi.org/10.3390/microorganisms8111715

Stribling, P., & Ibrahim, F. (2023). Dietary fibre definition revisited - The case of low molecular weight carbohydrates. *Clinical Nutrition ESPEN*, *55*, 340–356. https://doi.org/10.1016/j.clnesp.2023.04.014

Sun, Y., Xu, X., Zhang, Q., Zhang, D., Xie, X., Zhou, H., Wu, Z., Liu, R., & Pang, J. (2023). Review of Konjac Glucomannan Structure, Properties, Gelation Mechanism, and Application in Medical Biology. *Polymers*, *15*(8), 1–21. https://doi.org/10.3390/polym15081852

Sunna, A. (2010). Modular organisation and functional analysis of dissected modular β-mannanase CsMan26 from Caldicellulosiruptor Rt8B.4. *Applied Microbiology and Biotechnology*, *86*(1), 189–200. https://doi.org/10.1007/s00253-009-2242-y

Suriano, F., Nyström, E. E. L., Sergi, D., & Gustafsson, J. K. (2022). Diet, microbiota, and the mucus layer: The guardians of our health. *Frontiers in Immunology*, *13*(September), 1–14. https://doi.org/10.3389/fimmu.2022.953196

Suryawanshi, R. K., & Kango, N. (2021). Production of mannooligosaccharides from various mannans and evaluation of their prebiotic potential. *Food Chemistry*, *334*(July 2020), 127428. https://doi.org/10.1016/j.foodchem.2020.127428

Takahashi, R., Kusakabe, I., Kusama, S., Sakurai, Y., Murakami, K., Maekawa, A., & Suzuki, T. (1984). Structures of glucomanno-oligosaccharides from the hydrolytic products of konjac glucomannan produced by a β-mannanase from streptomyces sp. *Agricultural and Biological Chemistry*, *48*(12), 2943–2950. https://doi.org/10.1080/00021369.1984.10866626

Tan, J. K., Macia, L., & Mackay, C. R. (2023). Dietary fiber and SCFAs in the regulation of mucosal immunity. *Journal of Allergy and Clinical Immunology*, *151*(2), 361–370. https://doi.org/10.1016/j.jaci.2022.11.007

Tatirat, O., & Charoenrein, S. (2011). Physicochemical properties of konjac glucomannan extracted from konjac flour by a simple centrifugation process. *LWT - Food Science and Technology*, *44*(10), 2059–2063.

UNIVERSITAS GADJAH MADA
Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1016/j.lwt.2011.07.019

Tester, R., & Al-Ghazzewi, F. (2017). Glucomannans and nutrition. *Food Hydrocolloids*, *68*, 246–254. https://doi.org/10.1016/j.foodhyd.2016.05.017

Tester, R. F., & Al-Ghazzewi, F. H. (2013). Mannans and health, with a special focus on glucomannans. *Food Research International*, *50*(1), 384–391. https://doi.org/10.1016/j.foodres.2012.10.037

Thammarutwasik, P., Hongpattarakere, T., Chantachum, S., Kijroongrojana, K., Itharat, A., Reanmongkol, W., Tewtrakul, S., & Ooraikul, B. (2009). Prebiotics - A Review. *Songklanakarin Journal of Science and Technology*, *31*(4), 401–408.

The Ministry of the People's Republic of China. (2002). *Professional Standard of the People's Republic of China for Konjac Flour*.

Tripetch, P., Lekhavat, S., Devahastin, S., Chiewchan, N., & Borompichaichartkul, C. (2023). Antioxidant Activities of Konjac Glucomannan Hydrolysates of Different Molecular Weights at Different Values of pH. *Foods*, *12*(18), 1–11. https://doi.org/10.3390/foods12183406

Ulfah, A. (2018). Studies on Anti-Allergy Effect of Glucomannan Extract from Porang (Amorphophallus oncophyllus) Tuber. *Tesis*. Universitas Gadjah Mada.

Uriot, O., Defois-Fraysse, C., Couturier, I., Deschamps, C., Durif, C., Chaudemanche, C., Dreux-Zigha, A., & Blanquet-Diot, S. (2025). Effects of prebiotics from diverse sources on dysbiotic gut microbiota associated to western diet: Insights from the human Mucosal ARtificial COLon (M-ARCOL). *Current Research in Food Science*, *10*(December 2024), 100968. https://doi.org/10.1016/j.crfs.2024.100968

van Zyl, W. H., Rose, S. H., Trollope, K., & Görgens, J. F. (2010). Fungal β-mannanases: Mannan hydrolysis, heterologous production and biotechnological applications. *Process Biochemistry*, *45*(8), 1203–1213. https://doi.org/10.1016/j.procbio.2010.05.011

Vulevic, J., Rastall, R. A., & Gibson, G. R. (2004). Developing a quantitative approach for determining the in vitro prebiotic potential of dietary oligosaccharides. *FEMS Microbiology Letters*, *236*(1), 153–159. https://doi.org/10.1016/j.femsle.2004.05.036

Wahyuni, S., Khaeruni, A., Lianto, Sidarmin, Holilah, Utomo, W. P., & Asranudin. (2016). Characterization of mannanase-producing bacteria from sago hump. *Waste Technology*, *4*(1), 1–6. https://doi.org/10.14710/4.1.1-6

Wan, X., Wei, L., Zhang, W., Lei, Y., Kong, Q., & Zhang, B. (2022). Production, characterization, and prebiotic activity of oligosaccharides from konjac glucomannan by Bacillus amyloliquefaciens WX-1. *Journal of Functional Foods*, *88*, 104872. https://doi.org/10.1016/j.jff.2021.104872

UNIVERSITAS GADJAH MADA
Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Wang, C. H., Lai, P., Chen, M. E., & Chen, H. L. (2008). Antioxidative capacity produced by Bifidobacterium- and Lactobacillus acidophilus-mediated fermentations of konjac glucomannan and glucomannan oligosaccharides. *Journal of the Science of Food and Agriculture*, *88*(7), 1294–1300. https://doi.org/10.1002/jsfa.3226

Wang, H., Zhang, X., Wang, S., Li, H., Lu, Z., Shi, J., & Xu, Z. (2018a). Mannan-oligosaccharide modulates the obesity and gut microbiota in high-fat diet-fed mice. *Food and Function*, *9*(7), 3916–3929. https://doi.org/10.1039/c8fo00209f

Wang, H., Huang, X., Tan, H., Chen, X., Chen, C., & Nie, S. (2022a). Interaction between dietary fiber and bifidobacteria in promoting intestinal health. *Food Chemistry*, *393*(June), 133407. https://doi.org/10.1016/j.foodchem.2022.133407

Wang, L. H., Huang, G. Q., Xu, T. C., & Xiao, J. X. (2019). Characterization of carboxymethylated konjac glucomannan for potential application in colon-targeted delivery. *Food Hydrocolloids*, *94*(March), 354–362. https://doi.org/10.1016/j.foodhyd.2019.03.045

Wang, M., Chen, Y., Wang, Y., Li, Y., Zheng, H., Ma, F., Ma, C., Zhang, X., Lu, B., Xie, Z., & Liao, Q. (2018b). The effect of probiotics and polysaccharides on the gut microbiota composition and function of weaned rats. *Food and Function*, *9*(3), 1864–1877. https://doi.org/10.1039/c7fo01507k

Wang, Q., Garrity, G. M., Tiedje, J. M., & Cole, J. R. (2007). Naïve Bayesian classifier for rapid assignment of rRNA sequences into the new bacterial taxonomy. *Applied and Environmental Microbiology*, *73*(16), 5261–5267. https://doi.org/10.1128/AEM.00062-07

Wang, S., Chen, S., Ding, L., Zhang, Y., He, J., & Li, B. (2022b). Impact of Konjac Glucomannan with Different Molecular Weight on Retrogradation Properties of Pea Starch. *Gels*, *8*(10), 1–10. https://doi.org/10.3390/gels8100651

Wang, Y., Zhang, W., Wang, J., He, C., & Zhu, X. (2023). Effect of Selenium-Rich Konjac Glucomannan on Intestinal Microbial Diversity in Mice. *Journal of Biological Regulators and Homeostatic Agents*, *37*(6), 2877–2887. https://doi.org/10.23812/j.biol.regul.homeost.agents.20233706.285

Wardhani, D. H., Vázquez, J. A., Ramdani, D. A., Lutfiati, A., Aryanti, N., & Cahyono, H. (2019). Enzymatic purification of glucomannan from Amorphophallus oncophyllus using Î‘-Amylase = Purificação enzimática de glucomanan de Amorphophallus oncophyllus usando Î‘-Amilasas. *Bioscience Journal*, *35*(1), 277–288. https://doi.org/10.14393/BJ-v35n1a2019-41766

Widarta, I. W. R., Rukmini, A., Santoso, U., Supriyadi, & Raharjo, S. (2022). Optimization of oil-in-water emulsion capacity and stability of octenyl succinic anhydride-modified porang glucomannan (Amorphophallus muelleri Blume). *Heliyon*, *8*(5), e09523. https://doi.org/10.1016/j.heliyon.2022.e09523

UNIVERSITAS
GADJAH MADA
**Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap
Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus**
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Windiarti, L. (2015). Interesterifikasi Enzimatis Minyak Wijen dan Palm Stearin Menggunakan Lipase Amobil dari Rhizopus oryzae untuk Pembuatan Lemak Margarin. *Skripsi*. Universitas Gadjah Mada.

Xie, Z., Wang, S., Wang, Z., Fu, X., Huang, Q., Yuan, Y., Wang, K., & Zhang, B. (2019). In vitro fecal fermentation of propionylated high-amylose maize starch and its impact on gut microbiota. *Carbohydrate Polymers*, *223*(May), 115069. https://doi.org/10.1016/j.carbpol.2019.115069

Xu, W., Han, M., Zhang, W., Zhang, F., Lei, F., Wang, K., & Jiang, J. (2021). Production of manno-oligosaccharide from Gleditsia microphylla galactomannan using acetic acid and ferrous chloride. *Food Chemistry*, *346*(January), 128844. https://doi.org/10.1016/j.foodchem.2020.128844

Xu, W., Wang, S., Ye, T., Jin, W., Liu, J., Lei, J., Li, B., & Wang, C. (2014a). A simple and feasible approach to purify konjac glucomannan from konjac flour - Temperature effect. *Food Chemistry*, *158*, 171–176. https://doi.org/10.1016/j.foodchem.2014.02.093

Xu, W., Wang, Y., Jin, W., Wang, S., Zhou, B., Li, J., Li, B., & Wang, L. (2014b). A one-step procedure for elevating the quality of konjac flour: Azeotropy-assisted acidic ethanol. *Food Hydrocolloids*, *35*, 653–660. https://doi.org/10.1016/j.foodhyd.2013.08.014

Yang, J., Vittori, N., Wang, W., Shi, Y. C., Hoeflinger, J. L., Miller, M. J., & Pan, Y. (2017). Molecular weight distribution and fermentation of mechanically pre-treated konjac enzymatic hydrolysates. *Carbohydrate Polymers*, *159*, 58–65. https://doi.org/10.1016/j.carbpol.2016.12.014

Yanuriati, A. (2017). Metode Isolasi dan Karakteristik Glukomanan dari Umbi Porang (*Amorphophallus muelleri* Blume) Segar. *Disertasi*. Universitas Gadjah Mada.

Yanuriati, A., Marseno, D. W., Rochmadi, & Harmayani, E. (2017). Characteristics of glucomannan isolated from fresh tuber of Porang (Amorphophallus muelleri Blume). *Carbohydrate Polymers*, *156*, 56–63. https://doi.org/10.1016/j.carbpol.2016.08.080

Ye, T., Wang, L., Xu, W., Liu, J., Wang, Y., Zhu, K., Wang, S., Li, B., & Wang, C. (2014). An approach for prominent enhancement of the quality of konjac flour: Dimethyl sulfoxide as medium. *Carbohydrate Polymers*, *99*, 173–179. https://doi.org/10.1016/j.carbpol.2013.08.038

Yeh, S. L., Lin, M. S., & Chen, H. L. (2010). Partial hydrolysis enhances the inhibitory effects of konjac glucomannan from Amorphophallus konjac C. Koch on DNA damage induced by fecal water in Caco-2 cells. *Food Chemistry*, *119*(2), 614–618. https://doi.org/10.1016/j.foodchem.2009.07.002

Yin, J. Y., Ma, L. Y., Xie, M. Y., Nie, S. P., & Wu, J. Y. (2020). Molecular properties and gut health benefits of enzyme-hydrolyzed konjac glucomannans.

UNIVERSITAS GADJAH MADA
Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Carbohydrate Polymers, *237*(January), 116117. https://doi.org/10.1016/j.carbpol.2020.116117

Yu, H. C., & Tan, F. J. (2017). Optimization of ultrasonic-assisted enzymatic hydrolysis conditions for the production of antioxidant hydrolysates from porcine liver by using response surface methodology. *Asian-Australasian Journal of Animal Sciences*, *30*(11), 1612–1619. https://doi.org/10.5713/ajas.16.0807

Yu, Z., & Mohn, W. W. (2001). Bacterial Diversity and Community Structure in an Aerated Lagoon Revealed by Ribosomal Intergenic Spacer Analyses and 16S Ribosomal DNA Sequencing. *Applied and Environmental Microbiology*, *67*(4), 1565–1574. https://doi.org/10.1128/AEM.67.4.1565-1574.2001

Zhang, C., Pi, X., Li, X., Huo, J., & Wang, W. (2024). Edible herbal source-derived polysaccharides as potential prebiotics: Composition, structure, gut microbiota regulation, and its related health effects. *Food Chemistry*, *458*(March), 140267. https://doi.org/10.1016/j.foodchem.2024.140267

Zhang, C., Chen, J. Da, & Yang, F. Q. (2014). Konjac glucomannan, a promising polysaccharide for OCDDS. *Carbohydrate Polymers*, *104*(1), 175–181. https://doi.org/10.1016/j.carbpol.2013.12.081

Zhang, M., Chen, X. L., Zhang, Z. H., Sun, C. Y., Chen, L. L., He, H. L., Zhou, B. C., & Zhang, Y. Z. (2009). Purification and functional characterization of endo-β-mannanase MAN5 and its application in oligosaccharide production from konjac flour. *Applied Microbiology and Biotechnology*, *83*(5), 865–873. https://doi.org/10.1007/s00253-009-1920-0

Zhang, S., Hu, H., Wang, L., Liu, F., & Pan, S. (2018). Preparation and prebiotic potential of pectin oligosaccharides obtained from citrus peel pectin. *Food Chemistry*, *244*(1), 232–237. https://doi.org/10.1016/j.foodchem.2017.10.071

Zhang, X., Aweya, J. J., Huang, Z. X., Kang, Z. Y., Bai, Z. H., Li, K. H., He, X. T., Liu, Y., Chen, X. Q., & Cheong, K. L. (2020). In vitro fermentation of Gracilaria lemaneiformis sulfated polysaccharides and its agaro-foligosaccharides by human fecal inocula and its impact on microbiota. *Carbohydrate Polymers*, *234*(November 2019), 115894. https://doi.org/10.1016/j.carbpol.2020.115894

Zhang, Y., Zhao, Y., Yang, W., Song, G., Zhong, P., Ren, Y., & Zhong, G. (2022). Structural complexity of Konjac glucomannan and its derivatives governs the diversity and outputs of gut microbiota. *Carbohydrate Polymers*, *292*(March), 119639. https://doi.org/10.1016/j.carbpol.2022.119639

Zhao, J., Zhang, D., Srzednicki, G., Kanlayanarat, S., & Borompichaichartkul, C. (2010). Development of a low-cost two-stage technique for production of low-sulphur purified konjac flour. *International Food Research Journal*, *17*(4), 1113–1124.

UNIVERSITAS
GADJAH MADA
**Potensi Prebiotik Hidrolisat Glukomanan Porang (Amorphophallus oncophyllus) dan Pengaruhnya terhadap
Komposisi Mikrobiota Saluran Cerna pada Hewan Coba Tikus**
Rani Satiti, Prof. Dr. Ir. Eni Harmayani, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.; Ir. Jaka Widada, M.P., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhao, Y., Wang, J., Zhang, Y., He, R., Du, Y., & Zhong, G. (2024). Hydration properties and mesoscopic structures of different depolymerized konjac glucomannan: Experiments and molecular dynamics simulations. *Food Hydrocolloids*, *151*(November 2023), 109853. https://doi.org/10.1016/j.foodhyd.2024.109853

Zheng, Z., Lyu, W., Ren, Y., Li, X., Zhao, S., Yang, H., & Xiao, Y. (2021). Allobaculum Involves in the Modulation of Intestinal ANGPTLT4 Expression in Mice Treated by High-Fat Diet. *Frontiers in Nutrition*, *8*(May). https://doi.org/10.3389/fnut.2021.690138

Zhu, F. (2018). Modifications of konjac glucomannan for diverse applications. *Food Chemistry*, *256*(February), 419–426. https://doi.org/10.1016/j.foodchem.2018.02.151