

TABLE OF CONTENTS

TITLE PAGE	i
APPROVAL PAGE	ii
DECLARATION OF ORIGINALITY	iii
DEDICATION	iv
ACKNOWLEDGMENT	v
TABLE OF CONTENTS	vi
LIST OF FIGURES	ix
LIST OF TABLES	xi
LIST OF PUBLICATION	xii
LIST OF ABBREVIATIONS	xiii
ABSTRACT	xiv
INTISARI	xvi
CHAPTER I INTRODUCTION	1
I.1 Background	1
I.2 Problem Formulation	3
I.3 Research Objectives	4
I.4 Research Benefits.....	4
I.5 Novelty of Research.....	5
CHAPTER II LITERATURE REVIEW AND HYPOTHESIS FORMULATION	8
II.1 Literature Review	8
II.1.1 Pb(II) and Cu(II) contaminants in milk.....	8
II.1.2 Effect of milk matrix components on adsorption-desorption efficiency	10
II.1.3 Syringe SPE preconcentration method.....	11
II.1.4 Adsorbent modification for syringe SPE	13
II.1.5 Optimization of parameters in the syringe SPE method	17
II.1.6 Optimization of parameters using response surface methodology	21
II.1.7 Validation of syringe SPE method	23
II.2 Hypothesis	26
II.2.1 Hypothesis formulation 1	26
II.2.2 Hypothesis formulation 2.....	26
II.2.3 Hypothesis formulation 3.....	27
II.2.4 Hypothesis formulation 4.....	28
II.2.5 Hypothesis formulation 5.....	28
II.2.6 Hypothesis formulation 6.....	29
II.3 Research Design	29
CHAPTER III RESEARCH METHODOLOGY	32
III.1 Material and Equipment	32
III.1.1 Chemicals and reagents	32
III.1.2 Equipment and instrumentation	32
III.1.3 Milk samples.....	33
III.2 Procedure of Syringe SPE Based on Chitosan/Alginate/PVA (CAP) and Alginate/Carbon/PVA (ACP) Adsorbent.....	33

III.2.1 Preparation of chitosan/alginate/PVA (CAP) and alginate/carbon/PVA (ACP) adsorbent	33
III.2.2 Characterization of CAP and ACP adsorbent.....	34
III.2.3 Optimization of syringe SPE parameters by conventional one-variable-at-a-time (OVAT).....	34
CHAPTER IV RESULT AND DISCUSSION PART I: PRECONCENTRATION OF Pb(II) AND Cu(II) USING CHITOSAN-ALGINATE-PVA IN SYRINGE SPE	42
IV.1 Characterization of CAP using FTIR	42
IV.2 Characterization of CAP using XPS	44
IV.3 Characterization of CAP using SEM–EDX	47
IV.4 Optimization of CAP-loaded Syringe SPE Parameters by Conventional OVAT method.....	50
IV.4.1 Effect of pH	50
IV.4.2 Effect of adsorbent mass	52
IV.4.3 Effect of sample and eluent cycles	53
IV.4.4 Effect of eluent concentration.....	54
IV.4.5 Reusability	56
IV.4.6 Selectivity	57
IV.4.7 Effect of preconcentration factor	59
IV.4.8 Summary of optimized parameters for Pb(II) and Cu(II) adsorption and desorption using CAP-loaded syringe SPE.....	60
IV.5 Optimization of CAP-loaded Syringe SPE Parameters Using Central Composite Design.....	61
IV.6 Validation of Syringe SPE Method.....	65
IV.7 Recovery and Heavy Metal Analysis on Different Powdered Milk Samples.....	66
IV.8 Sequential Desorption for Understanding Pb(II) and Cu(II) Interactions	67
CHAPTER V RESULT AND DISCUSSION PART II: PRECONCENTRATION OF Pb(II) AND Cu(II) USING ALGINATE-ACTIVATED CARBON-PVA IN SYRINGE SPE.....	72
V.1 Characterization of ACP using FTIR	72
V.2 Characterization of ACP using XPS.....	74
V.3 Characterization of ACP using SEM–EDX.....	77
V.4 Characterization of ACP using Surface Area Analysis using the Brunauer–Emmett–Teller Method (SAA–BET).....	79
V.5 Optimization of ACP-loaded Syringe SPE Parameters by Conventional OVAT Method	80
V.5.1 Effect of pH	80
V.5.2 Effect of adsorbent mass.....	81
V.5.3 Effect of sample and eluent cycles.....	82
V.5.4 Effect of eluent concentration	84
V.5.5 Reusability	85
V.5.6 Selectivity	87
V.5.7 Effect of preconcentration factor	89
V.5.8 Summary of optimized parameters for Pb(II) and Cu(II) adsorption and desorption using ACP-loaded syringe SPE.....	91
V.6 Optimization of ACP-loaded Syringe SPE Parameters Using Box-Behnken Design.....	92



V.7 Validation of Syringe SPE Method	97
V.8 Recovery and Heavy Metal Analysis on Different Liquid Milk Samples.....	99
V.9 Sequential Desorption for Understanding Pb(II) and Cu(II) Interactions	99
V.10 Comparison of CAP and ACP in syringe SPE Method with Previous Studies	103
CHAPTER VI CONCLUSION AND RECOMMENDATION	105
V.1 Conclusion.....	105
V.2 Recommendation.....	107
REFERENCES.....	108
APPENDICES	119