

Daftar Pustaka

- Acquah, C., Stefano, E. Di, & Udenigwe, C. C. (2018). Role of hydrophobicity in food peptide functionality and bioactivity. *Journal of Food Bioactives*, 4, 88–98. <https://doi.org/10.31665/jfb.2018.4164>
- Agu, P. C., Afiukwa, C. A., Orji, O. U., Ezech, E. M., Ofoke, I. H., Ogbu, C. O., Ugwuja, E. I., & Aja, P. M. (2023). Molecular docking as a tool for the discovery of molecular targets of nutraceuticals in diseases management. *Scientific Reports*, 13(1), 1–18. <https://doi.org/10.1038/s41598-023-40160-2>
- Agustia, F. C. (2020). Potensi tepung kecambah kara pedang (*Canavalia ensiformis* (L.) DC) sebagai sumber *inhibitor* dipeptidyl peptidase-4 (DPP-4) dan bioavailabilitasnya secara *in vitro*. [Doctoral dissertation]. Universitas Gadjah Mada, Yogyakarta.
- Agustia, F. C., Murdiati, A., Supriyadi, & Indrati, R. (2023). Production of dipeptidyl peptidase-IV *inhibitory* peptides from germinated jack bean [*Canavalia ensiformis* (L.) DC.] flour. *Preventive Nutrition and Food Science*, 28(2), 149–159. <https://doi.org/10.3746/pnf.2023.28.2.149>
- Ahn, J., Cao, M.-J., Yu, Y. Q., & Engen, J. R. (2014). Accessing the reproducibility and specificity of pepsin and other aspartic proteases. *Biochimica et Biophysica Acta*, 538(6), 151–169. <https://doi.org/10.1016/j.bbapap.2012.10.003>
- Ai, N. S., & Ballo, M. (2010). Peranan air dalam pekecambahan biji. *Jurnal Ilmiah Sains*, 10(2), 190–195.
- Aiello, G., Ferruzza, S., Ranaldi, G., Sambuy, Y., Arnoldi, A., Vistoli, G., & Lammi, C. (2018). Behavior of three hypocholesterolemic peptides from soy protein in an intestinal model based on differentiated Caco-2 cell. *Journal of Functional Foods*, 45, 363–370. <https://doi.org/10.1016/j.jff.2018.04.023>
- Amaral, A. L., Ferreira, E. S., Silva, M. A., Neves, V. A., & Demonte, A. (2017). The vicilin protein (*Vigna radiata* L.) of mung bean as a functional food: Evidence of “*in vitro*” hypocholesterolemic activity. *Nutrition and Food Science*, 47(6), 907–916. <https://doi.org/10.1108/NFS-05-2017-0089>
- Amarenco, P., & Labreuche, J. (2009). Lipid management in the prevention of stroke: review and updated meta-analysis of statins for stroke prevention. *The Lancet Neurology*, 8(5), 453–463. [https://doi.org/10.1016/S1474-4422\(09\)70058-4](https://doi.org/10.1016/S1474-4422(09)70058-4)
- Amigo, L., & Hernández-Ledesma, B. (2020). Current evidence on the bioavailability of food bioactive peptides. *Molecules*, 25(19). <https://doi.org/10.3390/molecules25194479>
- Aminah, S., & Hersoelistyorini, W. (2012). Karakteristik kimia tepung kecambah serelia dan kacang-kacangan dengan variasi blanching. *Jurnal Unimus*, 1(1), 1–9.
- Amir, S. (2012). Isolation and characterization of malondialdehyde mimotopes of oxidized LDL. [Doctoral dissertation]. Austrian Academy of Sciences,

Vienna.

- Andriamihaja, M., Guillot, A., Svendsen, A., Hagedorn, J., Rakotondratohanina, S., Tomé, D., & Blachier, F. (2013). Comparative efficiency of microbial enzyme preparations versus pankreatin for *in vitro* alimentary protein digestion. *Amino Acids*, 44(2), 563–572. <https://doi.org/10.1007/s00726-012-1373-0>
- Anugrahtama, P. C., Supriyanta, S., & Taryono, T. (2020). Pembentukan bintil akar dan ketahanan beberapa aksesori kacang hijau (*Vigna radiata* L.) pada kondisi salin. *Agrotechnology Innovation (Agrinova)*, 3(1), 20. <https://doi.org/10.22146/a.58353>
- AOAC. (2005). Official method of analysis. 18th Edition. AOAC Press, Maryland, USA, 1(Volume 1), 73–80. <https://doi.org/10.32741/fihb.3.honey>
- Artari, R., & Putri, P. H. (2017). Keragaan lima aksesori kacang koro (*Phaseolus lunatus* L.) pada dua kondisi pemupukan. *Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang dan Umbi*, Malang. 658–665.
- Asano, D., Takakusa, H., & Nakai, D. (2024). Oral absorption of middle-to-Large molecules and its improvement, with a focus on new modality drugs. *pharmaceutics*, 16(1), 47. <https://doi.org/10.3390/pharmaceutics16010047>
- Ashraf, J., Liu, L., Awais, M., Xiao, T., Wang, L., Zhou, X., Tong, L. T., & Zhou, S. (2020). Effect of thermosonication pre-treatment on mung bean (*Vigna radiata*) and white kidney bean (*Phaseolus vulgaris*) proteins: Enzymatic hydrolysis, cholesterol lowering activity and structural characterization. *Ultrasonics Sonochemistry*, 66, 105121. <https://doi.org/10.1016/j.ultsonch.2020.105121>
- Asropah, S., Nurrahman, N., & Hersoelityorini, W. (2019). Pengaruh lama perkecambahan terhadap rendemen, kadar antosianin, vitamin E dan aktivitas antioksidan kecambah kedelai hitam. *Jurnal Pangan dan Gizi*, 9(1), 39. <https://doi.org/10.26714/jpg.9.1.2019.39-52>
- Asrullah, M., Arsanti Lestari, L., Helmyati, S., & Farmawati, A. (2019). Effect supplementation of mungbean sprouts (*Phaseolus radiatus* L.) and vitamin E in rats fed high fat diet. *KnE Life Sciences*, 4(11), 36-46. <https://doi.org/10.18502/cls.v4i11.3850>
- Asrullah, M., Lestari, L. A., Helmyati, S., & Farmawati, A. (2016). The effect of mungbean sprouts (*Phaseolus radiatus* L.) to lipid profile of male Sprague dawley rats fed with high-fat diet. *AIP Conference Proceedings*, 1755(1), 140001.1 - 6. <https://doi.org/10.1063/1.4958562>
- Assis, O. B. G., & Leoni, A. M. (2009). Protein hydrophobic dressing on seeds aiming at the delay of undesirable germination. *Scientia Agricola*, 66(1), 123–126. <https://doi.org/10.1590/s0103-90162009000100017>
- Astawan, M., Wresdiyati, T., & Ichsan, M. (2016). Karakteristik fisikokimia tepung tempe kecambah kedelai. *Jurnal Pangan*, 25(2), 105-112.
- Atallah, N., Deracinois, B., Boulier, A., Baniel, A., Bouveresse, D. J. R., Ravallec, R., Flahaut, C., & Cudennec, B. (2020). *In vitro* assessment of the impact of industrial processes on the gastrointestinal digestion of milk protein matrices using the INFOGEST Protocol. *Foods*, 9(11), 1580. <https://doi.org/10.3390/foods9111580>

- Attaallah, R., & Amine, A. (2021). The kinetic and analytical aspects of enzyme competitive inhibition: Sensing of tyrosinase *inhibitors*. *Biosensors*, 11(9). <https://doi.org/10.3390/BIOS11090322>
- Atudorei, D., Stroe, S. G., & Codină, G. G. (2021). Impact of germination on the microstructural and physicochemical properties of different legume types. *Plants*, 10(3), 1–19. <https://doi.org/10.3390/plants10030592>
- Aykul, S., & Martinez-Hackert, E. (2016). Determination of half-maximal *inhibitory* concentration using biosensor-based protein interaction analysis. *Analytical Biochemistry*, 508(1), 97–103. <https://doi.org/doi:10.1016/j.ab.2016.06.025>.
- Bagarinao, N. C., King, J., Leong, S. Y., Agyei, D., Sutton, K., & Oey, I. (2024). Effect of germination on seed protein quality and secondary metabolites and potential modulation by pulsed electric field treatment. *Foods*, 13(11). <https://doi.org/10.3390/foods13111598>
- Banach, M., Patti, A. M., Giglio, R. V., Cicero, A. F. G., Atanasov, A. G., Bajraktari, G., Bruckert, E., Descamps, O., Djuric, D. M., Ezhov, M., Fras, Z., von Haehling, S., Katsiki, N., Langlois, M., Latkovskis, G., Mancini, G. B. J., Mikhailidis, D. P., Mitchenko, O., Moriarty, P. M., ... Rizzo, M. (2018). The role of nutraceuticals in statin intolerant patients. *Journal of the American College of Cardiology*, 72(1), 96–118. <https://doi.org/10.1016/j.jacc.2018.04.040>
- Batra, D., Dhull, S. B., Rani, J., Meenakshi, M., Kumar, Y., & Kinabo, J. (2023). Effect of heat stress on seed protein quality in mungbean (*Vigna radiata* (L.) Wilczek). *Legume Science*, 5(4), 1–12. <https://doi.org/10.1002/leg3.205>
- Beatrice, A. ., Golomb, M. ., Marcella, A., & Evans, B. . (2008). Statin adverse effects: A review of the literature and evidence for a mitochondrial mechanism. *Journal Cardiovascular Drugs*, 8(6), 373–418.
- Beeckmans, S., & Xie, J. P. (2015). Glyoxylate cycle. In *Reference Module in Biomedical Sciences* (Issue October 2014). Elsevier Inc. <https://doi.org/10.1016/b978-0-12-801238-3.02440-5>
- Benincasa, P., Falcinelli, B., Lutts, S., Stagnari, F., & Galieni, A. (2019). Sprouted grains: A comprehensive review. *Nutrients*, 11(2), 1–29. <https://doi.org/10.3390/nu11020421>
- Bera, I., O'Sullivan, M., Flynn, D., & Shields, D. C. (2023). Relationship between protein digestibility and the proteolysis of legume proteins during seed germination. *Molecules*, 28(7), 3204. <https://doi.org/10.3390/molecules28073204>
- Bertilsson, L., Dahl, M.-L., Dalén, P., & Al-Shurbaji, A. (2002). Molecular genetics of CYP2D6: Clinical relevance with focus on psychotropic drugs. *British Journal of Clinical Pharmacology*, 53(2), 111–122. <http://dx.doi.org/10.1046/j.0306-5251.2001.01548.x>
- Bewley, J.D. & Bradford, Kent & Hilhorst, Henk & Nonogaki, H.. (2013). *Seeds: Physiology of development, germination and dormancy*, 3rd edition. <https://doi.org/10.1007/978-1-4614-4693-4>.
- Bhandari, D., Bhandari, D., Gat, Y., Gat, P., Waghmare, R., & Kumar, V. (2020). A review on bioactive peptides: Physiological functions, bioavailability and

- safety. *International Journal for Peptide Research & Therapeutics*, 26, 139 - 150. <https://doi.org/10.1007/s10989-019-09823-5>
- Bhutta, Z. A., & Sadiq, K. (2012). Protein digestion and bioavailability. *Encyclopedia of Human Nutrition*, 4(4), 116–122. <https://doi.org/10.1016/B978-0-12-375083-9.00240-3>
- Bidram, M., & Ganjalikhany, M. R. (2024). Bioactive peptides from food science to pharmaceutical industries: Their mechanism of action, potential role in cancer treatment and available resources. *Heliyon*, 10(23).
- Bitzur, R., Cohen, H., Kamari, Y., & Harats, D. (2013). Intolerance to statins: Mechanisms and management. *Diabetes Care*, 36(SUPPL.2), S325–S330. <https://doi.org/10.2337/dcS13-2038>
- Blachier, F. (2023). *Metabolism of alimentary compounds by the intestinal microbiota and health*. Wien, Austria:: Springer.
- Boachie, R., Yao, S., & Udenigwe, C. C. (2018). Molecular mechanisms of cholesterol-lowering peptides derived from food proteins. *Current Opinion in Food Science*, 20, 58–63. <https://doi.org/10.1016/j.cofs.2018.03.006>
- Bonita, L. C., Devi, G. A. S., & Singh, C. B. (2020). Lima Bean (*Phaseolus lunatus* L.) – A Health Perspective. 9(02).
- Bouglé, D., & Bouhallab, S. (2017). Dietary bioactive peptides: Human studies. *Critical Reviews in Food Science and Nutrition*, 57(2), 335–343. <https://doi.org/10.1080/10408398.2013.873766>
- Boukid, F., Zannini, E., Carini, E., & Vittadini, E. (2019). Pulses for bread fortification: A necessity or a choice? *Trends in Food Science and Technology*, 88, 416–428. <https://doi.org/10.1016/j.tifs.2019.04.007>
- Brault, M., Ray, J., Gomez, Y. H., Mantzoros, C. S., & Daskalopoulou, S. S. (2014). Statin treatment and new-onset diabetes: A review of proposed mechanisms. *Metabolism: Clinical and Experimental*, 63(6), 735–745. <https://doi.org/10.1016/j.metabol.2014.02.014>
- Bria, E. J., & Suharyanto, E. (2019). Variability and intra-specific classification of lima bean (*Phaseolus lunatus* L.) from timor island based on morphological characters. *Journal of Tropical Biodiversity and Biotechnology*. 04(02). <https://doi.org/10.22146/jtbb.42547>
- Bueno, D. B., da Silva Júnior, S. I., Seriani Chiarotto, A. B., Cardoso, T. M., Neto, J. A., Lopes dos Reis, G. C., Glória, M. B. A., & Tavano, O. L. (2020). The germination of soybeans increases the water-soluble components and could generate innovations in soy-based foods. *Lwt*, 117, 108599. <https://doi.org/10.1016/j.lwt.2019.108599>
- Buhaescu, I., & Izzedine, H. (2007). Mevalonate pathway: A review of clinical and therapeutic implications. *Clinical Biochemistry*, 40(9–10), 575–584. <https://doi.org/10.1016/j.clinbiochem.2007.03.016>
- Castañeda, E., Karina, P., Morales, J., Castellanos, A., Luis, R., Guerrero, C., & Ancona, D. B. (2021). Antidiabetic potential of protein hydrolysates and peptide fractions from lima bean (*Phaseolus lunatus* L.): An *in vitro* study. *International Journal of Peptide Research and Therapeutics*, 27, 1979 - 1988. <https://doi.org/10.1007/s10989-021-10226-8>

- Chakraborty, S., Lin, S. H., Shiuan, D., & Tai, D. F. (2015). Syntheses of some α -cyclic tripeptides as potential *inhibitors* for HMG-CoA reductase. *Amino Acids*, 47(8), 1495–1505. <https://doi.org/10.1007/s00726-015-1977-2>
- Chang, H., Zhu, T., Wang, X., Heifetz, P. B., Gruissem, W., Laule, O., Fu, A., & Lange, B. M. (2003). Crosstalk between cytosolic and plastidial pathways of isoprenoid biosynthesis in *Arabidopsis thaliana*. *Proceedings of the National Academy of Sciences*, 100(11), 6866–6871. doi: 10.1073/pnas.1031755100
- Charoenkwan, P., Nantasenamat, C., Hasan, M. M., Moni, M. A., Lio, P., & Shoombuatong, W. (2021). Ibitter-fuse: A novel sequence-based bitter peptide predictor by fusing multi-view features. *International Journal of Molecular Sciences*, 22(16). <https://doi.org/10.3390/ijms22168958>
- Chel-guerrero, L., Domínguez-magaña, M., Martínez-ayala, A., Dávila-ortiz, G., & Betancur-ancona, D. (2012). Lima bean (*Phaseolus lunatus*) protein hydrolysates with ACE-I *inhibitory* activity. *Food and Nutrition Sciences*, 3, 511–521. DOI:10.4236/fns.2012.34072
- Chel-Guerrero, L., Gallegos-Tintoré, S., Martínez-Ayala, A., Castellanos-Ruelas, A., & Betancur-Ancona, D. (2011). Functional properties of proteins from lima bean (*Phaseolus lunatus* L.) seeds. *Food Science and Technology International*, 17(2), 119–126. <https://doi.org/10.1177/1082013210381433>
- Chen, C., Zuo, W., Li, M., Men, Z., & Lian, X. (2024). Mechanism of hydrophobicity reduction of non-isolated glutenin by mixing with wheat amylose. *Food Hydrocolloids*, 157, 110374.
- Chen, M., & Li, B. (2012). The effect of molecular weights on the survivability of casein-derived antioxidant peptides after the simulated gastrointestinal digestion. *Innovative Food Science and Emerging Technologies*, 16, 341–348. <https://doi.org/10.1016/j.ifset.2012.07.009>
- Chilomer, K., Zaleska, K., Ciesiolka, D., Gulewicz, P., Frankiewicz, A., & Gulewicz, K. (2010). Changes in the alkaloid, α -galactoside and protein fractions content during germination of different lupin species. *Acta Societatis Botanicorum Poloniae*, 79(1), 11–20. <https://doi.org/10.5586/asbp.2010.002>
- Chukwu, O., & Abdullahi, H. (2015). Effects of moisture content and storage period on proximate composition, microbial counts and total carotenoids of cassava flour. *International Journal of Innovative Science, Engineering and Technology*, 2(11), 753–763.
- Church, F. C., Swaisgood, H. E., Porter, D. H., & Catignani, G. L. (1983). Spectrophotometric assay using o-phthaldialdehyde for determination of proteolysis in milk and isolated milk proteins. *Journal of Dairy Science*, 66(6), 1219–1227. [https://doi.org/10.3168/jds.S0022-0302\(83\)81926-2](https://doi.org/10.3168/jds.S0022-0302(83)81926-2)
- Cicero, A. F. G., Colletti, A., Bajraktari, G., Descamps, O., Djuric, D. M., Ezhov, M., Fras, Z., Katsiki, N., Langlois, M., Latkovskis, G., Panagiotakos, D. B., Paragh, G., Mikhailidis, D. P., Mitchenko, O., Paulweber, B., Pella, D., Pitsavos, C., Reiner, Ž., Ray, K. K., ... Banach, M. (2017). Lipid lowering nutraceuticals in clinical practice: Position paper from an international lipid expert panel. *Archives of Medical Science*, 13(5), 965–1005.

<https://doi.org/10.5114/aoms.2017.69326>

- Cicero, A. F. G., Fogacci, F., & Colletti, A. (2017). Potential role of bioactive peptides in prevention and treatment of chronic diseases: a narrative review. *British Journal of Pharmacology*, 174(11), 1378–1394. <https://doi.org/10.1111/bph.13608>
- Copeland, L. o., & McDonald, M. B. (2001). *Principles of seed science*. Massachusetts: Springer.
- Cosconati, S., Forli, S., Perryman, A. L., Harris, R., Goodsell, D. S., & Olson, A. J. (2010). Virtual screening with AutoDock: Theory and practice. *Expert Opinion on Drug Discovery*, 5(6), 597–607. <https://doi.org/10.1517/17460441.2010.484460>
- Dahl, W. J., Foster, L. M., & Tyler, R. T. (2012). Review of the health benefits of peas (*Pisum sativum* L.). *British Journal of Nutrition*, 108(SUPPL. 1). <https://doi.org/10.1017/S0007114512000852>
- Damara, H. L., Santika, I. W., & Waluyo, B. (2020). Keragaman dan korelasi karakteristik fisik biji dengan perkecambahan dan karakter hasil pada kacang ercis (*Pisum sativum* L.). *PLANTROPICA: Journal of Agricultural Science*, 5(1), 74–84. <https://doi.org/10.21776/ub.jpt.2020.005.1.9>
- Damayantie, N., & Rasmimpong, R. (2020). Upaya pencegahan penyakit kardiovaskular melalui identifikasi resiko dan latihan fisik pada wanita. *Jurnal Binakes*, 1(1), 10-16. <https://doi.org/10.35910/binakes.v1i1.369>
- Daniel, H. (2004). Molecular and integrative physiology of intestinal peptide transport. *Annual Review of Physiology*, 66, 361–384. <https://doi.org/10.1146/annurev.physiol.66.032102.144149>
- Dattatray, T. R., Monica, O., Jaganmohan, R., & Babu, A. S. (2019). Effect of soaking time on sprouting and rheological properties of green gram. *International Journal of Pure & Applied Bioscience*, 7(3), 181–188. <https://doi.org/10.18782/2320-7051.7472>
- de Paiva Gonçalves, J., Gasparini, K., Picoli, E. T., Costa, M. D. B., Araujo, W. L., Zsögön, A., & Ribeiro, D. M. (2024). Metabolic control of seed germination in legumes. *Journal of Plant Physiology*, 295, 154206. <https://doi.org/10.1016/j.jplph.2024.154206>
- de Souza Rocha, T., Hernandez, L. M. R., Chang, Y. K., & de Mejía, E. G. (2014). Impact of germination and enzymatic hydrolysis of cowpea bean (*Vigna unguiculata*) on the generation of peptides capable of inhibiting dipeptidyl peptidase IV. *Food Research International*, 64, 799–809. <https://doi.org/10.1016/j.foodres.2014.08.016>
- de Souza Rocha, T., Hernandez, L. M. R., Mojica, L., Johnson, M. H., Chang, Y. K., & González de Mejía, E. (2015). Germination of *Phaseolus vulgaris* and alkalase hydrolysis of its proteins produced bioactive peptides capable of improving markers related to type-2 diabetes *in vitro*. *Food Research International*, 76(P1), 150–159. <https://doi.org/10.1016/j.foodres.2015.04.041>
- De Vries, A. C. J., Vermeer, M. A., Bredman, J. J., Bär, P. R., & Cohen, L. H. (1993). Cholesterol content of the rat lens is lowered by administration of simvastatin, but not by pravastatin. *Experimental Eye Research*, 56(4), 393–

399. <https://doi.org/https://doi.org/10.1006/exer.1993.1053>
- Del Rio, A. R., Keppler, J. K., Boom, R. M., & Janssen, A. E. M. (2021). Protein acidification and hydrolysis by pepsin ensure efficient trypsin-catalyzed hydrolysis. *Food and Function*, 12(10), 4570–4581. <https://doi.org/10.1039/d1fo00413a>
- Deng, R. (2012). Food and food supplements with hypocholesterolemic effects. *Recent Patents on Food, Nutrition & Agriculture*, 1(1), 15–24. <https://doi.org/10.2174/2212798410901010015>
- Devi, C. B., Kushwaha, A., & Kumar, A. (2015). Sprouting characteristics and associated changes in nutritional composition of cowpea (*Vigna unguiculata*). *Journal of Food Science and Technology*, 52(10), 6821–6827. <https://doi.org/10.1007/s13197-015-1832-1>
- Di Stefano, E., Tsopmo, A., Oliviero, T., Fogliano, V., & Udenigwe, C. C. (2019). Bioprocessing of common pulses changed seed microstructures, and improved dipeptidyl peptidase-IV and α -glucosidase *inhibitory* activities. *Scientific Reports*, 9(1), 1–14. <https://doi.org/10.1038/s41598-019-51547-5>
- Doblado, R., Frías, J., & Vidal-Valverde, C. (2007). Changes in vitamin C content and antioxidant capacity of raw and germinated cowpea (*Vigna sinensis* var. carilla) seeds induced by high pressure treatment. *Food Chemistry*, 101(3), 918–923. <https://doi.org/10.1016/j.foodchem.2006.02.043>
- Duan, Y., Gong, K., Xu, S., Zhang, F., Meng, X., & Han, J. (2022). Regulation of cholesterol homeostasis in health and diseases: from mechanisms to targeted therapeutics. *Signal Transduction and Targeted Therapy*, 7, 265. <https://doi.org/10.1038/s41392-022-01125-5>
- Dwivedi, S. L., Sahrawat, K. L., Upadhyaya, H. D., Mengoni, A., Galardini, M., Bazzicalupo, M., Biondi, E. G., Hungria, M., Kaschuk, G., Blair, M. W., & Ortiz, R. (2015). Advances in host plant and rhizobium genomics to enhance symbiotic nitrogen fixation in grain legumes. *Advances in Agronomy*, 129(1), 116. <https://doi.org/10.1016/bs.agron.2014.09.001>
- Dziki, D., Gawlik-Dziki, U., Kordowska-Wiater, M., & Domań-Pytka, M. (2015). Influence of elicitation and germination conditions on biological activity of wheat sprouts. *Journal of Chemistry*, 2015(1), 649709. <https://doi.org/10.1155/2015/649709>
- Endo, A., Kuroda, M., & Tanzawa, K. (1976). Competitive inhibition of 3-hydroxy-3-methylglutaryl coenzyme A reductase by mL-236A and mL-236B fungal metabolites, having hypocholesterolemic activity. 1976. *Atherosclerosis Supplements*, 5(3), 39–42. <https://doi.org/10.1016/j.atherosclerosis.2004.08.021>
- Ergun, M., Paparozzi, E. T., Coyne, D. P., Smith, D., Kachman, S., & Nuland, D. S. (2001). Testing the effects of moisture on seed coat color of pinto dry beans. *HortScience*, 36(2), 302–304. <https://doi.org/10.21273/hortsci.36.2.302>
- Fitriani, A. (2023). Angiotensin Converting Enzyme (ACE) *inhibitor* tepung kecambah lamtoro gung (*Leucaena leucocephala* ssp. *glabrata* (rose) s. zarate) dan bioavailabilitasnya secara *in vitro*. [Doctoral dissertation]. Universitas Gadjah Mada, Yogyakarta.

- Fitriani, A., Indrati, R., Marsono, Y., & Supriyadi, S. (2022). Angiotensin Converting Enzyme *Inhibitory* (ACE-I) peptide from germinated lamtorogung (*Leucaena leucocephala* ssp. *glabrata* (Rose) S. Zarate) Flour. *Sains Malaysiana*, 51(11), 3703–3714. <https://doi.org/10.17576/jsm-2022-5111-15>
- Fong, C. W. (2014). Statins in therapy: Understanding their hydrophilicity, lipophilicity, binding to 3-hydroxy-3-methylglutaryl-CoA reductase, ability to cross the blood brain barrier and metabolic stability based on electrostatic molecular orbital studies. *European Journal of Medicinal Chemistry*, 85, 661–674. <https://doi.org/10.1016/j.ejmech.2014.08.037>
- Friesen, J. A., & Rodwell, V. W. (2004). Protein family review the 3-hydroxy-3-methylglutaryl coenzyme-A (HMG-CoA) reductases. *Genome biology*, 5, 1- 7. doi: 10.1186/gb-2004-5-11-248
- Frimpong, K., & Rodwell, V. W. (1994). Catalysis by Syrian hamster 3-hydroxy-3-methylglutaryl-coenzyme A reductase. Proposed roles of histidine 865, glutamate 558, and aspartate 766. *Journal of Biological Chemistry*, 269(15), 11478–11483. [https://doi.org/10.1016/s0021-9258\(19\)78148-4](https://doi.org/10.1016/s0021-9258(19)78148-4)
- Fu, Z., Akula, S., Thorpe, M., & Hellman, L. (2021). Marked difference in efficiency of the digestive enzymes pepsin, trypsin, chymotrypsin, and pancreatic elastase to cleave tightly folded proteins. *Biological Chemistry*, 402(7), 861–867. <https://doi.org/10.1515/hsz-2020-0386>
- Gan, R. Y., Lui, W. Y., Wu, K., Chan, C. L., Dai, S. H., Sui, Z. Q., & Corke, H. (2017). Bioactive compounds and bioactivities of germinated edible seeds and sprouts: An updated review. *Trends in Food Science and Technology*, 59(1), 1 - 14. <https://doi.org/10.1016/j.tifs.2016.11.010>
- Gesto, D. S., Pereira, C. M. S., Cerqueira, N. M. F. S., & Sousa, S. F. (2020). An atomic-level perspective of HMG-CoA-reductase: the target enzyme to treat hypercholesterolemia. *Molecules*, 25(17), 3891. <https://doi.org/10.3390/molecules25173891>
- Ghani, M., Kulkarni, K. P., Song, J. T., Shannon, J. G., & Lee, J.-D. (2016). Soybean sprouts: A review of nutrient composition, health benefits and genetic variation. *Plant Breeding and Biotechnology*, 4(4), 398–412. <https://doi.org/10.9787/pbb.2016.4.4.398>
- Gholamhoseinian, A., Shahouzehi, B., & Sharifi-Far, F. (2010). *Inhibitory* activity of some plant methanol extracts on 3-Hydroxy-3-Methylglutaryl coenzyme a reductase. *International Journal of Pharmacology*, 6(5), 705–711. <https://doi.org/10.3923/ijp.2010.705.711>
- Ghumman, A., Kaur, A., & Singh, N. (2016). Impact of germination on flour, protein and starch characteristics of lentil (*Lens culinari*) and horsegram (*Macrotyloma uniflorum* L.) lines. *LWT - Food Science and Technology*, 65, 137–144. <https://doi.org/10.1016/j.lwt.2015.07.075>
- Goldstein, J. L., & Brown, M. S. (1990). Regulation of the mevalonat pathway. *Nature*, 343(6257), 425–430. <https://doi.org/10.1038/343425a0>
- Gulewicz, P., Martínez-Villaluenga, C., Frias, J., Ciesiołka, D., Gulewicz, K., & Vidal-Valverde, C. (2008). Effect of germination on the protein fraction composition of different lupin seeds. *Food Chemistry*, 107(2), 830–844.

- <https://doi.org/10.1016/j.foodchem.2007.08.087>
- Gupta, S., Kapoor, P., Chaudhary, K., Gautam, A., Kumar, R., & Raghava, G. P. S. (2013). *In silico* approach for predicting toxicity of peptides and proteins. PLoS ONE, 8(9). e73957. <https://doi.org/10.1371/journal.pone.0073957>
- Guttman, Y., & Kerem, Z. (2022). Dietary *inhibitors* of CYP3A4 are revealed using virtual screening by using a new deep-learning classifier. Journal of Agricultural and Food Chemistry, 70(8), 2752–2761. <https://doi.org/10.1021/acs.jafc.2c00237>
- Hadi, N. S., Lestari, D., Farmawati, A., Ghazali, A., & Arsanti Lestari, L. (2019). The relationship between systolic blood pressure and LDL cholesterol male Sprague Dawley rats given high fat diet and mungbean sprouts (*Phaseolus radiatus* L.). KnE Life Sciences, 4(11), 26. <https://doi.org/10.18502/kls.v4i11.3849>
- Haines, B. E., Wiest, O., & Stauffacher, C. V. (2013). The increasingly complex mechanism of HMG-CoA reductase. Accounts of Chemical Research, 46(11), 2416–2426. <https://doi.org/10.1021/ar3003267>
- Hall, C., Hillen, C., & Robinson, J. G. (2017). Composition, nutritional value, and health benefits of pulses. Cereal Chemistry, 94(1), 11–31. <https://doi.org/10.1094/CCHEM-03-16-0069-FI>
- Hamman, J. H., Enslin, G. M., & Kotzé, A. F. (2005). Oral delivery of peptide drugs: Barriers and developments. BioDrugs, 19(3), 165–177. <https://doi.org/10.2165/00063030-200519030-00003>
- Handayani, M., & Simatupang, A. (2019). The use of statin in hypercholesterolemia. Majalah Kedokteran UKI, 35(3), 96–103.
- Handayani, M. T., Indrati, R., & Cahyanto, M. N. (2020). Chemical characteristics and activity of ACE *inhibitors* on fractionation of tempeh koro kratok (*Phaseolus lunatus*) peptides. Indonesian Food and Nutrition Progress, 16(2), 42. <https://doi.org/10.22146/infnp.46733>
- Haryanti, S., & Budiastuti, R. (2015). Morfoanatomi, berat basah kotiledon dan ketebalan daun kecambah kacang hijau (*Phaseolus vulgaris* L.) pada naungan yang berbeda. Buletin Anatomi dan Fisiologi, 2(2), 187–192. DOI: 10.14710/baf.v23i1.8735
- Hasanah, Q., Faridah, D. N., & Andrianto, D. (2016). Inhibition activity of HMG-CoA reductase by rice brain extract and its fractions as anticholesterolemia *in vitro* study. Der Pharma Chemica, 8(23), 1–5. <http://www.derpharmachemica.com/archive.html>
- Haverich, A., & Boyle, E. C. (2019). Atherosclerosis pathogenesis and microvascular dysfunction. New York: Springer International Publishing. <https://doi.org/10.1007/978-3-030-20245-3>
- Heldt, H.-W., & Piechulla, B. (2011). Products of nitrate assimilation are deposited in plants as storage proteins. Plant Biochemistry, 4th edition, 349–357. <https://doi.org/10.1016/b978-0-12-384986-1.00014-4>
- Hermanto, S., Octavio, A., Azrifitria, A., & Kusumaningrum, S. (2020). The HMG-CoA reductase *inhibitor* activities of soy protein hydrolysates from papain hydrolysis. Molekul, 16(2), 145–155. DOI: <https://dx.doi.org/10.20884/1.jm.2021.16.2.724>

- Hermanto, S. (2016). Virtual screening peptida bioaktif antihipertensi dari hidrolisat kasein susu kambing etawa. *Alchemy*, 5(2), 45. <https://doi.org/10.18860/al.v5i2.3671>
- Holdgate, G. A., Ward, W. H. J., Davidson, R. G., Thronton, M., March, R., & McTaggart, F. (2001). Kinetics of inhibition of HMG-CoA reductase. *Atherosclerosis*, 2(90), 88-92.
- Ichim, N., Marin, F., & Orenes-Piñero, E. (2024). Potential impact of bioactive peptides from foods in the treatment of hypertension. *Molecular Nutrition & Food Research*, 68(14), 2400084.
- Indrati, R. (2021). Bioactive peptides from legumes and their bioavailability. *IntechOpen*, 13. DOI: 10.5772/intechopen.99979
- Istvan, E. (2003). Statin inhibition of HMG-CoA reductase: A 3-dimensional view. *Atherosclerosis Supplements*, 4(1), 3–8. [https://doi.org/10.1016/S1567-5688\(03\)00003-5](https://doi.org/10.1016/S1567-5688(03)00003-5)
- Istvan, E. S. (2002). Structural mechanism for statin inhibition of 3-hydroxy-3-methylglutaryl coenzyme A reductase. *American Heart Journal*, 144(6SUPPL.). <https://doi.org/10.1067/mhj.2002.130300>
- Istvan, E. S. (2000). The structure of the catalytic portion of human HMG-CoA reductase. *Biochimica et Biophysica Acta (BBA)-Molecular and Cell Biology of Lipids*, 1529 (1-3).
- Istvan, E. S., Palnitkar, M., Buchanan, S. K., & Deisenhofer, J. (2000). Crystal structure of the catalytic portion of human HMG-CoA reductase : insights into regulation of activity and catalysis. *The EMBO Journal*, 19(5), 819–830.
- Jahan-Mihan, A., Luhovyy, B. L., Khoury, D. El, & Harvey Anderson, G. (2011). Dietary proteins as determinants of metabolic and physiologic functions of the gastrointestinal tract. *Nutrients*, 3(5), 574–603. <https://doi.org/10.3390/nu3050574>
- Jaipal, N., Ram, H., Charan, J., Dixit, A., Singh, G., Singh, B. P., Kumar, A., & Panwar, A. (2022). HMG-CoA reductase inhibition mediated hypocholesterolemic and antiatherosclerotic potential of phytoconstituents of an aqueous pod extract of *Prosopis cineraria* (L.) Druce: *In silico*, *in vitro*, and *in vivo* studies. *eFood*, 3(6), 1–16. <https://doi.org/10.1002/efd2.42>
- Jasmi. (2016). The effect of NaCl concentration and variety towards viability, vigor and vegetative growth of seeds of mungbean (*Vigna radiata*). *Agrotek Lestari*, 2(1), 11–22.
- Javier, O. E., Alejandro, G. -R. M., Elizabeth, C. -L., Guadalupe, P. -F. J., Emmanuel, P. -E., Carlos, M. -S. J., & Daniel, M. -C. (2024). *In vitro* multi-bioactive potential of enzymatic hydrolysis of a non-toxic *Jatropha curcas* cake protein isolate. *Molecules*, 29(13), 3088. <https://doi.org/10.3390/molecules29133088>
- Johnson, O. R., Isaac, S. L., Michael, O. O., Oloruntoba, A. C., & Samuel, S. (2013). Biochemical evaluation of lima beans (*Phaseolus lunatus*) in alloxan induced diabetic rats. *ARPN Journal of Agriculture and Biological Sciences*, 8(4), 302-309.
- Joshi, R. (2018). Role of enzymes in seed germination. *International Journal of*

- Creative Research Thoughts, 6(2), 1481–1485.
- Kahraman, A., & Önder, M. (2013). Correlations between seed color and nutritional composition of dry bean. *Ratarstvo i Povrtarstvo*, 50(2), 8–13. <https://doi.org/10.5937/ratpov50-3959>
- Kanetro, B. (2018). Teknologi pengolahan dan pangan fungsional kacang-kacangan. *Journal of Chemical Information and Modeling*, 53(9).
- Keen, H. I., Krishnarajah, J., Bates, T. R., & Watts, G. F. (2014). Statin myopathy: The fly in the ointment for the prevention of cardiovascular disease in the 21st century? *Expert Opinion on Drug Safety*, 13(9), 1227–1239. <https://doi.org/10.1517/14740338.2014.937422>
- Keller, J. (2013). Gastrointestinal digestion and absorption. *Encyclopedia of Biological Chemistry: Second Edition* (2nd ed.). Hamburg: Elsevier Inc. <https://doi.org/10.1016/B978-0-12-378630-2.00106-7>
- Kementrian dan Kesehatan RI. (2014). Situasi Kesehatan Jantung. Jakarta.
- Khoirunnissa, R., Maharani, P., & Rachma, Y. A. (2022). Perubahan panjang radikula dan kandungan gizi biji lamtoro mlanding selama perkecambahan (*Leucaena leucocephala* (Lam.) de Wit). *Jurnal Agrifoodtech*, 1(2), 17–22. <https://doi.org/10.56444/agrifoodtech.v1i2.243>
- Kiela, P. R., & Ghishan, F. K. (2016). The physiology of intestinal absorption. *Best Practice and Research Clinical Gastroenterology*, 30(2), 145–159. <https://doi.org/doi:10.1016/j.bpg.2016.02.007>
- Kim, H. T., Choi, U. K., Ryu, H. S., Lee, S. J., & Kwon, O. S. (2011). Mobilization of storage proteins in soybean seed (*Glycine max* L.) during germination and seedling growth. *Biochimica et Biophysica Acta - Proteins and Proteomics*, 1814(9), 1178–1187. <https://doi.org/10.1016/j.bbapap.2011.05.004>
- Köhler, D., & Lang, A. (1963). Evidence for substances in higher plants interfering with response of dwarf peas to gibberellin. *Plant Physiology*, 38(5), 555–560. <https://doi.org/10.1104/pp.38.5.555>
- Kroemer, R. T. (2007). Structure-based drug design: Docking and scoring. *Current Protein & Peptide Science*, 8(4), 312–328. <https://doi.org/10.2174/138920307781369382>
- Kudelka, W., Kowalska, M., & Popis, M. (2021). Quality of soybean products in terms of essential amino acids composition. *Molecules*, 26(16), 5071. <https://doi.org/10.3390/molecules26165071>
- Kumar, V., & Tikku, P. K. (2021). A cholesterol homeostasis by bioactive peptide fraction from pigeon pea by - product : An *in vitro* study. *International Journal of Peptide Research and Therapeutics*, 27(2), 977–985. <https://doi.org/10.1007/s10989-020-10143-2>
- Kuo, Y. H., Rozan, P., Lambein, F., Frias, J., & Vidal-Valverde, C. (2004). Effects of different germination conditions on the contents of free protein and non-protein amino acids of commercial legumes. *Food Chemistry*, 86(4), 537–545. <https://doi.org/10.1016/j.foodchem.2003.09.042>
- Laemmli, U. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature Publishing*, 228, 726–734.
- Lammi, Carmen, Zaroni, C., & Arnoldi, A. (2015). Three peptides from soy

- glycinin modulate glucose metabolism in human hepatic HepG2 cells. *International Journal of Molecular Sciences*, 16(11), 27362–27370. <https://doi.org/10.3390/ijms161126029>
- Lammi, Carmen, Zannoni, C., Arnoldi, A., & Aiello, G. (2018). YDFYPSSTKDQQS (P3), a peptide from lupin protein, absorbed by Caco-2 cells, modulates cholesterol metabolism in HepG2 cells via SREBP-1 activation. *Journal of Food Biochemistry*, 42(3), e12524. <https://doi.org/10.1111/jfbc.12524>
- Leitzmann, C. (2016). Characteristics and health benefits of phytochemicals. *Forschende Komplementarmedizin*, 23(2), 69–74. <https://doi.org/10.1159/000444063>
- Lestari, E. S., & Saraswati, L.D. (2014). Faktor risiko penyakit kardiovaskuler (studi pada mahasiswa perokok fakultas teknik jurusan mesin Universitas Diponegoro Semarang). *Jurnal Kesehatan Masyarakat*, 2(1), 67-74.
- Liang, G., Kou, H., Wang, T. T., Guo, Y., Ping, J., & Wang, H. (2015). Optimization, validation and application of spectrophotometric assay for 3-hydroxy-3-methylglutaryl coenzyme A reductase activity. *Tropical Journal of Pharmaceutical Research*, 14(4), 671–677. <https://doi.org/10.4314/tjpr.v14i4.16>
- Liao, Y., Liu, Y., Zhang, W., Dong, H., Yang, L., Zhang, J., ... & Chen, G. (2024). Effects of variable-temperature drying on the qualities and sweet-substance profile of *Zizyphus jujuba* Mill. cv. Junzao. *Food Chemistry: X*, 22, 101361. <https://doi.org/10.1016/j.fochx.2024.101361>
- Lin, H. C., Alashi, A. M., Aluko, R. E., Pan, B. S., & Chang, Y. W. (2017). Antihypertensive properties of tilapia (*Oreochromis spp.*) frame and skin enzymatic protein hydrolysates. *Food & Nutrition Research*, 61(1). <https://doi.org/10.1080/16546628.2017.1391666>
- Lipinski, C. A., Lombardo, F., Dominy, B. W., & Feeney, P. J. (2012). Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. *Advanced Drug Delivery Reviews*, 64(SUPPL.), 4–17. <https://doi.org/10.1016/j.addr.2012.09.019>
- Liu, C., Kou, Y., Zhang, X., Cheng, H., Chen, X., & Mao, S. (2018). Strategies and industrial perspectives to improve oral absorption of biological macromolecules. *Expert Opinion on Drug Delivery*, 15(3), 223–233. <https://doi.org/10.1080/17425247.2017.1395853>
- Locali-Pereira, A. R., Boire, A., Berton-Carabin, C., Taboga, S. R., Solé-Jamault, V., & Nicoletti, V. R. (2023). Pigeon Pea, an emerging source of plant-based proteins. *ACS Food Science & Technology*, 3(11), 1777-1799. <https://doi.org/10.1021/acsfoodscitech.3c00268>
- Logan, D. C., Millar, A. H., Sweetlove, L. J., Hill, S. A., & Leaver, C. J. (2001). Mitochondrial biogenesis during germination in maize embryos. *Plant Physiology*, 125(2), 662–672. <https://doi.org/10.1104/pp.125.2.662>
- López-Pedrouso, M., Alonso, J., Santalla Ferradás, M., Ron Pedreira, A. M. D., Álvarez, G., & Zapata, C. (2012). In-depth characterization of the phaseolin protein diversity of common bean (*Phaseolus vulgaris* L.) based on two-

- dimensional electrophoresis and mass spectrometry. *Food Technology and Biotechnology*, 50 (3) 315–325
- Luo, Q., Chen, D., Boom, R. M., & Janssen, A. E. (2018). Revisiting the enzymatic kinetics of pepsin using isothermal titration calorimetry. *Food chemistry*, 268, 94–100. <https://doi.org/10.1016/j.foodchem.2018.06.042>
- Ma, Z., Boye, J. I., & Hu, X. (2017). *In vitro* digestibility, protein composition and techno-functional properties of Saskatchewan grown yellow field peas (*Pisum sativum* L.) as affected by processing. *Food Research International*, 92, 64–78. <https://doi.org/10.1016/j.foodres.2016.12.012>
- Magaña, M. D., Segura-campos, M., Dávila-ortiz, G., Betancur-ancona, D., & Chelguerrero, L. (2015). ACE-I *inhibitory* properties of hydrolysates from germinated and ungerminated *Phaseolus lunatus* proteins. *Food Science and Technology*, 35(1), 167–174.
- Maki, H. & Morohashi, Y. (2002). *Inhibitory* effect of polyamines on the activity of endopeptidase in mung bean cotyledons. *Journal of Plant Physiology*. 159. 1341–1347. <https://doi.org/10.1078/0176-1617-00876>.
- Marchini, M., Marti, A., Folli, C., Prandi, B., Ganino, T., Conte, P., Fadda, C., Mattarozzi, M., & Carini, E. (2021). Sprouting of sorghum (*Sorghum bicolor* [L.] moench): Effect of drying treatment on protein and starch features. *Foods*, 10(2), 1–17. <https://doi.org/10.3390/foods10020407>
- Mariod, A. A., & Abdelwahab, S. I. (2012). *Sclerocarya birrea* (Marula), An African tree of nutritional and medicinal uses: A review. *Food Reviews International*, 28(4), 375–388. <https://doi.org/10.1080/87559129.2012.660716>
- Marques, M. R., Maureira, A. D. C., Fontanari, G. G., Pimenta, D. C., Soares-Freitas, R. M., Hirata, M. H., Hirata, R. D. C., & Arêas, J. A. G. (2018). Transport of cowpea bean derived peptides and their modulator effects on mRNA expression of cholesterol-related genes in Caco-2 and HepG2 cells. *Food Research International*, 107, 165–171. <https://doi.org/10.1016/j.foodres.2018.01.031>
- Maxiselly, Y., Ruswandi, D., & Karuniawan, A. (2015). Penampilan fenotipik, variabilitas, dan hubungan kekerabatan 39 genotip genus *Vigna* dan *Phaseolus* berdasarkan sifat morfologi dan komponen hasil. *Zuriat*, 19(2). <https://doi.org/10.24198/zuriat.v19i2.6660>
- Mehrotra, S., Kalyan, P. B. G., Nayak, P. G., Joseph, A., & Manikkath, J. (2024). Recent progress in the oral delivery of therapeutic peptides and proteins: Overview of pharmaceutical strategies to overcome absorption hurdles. *Advanced Pharmaceutical Bulletin*, 14(1), 11–33. <https://doi.org/10.34172/apb.2024.009>
- Meisel, H. (2004). Multifunctional peptides encrypted in milk proteins. *BioFactors*, 21(1–4), 55–61. <https://doi.org/10.1002/biof.552210111>
- Mesi, O., Lin, C., Ahmed, H., & Cho, L. S. (2021). Statin intolerance and new lipid-lowering treatments. *Cleveland Clinic Journal of Medicine*, 88(7), 381–387. <https://doi.org/10.3949/CCJM.88A.20165>
- Minekus, M., Alminger, M., Alvito, P., Ballance, S., Bohn, T., Bourlieu, C., Carrière, F., Boutrou, R., Corredig, M., Dupont, D., Dufour, C., Egger, L.,

- Golding, M., Karakaya, S., Kirkhus, B., Le Feunteun, S., Lesmes, U., MacIerzanka, A., MacKie, A., ... Brodkorb, A. (2014). A standardised static *in vitro* digestion method suitable for food-an international consensus. *Food and Function*, 5(6), 1113–1124. <https://doi.org/10.1039/c3fo60702j>
- Miner-Williams, W. M., Stevens, B. R., & Moughan, P. J. (2014). Are intact peptides absorbed from the healthy gut in the adult human? *Nutrition Research Reviews*, 27(2), 308–329. <https://doi.org/10.1017/S0954422414000225>
- Misquitta, S.A, Kshirsagar, D. N., Dange, P. R., Choudhari, V. G., & Kabra, M. M. (2023). Digestibility of proteins in legumes. *Production and Utilization of Legumes - Progress and Prospects*, IntechOpen. <https://doi.org/10.5772/intechopen.110372>
- Montoya, C. A., Gomez, A. S., Lallès, J. P., Souffrant, W. B., Beebe, S., & Leterme, P. (2008). *In vitro* and in vivo protein hydrolysis of beans (*Phaseolus vulgaris*) genetically modified to express different phaseolin types. *Food Chemistry*, 106(3), 1225–1233. <https://doi.org/10.1016/j.foodchem.2007.07.016>
- Moreno, C., Mojica, L., Gonz, E., Mej, D., Mar, R., & Ruiz, C. (2020). Combinations of legume protein hydrolysates synergistically inhibit biological markers associated with adipogenesis. *Foods*, 9(11), 1678.
- Muharram, F.R., Multazam, C.E.C.Z., Mustofa, A., Socha, W., Andrianto, Martini, S., Aminde, L., & Yi-Li, C. (2024). The 30 years of shifting in the Indonesian cardiovascular burden-analysis of the global burden of disease study. *Journal of Epidemiology and Global Health*, 14(1), 193-212. <https://doi.org/10.1007/s44197-024-00187-8>
- Munip, A. (2009). Potensi kratok (*Phaseolus lunatus* Linn.) dalam tinjauan bioetika pangan dan industri. *Proceeding Seminar Nasional Bioetika Pertanian*, 169–180.
- Muñoz-Llandes, C. B., Palma-Rodríguez, H. M., de Jesús Perea-Flores, M., Martínez-Villaluenga, C., Castro-Rosas, J., Salgado-Delgado, R., & Guzmán- Ortiz, F. A. (2024). Incorporation of germinated lupin into corn-based extrudates: Focus on starch digestibility, matrix structure and physicochemical properties. *Food Chemistry*, 458, 140196. <https://doi.org/10.1016/j.foodchem.2024.140196>
- Müntz, K., Belozersky, M. A., Dunaevsky, Y. E., Schlereth, A., & Tiedemann, J. (2001). Stored proteinases and the initiation of storage protein mobilization in seeds during germination and seedling growth. *Journal of Experimental Botany*, 52(362), 1741–1752. <https://doi.org/10.1093/jexbot/52.362.1741>
- Murphy, C., Deplazes, E., & Cranfield, C. G. (2020). The role of structure and biophysical properties in the pleiotropic effects of statins. *International Journal of Molecular Sciences*, 21(22), 8745.
- Nasrudin & Irnawati. (2024). Analisis makanan dan minuman. Prubalingga; CV, Eureka Media Aksara.
- Nawaz, K. A. A., David, S. M., Muruges, E., Thandeeswaran, M., Kiran, K. G., Mahendran, R., Palaniswamy, M., & Angayarkanni, J. (2017). Identification and *in silico* characterization of a novel peptide *inhibitor* of angiotensin

- converting enzyme from pigeon pea (*Cajanus cajan*). *Phytomedicine : International Journal of Phytotherapy and Phytopharmacology*, 36, 1–7. <https://doi.org/10.1016/J.PHYMED.2017.09.013>
- Newstead, S., Drew, D., Cameron, A. D., Postis, V. L. G., Xia, X., Fowler, P. W., Ingram, J. C., Carpenter, E. P., Sansom, M. S. P., McPherson, M. J., Baldwin, S. A., & Iwata, S. (2011). Crystal structure of a prokaryotic homologue of the mammalian oligopeptide-proton symporters, PepT1 and PepT2. *EMBO Journal*, 30(2), 417–426. <https://doi.org/10.1038/emboj.2010.309>
- Niemi, M. (2010). Transporter pharmacogenetics and statin toxicity. *Clinical Pharmacology and Therapeutics*, 87(1), 130–133. <https://doi.org/10.1038/clpt.2009.197>
- Nissen, S. E., Nicholls, S. J., Libby, P., Raichlen, J. S., Ballantyne, C. M., Davignon, J., Erbel, R., Schoenhagen, P., Crowe, T., Cain, V., & Wolski, K. (2006). Effect of very high-intensity statin therapy. *Change*, 295(13), 1556–1565.
- Nollet, L. M., & Ötles, S. (Eds.). (2022). *Bioactive peptides from food: sources, analysis, and functions*. Boca Raton: CRC Press.
- Nur, A. M., Dwiloka, B., & Hintono, A. (2019). Pengaruh lama waktu germinasi terhadap sifat fisik dan sifat kimia tepung kacang tolo (*Vigna unguiculata* L). *Jurnal Teknologi Pangan*, 3(2), 349–354.
- Obiazi, C. C. (2015). Hot water enhanced germination of *Leucaena leucocephala* seeds in light and dark conditions. *Current Research in Agricultural Sciences*, 2(2), 67–72. <https://doi.org/10.18488/journal.68/2015.2.2/68.2.67.72>
- Ohanenye, I. C., Sun, X., Sarteshnizi, R. A., & Udenigwe, C. C. (2021). Germination alters the microstructure, *in vitro* protein digestibility, α -glucosidase and dipeptidyl peptidase-IV *inhibitory* activities of bioaccessible fraction of pigeon pea (*Cajanus cajan*) seeds. *Legume Science*, 3(1), 1–12. <https://doi.org/10.1002/leg3.79>
- Oktavelia, W., & Kusuma, S. A. F. (2022). Therapy for dyslipidemia: Plant *inhibitors* of HMG-CoA reductase. *Indonesian Journal of Biological Pharmacy*, 2(3), 159–170.
- Oluwajuyitan, T. D., & Aluko, R. E. (2024). Structural and functional properties of fava bean albumin, globulin and glutelin protein fractions. *Food Chemistry: X*, 25, 102104. <https://doi.org/10.1016/j.fochx.2024.102104>
- Öpik, H. (1968). Development of cotyledon cell structure in ripening *Phaseolus vulgaris* seeds. *Journal of Experimental Botany*, 19(1), 64–76. <https://doi.org/10.1093/jxb/19.1.64>
- Pak, V. V., Koo, M. S., Kasymova, T. D., & Kwon, D. Y. (2005). Isolation and identification of peptides from soy 11S-globulin with hypocholesterolemic activity. *Chemistry of natural compounds*, 41, 710–714.
- Pak, V. V., Kim, S. H., Koo, M., Lee, N., Shakhidoyatov, K. M., & Kwon, D. Y. (2007). Peptide design of a competitive *inhibitor* for HMG-CoA reductase based on statin structure. *Biopolymers*, 85(4), 392–406. <https://doi.org/10.1002/bip>

- Pak, V. V., Koo, M., Kwon, D. Y., & Yun, L. (2012). Design of a highly potent *inhibitory* peptide acting as a competitive *inhibitor* of HMG-CoA reductase. *Amino Acids*, 43, 2015–2025. <https://doi.org/10.1007/s00726-012-1276-0>
- Pal, S., & Mitra, R. K. (2022). Nonpolar hydrophobic amino acids tune the enzymatic activity of lysozyme. *Biophysical Chemistry*, 288, 106842. <https://doi.org/10.1016/j.bpc.2022.106842>
- Palupi, H. T., Estiasih, T., Yuniarta, & Sutrisno, A. (2022). Physicochemical and protein characterization of lima bean (*Phaseolus lunatus* L) seed. *Food Research*, 6(1), 168–177. <https://doi.org/10.1088/1755-1315/924/1/012033>
- Pedro, M. B., & Madeo, F. (2015). Review acetyl coenzyme A : A central metabolite and second messenger. *Cell metabolism*, 21(6), 805–821. <https://doi.org/10.1016/j.cmet.2015.05.014>
- Pertiwi, M. G. P., Marsono, Y., & Indrati, R. (2020). *In vitro* gastrointestinal simulation of tempe prepared from koro kratok (*Phaseolus lunatus* L.) as an angiotensin-converting enzyme *inhibitor*. *Journal of Food Science and Technology*, 57(5), 1847–1855. <https://doi.org/10.1007/s13197-019-04219-1>
- Picariello, G., Ferranti, P., & Addeo, F. (2016). Use of brush border membrane vesicles to simulate the human intestinal digestion. *Food Research International*, 88, 327–335. <https://doi.org/10.1016/j.foodres.2015.11.002>
- Pires, D. E. V., Blundell, T. L., & Ascher, D. B. (2015). pkCSM: Predicting small-molecule pharmacokinetic and toxicity properties using graph-based signatures. *Journal of Medicinal Chemistry*, 58(9), 4066–4072. <https://doi.org/10.1021/acs.jmedchem.5b00104>
- Purwanti, E., & Fauzi, A. (2019). The morphological characteristics of *Phaseolus lunatus* L. in different areas of east java , Indonesia. *IOP Conference Series: Earth and Environmental Science*, 276(1), 012017. <https://doi.org/10.1088/1755-1315/276/1/012017>
- Puspitodjati, E. (2019). Studi peptida bioaktif dari fermentasi tempe koro pedang putih (*Canavalia ensiformis* (L.) D.C.). [Doctoral dissertation]. Universitas Gadjah Mada, Yogyakarta..
- Putri, N.K.E.C., Wisaniyasa, N. W., & Wiadnyani, A. A. I. S. (2023). Pengaruh lama perkecambahan terhadap karakteristik fisikokimia dan fungsional tepung kecambah kacang komak (*Lablab Purpureus* (L.) Sweet). *Itepa: Jurnal Ilmu dan Teknologi Pangan*. 13(2), 253 - 268
- Rachma, Y. A., Indrati, R., & Supriyadi, S. (2022). Karakteristik perkecambahan biji lamtoro [*Leucaena leucocephala* (lam.) de wit] pada perlakuan skarifikasi serta perubahan nilai gizi setelah perkecambahan. *Buletin Anatomi dan Fisiologi*, 7(1), 11–19.
- Ramkumar, S., Raghunath, A., & Raghunath, S. (2016). Statin therapy: Review of safety and potential side effects. *Acta cardiologica sinica*, 32(6), 631. <https://doi.org/10.6515/ACS20160611A>
- Ratnayani, K., Suter, I. K., Antara, N. S., & Putra, I. N. K. (2019). Angiotensin converting enzyme (ACE) *inhibitory* activity of peptide fraction of germinated pigeon pea (*Cajanus cajan* (L.) Millsp.). *Indonesian Journal of Chemistry*, 19(4), 900–906. <https://doi.org/10.22146/ijc.37513>

- Ravoninjatovo, M., Ralison, C., Servent, A., Morel, G., Achir, N., Andriamazaoro, H., & Dornier, M. (2022). Effects of soaking and thermal treatment on nutritional quality of three varieties of common beans (*Phaseolus vulgaris* L.) from Madagascar. *Legume Science*, 4(4), 1–16. <https://doi.org/10.1002/leg3.143>
- Rawlings, N. D., & Salvesen, G. (2013). *Handbook of proteolytic enzymes* (Volumes. 1–3). Amsterdam: Elsevier. <https://doi.org/10.1016/C2009-1-60990-4>
- Rein, M. J., Renouf, M., Cruz-Hernandez, C., Actis-Goretti, L., Thakkar, S. K., & da Silva Pinto, M. (2013). Bioavailability of bioactive food compounds: A challenging journey to bioefficacy. *British Journal of Clinical Pharmacology*, 75(3), 588–602. <https://doi.org/10.1111/j.1365-2125.2012.04425.x>
- Rizvi, Q. U. E. H., Guiné, R. P. F., Ahmed, N., Sheikh, M. A., Sharma, P., Sheikh, I., Yadav, A. N., & Kumar, K. (2024). Effects of soaking and germination treatments on the nutritional, anti-nutritional, and bioactive characteristics of adzuki beans (*Vigna angularis* L.) and lima beans (*Phaseolus lunatus* L.). *Foods*, 13(9), 1422. <https://doi.org/10.3390/foods13091422>
- Roitelman, J., Olender, E. H., Bar-Nun, S., Dunn, W.A., J., & Simoni, R. D. (1992). Immunological evidence for eight spans in the membrane domain of 3-hydroxy-3-methylglutaryl coenzyme A reductase : implications for enzyme degradation in the endoplasmic reticulum. *The Journal of cell biology*, 117(5), 959–973.
- Rosental, L., Nonogaki, H., & Fait, A. (2014). Activation and regulation of primary metabolism during seed germination. *Seed Science Research*, 24(1), 1–15. <https://doi.org/10.1017/S0960258513000391>
- Rubio, L. A., Pérez, A., Ruiz, R., Guzmán, M. Á., Aranda-Olmedo, I., & Clemente, A. (2014). Characterization of pea (*Pisum sativum*) seed protein fractions. *Journal of the Science of Food and Agriculture*, 94(2), 280–287. <https://doi.org/10.1002/jsfa.6250>
- Rumiyati, James, A. P., & Jayasena, V. (2012). Effect of germination on the nutritional and protein profile of australian sweet lupin (*Lupinus angustifolius* L.). *Food and Nutrition Sciences*, 03(05), 621–626. <https://doi.org/10.4236/fns.2012.35085>
- Saleem, Z. M., Ahmed, S., & Hasan, M. M. (2016). *Phaseolus vulgaris* Linn: Botany, medicinal uses, phytochemistry and pharmacology. *World Journal of Pharmaceutical Research*, 5(11), 1611–1616. <https://doi.org/10.20959/wjpr201611-7371>
- Salvamani, S., Gunasekaran, B., Shukor, M. Y., Shaharuddin, N. A., Sabullah, M. K., & Ahmad, S. A. (2016). Anti-HMG-CoA reductase, antioxidant, and anti-inflammatory activities of *Amaranthus viridis* leaf extract as a potential treatment for hypercholesterolemia. *Evidence-Based Complementary and Alternative Medicine*, 2016(1), 8090841. <https://doi.org/10.1155/2016/8090841>
- Sandoval-Sicairos, E. S., Domínguez-Rodríguez, M., Montoya-Rodríguez, A., Milán-Noris, A. K., Reyes-Moreno, C., & Milán-Carrillo, J. (2020).

- Phytochemical compounds and antioxidant activity modified by germination and hydrolysis in mexican Amaranth. *Plant Foods for Human Nutrition*, 75(2), 192–199. <https://doi.org/10.1007/s11130-020-00798-z>
- Santos, S., Torcato, I., & Castanho, M. A. R. B. (2012). Biomedical applications of dipeptides and tripeptides. *Biopolymers*, 98(4), 288–293. <https://doi.org/10.1002/bip.22067>
- Saputro, D. H., Andriani, M. A. M., & Siswanti, S. (2015). Karakteristik sifat fisik dan kimia formulasi tepung kecambah kacang-kacangan sebagai bahan minuman fungsional. *Jurnal Teknosains Pangan*, 4(1).
- Sathe, S. K., & Deshpande, S. S. (2003). Beans. *Encyclopedia of Food Sciences and Nutrition* (Second Edition), Jerman: Academic Press,. <https://doi.org/https://doi.org/10.1016/B01227055-X/00083-3>
- Saxon, D. R., & Eckel, R. H. (2016). Statin intolerance: A literature review and management strategies. *Progress in Cardiovascular Diseases*, 59(2), 153–164. <https://doi.org/10.1016/j.pcad.2016.07.009>
- Schachter, M. (2005). Chemical, pharmacokinetic and pharmacodynamic properties of statins: An update. *Fundamental and Clinical Pharmacology*, 19(1), 117–125. <https://doi.org/10.1111/j.1472-8206.2004.00299.x>
- Schlereth, A., Becker, C., Horstmann, C., Tiedemann, J., & Müntz, K. (2000). Comparison of globulin mobilization and cysteine proteinases in embryonic axes and cotyledons during germination and seedling growth of vetch (*Vicia sativa* L.). *Journal of Experimental Botany*, 51(349), 1423–1433. <https://doi.org/10.1093/jxb/51.349.1423>
- Schönfeldt, H. C., Pretorius, B., & Hall, N. (2015). Bioavailability of nutrients. In *Encyclopedia of Food and Health*, Oxford: Academic Press. <https://doi.org/10.1016/B978-0-12-384947-2.00068-4>
- Sefatie, R. S., Fatoumata, T., Eric, K., Shi, Y. H., & Guo-Wei, L. (2013). *In vitro* antioxidant activities of protein hydrolysate from germinated black soybean (*Glycine max* L.). *Advance Journal of Food Science and Technology*, 5(4), 453–459. <https://doi.org/10.19026/ajfst.5.3290>
- Seidu, K. T., Osundahunsi, O. F., & Osamudiamen, P. M. (2018). Nutrients assessment of some lima bean varieties grown in southwest Nigeria. *International Food Research Journal*, 25(2), 848–853.
- Sensoy, I. (2021). A review on the food digestion in the digestive tract and the used *in vitro* models. *Current Research in Food Science*, 4, 308–319. <https://doi.org/10.1016/j.crfs.2021.04.004>
- Shah, S. A., Zeb, A., Masood, T., Noreen, N., Abbas, S. J., Samiullah, M., Alim, M. A., & Muhammad, A. (2011). Effects of sprouting time on biochemical and nutritional qualities of mungbean varieties. *African Journal of Agricultural Research*, 6(22), 5091–5098.
- Sharma, N., Patiyal, S., Dhall, A., Pande, A., Arora, C., & Raghava, G. P. S. (2021). AlgPred 2.0: An improved method for predicting allergenic proteins and mapping of IgE epitopes. *Briefings in Bioinformatics*, 22(4), 1–12. <https://doi.org/10.1093/bib/bbaa294>
- Shi, L., & Tu, B. P. (2016). Acetyl-CoA and the regulation of metabolism: mechanisms and consequences. *Current Opinion in Cell Biology*, 33, 125–

131. <https://doi.org/10.1016/j.ceb.2015.02.003>.
- Silva, M. B. de C. e., Souza, C. A. da C., Philadelpho, B. O., Cunha, M. M. N. da, Batista, F. P. R., Silva, J. R. da, Druzian, J. I., Castilho, M. S., Cilli, E. M., & Ferreira, E. S. (2018). *In vitro* and *in silico* studies of 3-hydroxy-3-methyl- glutaryl coenzyme A reductase *inhibitory* activity of the cowpea Gln-Asp-Phe peptide. *Food Chemistry*, 259, 270–277. <https://doi.org/10.1016/j.foodchem.2018.03.132>
- Silva, M., Philadelpho, B., Santos, J., Souza, V., Souza, C., Santiago, V., Silva, J., Souza, C., Azeredo, F., Castilho, M., Cilli, E., & Ferreira, E. (2021). IAF, QGF, and QDF peptides exhibit cholesterol-lowering activity through a statin- like HMG-CoA reductase regulation mechanism: *In silico* and *in vitro* approach. *International Journal of Molecular Sciences*, 22(20). <https://doi.org/10.3390/ijms222011067>
- Sirtori, C. R., Galli, G., & Rosa, M. (1984). Effects of dietary proteins in the regulation of liver lipoprotein receptors in rats. *Journal of Nutrition*, 114(8), 1493–1500. <https://doi.org/10.1093/jn/114.8.1493>
- Soares, R. A. M. ., Mendonça, S. ., De Castro, L. Í. A. ., Menezes, A. C. C. C. ., & Arêas, J. A. G. (2015). Major peptides from amaranth (*Amaranthus cruentus*) protein inhibit HMG-CoA reductase activity. *International Journal Molecular Science*, 16(2), 4150–4160. <https://doi.org/10.3390/ijms16024150>
- Soumya, N. P. P., Mini, S., Sivan, S. K., & Mondal, S. (2021). Bioactive compounds in functional food and their role as therapeutics. *Bioactive Compounds in Health and Disease*, 4(3), 24–39. <https://doi.org/10.31989/bchd.v4i3.786>
- Stone, N. J., Robinson, J. G., Lichtenstein, A. H., Bairey Merz, C. N., Blum, C. B., Eckel, R. H., Goldberg, A. C., Gordon, D., Levy, D., Lloyd-Jones, D. M., McBride, P., Schwartz, J. S., Shero, S. T., Smith, S. C., Watson, K., & Wilson, P. W. F. (2014). 2013 ACC/AHA guideline on the treatment of blood cholesterol to reduce atherosclerotic cardiovascular risk in adults: A report of the american college of cardiology/american heart association task force on practice guidelines. *Journal of the American College of Cardiology*, 63(25 PART B), 2889–2934. <https://doi.org/10.1016/j.jacc.2013.11.002>
- Subekti, A., Adie, M., & Fanata, W. (2024). Analisis korelasi karakter agronomi kuantitatif terhadap penentu hasil biji kacang kratok (*Phaseolus Lunatus*). *Berkala Ilmiah Pertanian*, 7(2).
- Suliman, M. A., Eltayeb, M. M., & Babiker, E. E. (2008). Effect of sprouting on chemical composition and amino acid content of Sudanese Lentil cultivars. *Journal of Applied Sciences*, 8(12), 2337–2340. <https://doi.org/10.3923/jas.2008.2337.2340>
- Suryantini. (2015). Pembintilan dan penambatan nitrogen. *Monograf Balitkabi*, 13, 234–250.
- Susanti, E. F. A., Susilowati, E., & Siswoyo, T. A. (2022). Effect of germination period on the antioxidant activities and angiotensin-I converting enzyme *inhibitory* of Indonesian black rice. *Food Research*, 6(4), 59–67. [https://doi.org/10.26656/fr.2017.6\(4\).439](https://doi.org/10.26656/fr.2017.6(4).439)
- Suwareh, O., Causeur, D., Jardin, J., Briard-Bion, V., Le Feunteun, S., Pezenneec,

- S., & Nau, F. (2021). Statistical modeling of *in vitro* pepsin specificity. *Food Chemistry*, 362, 130098. <https://doi.org/10.1016/j.foodchem.2021.130098>
- Suzuki, T. (2013). Regulation of intestinal epithelial permeability by tight junctions. *Cellular and Molecular Life Sciences*, 70(4), 631–659. <https://doi.org/10.1007/s00018-012-1070-x>
- Taberner, L., Bochar, D. A., Rodwell, V. W., & Stauffacher, C. V. (1999). Substrate-induced closure of the flap domain in the ternary complex structures provides insights into the mechanism of catalysis by 3-hydroxy-3-methylglutaryl-CoA reductase. *Proceedings of the National Academy of Sciences of the United States of America*, 96(13), 7167–7171. <https://doi.org/10.1073/pnas.96.13.7167>
- Tejasari, T. (2017). Protein density and quality of koro kratok (*Phaseolus lunatus* L. Sweet) and kacang tunggak (*Vigna unguiculata* (L.) Walp). *UNEJ E-Proceeding*, 116–119.
- Teka, T. A., Retta, N., Bultosa, G., Admassu, H., & Astatkie, T. (2020). Protein fractions, *in vitro* protein digestibility and amino acid composition of select cowpea varieties grown in Ethiopia. *Food Bioscience*, 36, 100634. <https://doi.org/10.1016/j.fbio.2020.100634>
- THE Europe Commission. (2013). Commission implementing regulation (EU) No 208/2013 of 11 March 2013 on traceability requirements for sprouts and seeds intended for the production of sprouts (Vol. 2013, Issue 208).
- Thompson, P. D., Panza, G., Zaleski, A., & Taylor, B. (2016). Statin-associated side effects. *Journal of the American College of Cardiology*, 67, 2395–2410. <https://doi.org/10.1016/j.jacc.2016.02.071>
- Tian, S., Lu, P., Zhang, Z., Wu, J. Q., Zhang, H., & Shen, H. (2021). Chloroplast genome sequence of Chongming lima bean (*Phaseolus lunatus* L.) and comparative analyses with other legume chloroplast genomes. *BMC Genomics*, 22(1), 1–14. <https://doi.org/10.1186/s12864-021-07467-8>
- Torruco-ugo, J. G., Da, G., & Betancur-ancona, D. (2009). Angiotensin-I converting enzyme *inhibitory* and antioxidant activities of protein hydrolysates from *Phaseolus lunatus* and *Phaseolus vulgaris* seeds. *LWT-Food Science and Technology*, 42(10), 1597–1604. <https://doi.org/10.1016/j.lwt.2009.06.006>
- Tovar, A. R., Murguía, F., Cruz, C., Hernández-Pando, R., Aguilar-Salinas, C. A., Pedraza-Chaverri, J., Correa-Rotter, R., & Torres, N. (2002). A soy protein diet alters hepatic lipid metabolism gene expression and reduces serum lipids and renal fibrogenic cytokines in rats with chronic nephrotic syndrome. *Journal of Nutrition*, 132(9), 2562–2569. <https://doi.org/10.1093/jn/132.9.2562>
- Trinidad, T. P., Mallillin, A. C., Loyola, A. S., Sagum, R. S., & Encabo, R. R. (2010). The potential health benefits of legumes as a good source of dietary fibre. *British Journal of Nutrition*, 103(4), 569–574. <https://doi.org/10.1017/S0007114509992157>
- Trisnawati, D., Triadiati, N., & Mubarik, N. R. (2019). Keragaan morfo-fisiologi *Phaseolus* spp. yang ditanam pada ketinggian tempat yang berbeda (Morpho-Physiological performance *Phaseolus* spp. on different altitudes).

- Jurnal Hortikultura, 28(1), 59. <https://doi.org/10.21082/jhort.v28n1.2018.p59-66>
- Ullah, A., Khan, A., Al-Harrasi, A., Ullah, K., & Shabbir, A. (2022). Three-dimensional structure characterization and inhibition study of exfoliative toxin D From *Staphylococcus aureus*. *Frontiers in Pharmacology*, 13, 1–17. <https://doi.org/10.3389/fphar.2022.800970>
- Vnučec, D., Kutnar, A., & Goršek, A. (2017). Soy-based adhesives for wood-bonding—a review. *Journal of Adhesion Science and Technology*, 31(8), 910–931.
- Wahid, N., & Bounoua, L. (2013). The relationship between seed weight, germination and biochemical reserves of maritime pine (*Pinus pinaster* Ait.) in Morocco. *New Forests*, 44(3), 385–397. <https://doi.org/10.1007/s11056-012-9348-2>
- Walsh, M. K. (2007). Immobilized enzyme technology for food applications. In *Novel Enzyme Technology for Food Applications*. Utah: Woodhead Publishing Limited. <https://doi.org/10.1533/9781845693718.1.60>
- Wang, C. Y., Liu, P. Y., & Liao, J. K. (2008). Pleiotropic effects of statin therapy: molecular mechanisms and clinical results. *Trends in Molecular Medicine*, 14(1), 37–44. <https://doi.org/10.1016/j.molmed.2007.11.004>
- Wang, H., & Patterson, C. (2015). *Atherosclerosis: risks, mechanisms, and therapies*. New Jersey: John Wiley & Sons.
- Wang, K., Huang, M., Yang, S., Li, X., Gao, Y., Yang, P., Gao, J., & Gao, X. (2021). Study on nutritional characteristics and antioxidant capacity of mung bean during germination. *Czech Journal of Food Sciences*, 39(6), 469–478. <https://doi.org/10.17221/65/2021-CJFS>
- Wati, D. P., & Ilyas, S. (2024). *Prinsip dasar tikus* (Issue February), Medan: USU press.
- Wongsiri, S., Ohshima, T., & Duangmal, K. (2015). Chemical composition, amino acid profile and antioxidant activities of germinated mung beans (*Vigna radiata*). *Journal of Food Processing and Preservation*, 39(6), 1956–1964. <https://doi.org/10.1111/jfpp.12434>
- Widiastuti, I. A. E., Cholidah, R., Buanayuda, G. W., & Alit, I. B. (2021). Deteksi Dini Faktor Risiko Penyakit Kardiovaskuler pada Pegawai Rektorat Universitas Mataram. *Jurnal Pengabdian Magister Pendidikan IPA*, 4(1), 137–142.
- Wulandani, B. R. D., Rahayu, S., Marsono, Y., & Utami, T. (2017). Aktivitas antioksidan dan angiotensin-I converting enzyme *inhibitor* oleh yogurt dengan ekstrak daun *Ficus glomerata* Roxb. *Agritech*, 37(3), 246–255. <https://doi.org/10.22146/AGRITECH.10846>
- Xiao, Y., Wei, Q., Du, L., Guo, Z., & Li, Y. (2024). *In vitro* evaluation and in situ intestinal absorption characterisation of paeoniflorin nanoparticles in a rat model. *RSC Advances*, 14(31), 22113–22122. <https://doi.org/10.1039/d4ra03419h>
- Xu, Q., Hong, H., Wu, J., & Yan, X. (2019). Bioavailability of bioactive peptides derived from food proteins across the intestinal epithelial membrane: A review. *Trends in Food Science and Technology*, 86, 399–411.

<https://doi.org/10.1016/j.tifs.2019.02.050>

- Xue, Z., Wang, C., Zhai, L., Yu, W., Chang, H., Kou, X., & Zhou, F. (2016). Bioactive compounds and antioxidant activity of mung bean (*Vigna radiata* L.), soybean (*Glycine max* L.) and black bean (*Phaseolus vulgaris* L.) during the germination process. *Czech Journal of Food Sciences*, 34(1), 68–78. <https://doi.org/10.17221/434/2015-CJFS>
- Yellavila, S. ., Agbenorhevi, J. K., Asibuo, J. Y., & Sampson, G. O. (2015). Proximate composition , minerals content and functional properties of five lima bean accessions. *Journal of Food Security*, 3(3), 69–74. <https://doi.org/10.12691/jfs-3-3-1>
- Ying, X., Gao, J., Lu, J., Ma, C., Lv, J., Adhikari, B., & Wang, B. (2021). Preparation and drying of water-in-oil-in-water (W/O/W) double emulsion to encapsulate soy peptides. *Food Research International*, 141, 114108, <https://doi.org/10.1016/j.foodres.2021.110148>
- Yuan, Y., Liu, Q., Zhao, F., Cao, J., Shen, X., & Li, C. (2019). *Holothuria leucospilota* polysaccharides ameliorate hyperlipidemia in high-fat diet-induced rats via short-chain fatty acids production and lipid metabolism regulation. *International Journal of Molecular Sciences*, 20(19), 4738.
- Yulifianti, R., Ginting, E., & Utomo, J. S. (2020). Karakteristik fisiko-kimia dan sensoris susu kecambah beberapa varietas unggul kedelai. *Buletin Palawija*, 18(2), 83.
- Yunarto, N., Helentina, E. D., Sulistyowati, I., Reswandar, U. N., Alegantina, S., & Isnawati, A. (2022). Antioxidant activity and inhibition of HMG KoA reductase enzyme by bay leaf (*Syzygium polyanthum* Wight) extract as a treatment for hyperlipidemia. *Tropical Journal of Natural Product Research*, 6(11), 1798–1801. <https://doi.org/10.26538/tjnpr/v6i11.9>
- Zhao, M., Zhang, H., Yan, H., Qiu, L., & Baskin, C. C. (2018). Mobilization and role of starch, protein, and fat reserves during seed germination of six wild grassland species. *Frontiers in Plant Science*, 9, 1–11. <https://doi.org/10.3389/fpls.2018.00234>
- Zhu, J., Wang, J., Yu, H., Li, Y., & Hou, T. (2011). Recent developments of *in silico* predictions of oral bioavailability. *Combinatorial Chemistry & High Throughput Screening*, 14(5), 362–374. <https://doi.org/10.2174/138620711795508368>
- Zhu, Q., Chen, Z., Paul, P. K., Lu, Y., Wu, W., & Qi, J. (2021). Oral delivery of proteins and peptides: Challenges, status quo and future perspectives. *Acta Pharmaceutica Sinica B*, 11(8), 2416–2448. <https://doi.org/10.1016/j.apsb.2021.04.001>
- Zioudrou, C., Streaty, R. A., & Klee, W. A. (1979). Opioid peptides derived from food proteins. The exorphins. *Journal of Biological Chemistry*, 254(7), 2446– 2449. [https://doi.org/10.1016/s0021-9258\(17\)30243-0](https://doi.org/10.1016/s0021-9258(17)30243-0)
- Zulvana, A. H., Andriati, N., Sri, A., & Widiastuti, S. (2019). *In silico* approach in evaluation of jack bean (*Canavalia ensiformis*) canavalin protein as precursors of bioactive peptides with dual antioxidant and angiotensin i-converting enzyme *inhibitor*. *Materials Science Forum*, 948, 85–94. <https://doi.org/10.4028/www.scientific.net/MSF.948.85>