

DAFTAR PUSTAKA

- Aditya, Dr. M., Kumar, Dr. K. R., Mounika, Dr. T., Kumar, Dr. O. R., & Acharya, Dr. A. (2021). Microbiological profile and antibiotic sensitivity pattern of post-operative orthopaedic Implant infections in tertiary care hospital. *International Journal of Orthopaedics Sciences*, 7(1). <https://doi.org/10.22271/ortho.2021.v7.i1b.2467>
- Albavera-Gutierrez, R. R., Espinosa-Ramos, M. A., Rebolledo-Bello, E., Paredes-Herrera, F. J., Carballo-Lucero, D., Valencia-Ledezma, O. E., & Castro-Fuentes, C. A. (2024). Prevalence of *Staphylococcus aureus* Infections in the Implantation of Orthopedic Devices in a Third-Level Hospital: An Observational Cohort Study. *Pathogens (Basel, Switzerland)*, 13(8), 620. <https://doi.org/10.3390/pathogens13080620>
- Alhede, M., Qvortrup, K., Liebrechts, R., Høiby, N., Givskov, M., & Bjarnsholt, T. (2012). Combination of microscopic techniques reveals a comprehensive visual impression of biofilm structure and composition. *FEMS Immunology & Medical Microbiology*, 65(2), 335–342. <https://doi.org/10.1111/J.1574-695X.2012.00956.X>
- Anderl, J. N., Zahller, J., Roe, F., & Stewart, P. S. (2003). Role of nutrient limitation and stationary-phase existence in *Klebsiella pneumoniae* biofilm resistance to ampicillin and ciprofloxacin. *Antimicrobial Agents and Chemotherapy*, 47(4). <https://doi.org/10.1128/AAC.47.4.1251-1256.2003>
- Annunziata, M., Rizzo, A., Leone, C., Mangano, C., Mazzola, N., Nastro, L., Papale, F., Rullo, F., & Guida, L. (2017). Bacterial adhesion to direct laser metal formed and mildly acid etched implant surfaces. *Surface and Coatings Technology*, 328, 390–397. <https://doi.org/10.1016/J.SURFCOAT.2017.09.011>
- Arciola, C. R., Campoccia, D., Speziale, P., Montanaro, L., & Costerton, J. W. (2012). Biofilm formation in Staphylococcus implant infections. A review of molecular mechanisms and implications for biofilm-resistant materials. In *Biomaterials* (Vol. 33, Issue 26). <https://doi.org/10.1016/j.biomaterials.2012.05.031>
- Arciola, C. R., Campoccia, D., & Montanaro, L. (2018). Implant infections: Adhesion, biofilm formation and immune evasion. In *Nature Reviews Microbiology* (Vol. 16, Issue 7). <https://doi.org/10.1038/s41579-018-0019-y>
- Asrawal, A., Summary, R., Hasan, D., & Daniel, D. (2019). Faktor risiko terjadinya infeksi daerah operasi pada pasien bedah orthopedi di RSUP Fatmawati

- periode Juli-Oktober 2018. *Jurnal Sains Farmasi & Klinis*, 6(2), 104–112. <https://doi.org/10.25077/jsfk.6.2.104-112.2019>
- Assefa, M., & Amare, A. (2022). Biofilm-Associated Multi-Drug Resistance in Hospital-Acquired Infections: A Review. *Infection and drug resistance*, 15, 5061–5068. <https://doi.org/10.2147/IDR.S379502>
- Becker, K., Heilmann, C., & Peters, G. (2014). Coagulase-negative staphylococci. *Clinical microbiology reviews*, 27(4), 870–926. <https://doi.org/10.1128/CMR.00109-13>
- Beloin, C., & Ghigo, J. M. (2005). Finding gene-expression patterns in bacterial biofilms. *Trends in Microbiology*, 13(1), 16–19. <https://doi.org/10.1016/J.TIM.2004.11.008>
- Bohinc, K., Dražić, G., Abram, A., Jevšnik, M., Jeršek, B., Nipič, D., Kurinčič, M., & Raspor, P. (2016). Metal surface characteristics dictate bacterial adhesion capacity. *International Journal of Adhesion and Adhesives*, 68, 39–46. <https://doi.org/10.1016/J.IJADHADH.2016.01.008>
- Brown, N. M., Cipriano, C. A., Moric, M., Sporer, S. M., & della Valle, C. J. (2012). Dilute Betadine Lavage Before Closure for the Prevention of Acute Postoperative Deep Periprosthetic Joint Infection. *The Journal of Arthroplasty*, 27(1), 27–30. <https://doi.org/10.1016/J.ARTH.2011.03.034>
- Chiang, W. C., Nilsson, M., Jensen, P. Ø., Høiby, N., Nielsen, T. E., Givskov, M., & Tolker-Nielsen, T. (2013). Extracellular DNA shields against aminoglycosides in *Pseudomonas aeruginosa* biofilms. *Antimicrobial Agents and Chemotherapy*, 57(5), 2352–2361. <https://doi.org/10.1128/AAC.00001-13>. Epub 2013 Mar 11.
- Choe, H., Tatro, J. M., Hausman, B. S., Hujer, K. M., Marshall, S. H., Akkus, O., Rather, P. N., Lee, Z., Bonomo, R. A., & Greenfield, E. M. (2022). *Staphylococcus aureus* and *Acinetobacter baumannii* Inhibit Osseointegration of Orthopedic Implants. *Infection and Immunity*, 90(3). <https://doi.org/10.1128/iai.00669-21>
- Choi, A. H. K., Slamti, L., Avci, F. Y., Pier, G. B., & Maira-Litrán, T. (2009). The *pgaABCD* Locus of *Acinetobacter baumannii* Encodes the Production of Poly-β-1-6-N-Acetylglucosamine, Which Is Critical for Biofilm Formation. *Journal of Bacteriology*, 191(19), 5953. <https://doi.org/10.1128/JB.00647-09>
- Ciofu, O., Tolker-Nielsen, T., Jensen, P. Ø., Wang, H., & Høiby, N. (2014). Antimicrobial resistance, respiratory tract infections and role of biofilms in lung infections in cystic fibrosis patients. *Advanced Drug Delivery Reviews*, 85, 7–23. <https://doi.org/10.1016/j.addr.2014.11.017>.
- Cramton, S. E., Gerke, C., Schnell, N. F., Nichols, W. W., & Götz, F. (1999). The Intercellular Adhesion (*ica*) Locus Is Present in *Staphylococcus aureus* and Is Required for Biofilm Formation. *Infection and Immunity*, 67(10), 5427. <https://doi.org/10.1128/IAI.67.10.5427-5433.1999>
- Cramton, S. E., Ulrich, M., Götz, F., & Döring, G. (2001). Anaerobic conditions induce expression of polysaccharide intercellular adhesin in *Staphylococcus*

- aureus and *Staphylococcus epidermidis*. *Infection and Immunity*, 69(6). <https://doi.org/10.1128/IAI.69.6.4079-4085.2001>
- Cue, D., Lei, M. G., & Lee, C. Y. (2012). Genetic regulation of the intercellular adhesion locus in staphylococci. *Frontiers in Cellular and Infection Microbiology*, 2, 38. <https://doi.org/10.3389/FCIMB.2012.00038>
- Dave, S., Kamol, S., Rohra, N., Mehta, J., & Modi, B. (2022). A study on the microbial profile at surgical site with orthopedic implant in traumatic injuries and its associated risk factors at tertiary care hospital. ~ 315 ~ *International Journal of Orthopaedics Sciences*, 8(2). <https://doi.org/10.22271/ortho.2022.v8.i2e.3156>
- Donlan, R. M. (2002). Biofilms: Microbial life on surfaces. In *Emerging Infectious Diseases* (Vol. 8, Issue 9). <https://doi.org/10.3201/eid0809.020063>
- Drain, N. P., Bertolini, D. M., Anthony, A. W., Feroze, M. W., Chao, R., Onyekweli, T., Longo, S. E., Hersh, B. L., Smith, C. N., Rothenberger, S. D., Shah, N. B., & Urish, K. L. (2022). High Mortality After Total Knee Arthroplasty Periprosthetic Joint Infection is Related to Preoperative Morbidity and the Disease Process but Not Treatment. *Journal of Arthroplasty*, 37(7). <https://doi.org/10.1016/j.arth.2022.03.046>
- Ehterami, P., Rajabpour, M., Jahromy, S. H., & Noorbakhsh, F. (2017). Evaluation expression icaABCD biofilm formation genes in *Staphylococcus aureus* by Real-time PCR. *Journal of Clinical and Analytical Medicine*, 08(Suppl_4). <https://doi.org/10.4328/JCAM.5479>
- European Centre for Disease Prevention and Control. (2023). Healthcare-associated infections: surgical site infections. In: ECDC. Annual epidemiological report for 2018-2020. Stockholm: ECDC
- European Bone and Joint Infection Society. (2021). Consensus document for the diagnosis of prosthetic joint infections. *European Bone and Joint Infection Society*. Retrieved from [https://ebjis.org/#8203::contentReference\[oaicite:0\]{index=0}](https://ebjis.org/#8203::contentReference[oaicite:0]{index=0})
- Fekrirad, Z., Kashef, N., & Arefian, E. (2019). Photodynamic inactivation diminishes quorum sensing-mediated virulence factor production and biofilm formation of *Serratia marcescens*. *World Journal of Microbiology and Biotechnology*, 35(12), 1–9. <https://doi.org/10.1007/S11274-019-2768-9/FIGURES/8>
- Gajdács, M., Baráth, Z., Kárpáti, K., Szabó, D., Usai, D., Zanetti, S., & Donadu, M. G. (2021). No correlation between biofilm formation, virulence factors, and antibiotic resistance in *Pseudomonas aeruginosa*: Results from a laboratory-based in vitro study. *Antibiotics*, 10(9). <https://doi.org/10.3390/antibiotics10091134>
- Ghosh, S., Lahiri, D., Nag, M., Sarkar, T., Pati, S., Edinur, H. A., Kumar, M., Mohd Zain, M. R. A., & Ray, R. R. (2022). Precision targeting of food biofilm-forming genes by microbial scissors: CRISPR-Cas as an effective

- modulator. *Frontiers in Microbiology*, 13, 964848.
<https://doi.org/10.3389/FMICB.2022.964848>
- Giannitsioti, E., Salles, M. J., Mavrogenis, A., Rodriguez-Pardo, D., Los-Arcos, I., Ribera, A., Ariza, J., del Toro, M. D., Nguyen, S., Senneville, E., Bonnet, E., Chan, M., Pasticci, M. B., Petersdorf, S., Benito, N., O'Connell, N., Blanco García, A., Skaliczki, G., Tattevin, P., ... Papadopoulos, A. (2022). Osteosynthesis-associated infection of the lower limbs by multidrug-resistant and extensively drug-resistant Gram-negative bacteria: a multicentre cohort study. *Journal of Bone and Joint Infection*, 7(6), 279–288.
<https://doi.org/10.5194/jbji-7-279-2022>
- Gunardi, W. D., Karuniawati, A., Umbas, R., Bardosono, S., Lydia, A., Soebandrio, A., & Safari, D. (2021). Biofilm-Producing Bacteria and Risk Factors (Gender and Duration of Catheterization) Characterized as Catheter-Associated Biofilm Formation. *International Journal of Microbiology* 8869275.
- Gustilo, R. B., Merkow, R. L., & Templeman, D. (1990). The management of open fractures. *The Journal of bone and joint surgery. American volume*, 72(2), 299–304.
- Hakimi Alni, R., Tavasoli, F., Barati, A., Shahrokhi Badarbani, S., Salimi, Z., & Babaeekhou, L. (2020). Synergistic activity of melittin with mupirocin: A study against methicillin-resistant *S. Aureus* (MRSA) and methicillin-susceptible *S. Aureus* (MSSA) isolates. *Saudi Journal of Biological Sciences*, 27(10), 2580–2585. <https://doi.org/10.1016/J.SJBS.2020.05.027>
- Hall, C. W., & Mah, T. F. (2017). Molecular mechanisms of biofilm-based antibiotic resistance and tolerance in pathogenic bacteria. In *FEMS Microbiology Reviews* (Vol. 41, Issue 3).
<https://doi.org/10.1093/femsre/fux010>
- Hall-Stoodley, L., & Stoodley, P. (2009). Evolving concepts in biofilm infections. *Cellular Microbiology*, 11(7), 1034–1043. <https://doi.org/10.1111/j.1462-5822.2009.01323.x>.
- Harapanahalli, A. K., Chen, Y., Li, J., Busscher, H. J., & van der Mei, H. C. (2015). Influence of adhesion force on *icaA* and *cidA* gene expression and production of matrix components in *Staphylococcus aureus* biofilms. *Applied and Environmental Microbiology*, 81(10), 3369–3378.
<https://doi.org/10.1128/AEM.04178-14/ASSET/176F90D4-B33A-4AB4-888C-24D46790E627/ASSETS/GRAPHIC/ZAM9991162420007.JPEG>
- Hassan, A., Usman, J., Kaleem, F., Omair, M., Khalid, A., & Iqbal, M. (2011). Evaluation of different detection methods of biofilm formation in the clinical isolates. *Brazilian Journal of Infectious Diseases*, 15(4).
<https://doi.org/10.1590/S1413-86702011000400002>
- Hilmy, F., Djaja, Y. P., Putra, A., Silitonga, J., & Pontoh, L. A. (2020). Prosthetic Joint Infection Microorganism Pattern and Risk Factor Profile: A Single

- Center Study. *The Hip and Knee Journal*, 1(1).
<https://doi.org/10.46355/hipknee.v1i1.24>
- Iliaens, J., Onsea, J., Hoekstra, H., Nijs, S., Peetermans, W. E., & Metsemakers, W. J. (2021). Fracture-related infection in long bone fractures: A comprehensive analysis of the economic impact and influence on quality of life. *Injury*, 52(11). <https://doi.org/10.1016/j.injury.2021.08.023>
- Izakovicova, P., Borens, O., & Trampuz, A. (2019). Periprosthetic joint infection: current concepts and outlook. *EFORT Open Reviews*, 4(7).
<https://doi.org/10.1302/2058-5241.4.180092>
- Kalivoda, E. J., Stella, N. A., O'Dee, D. M., Nau, G. J., & Shanks, R. M. Q. (2008). The cyclic AMP-dependent catabolite repression system of *Serratia marcescens* mediates biofilm formation through regulation of type 1 fimbriae. *Applied and Environmental Microbiology*, 74(11).
<https://doi.org/10.1128/AEM.02733-07>
- Kang, M., Ko, Y. P., Liang, X., Ross, C. L., Liu, Q., Murray, B. E., & Höök, M. (2013). Collagen-binding microbial surface components recognizing adhesive matrix molecule (MSCRAMM) of Gram-positive bacteria inhibit complement activation via the classical pathway. *The Journal of Biological Chemistry*, 288(28), 20520–20531.
<https://doi.org/10.1074/JBC.M113.454462>
- Kiran, A, Sageer A, D. M. (2020). Risk Factors of Orthopaedic Implant Associated Infection. *Journal of Medical Science And Clinical Research*, 08(05).
<https://doi.org/10.18535/jmscr/v8i5.85>
- Kishor Kumar B, Ramani C P, & Sudha N. (2023). The microbiome of orthopedic implant-associated infections and its correlation with inflammatory markers. *Asian Journal of Medical Sciences*, 14(11).
<https://doi.org/10.3126/ajms.v14i11.57178>
- Kirmusaoğlu, S. (2019). The Methods for Detection of Biofilm and Screening Antibiofilm Activity of Agents. *Intech*.
<https://doi.org/http://dx.doi.org/10.5772/intechopen.8441>
- Labbate, M., Zhu, H., Thung, L., Bandara, R., Larsen, M. R., Willcox, M. D. P., Givskov, M., Rice, S. A., & Kjelleberg, S. (2007). Quorum-sensing regulation of adhesion in *Serratia marcescens* MG1 is surface dependent. *Journal of Bacteriology*, 189(7), 2702–2711.
<https://doi.org/10.1128/JB.01582-06/ASSET/8F448F4C-FEBB-47EC-8482-288F69130002/ASSETS/GRAPHIC/ZJB0070766390006.JPEG>
- Lakhani, A., Jindal, K., & Khatri, K. (2025). Antimicrobial resistance (AMR) in Orthopaedic surgeries: A Complex issue and global threat. *Journal of*

- Orthopaedic Reports*, 4(4), 100466.
<https://doi.org/10.1016/J.JOREP.2024.100466>
- Magalhães, A. P., França, Â., Pereira, M. O., & Cerca, N. (2019). RNA-based qPCR as a tool to quantify and to characterize dual-species biofilms. *Scientific Reports*, 9(1), 13639. <https://doi.org/10.1038/S41598-019-50094-3>
- Magiorakos, A. P., Srinivasan, A., Carey, R. B., Carmeli, Y., Falagas, M. E., Giske, C. G., Harbarth, S., Hindler, J. F., Kahlmeter, G., Olsson-Liljequist, B., Paterson, D. L., Rice, L. B., Stelling, J., Struelens, M. J., Vatopoulos, A., Weber, J. T., & Monnet, D. L. (2012). Multidrug-resistant, extensively drug-resistant and pandrug-resistant bacteria: an international expert proposal for interim standard definitions for acquired resistance. *Clinical Microbiology and Infection : The Official Publication of the European Society of Clinical Microbiology and Infectious Diseases*, 18(3), 268–281. <https://doi.org/10.1111/J.1469-0691.2011.03570.X>
- Mah, T. (2012). Biofilm-specific antibiotic resistance 1061–1072.
- Mahdi, J. R., Makhrmash, J. H., & Jawad, T. M. (2022). Prevalence of some virulence factor genes in bacterial acquired hospital infections isolated from hospitals of Wasit province. *International Journal of Health Sciences*. <https://doi.org/10.53730/ijhs.v6ns6.12424>
- Mahon, C.R., & Lehman, D. c. (2023). *Textbook of Diagnostic Microbiology*, Seventh ed. St. Louis: Elsevier Inc.
- Malhotra, R., Dhawan, B., Garg, B., Shankar, V., & Nag, T. C. (2019). A comparison of bacterial adhesion and biofilm formation on commonly used orthopaedic metal implant materials: An In vitro study. *Indian Journal of Orthopaedics*, 53(1). https://doi.org/10.4103/ortho.IJOrtho_66_18
- Manning, L., Metcalf, S., Clark, B., Robinson, J. O., Huggan, P., Luey, C., McBride, S., Aboltins, C., Nelson, R., Campbell, D., Solomon, L. B., Schneider, K., Loewenthal, M., Yates, P., Athan, E., Cooper, D., Rad, B., Allworth, T., Reid, A., ... Davis, J. (2020). Clinical Characteristics, Etiology, and Initial Management Strategy of Newly Diagnosed Periprosthetic Joint Infection: A Multicenter, Prospective Observational Cohort Study of 783 Patients. In *Open Forum Infectious Diseases* (Vol. 7, Issue 5). <https://doi.org/10.1093/OFID/OFAA068>
- Matar, H. E., Bloch, B. v., Snape, S. E., & James, P. J. (2021). Septic Revision Total Knee Arthroplasty Is Associated With Significantly Higher Mortality Than Aseptic Revisions: Long-Term Single-Center Study (1254 Patients). *The Journal of Arthroplasty*, 36(6), 2131–2136. <https://doi.org/10.1016/J.ARTH.2021.01.068>
- Miller, M. B., & Bassler, B. L. (2001). Quorum sensing in bacteria. In *Annual Review of Microbiology* (Vol. 55). <https://doi.org/10.1146/annurev.micro.55.1.165>
- Mu, M., Liu, S., DeFlorio, W., Hao, L., Wang, X., Salazar, K. S., Taylor, M., Castillo, A., Cisneros-Zevallos, L., Oh, J. K., Min, Y., & Akbulut, M. (2023). Influence of Surface Roughness, Nanostructure, and Wetting on Bacterial

- Adhesion. *Langmuir*, 39(15), 5426–5439.
https://doi.org/10.1021/ACS.LANGMUIR.3C00091/SUPPL_FILE/LA3C00091_SI_001.PDF
- Mussab, R. M., Khan, S., Bubak, S. Z., Madni, A., Ishaq, U., Rimsha, S., Arqam, S. M., & Javed, H. (2024). Organisms Causing Postoperative Implant Infection in Orthopedic Patients Presenting at a Tertiary Care Hospital. *Cureus*, 16(10), e70821. <https://doi.org/10.7759/cureus.70821>
- Negus, J. J., Gifford, P. B., & Haddad, F. S. (2017). Single-Stage Revision Arthroplasty for Infection—An Underutilized Treatment Strategy. *Journal of Arthroplasty*, 32(7). <https://doi.org/10.1016/j.arth.2017.02.059>
- Nguyen, H. T. T., Nguyen, T. H., & Otto, M. (2020). The staphylococcal exopolysaccharide PIA – Biosynthesis and role in biofilm formation, colonization, and infection. *Computational and Structural Biotechnology Journal*, 18, 3324–3334.
<https://doi.org/10.1016/J.CSBJ.2020.10.027/ASSET/14AB0AE1-4889-4395-9AF7-567F3333373E/MAIN.ASSETS/GR2.JPG>
- Nuryastuti, T. (2014). Current in vitro assay to determine bacterial biofilm formation of clinical isolates. *J. thee Med. Sci. (Berkala Ilmu Kedokteran)* 46: 142–152.
- Osmon, D. R., Berbari, E. F., Berendt, A. R., Lew, D., Zimmerli, W., Steckelberg, J. M., Rao, N., Hanssen, A., & Wilson, W. R. (2012). IDSA guidelines for the diagnosis and management of prosthetic joint infection. *Clinical Infectious Diseases*, 56(1), e1–e25.
[https://doi.org/10.1093/cid/cis803​:contentReference\[oaicite:1\]{index=1](https://doi.org/10.1093/cid/cis803​:contentReference[oaicite:1]{index=1)
- Osmon, D. R., Berbari, E. F., Berendt, A. R., Lew, D., Zimmerli, W., Steckelberg, J. M., Rao, N., Hanssen, A., Wilson, W. R., & Infectious Diseases Society of America (2013). Diagnosis and management of prosthetic joint infection: clinical practice guidelines by the Infectious Diseases Society of America. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*, 56(1), e1–e25.
<https://doi.org/10.1093/cid/cis803>
- Otto, M. (2018). Staphylococcal Biofilms. *Microbiology Spectrum*, 6(4).
<https://doi.org/10.1128/MICROBIOLSPEC.GPP3-0023-2018/FORMAT/EPUB>
- Pamp, S. J., Gjermansen, M., Johansen, H. K., & Tolker-Nielsen, T. (2008). Tolerance to the anti- microbial peptide colistin in *Pseudomonas aeruginosa* biofilms is linked to metabolically active cells, and depends on the pmr and mexAB-oprM genes. *Molecular Microbiology*, 68(1), 223–240.
<https://doi.org/10.1111/j.1365-2958.2008.06152.x>.
- Pang, F., Jia, X. Q., Wang, B., Li, Y. H., & Zhao, Q. G. (2014). Control of an outbreak due to orthopedic infections caused by Enterobacteriaceae producing IMP-4 or IMP-8 carbapenemases. *Pathologie Biologie*, 62(3), 152–155. <https://doi.org/10.1016/J.PATBIO.2014.01.004>

- Patel, R. (2005). Biofilms and antimicrobial resistance. *Clinical Orthopaedics and Related Research*, 437, 41–47. <https://doi.org/10.1097/01.BLO.0000175714.68624.74>
- Peraturan Menteri Kesehatan Republik Indonesia. (2017). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 27 Tahun 2017 tentang Pedoman Pencegahan dan Pengendalian Infeksi di Fasilitas Pelayanan Kesehatan*.
- Ponraj, D. S., Falstie-Jensen, T., Jørgensen, N. P., Ravn, C., Brüggemann, H., & Lange, J. (2021). Diagnosis of orthopaedic-implant-associated infections caused by slow-growing Gram-positive anaerobic bacteria - a clinical perspective. *Journal of Bone and Joint Infection* (Vol. 6, Issue 8). <https://doi.org/10.5194/jbji-6-367-2021>
- Priester, J.H., Horst A.M., Van de Werfhorst, L.C., Saleta, J.L., Mertes, L.A., Holden, P.A. (2007). Enhanced visualization of microbial biofilms by staining and environmental scanning electron microscopy. *J Microbiol Methods*, 68: 577–587.
- Qi, L., Li, H., Zhang, C., Liang, B., Li, J., Wang, L., Du, X., Liu, X., Qiu, S., & Song, H. (2016). Relationship between Antibiotic Resistance, Biofilm Formation, and Biofilm-Specific Resistance in *Acinetobacter baumannii*. *Frontiers in Microbiology*, 7(APR). <https://doi.org/10.3389/FMICB.2016.00483>
- Rasmussen, T. B., & Givskov, M. (2006). Quorum-sensing inhibitors as anti-pathogenic drugs. *International Journal of Medical Microbiology*, 296(2–3), 149–161. <https://doi.org/10.1016/J.IJMM.2006.02.005>
- Righi, E., Mutters, N. T., Guirao, X., Dolores del Toro, M., Eckmann, C., Friedrich, A. W., Giannella, M., Presterl, E., Christaki, E., Cross, E. L. A., Visentin, A., Sganga, G., Tsioutis, C., Tacconelli, E., & Kluytmans, J. (2024). European Society of Clinical Microbiology and Infectious Diseases/European Committee on infection control clinical guidelines on pre-operative decolonization and targeted prophylaxis in patients colonized by multidrug-resistant Gram-positive bacteria before surgery. *Clinical Microbiology and Infection*, 30(12), 1537–1550. <https://doi.org/10.1016/J.CMI.2024.07.012>
- Rozis, M., Evangelopoulos, D. S., & Pneumaticos, S. G. (2021). Orthopedic Implant-Related Biofilm Pathophysiology: A Review of the Literature. *Cureus*, 13(6), e15634. <https://doi.org/10.7759/cureus.15634>
- Sanchez, C. J., Mende, K., Beckius, M. L., Akers, K. S., Romano, D. R., Wenke, J. C., & Murray, C. K. (2013). Biofilm formation by clinical isolates and the implications in chronic infections. *BMC Infectious Diseases*, 13(1), 1–12. <https://doi.org/10.1186/1471-2334-13-47>
- Schaeffer, C. R., Woods, K. M., Longo, G. M., Kiedrowski, M. R., Paharik, A. E., Büttner, H., Christner, M., Boissy, R. J., Horswill, A. R., Rohde, H., & Fey, P. D. (2015). Accumulation-associated protein enhances *Staphylococcus epidermidis* biofilm formation under dynamic conditions and is required for

- infection in a rat catheter model. *Infection and immunity*, 83(1), 214–226.
<https://doi.org/10.1128/IAI.02177-14>
- Schroll, C., Barken, K. B., Krogfelt, K. A., & Struve, C. (2010). Role of type 1 and type 3 fimbriae in *Klebsiella pneumoniae* biofilm formation. *BMC Microbiology*, 10. <https://doi.org/10.1186/1471-2180-10-179>
- Senduk, R. A., Lengkong, A., & Sunaryo, H. (2024). Pola Bakteri dan Resistensi Antimikroba pada Infeksi Terkait Fraktur Terbuka di RSUP Prof. Dr. R. D. Kandou Manado. *E-CliniC*, 12(2), 220–226.
<https://doi.org/10.35790/ecl.v12i2.54339>
- Shanks, R. M. Q., Stella, N. A., Kalivoda, E. J., Doe, M. R., O’Dee, D. M., Lathrop, K. L., Feng, L. G., & Nau, G. J. (2007). A *Serratia marcescens* OxyR homolog mediates surface attachment and biofilm formation. *Journal of Bacteriology*, 189(20). <https://doi.org/10.1128/JB.00859-07>
- Sharma, D. K., & Rajpurohit, Y. S. (2024). Multitasking functions of bacterial extracellular DNA in biofilms. *Journal of Bacteriology*, 206(4). [https://doi.org/10.1128/JB.00006-24-SUPPL_FILE/JB.00006-24-S0001.DOCX](https://doi.org/10.1128/JB.00006-24/SUPPL_FILE/JB.00006-24-S0001.DOCX)
- Shakthi, R., & Venkatesha, D. (2023). Detection of Biofilm Production and Antibiotic Resistance Pattern in Clinical Isolates from Orthopaedic Implants Associated Infections. *Journal of Medical Sciences and Health*, 9(2), 157–162. <https://doi.org/10.46347/JMSH.V9I2.23.5>
- Shirtliff, M., Leid, J.G., & Costerton, W.J. (2009). *The Role of Biofilms in Device-Related Infections*. Berlin: Springer-Verlag Berlin Heidelberg
- Silva, A., Silva, V., López, M., Rojo-Bezares, B., Carvalho, J. A., Castro, A. P., Sáenz, Y., Igrejas, G., & Poeta, P. (2023). Antimicrobial Resistance, Genetic Lineages, and Biofilm Formation in *Pseudomonas aeruginosa* Isolated from Human Infections: An Emerging One Health Concern. *Antibiotics (Basel, Switzerland)*, 12(8). <https://doi.org/10.3390/ANTIBIOTICS12081248>
- Speziale, P., Pietrocola, G., Foster, T. J., Geoghegan, J. A., Fitzgerald, R., Horswill, A., & Fey, P. D. (2014). Protein-based biofilm matrices in *Staphylococci*. *Frontiers in Cellular and Infection Microbiology*, 4(NOV), 171. <https://doi.org/10.3389/FCIMB.2014.00171>
- Srivastava, D., Srivastava, S., Singh, P. C., & Kumar, A. (2019). Mechanisms of biofilm development, antibiotic resistance and tolerance and their role in persistent infections. *Antibacterial Drug Discovery to Combat MDR: Natural Compounds, Nanotechnology and Novel Synthetic Sources*, 115–130. https://doi.org/10.1007/978-981-13-9871-1_5
- Stepanović, S., Vuković, D., Hola, V., di Bonaventura, G., Djukić, S., Ćirković, I., & Ruzicka, F. (2007). Quantification of biofilm in microtiter plates: Overview of testing conditions and practical recommendations for

- assessment of biofilm production by staphylococci. *APMIS*, 115(8).
https://doi.org/10.1111/j.1600-0463.2007.apm_630.x
- Stones, D. H., & Krachler, A. M. (2016). Against the tide: The role of bacterial Adhesion in host colonization. *Biochemical Society Transactions*, 44(6).
<https://doi.org/10.1042/BST20160186>
- Suardi, V., Baroni, D., Shahein, A. H. A., Morena, V., Logoluso, N., Mangiavini, L., & Pellegrini, A. V. (2024). Microbiology of Prosthetic Joint Infections: A Retrospective Study of an Italian Orthopaedic Hospital. *Antibiotics* 2024, Vol. 13, Page 399, 13(5), 399.
<https://doi.org/10.3390/ANTIBIOTICS13050399>
- Subbiahdoss, G., Kuijer, R., Grijpma, D. W., van der Mei, H. C., & Busscher, H. J. (2009). Microbial biofilm growth vs. tissue integration: “the race for the surface” experimentally studied. *Acta Biomaterialia*, 5(5), 1399–1404.
<https://doi.org/10.1016/J.ACTBIO.2008.12.011>
- Tande, A. J., & Patel, R. (2014). Prosthetic joint infection. *Clinical microbiology reviews*, 27(2), 302–345. <https://doi.org/10.1128/CMR.00111-13>
- Tille, Patricia M., author. (2017). *Bailey & Scott's diagnostic microbiology*, 14th edition. St. Louis, Missouri: Elsevier
- Valour F, Trouillet-Assant S, Rasigade JP, Lustig S, Chanard E, *et al.* (2013). *Staphylococcus epidermidis* in Orthopedic Device Infections: The Role of Bacterial Internalization in Human Osteoblasts and Biofilm Formation. *PLOS ONE* 8(6): e67240. <https://doi.org/10.1371/journal.pone.0067240>
- Vasudevan, R. (2014). Biofilms: Microbial Cities of Scientific Significance. *Journal of Microbiology & Experimentation*, 1(3).
<https://doi.org/10.15406/jmen.2014.01.00014>
- Vuong, C., Kocianova, S., Voyich, J. M., Yao, Y., Fischer, E. R., DeLeo, F. R., & Otto, M. (2004). A crucial role for exopolysaccharide modification in bacterial biofilm formation, immune evasion, and virulence. *Journal of Biological Chemistry*, 279(52). <https://doi.org/10.1074/jbc.M411374200>
- Walters, M. C., Roe, F., Bugnicourt, A., Franklin, M. J., & Stewart, P. S. (2003). Contributions of antibiotic penetration, oxygen limitation, and low metabolic activity to tolerance of *Pseudomonas aeruginosa* biofilms to ciprofloxacin and tobramycin. *Antimicrobial Agents and Chemotherapy*, 47(1), 317–323.
<https://doi.org/10.1128/AAC.47.1.317-323.2003>
- Walter, N., Rupp, M., Hierl, K., Koch, M., Kerschbaum, M., Worlicek, M., & Alt, V. (2021). Long-Term Patient-Related Quality of Life after Knee Periprosthetic Joint Infection. *Journal of Clinical Medicine* 2021, Vol. 10, Page 907, 10(5), 907. <https://doi.org/10.3390/JCM10050907>
- Wang, X., Preston, J. F., & Romeo, T. (2004). The *pgaABCD* Locus of *Escherichia coli* Promotes the Synthesis of a Polysaccharide Adhesin Required for

- Biofilm Formation. *Journal of Bacteriology*, 186(9), 2724.
<https://doi.org/10.1128/JB.186.9.2724-2734.2004>
- Wong, S. C., Chau, P. H., So, S. Y. C., Lam, G. K. M., Chan, V. W. M., Yuen, L. L. H., Au Yeung, C. H. Y., Chen, J. H. K., Ho, P. L., Yuen, K. Y., & Cheng, V. C. C. (2022). Control of Healthcare-Associated Carbapenem-Resistant *Acinetobacter baumannii* by Enhancement of Infection Control Measures. *Antibiotics*, 11(8), 1076. <https://doi.org/10.3390/ANTIBIOTICS11081076>
- World Health Organization. (2023). *Antimicrobial resistance*. World Health Organization. <https://www.who.int/news-room/fact-sheets/detail/antimicrobial-resistance>
- Wibowo, E. P. A., & Dilogo, I. H. (2021). The profile of Hip and Knee Periprosthetic Joint Infection cases at Dr. Cipto Mangunkusumo Central National Referral Hospital. *The Hip and Knee Journal*, 2(2). <https://doi.org/10.46355/hipknee.v2i2.39>
- Windsor, J. (2020). How Quorum Sensing Works. *American Society for Microbiology*.
- Wise, B. T., Connelly, D., Rocca, M., Mascarenhas, D., Huang, Y., Maceroli, M. A., Gage, M. J., Joshi, M., Castillo, R. C., & O'Toole, R. v. (2019). A Predictive Score for Determining Risk of Surgical Site Infection after Orthopaedic Trauma Surgery. *Journal of Orthopaedic Trauma*, 33(10), 506–513. <https://doi.org/10.1097/BOT.0000000000001513>
- Wu, X., Wang, H., Xiong, J., Yang, G. X., Hu, J. F., Zhu, Q., & Chen, Z. (2024). Staphylococcus aureus biofilm: Formulation, regulatory, and emerging natural products-derived therapeutics. In *Biofilm* (Vol. 7). <https://doi.org/10.1016/j.biofilm.2023.100175>
- Zhang, L., & Mah, T. F. (2008). Involvement of a novel efflux system in biofilm-specific resistance to antibiotics. *Journal of bacteriology*, 190(13), 4447–4452. <https://doi.org/10.1128/JB.01655-07>
- Zimmerli, W. (2014). Clinical presentation and treatment of orthopaedic implant-associated infection. In *Journal of Internal Medicine* (Vol. 276, Issue 2, pp. 111–119). Blackwell Publishing Ltd. <https://doi.org/10.1111/joim.12233>
- Zoubos, A. B., Galanakos, S. P., & Soucacos, P. N. (2012). Orthopedics and biofilm - what do we know? a review. In *Medical Science Monitor* (Vol. 18, Issue 6). <https://doi.org/10.12659/MSM.882893>