

DAFTAR PUSTAKA

- Abdallah, M. E., El-Readi, M. Z., Althubiti, M. A., Almaimani, R. A., Ismail, A. M., Idris, S., Refaat, B., Almalki, W. H., Babakr, A. T., Mukhtar, M. H., Abdalla, A. N., & Idris, O. F. (2020). Tamoxifen and the PI3K inhibitor: LY294002 synergistically induce apoptosis and cell cycle arrest in breast cancer MCF-7 cells. *Molecules*, 25(15). <https://doi.org/10.3390/molecules25153355>
- Advani, D., & Kumar, P. (2024). Uncovering Cell Cycle Dysregulations and Associated Mechanisms in Cancer and Neurodegenerative Disorders: A Glimpse of Hope for Repurposed Drugs. In *Molecular Neurobiology*. Springer. <https://doi.org/10.1007/s12035-024-04130-7>
- Ahmad, S., He, Q., Williams, K. P., & Scott, J. E. (2020). Identification of a Triple Drug Combination That Is Synergistically Cytotoxic for Triple-Negative Breast Cancer Cells Using a Novel Combination Discovery Approach. *SLAS Discovery*, 25(8), 923–938. <https://doi.org/10.1177/2472555220924478>
- Alqosaibi, A. I., & Abdel-Ghany, S. (2023). *Vorinostat induces G2/M cell cycle arrest in breast cancer cells via upregulation of PTEN*.
- American Joint Committee of Cancer (AJCC). (2017). Staging Cancer Manual, Eight Edition. © The American College of Surgeon (ACS), Illinois.
- Andruska, N., Zheng, X., Yang, X., Helferich, W. G., & Shapiro, D. J. (2015). Anticipatory estrogen activation of the unfolded protein response is linked to cell proliferation and poor survival in estrogen receptor α -positive breast cancer. *Oncogene*, 34(29), 3760–3769. <https://doi.org/10.1038/onc.2014.292>
- Ayoub, N. M. (2021). Editorial: Novel Combination Therapies for the Treatment of Solid Cancers. In *Frontiers in Oncology* (Vol. 11). Frontiers Media S.A. <https://doi.org/10.3389/fonc.2021.708943>
- Barbosa, M. A. G., Xavier, C. P. R., Pereira, R. F., Petrikaitė, V., & Vasconcelos, M. H. (2022). 3D Cell Culture Models as Recapitulators of the Tumor Microenvironment for the Screening of Anti-Cancer Drugs. In *Cancers* (Vol. 14, Issue 1). MDPI. <https://doi.org/10.3390/cancers14010190>
- Biswas, T., & Dwivedi, U. N. (2019). Plant triterpenoid saponins: biosynthesis, in vitro production, and pharmacological relevance. In *Protoplasma* (Vol. 256, Issue 6, pp. 1463–1486). Springer-Verlag Wien. <https://doi.org/10.1007/s00709-019-01411-0>
- Booms, A., Coetzee, G. A., & Pierce, S. E. (2019). MCF-7 as a model for functional analysis of breast cancer risk variants. *Cancer Epidemiology Biomarkers and Prevention*, 28(10), 1735–1745. <https://doi.org/10.1158/1055-9965.EPI-19-0066>
- Chou, T. C. (2018). The combination index (CI < 1) as the definition of synergism and of synergy claims. In *Synergy* (Vol. 7, pp. 49–50). Elsevier GmbH. <https://doi.org/10.1016/j.synres.2018.04.001>
- Chou, T.-C., & Talalay, P. (1984). Quantitative Analysis Of Dose-Effect Relationships: The Combined Effects Of Multiple Drugs Or Enzyme Inhibitors.
- Clusan, L., Ferrière, F., Flouriot, G., & Pakdel, F. (2023). A Basic Review on Estrogen Receptor Signaling Pathways in Breast Cancer. In *International Journal of Molecular Sciences* (Vol. 24, Issue 7). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/ijms24076834>
- Comsa, S., Cimpean, A. M., & Raica, M. (2015). Comsa et al. 2015 MCF7. *ANTICANCER RESEARCH*, 35, 3147–3154.

- Cong, L., Bai, Y., & Guo, Z. (2022). The crosstalk among autophagy, apoptosis, and pyroptosis in cardiovascular disease. In *Frontiers in Cardiovascular Medicine* (Vol. 9). Frontiers Media S.A. <https://doi.org/10.3389/fcvm.2022.997469>
- Cowley, S. M., Hoare, S., Mosselman, S., & Parker, M. G. (1997). Estrogen receptors α and β form heterodimers on DNA. *Journal of Biological Chemistry*, 272(32), 19858–19862. <https://doi.org/10.1074/jbc.272.32.19858>
- Da'i, M., Anggara Jenie, U., Am, S., Kawaichi, M., & Meiyanto, E. (2007). *T47D cells arrested at G2M and Hyperploidy Formation Induced by a Curcumin's Analogue PGV-1*.
- Da'I, M., Suhendi, A., Meiyanto, E., Jenie, U. A., & Kawaichi, M. (2017). Apoptosis induction effect of curcumin and its analogs pentagamavunon-0 and pentagamavunon-1 on cancer cell lines. *Asian Journal of Pharmaceutical and Clinical Research*, 10(3), 373–376. <https://doi.org/10.22159/ajpcr.2017.v10i3.16311>
- Dietrich, C., Trub, A., Ahn, A., Taylor, M., Ambani, K., Chan, K. T., Lu, K. H., Mahendra, C. A., Blyth, C., Coulson, R., Ramm, S., Watt, A. C., Matsa, S. K., Bisi, J., Strum, J., Roberts, P., & Goel, S. (2024). INX-315, a Selective CDK2 Inhibitor, Induces Cell Cycle Arrest and Senescence in Solid Tumors. *Cancer Discovery*, 14(3), 446–467. <https://doi.org/10.1158/2159-8290.CD-23-0954>
- Ding, L., Cao, J., Lin, W., Chen, H., Xiong, X., Ao, H., Yu, M., Lin, J., & Cui, Q. (2020). The roles of cyclin-dependent kinases in cell-cycle progression and therapeutic strategies in human breast cancer. In *International Journal of Molecular Sciences* (Vol. 21, Issue 6). MDPI AG. <https://doi.org/10.3390/ijms21061960>
- Endah, E., Wulandari, F., Putri, Y., Jenie, R. I., & Meiyanto, E. (2022). Piperine Increases Pentagamavunon-1 Anti-cancer Activity on 4T1 Breast Cancer Through Mitotic Catastrophe Mechanism and Senescence with Sharing Targeting on Mitotic Regulatory Proteins. *Iranian Journal of Pharmaceutical Research*, 21(1). <https://doi.org/10.5812/ijpr.123820>
- Fan, P., & Craig Jordan, V. (2014). Acquired resistance to selective estrogen receptor modulators (SERMs) in clinical practice (tamoxifen & raloxifene) by selection pressure in breast cancer cell populations. *Steroids*, 90, 44–52. <https://doi.org/10.1016/j.steroids.2014.06.002>
- Fares, J., Kanojia, D., Rashidi, A., Ulasov, I., & Lesniak, M. S. (2020). Landscape of combination therapy trials in breast cancer brain metastasis. *International Journal of Cancer*, 147(7), 1939–1952. <https://doi.org/10.1002/ijc.32937>
- Fisher, B., Costantino, J. P., Wickerham, D. L., Cecchini, R. S., Cronin, W. M., Robidoux, A., Bevers, T. B., Kavanah, M. T., Atkins, J. N., Margolese, R. G., Runowicz, C. D., James, J. M., Ford, L. G., & Wolmark, N. (2005). Tamoxifen for the prevention of breast cancer: Current status of the National Surgical Adjuvant Breast and Bowel Project P-1 study. *Journal of the National Cancer Institute*, 97(22), 1652–1662. <https://doi.org/10.1093/jnci/dji372>
- Fisusi, F. A., & Akala, E. O. (2019). Drug Combinations in Breast Cancer Therapy. *Pharmaceutical Nanotechnology*, 7(1), 3–23. <https://doi.org/10.2174/2211738507666190122111224>
- Frank, D., & Vince, J. E. (2019). Pyroptosis versus necroptosis: similarities, differences, and crosstalk. In *Cell Death and Differentiation* (Vol. 26, Issue 1, pp. 99–114). Nature Publishing Group. <https://doi.org/10.1038/s41418-018-0212-6>

- Girault, I., Bièche, I., & Lidereau, R. (2006). Role of estrogen receptor α transcriptional coregulators in tamoxifen resistance in breast cancer. *Maturitas*, 54(4), 342–351. <https://doi.org/10.1016/j.maturitas.2006.06.003>
- Gutierrez, M. C., Detre, S., Johnston, S., Mohsin, S. K., Shou, J., Allred, D. C., Schiff, R., Osborne, C. K., & Dowsett, M. (2005). Molecular changes in tamoxifen-resistant breast cancer: Relationship between estrogen receptor, HER-2, and p38 mitogen-activated protein kinase. *Journal of Clinical Oncology*, 23(11), 2469–2476. <https://doi.org/10.1200/JCO.2005.01.172>
- Halilintar, V. D., Nadjib, M., & Andalusia, L. R. (2020a). Medication Adherence of Tamoxifen to Breast Cancer Patients and the Affecting's Factors in Dharmais Cancer Hospital Jakarta. *Jurnal Medicoeticolegal Dan Manajemen Rumah Sakit*, 9(2). <https://doi.org/10.18196/jmmr.92120>
- Hanahan, D. (2022). Hallmarks of Cancer: New Dimensions. In *Cancer Discovery* (Vol. 12, Issue 1, pp. 31–46). American Association for Cancer Research Inc. <https://doi.org/10.1158/2159-8290.CD-21-1059>
- Hermawan, A., Ikawati, M., Khumaira, A., Putri, H., Jenie, R. I., Angraini, S. M., & Muflikhasari, H. A. (2021). Bioinformatics and in vitro studies reveal the importance of p53, PPAR γ and notch signaling pathway in inhibition of breast cancer stem cells by hesperetin. *Advanced Pharmaceutical Bulletin*, 11(2), 351–360. <https://doi.org/10.34172/apb.2021.033>
- Hervieu, M., Legrand, A. J., Floquet, E., Idziorek, T., Spriet, C., Monté, D., Villeret, V., Aumercier, M., & Choul-li, S. (2025). PARP-1 Inhibition Increases Oxidative Stress in Ets-1-Expressing MDA-MB-231 Breast Cancer Cells. *Cancer Reports*, 8(1). <https://doi.org/10.1002/cnr2.70119>
- Howell, A. (2006). Pure oestrogen antagonists for the treatment of advanced breast cancer. In *Endocrine-Related Cancer* (Vol. 13, Issue 3, pp. 689–706). <https://doi.org/10.1677/erc.1.00846>
- Hu, S., Xu, Y., Meng, L., Huang, L., & Sun, H. (2018). Curcumin inhibits proliferation and promotes apoptosis of breast cancer cells. *Experimental and Therapeutic Medicine*, 16(2), 1266–1272. <https://doi.org/10.3892/etm.2018.6345>
- Ikawati, M., & Septisetyani, E. P. (2018). Pentagamavunone-0 (PGV-0), a Curcumin Analog, Enhances Cytotoxicity of 5-Fluorouracil and Modulates Cell Cycle in WiDr Colon Cancer Cells. *Indonesian Journal of Cancer Chemoprevention*.
- Inguscio, V., Panzarini, E., & Dini, L. (2012). Autophagy contributes to the death/survival balance in cancer photodynamic therapy. In *Cells* (Vol. 1, Issue 3, pp. 464–491). MDPI. <https://doi.org/10.3390/cells1030464>
- Jiang, M., Huang, O., Zhang, X., Xie, Z., Shen, A., Liu, H., Geng, M., & Shen, K. (2013). Curcumin induces cell death and restores tamoxifen sensitivity in the antiestrogen-resistant breast cancer cell lines MCF-7/LCC2 and MCF-7/LCC9. *Molecules*, 18(1), 701–720. <https://doi.org/10.3390/molecules18010701>
- Jung, S., Jeong, H., & Yu, S. W. (2020a). Autophagy as a decisive process for cell death. In *Experimental and Molecular Medicine* (Vol. 52, Issue 6, pp. 921–930). Springer Nature. <https://doi.org/10.1038/s12276-020-0455-4>
- Kabariti, A.Y.A dan Abbas, M.A. (2023). Progress in The Understanding of EstrogenReceptor Alpha Signaling in Triple-Negative Breast Cancer : Reactivation of

- Silenced ER-alpha and Signaling Through ER-alpha36. *Molecular Cancer Research*, 21(11) : 1123-1138.
- Kassi, E., Sourlingas, T. G., Spiliotaki, M., Papoutsis, Z., Pratsinis, H., Aligiannis, N., & Moutsatsou, P. (2009). Ursolic acid triggers apoptosis and Bcl-2 downregulation in MCF-7 breast cancer cells. *Cancer Investigation*, 27(7), 723–733. <https://doi.org/10.1080/07357900802672712>
- Khamis, A. A. A., Ali, E. M. M., El-Moneim, M. A. A., Abd-Alhaseeb, M. M., El-Magd, M. A., & Salim, E. I. (2018). Hesperidin, piperine and bee venom synergistically potentiate the anticancer effect of tamoxifen against breast cancer cells. *Biomedicine and Pharmacotherapy*, 105, 1335–1343. <https://doi.org/10.1016/j.biopha.2018.06.105>
- Khamis, A. A., Ali, E. M. M., Salim, E. I., & El-Moneim, M. A. A. (2024). Synergistic effects of bee venom, hesperidin, and piperine with tamoxifen on apoptotic and angiogenesis biomarker molecules against xenographic MCF-7 injected rats. *Scientific Reports*, 14(1). <https://doi.org/10.1038/s41598-023-50729-6>
- Kharat, M., Du, Z., Zhang, G., & McClements, D. J. (2017). Physical and Chemical Stability of Curcumin in Aqueous Solutions and Emulsions: Impact of pH, Temperature, and Molecular Environment. *Journal of Agricultural and Food Chemistry*, 65(8), 1525–1532. <https://doi.org/10.1021/acs.jafc.6b04815>
- Khoder, Z. M., Mohamed, M. S., Awad, S. M., Gharib, A. F., Aly, O., Khodair, M. A. E. F., Fatahala, S. S., & El-Hameed, R. H. A. (2024). Synthesis, Anti-Cancer Activity, Cell Cycle Arrest, Apoptosis Induction, and Docking Study of Fused Benzo[h]chromeno[2,3-d]pyrimidine on Human Breast Cancer Cell Line MCF-7. *Molecules (Basel, Switzerland)*, 29(19). <https://doi.org/10.3390/molecules29194697>
- Kim, K., Shin, E. A., Jung, J. H., Park, J. E., Kim, D. S., Shim, B. S., & Kim, S. H. (2019). Ursolic acid induces apoptosis in colorectal cancer cells partially via upregulation of microRNA-4500 and inhibition of JAK2/STAT3 phosphorylation. *International Journal of Molecular Sciences*, 20(1). <https://doi.org/10.3390/ijms20010114>
- Lestari, B., Nakamae, I., Yoneda-Kato, N., Morimoto, T., Kanaya, S., Yokoyama, T., Shionyu, M., Shirai, T., Meiyanto, E., & Kato, J. ya. (2019). Pentagamavunon-1 (PGV-1) inhibits ROS metabolic enzymes and suppresses tumor cell growth by inducing M phase (prometaphase) arrest and cell senescence. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-019-51244-3>
- Kim, Y. J., Jang, S. K., Hong, S. E., Park, C. S., Seong, M. K., Kim, H. A., Park, K. S., Kim, C. H., Park, I. C., & Jin, H. O. (2022). Knockdown of YAP/TAZ sensitizes tamoxifen-resistant MCF7 breast cancer cells. *Biochemical and Biophysical Research Communications*, 601, 73–78. <https://doi.org/10.1016/j.bbrc.2022.02.083>
- Lehár, J., Krueger, A. S., Avery, W., Heilbut, A. M., Johansen, L. M., Price, E. R., Rickles, R. J., Short, G. F., Staunton, J. E., Jin, X., Lee, M. S., Zimmermann, G. R., & Borisy, A. A. (2009). Synergistic drug combinations tend to improve therapeutically relevant selectivity. *Nature Biotechnology*, 27(7), 659–666. <https://doi.org/10.1038/nbt.1549>
- Leng, S., Hao, Y., Du, D., Xie, S., Hong, L., Gu, H., Zhu, X., Zhang, J., Fan, D., & Kung, H. F. (2013). Ursolic acid promotes cancer cell death by inducing Atg5-dependent autophagy. *International Journal of Cancer*, 133(12), 2781–2790. <https://doi.org/10.1002/ijc.28301>

- Leng, S., Iwanowycz, S., Saaoud, F., Wang, J., Wang, Y., Sergin, I., Razani, B., & Fan, D. (2016). Ursolic acid enhances macrophage autophagy and attenuates atherogenesis. *Journal of Lipid Research*, 57(6), 1006–1016. <https://doi.org/10.1194/jlr.M065888>
- Lewinska, A., Adamczyk-Grochala, J., Kwasniewicz, E., Deregowska, A., & Wnuk, M. (2017). Ursolic acid-mediated changes in glycolytic pathway promote cytotoxic autophagy and apoptosis in phenotypically different breast cancer cells. *Apoptosis*, 22(6), 800–815. <https://doi.org/10.1007/s10495-017-1353-7>
- Lewis, J. S., & Jordan, V. C. (2005). Selective estrogen receptor modulators (SERMs): Mechanisms of anticarcinogenesis and drug resistance. *Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis*, 591(1–2), 247–263. <https://doi.org/10.1016/j.mrfmmm.2005.02.028>
- Li, J., Liang, X., & Yang, X. (2012). Ursolic acid inhibits growth and induces apoptosis in gemcitabine-resistant human pancreatic cancer via the JNK and PI3K/Akt/NF- κ B pathways. *Oncology Reports*, 28(2), 501–510. <https://doi.org/10.3892/or.2012.1827>
- Li, L., Hou, Y., Yu, J., Lu, Y., Chang, L., Jiang, M., & Wu, X. (2017). Synergism of ursolic acid and cisplatin promotes apoptosis and enhances growth inhibition of cervical cancer cells via suppressing NF- κ B p65. www.impactjournals.com/oncotarget
- Lukong, K. E. (2017). Understanding breast cancer – The long and winding road. In *BBA Clinical* (Vol. 7, pp. 64–77). Elsevier B.V. <https://doi.org/10.1016/j.bbacli.2017.01.001>
- Luo, J., Hu, Y. L., & Wang, H. (2017). Ursolic acid inhibits breast cancer growth by inhibiting proliferation, inducing autophagy and apoptosis, and suppressing inflammatory responses via the PI3K/AKT and NF- κ B signaling pathways in vitro. *Experimental and Therapeutic Medicine*, 14(4), 3623–3631. <https://doi.org/10.3892/etm.2017.4965>
- Mahmoudi, M., Rabe, S. Z. T., Balali-Mood, M., Karimi, G., Tabasi, N., & Riahi-Zanjani, B. (2015). Ursolic acid induced apoptotic cell death following activation of caspases in isolated human melanoma cells. *Cell Biology International*, 39(2), 230–236. <https://doi.org/10.1002/cbin.10376>
- Malik, J. A., Zafar, M. A., Singh, S., Nanda, S., Bashir, H., Das, D. K., Lamba, T., Khan, M. A., Kaur, G., & Agrewala, J. N. (2024). From defense to dysfunction: Autophagy's dual role in disease pathophysiology. In *European Journal of Pharmacology* (Vol. 981). Elsevier B.V. <https://doi.org/10.1016/j.ejphar.2024.176856>
- Matthews, H. K., Bertoli, C., & de Bruin, R. A. M. (2022). Cell cycle control in cancer. In *Nature Reviews Molecular Cell Biology* (Vol. 23, Issue 1, pp. 74–88). Nature Research. <https://doi.org/10.1038/s41580-021-00404-3>
- Meiyanto, E., Melannisa, R., & Da, D. M. (2006). PGV-1 menurunkan ekspresi faktor angiogene-sis (VEGF dan COX-2) pada sel T47D terinduksi estrogen PGV-1 decreases angiogenic factor (VEGF and COX-2) expression on T47D cell induced by estrogen. In *Edy Meiyanto Majalah Farmasi Indonesia* (Vol. 17, Issue 1).
- Meiyanto, E., Putri, D. D. P., Susidarti, R. A., Murwanti, R., Sardjiman, Fitriasari, A., Husnaa, U., Purnomo, H., & Kawaichi, M. (2014). Curcumin and its analogues (PGV-0 and PGV-1) enhance sensitivity of resistant MCF-7 cells to doxorubicin through inhibition of HER2 and NF- κ B activation. *Asian Pacific Journal of Cancer Prevention*, 15(1), 179–184. <https://doi.org/10.7314/APJCP.2014.15.1.179>

- Meiyanto, E., Putri, H., Larasati, Y. A., Utomo, R. Y., Jenie, R. I., Ikawati, M., Lestari, B., Yoneda-Kato, N., Nakamae, I., Kawaichi, M., & Kato, J. Y. (2019). Anti-proliferative and anti-metastatic potential of curcumin analogue, pentagamavunon-1 (PGV-1), toward highly metastatic breast cancer cells in correlation with ROS generation. *Advanced Pharmaceutical Bulletin*, 9(3), 445–452. <https://doi.org/10.15171/apb.2019.053>
- Mlala, S., Oyedeji, A. O., Gondwe, M., & Oyedeji, O. O. (2019). Ursolic Acid and Its Derivatives as Bioactive Agents. In *Molecules (Basel, Switzerland)* (Vol. 24, Issue 15). NLM (Medline). <https://doi.org/10.3390/molecules24152751>
- Moordiani, Novitasari, D., Susidarti, R. A., Ikawati, M., Kato, J. Y., & Meiyanto, E. (2023). Curcumin Analogs PGV-1 and CCA-1.1 Induce Cell Cycle Arrest in Human Hepatocellular Carcinoma Cells with Overexpressed MYCN. *Indonesian Biomedical Journal*, 15(2), 141–149. <https://doi.org/10.18585/inabj.v15i2.2147>
- Musyayyadah, H., Wulandari, F., Nangimi, A. F., Anggraeni, A. D., Ikawati, M., & Meiyanto, E. (2021). The Growth Suppression Activity of Diosmin and PGV-1 Co-Treatment on 4T1 Breast Cancer Targets Mitotic Regulatory Proteins. *Asian Pacific Journal of Cancer Prevention*, 22(9), 2929–2938. <https://doi.org/10.31557/APJCP.2021.22.9.2929>
- Navarro-Yepes, J., Burns, M., Anandhan, A., Khalimonchuk, O., Del Razo, L. M., Quintanilla-Vega, B., Pappa, A., Panayiotidis, M. I., & Franco, R. (2014). Oxidative stress, redox signaling, and autophagy: Cell death versus survival. *Antioxidants and Redox Signaling*, 21(1), 66–85. <https://doi.org/10.1089/ars.2014.5837>
- Neevedha, K., Anitha, E., Gokul, T., Anandan, I., & Vivekkumar, S. P. (2024). Comparison of Anticancer Activity Between Thymoquinone and Tamoxifen, Thymoquinone + Tamoxifen On Mcf-7 Cell Line of Human Breast Cancer –An Invitro Study. *Biomedical and Pharmacology Journal*, 17(2), 1329–1334. <https://doi.org/10.13005/bpj/2946>
- Ng, H. W., Perkins, R., Tong, W., & Hong, H. (2014). Versatility or promiscuity: The estrogen receptors, control of ligand selectivity and an update on subtype selective ligands. In *International Journal of Environmental Research and Public Health* (Vol. 11, Issue 9, pp. 8709–8742). MDPI. <https://doi.org/10.3390/ijerph110908709>
- Notte, A., Leclere, L., & Michiels, C. (2011). Autophagy as a mediator of chemotherapy-induced cell death in cancer. In *Biochemical Pharmacology* (Vol. 82, Issue 5, pp. 427–434). <https://doi.org/10.1016/j.bcp.2011.06.015>
- Novitasari, D., Kato, J. ya, Ikawati, M., Putri, D. D. P., Wulandari, F., Widayarini, S., Zulfin, U. M., Salsabila, D. U., & Meiyanto, E. (2023). PGV-1 permanently arrests HepG2 cells in M phase and inhibits DMH-induced liver carcinogenesis in rats. *Journal of Applied Pharmaceutical Science*, 13(8), 204–211. <https://doi.org/10.7324/JAPS.2023.131550>
- Novitasari, D., Nakamae, I., Istighfari Jenie, R., Yoneda-Kato, N., Kato, J. ya, & Meiyanto, E. (2024). Pentagamavunone-1 inhibits aggressive breast cancer cell proliferation through mitotic catastrophe and ROS-mediated activities: in vitro and in vivo studies. *Saudi Pharmaceutical Journal*, 32(1). <https://doi.org/10.1016/j.jsps.2023.101892>
- Parisot, JP, & al. (1999). *Altered expression of the IGF-1 receptor in a tamoxifen-resistant human breast cancer cell line.*

- Parmar, G., Chudasama, J. M., Shah, A., Aundhia, C., & Kardani, S. (2025). Targeting cell cycle arrest in breast cancer by phytochemicals from *Caryto urens* L. fruit ethyl acetate fraction: in silico and in vitro validation. *Journal of Ayurveda and Integrative Medicine*, 16(2). <https://doi.org/10.1016/j.jaim.2024.101095>
- Patel, H. K., & Bihani, T. (2018). Selective estrogen receptor modulators (SERMs) and selective estrogen receptor degraders (SERDs) in cancer treatment. In *Pharmacology and Therapeutics* (Vol. 186, pp. 1–24). Elsevier Inc. <https://doi.org/10.1016/j.pharmthera.2017.12.012>
- Plana, D., Palmer, A. C., & Sorger, P. K. (2022). Independent Drug Action in Combination Therapy: Implications for Precision Oncology. In *Cancer Discovery* (Vol. 12, Issue 3, pp. 606–624). American Association for Cancer Research Inc. <https://doi.org/10.1158/2159-8290.CD-21-0212>
- Powell, E., Wang, Y., Shapiro, D. J., & Xu, W. (2010). Differential requirements of Hsp90 and DNA for the formation of estrogen receptor homodimers and heterodimers. *Journal of Biological Chemistry*, 285(21), 16125–16134. <https://doi.org/10.1074/jbc.M110.104356>
- Purnama, C. A., Meiliana, A., Barliana, M. I., & Lestari, K. (2023). Update of cellular responses to the efferocytosis of necroptosis and pyroptosis. In *Cell Division* (Vol. 18, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s13008-023-00087-6>
- Quirke, V. (2020). Imperial Chemical Industries and Craig Jordan, “the First Tamoxifen Consultant,” 1960s–1990s. *Ambix*, 67(3), 289–307. <https://doi.org/10.1080/00026980.2020.1794675>
- Rahmawati, D. R., Nurrochmad, A., Jenie, R. I., & Meiyanto, E. (2023). The Synergistic Cytotoxic Effect of Pentagamavunon-1 (PGV-1) and Curcumin Correlates with the Cell Cycle Arrest to Induce Mitotic Catastrophe in 4T1 and T47D Breast Cancer Cells. *Indonesian Biomedical Journal*, 15(5), 318–327. <https://doi.org/10.18585/INABJ.V15I5.2594>
- Reksohadiprodjo et al. (2004). Derivatives of benzylidene Cyclohexanone, Benzylidene Cyclopentanone, and Benzylidene Acetone, and Therapeutic Uses Thereof. United States Patent US6,777,447B2
- Rifai, F.N., Hanifa, M., Zulfin, U.M., Ikawati, M., dan Meiyanto, E. (2024). Hesperitin Synergistically Promotes the Senescence Induction of Pentagamavunone-1 in Luminal Breast Cancer Cells, T47D. *Journal of Tropical Biodiversity and Biotechnology*, 9(1).
- Rondón-Lagos, M., Villegas, V. E., Rangel, N., Sánchez, M. C., & Zaphiropoulos, P. G. (2016). Tamoxifen resistance: Emerging molecular targets. In *International Journal of Molecular Sciences* (Vol. 17, Issue 8). MDPI AG. <https://doi.org/10.3390/ijms17081357>
- Rouhimoghadam, M., Safarian, S., Carroll, J. S., Sheibani, N., & Bidkhorji, G. (2018). Tamoxifen-induced apoptosis of MCF-7 Cells via GPR30/PI3K/MAPKs interactions: Verification by ODE modeling and RNA sequencing. *Frontiers in Physiology*, 9(JUL). <https://doi.org/10.3389/fphys.2018.00907>
- Saladores, P., Mürdter, T., Eccles, D., Chowbay, B., Zgheib, N. K., Winter, S., Ganchev, B., Eccles, B., Gerty, S., Tfayli, A., Lim, J. S. L., Yap, Y. S., Ng, R. C. H., Wong, N. S., Dent, R., Habbal, M. Z., Schaeffeler, E., Eichelbaum, M., Schroth, W., ... Brauch, H. (2015). Tamoxifen metabolism predicts drug concentrations and outcome in

- premenopausal patients with early breast cancer. *Pharmacogenomics Journal*, 15(1), 84–94. <https://doi.org/10.1038/tpj.2014.34>
- Seo, H., Seo, H., Byrd, N., Kim, H., Lee, K. G., Lee, S. H., & Park, Y. (2023). Human cell-based estrogen receptor beta dimerization assay. *Chemico-Biological Interactions*, 369. <https://doi.org/10.1016/j.cbi.2022.110264>
- Septisetyani, E., Widaryanti, B., & Meiyanto, E. (n.d.). *Endah Puji Septisetyani, et al Apoptosis Mediated Cytotoxicity of Curcumin Analogues PGV-0 and PGV-1 in WiDr Cell Line*.
- Shanabag, A., Armand, J., Son, E., & Yang, H. W. (2025). Targeting CDK4/6 in breast cancer. In *Experimental and Molecular Medicine*. Springer Nature. <https://doi.org/10.1038/s12276-025-01395-3>
- Shu, J., Yan, S., Ju, C., Chen, L., Liang, M., Wang, C., & Huang, K. (2024). PARP1 Promotes Heart Regeneration and Cardiomyocyte Proliferation. *International Journal of Biological Sciences*, 20(5), 1602–1616. <https://doi.org/10.7150/ijbs.85526>
- Skladanowski, A., Bozko, P., & Sabisz, M. (2009). DNA structure and integrity checkpoints during the cell cycle and their role in drug targeting and sensitivity of tumor cells to anticancer treatment. *Chemical Reviews*, 109(7), 2951–2973. <https://doi.org/10.1021/cr900026u>
- Soleimani, M., & Sajedi, N. (2020). Myricetin Apoptotic Effects on T47D Breast Cancer Cells is a P53-Independent Approach. *Asian Pacific Journal of Cancer Prevention*, 21(12), 3697–3704. <https://doi.org/10.31557/APJCP.2020.21.12.3697>
- Song, G., Liu, J., Tang, X., Zhong, J., Zeng, Y., Zhang, X., Zhou, J., Zhou, J., Cao, L., Zhang, Q., & Li, Y. (2024b). Cell cycle checkpoint revolution: targeted therapies in the fight against malignant tumors. In *Frontiers in Pharmacology* (Vol. 15). Frontiers Media SA. <https://doi.org/10.3389/fphar.2024.1459057>
- Viedma-Rodríguez, R., Baiza-Gutman, L., Salamanca-Gómez, F., Diaz-Zaragoza, M., Martínez-Hernández, G., Esparza-Garrido, R. R., Velázquez-Flores, M. A., & Arenas-Aranda, D. (2014). Mechanisms associated with resistance to tamoxifen in estrogen receptor-positive breast cancer (review). In *Oncology Reports* (Vol. 32, Issue 1, pp. 3–15). Spandidos Publications. <https://doi.org/10.3892/or.2014.3190>
- Wang, H., Liu, Y., Wang, D., Xu, Y., Dong, R., Yang, Y., Lv, Q., Chen, X., & Zhang, Z. (2019). The upstream pathway of mtor-mediated autophagy in liver diseases. In *Cells* (Vol. 8, Issue 12). MDPI. <https://doi.org/10.3390/cells8121597>
- Wang, J., Liu, L., Qiu, H., Zhang, X., Guo, W., Chen, W., Tian, Y., Fu, L., Shi, D., Cheng, J., Huang, W., & Deng, W. (2013). Ursolic Acid Simultaneously Targets Multiple Signaling Pathways to Suppress Proliferation and Induce Apoptosis in Colon Cancer Cells. *PLoS ONE*, 8(5). <https://doi.org/10.1371/journal.pone.0063872>
- Wang, L., Tang, L., Yao, C., Liu, C., & Shu, Y. (2021). The Synergistic Effects of Celastrol in combination with Tamoxifen on Apoptosis and Autophagy in MCF-7 Cells. *Journal of Immunology Research*, 2021. <https://doi.org/10.1155/2021/5532269>
- Wang, L., Yin, Q., Liu, C., Tang, Y., Sun, C., & Zhuang, J. (2021). Nanoformulations of Ursolic Acid: A Modern Natural Anticancer Molecule. In *Frontiers in Pharmacology* (Vol. 12). Frontiers Media S.A. <https://doi.org/10.3389/fphar.2021.706121>
- Wang, S., Wang, H., Davis, B. C., Liang, J., Cui, R., Chen, S. J., & Xu, Z. X. (2011). PARP1 inhibitors attenuate AKT phosphorylation via the upregulation of PHLPP1.

- Biochemical and Biophysical Research Communications*, 412(2), 379–384.
<https://doi.org/10.1016/j.bbrc.2011.07.107>
- World Health Organization. Breast Cancer Data. 2024
- Wu, C. C., Cheng, C. H., Lee, Y. H., Chang, I. L., Chen, H. Y., Hsieh, C. P., & Chueh, P. J. (2016). Ursolic acid triggers apoptosis in human osteosarcoma cells via caspase activation and the ERK1/2 MAPK pathway. *Journal of Agricultural and Food Chemistry*, 64(21), 4220–4226. <https://doi.org/10.1021/acs.jafc.6b00542>
- Wu, Y., Sarkissyan, M., & Vadgama, J. V. (2016). Epithelial-mesenchymal transition and breast cancer. In *Journal of Clinical Medicine* (Vol. 5, Issue 2). MDPI. <https://doi.org/10.3390/jcm5020013>
- Xu, Z., Jia, Y., Liu, J., Ren, X., Yang, X., Xia, X., & Pan, X. (2022). Naringenin and Quercetin Exert Contradictory Cytoprotective and Cytotoxic Effects on Tamoxifen-Induced Apoptosis in HepG2 Cells. *Nutrients*, 14(24). <https://doi.org/10.3390/nu14245394>
- Yao, J., Deng, K., Huang, J., Zeng, R., & Zuo, J. (2020). Progress in the Understanding of the Mechanism of Tamoxifen Resistance in Breast Cancer. In *Frontiers in Pharmacology* (Vol. 11). Frontiers Media S.A. <https://doi.org/10.3389/fphar.2020.592912>
- Yu, S., Kim, T., Yoo, K. H., & Kang, K. (2017). The T47D cell line is an ideal experimental model to elucidate the progesterone-specific effects of a luminal A subtype of breast cancer. *Biochemical and Biophysical Research Communications*, 486(3), 752–758. <https://doi.org/10.1016/j.bbrc.2017.03.114>
- Zafar, S., Khan, K., Hafeez, A., Irfan, M., Armaghan, M., Rahman, A. ur, Gürer, E. S., Sharifi-Rad, J., Butnariu, M., Bagiu, I. C., & Bagiu, R. V. (2022). Ursolic acid: a natural modulator of signaling networks in different cancers. In *Cancer Cell International* (Vol. 22, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s12935-022-02804-7>
- Zhang, X., Zhang, B., Liu, J., Liu, J., Li, C., Dong, W., Fang, S., Li, M., Song, B., Tang, B., Wang, Z., & Zhang, Y. (2015). Mechanisms of Gefitinib-mediated reversal of tamoxifen resistance in MCF-7 breast cancer cells by inducing ER α re-expression. *Scientific Reports*, 5, 7835. <https://doi.org/10.1038/srep07835>
- Zhang, X. (2018). *Anti-Cancer Activities Of Ursolic Acid In Human Breast Cancer Cells Through Nrf2 Pathway Regulation*. Dissertation. Cornell University.
- Zhao, Z., Jin, G., Ge, Y., & Guo, Z. (2019). Naringenin inhibits migration of breast cancer cells via inflammatory and apoptosis cell signaling pathways. *Inflammopharmacology*, 27(5), 1021–1036. <https://doi.org/10.1007/s10787-018-00556-3>