

DAFTAR PUSTAKA

- Arias, B., Pevida, C., Feroso, J., Plaza, M. G., Rubiera, F., & Pis, J. J. (2008). Influence of torrefaction on the grindability and reactivity of woody biomass. *Fuel Processing Technology*, 89(2), 169–175. <https://doi.org/10.1016/j.fuproc.2007.09.002>
- Chan, Y. H., Dang, K. V., Yusup, S., Lim, M. T., Zain, A. M., & Uemura, Y. (2014). Studies on catalytic pyrolysis of empty fruit bunch (EFB) using Taguchi's L9 Orthogonal Array. *Journal of the Energy Institute*, 87(3), 227–234. <https://doi.org/10.1016/j.joei.2014.03.008>
- Chang, Raymond. (2008). *General chemistry: The essential concepts*. McGraw-Hill Higher Education.
- Chen, W., Gong, M., Li, K., Xia, M., Chen, Z., Xiao, H., Fang, Y., Chen, Y., Yang, H., & Chen, H. (2020). Insight into KOH activation mechanism during biomass pyrolysis: Chemical reactions between O-containing groups and KOH. *Applied Energy*, 278. <https://doi.org/10.1016/j.apenergy.2020.115730>
- Chen, W. H., Peng, J., & Bi, X. T. (2015). A state-of-the-art review of biomass torrefaction, densification and applications. Dalam *Renewable and Sustainable Energy Reviews* (Vol. 44, hlm. 847–866). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2014.12.039>
- Chen, W., Luo, M., Yang, K., & Zhou, X. (2020). Microwave-assisted KOH activation from lignin into hierarchically porous carbon with super high specific surface area by utilizing the dual roles of inorganic salts: Microwave absorber and porogen. *Microporous and Mesoporous Materials*, 300. <https://doi.org/10.1016/j.micromeso.2020.110178>
- Daian, G., & Ozarska, B. (2009). Wood waste management practices and strategies to increase sustainability standards in the Australian wooden furniture manufacturing sector. *Journal of Cleaner Production*, 17(17), 1594–1602. <https://doi.org/10.1016/j.jclepro.2009.07.008>
- de Almeida, S. G. C., Tarelho, L. A. C., Hauschild, T., Costa, M. A. M., & Dussán, K. J. (2022). Biochar production from sugarcane biomass using slow pyrolysis: Characterization of the solid fraction. *Chemical Engineering and Processing - Process Intensification*, 179. <https://doi.org/10.1016/j.cep.2022.109054>
- Erawati, E., Sediawan, W. B., & Mulyono, P. (2013). Karakteristik Bio-oil Hasil Pirolisis Ampas Tebu. *JKTI*, 15(2), 47–55.
- Firmansyah, R., Budi, S., Pusat, S., Energi, P., Batan, N., Kuningan Barat, J., & Prapatan, M. (t.t.). *Perhitungan Faktor Emisi CO2 PLTU Batubara dan PLTN (Rizki Firmansyah Setya Budi dan Suparman) PERHITUNGAN FAKTOR EMISI CO2 PLTU BATUBARA DAN PLTN*.
- Foong, S. Y., Liew, R. K., Yang, Y., Cheng, Y. W., Yek, P. N. Y., Wan Mahari, W. A., Lee, X. Y., Han, C. S., Vo, D. V. N., Van Le, Q., Aghbashlo, M., Tabatabaei, M., Sonne, C., Peng, W., & Lam, S. S. (2020a). Valorization

- of biomass waste to engineered activated biochar by microwave pyrolysis: Progress, challenges, and future directions. *Chemical Engineering Journal*, 389. <https://doi.org/10.1016/j.cej.2020.124401>
- Foong, S. Y., Liew, R. K., Yang, Y., Cheng, Y. W., Yek, P. N. Y., Wan Mahari, W. A., Lee, X. Y., Han, C. S., Vo, D. V. N., Van Le, Q., Aghbashlo, M., Tabatabaei, M., Sonne, C., Peng, W., & Lam, S. S. (2020b). Valorization of biomass waste to engineered activated biochar by microwave pyrolysis: Progress, challenges, and future directions. *Chemical Engineering Journal*, 389. <https://doi.org/10.1016/j.cej.2020.124401>
- Fricler, V. Y., Nyashina, G. S., Vershinina, K. Y., Vinogradskiy, K. V., Shvets, A. S., & Strizhak, P. A. (2023a). Microwave pyrolysis of agricultural waste: Influence of catalysts, absorbers, particle size and blending components. *Journal of Analytical and Applied Pyrolysis*, 171(March), 105962. <https://doi.org/10.1016/j.jaap.2023.105962>
- Fricler, V. Y., Nyashina, G. S., Vershinina, K. Y., Vinogradskiy, K. V., Shvets, A. S., & Strizhak, P. A. (2023b). Microwave pyrolysis of agricultural waste: Influence of catalysts, absorbers, particle size and blending components. *Journal of Analytical and Applied Pyrolysis*, 171. <https://doi.org/10.1016/j.jaap.2023.105962>
- Fricler, V. Y., Nyashina, G. S., Vershinina, K. Y., Vinogradskiy, K. V., Shvets, A. S., & Strizhak, P. A. (2023c). Microwave pyrolysis of agricultural waste: Influence of catalysts, absorbers, particle size and blending components. *Journal of Analytical and Applied Pyrolysis*, 171. <https://doi.org/10.1016/j.jaap.2023.105962>
- Guangul, F. M., Sulaiman, S. A., & Ramli, A. (2014). Study of the effects of operating factors on the resulting producer gas of oil palm fronds gasification with a single throat downdraft gasifier. *Renewable Energy*, 72, 271–283. <https://doi.org/10.1016/j.renene.2014.07.022>
- Gupta, G. K., Gupta, P. K., & Mondal, M. K. (2019). Experimental process parameters optimization and in-depth product characterizations for teak sawdust pyrolysis. *Waste Management*, 87, 499–511. <https://doi.org/10.1016/j.wasman.2019.02.035>
- Hasan, M. M., Rasul, M. G., Jahirul, M. I., & Mofijur, M. (2024a). Fuelling the future: Unleashing energy and exergy efficiency from municipal green waste pyrolysis. *Fuel*, 357. <https://doi.org/10.1016/j.fuel.2023.129815>
- Hasan, M. M., Rasul, M. G., Jahirul, M. I., & Mofijur, M. (2024b). Fuelling the future: Unleashing energy and exergy efficiency from municipal green waste pyrolysis. *Fuel*, 357. <https://doi.org/10.1016/j.fuel.2023.129815>
- Herlambang, S., S, AZ. P. B., Gomareuzzaman, M., & Wibowo, A. W. A. (2020). *Buku Ajar Biochar Salah Satu Alternatif Untuk Perbaikan Lahan dan Lingkungan*.

- Hu, M., Ye, Z., Zhang, Q., Xue, Q., Li, Z., Wang, J., & Pan, Z. (2022). Towards understanding the chemical reactions between KOH and oxygen-containing groups during KOH-catalyzed pyrolysis of biomass. *Energy*, 245. <https://doi.org/10.1016/j.energy.2022.123286>
- Khan, S. R., Zeeshan, M., Ahmed, A., & Saeed, S. (2021). Comparison of synthetic and low-cost natural zeolite for bio-oil focused pyrolysis of raw and pretreated biomass. *Journal of Cleaner Production*, 313. <https://doi.org/10.1016/j.jclepro.2021.127760>
- Kim, J. Y., Moon, J., Lee, J. H., Jin, X., & Choi, J. W. (2020). Conversion of phenol intermediates into aromatic hydrocarbons over various zeolites during lignin pyrolysis. *Fuel*, 279. <https://doi.org/10.1016/j.fuel.2020.118484>
- Kota, K. B., Shenbagaraj, S., Sharma, P. K., Sharma, A. K., Ghodke, P. K., & Chen, W. H. (2022). Biomass torrefaction: An overview of process and technology assessment based on global readiness level. *Fuel*, 324. <https://doi.org/10.1016/j.fuel.2022.124663>
- Lam, S. S., & Chase, H. A. (2012). A review on waste to energy processes using microwave pyrolysis. Dalam *Energies* (Vol. 5, Nomor 10, hlm. 4209–4232). MDPI AG. <https://doi.org/10.3390/en5104209>
- Lam, S. S., Wan Mahari, W. A., Jusoh, A., Chong, C. T., Lee, C. L., & Chase, H. A. (2017). Pyrolysis using microwave absorbents as reaction bed: An improved approach to transform used frying oil into biofuel product with desirable properties. *Journal of Cleaner Production*, 147, 263–272. <https://doi.org/10.1016/j.jclepro.2017.01.085>
- Liang, J., Shan, G., & Sun, Y. (2021). Catalytic fast pyrolysis of lignocellulosic biomass: Critical role of zeolite catalysts. Dalam *Renewable and Sustainable Energy Reviews* (Vol. 139). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2021.110707>
- Mangalla, L. K., Sisworo, R. R., & Pagiling, L. (2023). Perbaikan Kualitas Energi Biomassa Kayu Jati Menggunakan Torefaksi Microwave Untuk Produksi Bioarang. *TEKNIK*, 44(1), 15–22. <https://doi.org/10.14710/teknik.v44i1.48278>
- Masykur Lubad, A., & Widiastuti, P. (2010). Program Nasional Biofuel dan Realitasnya di Indonesia. Dalam *Jl. Ciledug Raya Kav* (Vol. 44, Nomor 3).
- Medic, D., Darr, M., Shah, A., Potter, B., & Zimmerman, J. (2012). Effects of torrefaction process parameters on biomass feedstock upgrading. *Fuel*, 91(1), 147–154. <https://doi.org/10.1016/j.fuel.2011.07.019>
- Mufandi, I., Suntivarakorn, R., Treedet, W., & Singbua, P. (2023). Analisis Termogravimetri dan Dekomposisi Termal pada Produksi Bio-Oil dari Daun Tebu Menggunakan Proses Pirolisis Cepat. Dalam *Jurnal Ilmiah Teknik Kimia* (Vol. 20, Nomor 1).
- Nzediegwu, C., Arshad, M., Ulah, A., Naeth, M. A., & Chang, S. X. (2021). Fuel, thermal and surface properties of microwave-pyrolyzed biochars

- depend on feedstock type and pyrolysis temperature. *Bioresource Technology*, 320. <https://doi.org/10.1016/j.biortech.2020.124282>
- Ong, H. C., Chen, W. H., Farooq, A., Gan, Y. Y., Lee, K. T., & Ashokkumar, V. (2019). Catalytic thermochemical conversion of biomass for biofuel production: A comprehensive review. Dalam *Renewable and Sustainable Energy Reviews* (Vol. 113). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2019.109266>
- Otowa, T., Tanibata, R., & Ltoh, M. (1993). *Production and adsorption characteristics of MAXSORB: high-surface-area active carbon*.
- Pang, S. (2019). Advances in thermochemical conversion of woody biomass to energy, fuels and chemicals. Dalam *Biotechnology Advances* (Vol. 37, Nomor 4, hlm. 589–597). Elsevier Inc. <https://doi.org/10.1016/j.biotechadv.2018.11.004>
- Papilo, P., Kunaifi, Hambali, E., Nurmiati, & Fariz Pari, R. (2015). *PENILAIAN POTENSI BIOMASSA SEBAGAI ALTERNATIF ENERGI KELISTRIKAN: Vol. IX* (Nomor 2).
- Perego, C., & Bosetti, A. (2011). Biomass to fuels: The role of zeolite and mesoporous materials. *Microporous and Mesoporous Materials*, 144(1–3), 28–39. <https://doi.org/10.1016/j.micromeso.2010.11.034>
- Phanphanich, M., & Mani, S. (2011). Impact of torrefaction on the grindability and fuel characteristics of forest biomass. *Bioresource Technology*, 102(2), 1246–1253. <https://doi.org/10.1016/j.biortech.2010.08.028>
- Rahman, A., Dargusch, P., & Wadley, D. (2021). The political economy of oil supply in Indonesia and the implications for renewable energy development. Dalam *Renewable and Sustainable Energy Reviews* (Vol. 144). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2021.111027>
- Salema, A. A., & Ani, F. N. (2012). Pyrolysis of oil palm empty fruit bunch biomass pellets using multimode microwave irradiation. *Bioresource Technology*, 125, 102–107. <https://doi.org/10.1016/j.biortech.2012.08.002>
- Singh, S., Singh, A., Prasad, N., Singh, S., & Asthana, R. K. (2024). Phytohormone augmented biomass and lipid production in *Dunaliella salina* under two-stage cultivation strategy: A comprehensive characterization of biomass and lipid using DLS, FTIR, CHNS and NMR for bioenergy prospects. *Journal of Environmental Chemical Engineering*, 12(6). <https://doi.org/10.1016/j.jece.2024.114942>
- Singh, S., Singh, A., Singh, S., Prasad, N., Laxmi, Singh, P., & Kumar Asthana, R. (2024). IAA induced biomass and lipid overproduction in microalgae via two-stage cultivation strategy: Characterization using FTIR/CHNS/TGA/DTG and ¹H-NMR for bioenergy potential. *Energy Conversion and Management*, 311. <https://doi.org/10.1016/j.enconman.2024.118546>
- Syamsiro, M., Saputro, M. A., Winarno, J., Megaprastio, B., & Mufrodi, Z. (2021). Studi Co-pirolisis Plastik HDPE dan Oli Bekas Menjadi Bahan

- Bakar Cair Alternatif. Dalam *Universitas Janabadra Yogyakarta* (Vol. 331).
- Trada, A., Chaudhary, A., Patel, D., & Upadhyay, D. S. (2022). An alternative fuel production from sawdust through batch-type pyrolysis reactor: Fuel properties and thermodynamic analysis. *Process Safety and Environmental Protection*, 167, 332–342. <https://doi.org/10.1016/j.psep.2022.09.023>
- Vargas, M., Tupayachy-Quispe, D., Roudet, F., Duquesne, S., & Almirón, J. (2021). Catalytic pyrolysis of plastic materials using natural zeolite catalysts synthesized from volcanic ash. *IOP Conference Series: Materials Science and Engineering*, 1150(1), 012018. <https://doi.org/10.1088/1757-899x/1150/1/012018>
- Wannapeera, J., Fungtammasan, B., & Worasuwannarak, N. (2011). Effects of temperature and holding time during torrefaction on the pyrolysis behaviors of woody biomass. *Journal of Analytical and Applied Pyrolysis*, 92(1), 99–105. <https://doi.org/10.1016/j.jaap.2011.04.010>
- Wu, J., He, X., Xu, L., Song, Q., Tian, Z., Wang, C., Zhao, M., Zhou, G., & Gao, Y. (2025). Efficient production of hydrogen-rich syngas by pyrolysis coupled with catalytic steam reforming of degradable polylactic acid waste plastics over high-entropy oxide catalyst. *International Journal of Hydrogen Energy*. <https://doi.org/10.1016/j.ijhydene.2025.01.350>
- Yang, Y., Xiao, P., Wen, M., Liu, T., Yang, J., Dai, S., Zhao, Y., Huang, Q., Liu, Z., & Li, B. (2024). A review on the modified red mud for biomass catalytic pyrolysis: Preparation, mechanisms and perspectives. Dalam *Journal of Analytical and Applied Pyrolysis* (Vol. 178). Elsevier B.V. <https://doi.org/10.1016/j.jaap.2024.106430>
- Yokoyama, S. (2008). *Buku Panduan Biomassa Asia*. The Japan Institute of Energy.
- Zhang, X., & Hayward, D. O. (2006). Applications of microwave dielectric heating in environment-related heterogeneous gas-phase catalytic systems. Dalam *Inorganica Chimica Acta* (Vol. 359, Nomor 11, hlm. 3421–3433). Elsevier S.A. <https://doi.org/10.1016/j.ica.2006.01.037>
- Zhang, Y., Chen, P., Liu, S., Fan, L., Zhou, N., Min, M., Cheng, Y., Peng, P., Anderson, E., Wang, Y., Wan, Y., Liu, Y., Li, B., & Ruan, R. (2017a). Microwave-Assisted Pyrolysis of Biomass for Bio-Oil Production. Dalam *Pyrolysis*. InTech. <https://doi.org/10.5772/67442>
- Zhang, Y., Chen, P., Liu, S., Fan, L., Zhou, N., Min, M., Cheng, Y., Peng, P., Anderson, E., Wang, Y., Wan, Y., Liu, Y., Li, B., & Ruan, R. (2017b). Microwave-Assisted Pyrolysis of Biomass for Bio-Oil Production. Dalam *Pyrolysis*. InTech. <https://doi.org/10.5772/67442>
- Zhou, C., Zhang, Y., Xing, X., Zhang, T., Siyal, A. A., Liu, Y., Dai, J., Qu, J., Liu, C., Yao, B., Chao, L., Chen, L., Chen, Y., Wang, J., Dong, J., & Wang, L. (2023). Comparative study of continuous and batch microwave-assisted pyrolysis of waste printed circuit boards: product characteristic,

bromine transformation, and energy efficiency assessment. *Journal of Cleaner Production*, 421. <https://doi.org/10.1016/j.jclepro.2023.138546>