

DAFTAR PUSTAKA

- Abbatfati, C., Abbas, K. M., Abbasi-Kangevari, M., Abd-Allah, F., Abdelalim, A., Abdollahi, M., Abdollahpour, I., Abegaz, K. H., Abolhassani, H., Aboyans, V., Abreu, L. G., Abrigo, M. R. M., Abualhasan, A., Abu-Raddad, L. J., Abushouk, A. I., Adabi, M., Adekanmbi, V., Adeoye, A. M., Adetokunboh, O. O., ... Murray, C. J. L. (2020). Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. *The Lancet*, 396(10258), 1223–1249. [https://doi.org/10.1016/S0140-6736\(20\)30752-2](https://doi.org/10.1016/S0140-6736(20)30752-2).
- Allotey, P., Davey, T., & Reidpath, D. D. (2014). NCDs in low and middle-income countries - Assessing the capacity of health systems to respond to population needs. *BMC Public Health*, 14(SUPPL. 2), 2–4. <https://doi.org/10.1186/1471-2458-14-S2-S1>.
- Amerzadeh, M., Takian, A., Pouraram, H., Sari, A. A., & Ostovar, A. (2022). Policy analysis of socio-cultural determinants of salt, sugar and fat consumption in Iran. *BMC Nutrition*, 8(1), 1–7. <https://doi.org/10.1186/s40795-022-00518-7>
- Andreeva, V. A., Egnell, M., Handjieva-Darlenska, T., Talati, Z., Touvier, M., Galan, P., Hercberg, S., Pettigrew, S., & Julia, C. (2020). Bulgarian consumers' objective understanding of front-of-package nutrition labels: A comparative, randomized study. *Archives of Public Health*, 78(1), 1–9. <https://doi.org/10.1186/s13690-020-00416-z>.
- Aprianti, A., Mubarakah, K., Yuantari, M. G. C., & Rahma, N. S. (2023). Nutrition Fact Literacy in Productive Age Communities in Semarang City, Indonesia. *Amerta Nutrition*, 7(3), 406–412. <https://doi.org/10.20473/amnt.v7i3.2023.406-412>.
- Ares, G., Antúnez, L., Curutchet, M. R., & Giménez, A. (2023). Warning labels as a policy tool to encourage healthier eating habits. *Current Opinion in Food Science*, 51, 101011. <https://doi.org/10.1016/j.cofs.2023.101011>.
- Behera, S., & Pradhan, J. (2022). A combination of moderate and vigorous physical activities reduces the burden of multimorbidity: findings from Longitudinal Ageing Study in India. *Journal of Health, Population and Nutrition*, 41(1), 1–11. <https://doi.org/10.1186/s41043-022-00323-9>.
- Benziger, C. P., Roth, G. A., & Moran, A. E. (2016). The Global Burden of Disease Study and the Preventable Burden of NCD. *Global Heart*, 11(4), 393–397. <https://doi.org/10.1016/j.gheart.2016.10.024>.
- Bopape, M., De Man, J., Taillie, L. S., Ng, S. W., Murukutla, N., & Swart, R. (2022). Effect of different front-of-package food labels on identification of unhealthy products and intention to purchase the products— A randomised controlled trial in South Africa. *Appetite*, 179(March), 106283. <https://doi.org/10.1016/j.appet.2022.106283>.
- Bopape, M., Taillie, L. S., Frank, T., Murukutla, N., Cotter, T., Majija, L., & Swart, R. (2021). South African consumers' perceptions of front-of-package warning labels on unhealthy foods and drinks. *PLoS ONE*, 16(9 September), 1–20. <https://doi.org/10.1371/journal.pone.0257626>.

- Bottari, F., & Mark-Herbert, C. (2022). Development of uniform food information –the case of front of package nutrition labels in the EU. *Archives of Public Health*, 80(1), 1–15. <https://doi.org/10.1186/s13690-022-00915-1>.
- BPOM. (2019). *Sosialisasi Pelabelan Gizi Pangan Olahan*. BPOM RI. <https://standarpangan.pom.go.id/berita/sosialisasi-pelabelan-gizi-pangan-olahan>.
- BPOM. (2021). Perka BPOM No. 26 Tahun 2021 tentang Informasi Nilai Gizi pada Label Pangan Olahan. *BPOM RI*, 1–16. https://standarpangan.pom.go.id/dokumen/peraturan/202x/PERATURAN_BADAN_PENGAWAS_OBAT_DAN_MAKANAN_NOMOR_26_TAHUN_2021_TENTANG_INFORMASI_NILAI_GIZI_PADA_LABEL_PANGAN_OLAHAN.pdf.
- BPOM. (2023). *Kenali dan Cermati Label Informasi Nilai Gizi*. BPOM RI; Direktorat Standardisasi Pangan Olahan Deputi Bidang Pengawasan Pangan Olahan Badan Pengawas Obat dan Makanan Republik Indonesia. <https://standarpangan.pom.go.id/dokumen/pedoman/Informasi-Nilai-Gizi.pdf>.
- BPOM. (2024). *Konsultasi Publik : Revisi Peraturan BPOM Tentang Informasi Nilai Gizi pada Label Pangan Olahan*. BPOM RI. <https://standarpangan.pom.go.id/urlbpom/linkspo?xyzopqwerty=LKE2409001&secure=1725151820spo202409011118>.
- BPOM. (2025). *Status Rancangan Standar*. Direktorat Standardisasi Pangan Olahan BPOM RI. <https://standarpangan.pom.go.id/penyusunan/status-rancangan-standar>.
- Braesco, V., & Drewnowski, A. (2023). Are Front-of-Pack Nutrition Labels Influencing Food Choices and Purchases, Diet Quality, and Modeled Health Outcomes? A Narrative Review of Four Systems. *Nutrients*, 15(1). <https://doi.org/10.3390/nu15010205>.
- Branca, F., Lartey, A., Oenema, S., Aguayo, V., Stordalen, G. A., Richardson, R., Arvelo, M., & Afshin, A. (2019). Transforming the food system to fight non-communicable diseases. *BMJ (Online)*, 364. <https://doi.org/10.1136/bmj.1296>.
- Brenes, J. C., Gómez, G., Quesada, D., Kovalskys, I., Rigotti, A., Cortés, L. Y., García, M. C. Y., Liria-Domínguez, R., Herrera-Cuenca, M., Guajardo, V., Fisberg, R. M., Leme, A. C. B., Ferrari, G., & Fisberg, M. (2021). Alcohol contribution to total energy intake and its association with nutritional status and diet quality in eight latina american countries. *International Journal of Environmental Research and Public Health*, 18(24). <https://doi.org/10.3390/ijerph182413130>.
- Brenyah, J. K., Nonvignon, J., Singh, A., & Owusu-Dabo, E. (2023). Tobacco consumption and non-communicable diseases in Ghana; Identifying accentuating factors and further evidence from 2014 Ghana demographic and health survey. *Scientific African*, 20. <https://doi.org/10.1016/j.sciaf.2023.e01665>.
- Budreviciute, A., Damiati, S., Sabir, D. K., Onder, K., Schuller-Goetzburg, P., Plakys, G., Katileviciute, A., Khoja, S., & Kodzius, R. (2020). Management and Prevention Strategies for Non-communicable Diseases (NCDs) and Their

- Risk Factors. *Frontiers in Public Health*, 8(November), 1–11. <https://doi.org/10.3389/fpubh.2020.574111>.
- Cabrera, M., Machín, L., Arrúa, A., Antúnez, L., Curutchet, M. R., Giménez, A., & Ares, G. (2017). Nutrition warnings as front-of-pack labels: Influence of design features on healthfulness perception and attentional capture. *Public Health Nutrition*, 20(18), 3360–3371. <https://doi.org/10.1017/S136898001700249X>.
- Castronuovo, L., Tiscornia, M. V., Guarnieri, L., Martins, E., Gomes, F. S., & Allemandi, L. (2022). Efficacy of different front-of-package labeling systems in changing purchase intention and product healthfulness perception for food products in Argentina. *Revista Panamericana de Salud Publica/Pan American Journal of Public Health*, 46. <https://doi.org/10.26633/RPSP.2022.137>.
- Codex Alimentarius. (2021). Guidelines on Nutrition Labelling CXG 2-1985. FAO. https://www.fao.org/fao-who-codexalimentarius/sh-proxy/en/?lnk=1&url=https%253A%252F%252Fworkspace.fao.org%252Fsites%252Fcodex%252Fstandards%252FCXG%2B2-1985%252FCXG_002e.pdf.
- Crocker, H., Packer, J., Russell, S. J., Stansfield, C., & Viner, R. M. (2020). Front of pack nutritional labelling schemes: a systematic review and meta-analysis of recent evidence relating to objectively measured consumption and purchasing. *Journal of Human Nutrition and Dietetics*, 33(4), 518–537. <https://doi.org/10.1111/jhn.12758>.
- Crosbie, E., Gomes, F. S., Olvera, J., Rincón-Gallardo Patiño, S., Hoeper, S., & Carriedo, A. (2023). A policy study on front-of-pack nutrition labeling in the Americas: emerging developments and outcomes. *The Lancet Regional Health - Americas*, 18, 100400. <https://doi.org/10.1016/j.lana.2022.100400>.
- Domínguez-Miranda, S. A., & Rodríguez-Aguilar, R. (2023). The Economic Dimensions of the Non-communicable Diseases: A Panel Data Study BT - Intelligent Computing and Optimization. *Intelligent Computing and Optimization*, vol 855, 134–144. https://doi.org/10.1007/978-3-031-50158-6_14.
- Dunford, E. K., Miles, D. R., Hollingsworth, B. A., Heller, S., Popkin, B. M., Ng, S. W., & Taillie, L. S. (2024). Defining “High-In” Saturated Fat, Sugar, and Sodium to Help Inform Front-of-Pack Labeling Efforts for Packaged Foods and Beverages in the United States. *Nutrients*, 16(24), 1–14. <https://doi.org/10.3390/nu16244345>.
- Duran, A. C., Ricardo, C. Z., Mais, L. A., & Bortoletto Martins, A. P. (2020). Role of different nutrient profiling models in identifying targeted foods for front-of-package food labelling in Brazil. *Public Health Nutrition*, 24(6), 1514–1525. <https://doi.org/10.1017/S1368980019005056>.
- Durán, R., Asmitia, E., Rivera, J., Barquera, S., & Tolentino-Mayo, L. (2022). Analysis of stakeholders’ responses to the food warning labels regulation in Mexico. *Health Research Policy and Systems*, 20(1), 1–12. <https://doi.org/10.1186/s12961-022-00922-2>.
- Dzulfaroh, A. N. (2022). Apakah BPJS Kesehatan Tanggung Biaya Pengobatan Pasien Penyakit Kronis? KOMPAS.

<https://www.kompas.com/wiken/read/2022/03/26/093000381/apakah-bpjs-kesehatan-tanggung-biaya-pengobatan-pasien-penyakit-kronis-?>

- Egnell, M., Crosetto, P., D'Almeida, T., Kesse-Guyot, E., Touvier, M., Ruffieux, B., Hercberg, S., Muller, L., & Julia, C. (2019). Modelling the impact of different front-of-package nutrition labels on mortality from non-communicable chronic disease. *International Journal of Behavioral Nutrition and Physical Activity*, 16(1), 1–11. <https://doi.org/10.1186/s12966-019-0817-2>.
- Falbe, J., Montuclard, A., Engelman, A., Adler, S., & Roesler, A. (2021). Developing sugar-sweetened beverage warning labels for young adults. *Public Health Nutrition*, 24(14), 4765–4775. <https://doi.org/10.1017/S1368980021002287>.
- Farmer, K. O., Beukes, R. A., Sowden, M., & du Plessis, L. M. (2025). The impact of food and nonalcoholic beverage sponsorship and marketing in the school environment on the food choices of school-going children and adolescents: A scoping review, 2011–2023. *Obesity Reviews*, April 2024, 1–10. <https://doi.org/10.1111/obr.13923>.
- Ferretti, F., & Mariani, M. (2019). Sugar-sweetened beverage affordability and the prevalence of overweight and obesity in a cross section of countries. *Globalization and Health*, 15(1), 1–14. https://www.researchgate.net/publication/332513001_Sugar-sweetened_beverage_affordability_and_the_prevalence_of_overweight_and_obesity_in_a_cross_section_of_countries.
- Ghosh, R. K., Sanghvi, R., & Sahay, A. (2023). Consumer preference for nutrition front-of-pack-label formats in India: Evidence from a large-scale experimental survey. *Food Quality and Preference*, 111(September), 104993. <https://doi.org/10.1016/j.foodqual.2023.104993>.
- Glanz, K., Rimer, B. k. and Viswanath, K. (2008). *Health Behavior and Health Education Theory, Research and Practice*. Jossey-Bass A Wiley Imprint. <http://transformationalchange.pbworks.com/f/HealtBehavior-Education.pdf>.
- Goodman, S., Vanderlee, L., Acton, R., Mahamad, S., & Hammond, D. (2018). The impact of front-of-package label design on consumer understanding of nutrient amounts. *Nutrients*, 10(11). <https://doi.org/10.3390/nu10111624>.
- Hall, M. G., Lazard, A. J., Grummon, A. H., Higgins, I. C. A., Bercholz, M., Richter, A. P. C., & Taillie, L. S. (2021). Designing warnings for sugary drinks: A randomized experiment with Latino parents and non-Latino parents. *Preventive Medicine*, 148, 1–18. <https://doi.org/10.1016/j.ypmed.2021.106562>.
- Hung, Y., Hieke, S., Grunert, K. G., & Verbeke, W. (2019). Setting policy priorities for front-of-pack health claims and symbols in the European union: Expert consensus built by using a delphi method. *Nutrients*, 11(2). <https://doi.org/10.3390/nu11020403>.
- Ikonen, I., Sotgiu, F., Aydinli, A., & Verlegh, P. W. J. (2020). Consumer effects of front-of-package nutrition labeling: an interdisciplinary meta-analysis. *Journal of the Academy of Marketing Science*, 48(3), 360–383. <https://doi.org/10.1007/s11747-019-00663-9>.

- Jachimowicz-Rogowska, K., & Winiarska-Mieczan, A. (2023). Initiatives to Reduce the Content of Sodium in Food Products and Meals and Improve the Population's Health. *Nutrients*, *15*(10). <https://doi.org/10.3390/nu15102393>.
- Jawad, A., Mulligan, C., Savona, N., & L'Abbé, M. R. (2023). Qualitative analysis of front-of package labeling policy interactions between stakeholders and Health Canada. *Frontiers in Public Health*, *11*(April). <https://doi.org/10.3389/fpubh.2023.982908>.
- Jawaldeh, A. Al, & Al-Jawaldeh, H. (2018). Fat intake reduction strategies among children and adults to eliminate obesity and non-communicable diseases in the eastern mediterranean region. *Children*, *5*(7), 1–19. <https://doi.org/10.3390/children5070089>.
- Jilani, U. A., Othman, Z. Bin, & Jilani, S. A. (2022). Role of Physical Inactivity and High Body Mass Index in the Causation and Primary Prevention of Non-Communicable Diseases. *Malaysian Journal of Public Health Medicine*, *22*(1), 295–302. <https://doi.org/10.37268/mjphm/vol.22/no.1/art.1516>.
- Jones, A., Neal, B., Reeve, B., Ni Mhurchu, C., & Thow, A. M. (2019). Front-of-pack nutrition labelling to promote healthier diets: Current practice and opportunities to strengthen regulation worldwide. *BMJ Global Health*, *4*(6), 1–16. <https://doi.org/10.1136/bmjgh-2019-001882>.
- Karthikeyan, V., Bera, O., Kumar, C., Joshi, K., Venkatesh, U., Dalui, A., Hariharan, V. S., Abul Hasan, K. M., & Srinivasan, S. P. (2024). The Role of Young Doctors' Health Parliament as an effective policy tool in Tackling NCDs: An innovative approach. *Indian Journal of Community Health*, *36*(3), 492–496. <https://doi.org/10.47203/IJCH.2024.v36i03.025>.
- Kelly, B., Ng, S. H., Carrad, A., & Pettigrew, S. (2024). The Potential Effectiveness of Nutrient Declarations and Nutrition and Health Claims for Improving Population Diets. *Annual Review of Nutrition*, *44*(1), 441–470. <https://doi.org/10.1146/annurev-nutr-011224-054913>.
- Kemendes RI. (2023). Survei Kesehatan Indonesia (SKI) 2023 Dalam Angka. Kemendes. https://drive.google.com/file/d/1rjNDG_f8xG6-Y9wmhJUnXhJ-vUFevVJC/view.
- Kemendes RI. (2018). Laporan Nasional Riskesdas 2018. Badan Penelitian dan Pengembangan Kesehatan Kementerian RI. <https://repository.badankebijakan.kemkes.go.id/id/eprint/3514/1/Laporan%20Riskesdas%202018%20Nasional.pdf>.
- KF Indonesia. (2023). *Lansekap fortifikasi garam beryodium di Indonesia*. KF Indonesia. <https://www.kfindonesia.org/en/lansekap-fortifikasi-garam-beryodium/>.
- Khariri, & Andriani, L. (2020). Dominasi Penyakit Tidak Menular dan Pola Makan Yang Tidak Sehat. *Pros Sem Nas Masy Biodiv Indon*, *6*(1), 649–652. <https://doi.org/10.13057/psnmbi/m060127>.
- Knill, C., Tosun, J., & Bauer, M. W. (2008). *Policy Making*. <https://kops.uni-konstanz.de/server/api/core/bitstreams/9f7f2258-ffe2-4c27-864c-4a30abfe8e8a/content>.
- Konings, J. J. C., Smorenburg, H., & Roodenburg, A. J. C. (2022). Comparison between the Choices Five-Level Criteria and Nutri-Score: Alignment with the

- Dutch Food-Based Dietary Guidelines. *Nutrients*, 14(17). <https://doi.org/10.3390/nu14173527>.
- Kontopoulou, L., Karpetas, G., Fradelos, E. C., Papathanasiou, I. V., Malli, F., Papagiannis, D., Mantzaris, D., Fialon, M., Julia, C., & Gourgoulisanis, K. I. (2022). Online consumer survey comparing different front-of-pack labels in Greece. *Nutrients*, 14(1), 1–16. <https://doi.org/10.3390/nu14010046>.
- Latasa, P., Louzada, M. L. D. C., Martinez Steele, E., & Monteiro, C. A. (2018). Added sugars and ultra-processed foods in Spanish households (1990–2010). *European Journal of Clinical Nutrition*, 72(10), 1404–1412. <https://doi.org/10.1038/s41430-017-0039-0>.
- Mais, L. A., Borges, C. A., Khandpur, N., Duran, A. C., & Martins, A. P. B. (2022). Brazil’s nutrition labeling regulation: Challenges ahead on the path to guaranteeing consumer’s right to adequate information. *Frontiers in Nutrition*, 9. <https://doi.org/10.3389/fnut.2022.921519>.
- Mais, L. A., Mialon, M., Hassan, B. K., Peres, J. M. D., Santos, M. G. dos, Martins, A. P. B., Coutinho, J. G., & Carvalho, C. M. P. de. (2023). Do they really support “your freedom of choice”? FoPNL and the food industry in Brazil. *Frontiers in Nutrition*, 9(January), 1–18. <https://doi.org/10.3389/fnut.2022.921498>.
- Mansfield, E. D., Ibanez, D., Chen, F., Chen, E., & de Grandpré, E. (2020). Efficacy of “high in” nutrient specific front of package labels—a retail experiment with Canadians of varying health literacy levels. *Nutrients*, 12(10), 1–17. <https://doi.org/10.3390/nu12103199>.
- Marthias, T., Anindya, K., Ng, N., McPake, B., Atun, R., Arfyanto, H., Hulse, E. S. G., Zhao, Y., Jusril, H., Pan, T., Ishida, M., & Lee, J. T. (2021). Impact of non-communicable disease multimorbidity on health service use, catastrophic health expenditure and productivity loss in Indonesia: A population-based panel data analysis study. *BMJ Open*, 11(2), 1–13. <https://doi.org/10.1136/bmjopen-2020-041870>.
- Maubach, N., Hoek, J., & Mather, D. (2014). Interpretive front-of-pack nutrition labels. Comparing competing recommendations. *Appetite*, 82, 67–77. <https://doi.org/10.1016/j.appet.2014.07.006>.
- Mazzù, M. F., Marozzo, V., Baccelloni, A., & Giambarresi, A. (2023). The effects of combining front-of-pack nutritional labels on consumers’ subjective understanding, trust, and preferences. *Psychology and Marketing*, 40(8), 1484–1500. <https://doi.org/10.1002/mar.21838>.
- Mialon, M., Julia, C., & Hercberg, S. (2018). The policy dystopia model adapted to the food industry: the example of the Nutri-Score saga in France. *World Nutrition*, 9(2), 109–120. <https://doi.org/10.26596/wn.201892109-120>.
- Mialon, M., Khandpur, N., Laís, M. A., & Martins, A. P. B. (2020). Arguments used by trade associations during the early development of a new front-of-pack nutrition labelling system in Brazil. *Public Health Nutrition*, 24(July 2018), 766–774. <https://doi.org/10.1017/S1368980020003596>.
- Mohamed, S. F., Karugu, C. H., Iddi, S., Ojiambo, V., Kirui, C., & Asiki, G. (2024). Effectiveness of Three Front-of-Pack Food Labels in Guiding Consumer Identification of Nutrients of Concern and Purchase Intentions in Kenya: A

- Randomized Controlled Trial. *Nutrients*, 16(22), 1–16. <https://doi.org/10.3390/nu16223846>.
- Monteiro, C. A., Moubarac, J. C., Levy, R. B., Canella, D. S., Da Costa Louzada, M. L., & Cannon, G. (2018). Household availability of ultra-processed foods and obesity in nineteen European countries. *Public Health Nutrition*, 21(1), 18–26. <https://doi.org/10.1017/S1368980017001379>.
- Odeny, L., Gathecha, G., Mwenda, V., Kendagor, A., Cheburet, S., Mugi, B., Jaguga, F., Okinda, K., Devotsu, R. K., Mohamed, S. F., & Rahedi, J. (2024). Tobacco smoking-attributable mortality in Kenya , 2012 – 2021. *Tob Induc Dis*, 2012–2021. <https://doi.org/10.18332/tid/186170>.
- Pan American Health Organization. (2020). *Front-of-Package Labeling as a Policy Tool for the Prevention of Noncommunicable Diseases in the Americas*. <https://www.paho.org/en/documents/front-package-labeling-policy-tool-prevention-noncommunicable-diseases-americas>.
- Pandav, C., Taillie, L. S., Miles, D. R., Popkin, B. M., & Hollingsworth, B. A. (2021). The WHO South-East Asia region nutrient profile model is quite appropriate for India: An exploration of 31,516 food products. *Nutrients*, 13(8). <https://doi.org/10.3390/nu13082799>.
- Panggabean, R., & Simamora, H. (2024). *The Sugar-Sweetened Beverage Tax from the Perspective of the Food System*. WRI Indonesia. <https://wri-indonesia.org/en/insights/sugar-sweetened-beverage-tax-perspective-food-system>.
- Peters, R., Ee, N., Peters, J., Beckett, N., Booth, A., Rockwood, K., & Anstey, K. J. (2019). Common risk factors for major noncommunicable disease, a systematic overview of reviews and commentary: the implied potential for targeted risk reduction. *Therapeutic Advances in Chronic Disease*, 10, 1–14. <https://doi.org/10.1177/2040622319880392>.
- Pettigrew, S., Coyle, D., McKenzie, B., Vu, D., Lim, S. C., Berasi, K., Poowanasatien, A., Suya, I., & Kowal, P. (2022). A review of front-of-pack nutrition labelling in Southeast Asia: Industry interference, lessons learned, and future directions. *The Lancet Regional Health - Southeast Asia*, 3, 100017. <https://doi.org/10.1016/j.lansea.2022.05.006>.
- Pettigrew, S., Dana, L., & Talati, Z. (2020). Enhancing the effectiveness of the Health Star Rating via presentation modifications. *Australian and New Zealand Journal of Public Health*, 44(1), 20–21. <https://doi.org/10.1111/1753-6405.12952>.
- Pettigrew, S., Jongenelis, M. I., Jones, A., Hercberg, S., & Julia, C. (2023). An 18-country analysis of the effectiveness of five front-of-pack nutrition labels. *Food Quality and Preference*, 104(July 2022), 104691. <https://doi.org/10.1016/j.foodqual.2022.104691>.
- Pettigrew, S., Jongenelis, M. I., Lakshmi, J. K., Johnson, C., Mahajan, P., Praveen, D., & Gupta, R. (2023). Developing and testing front-of-pack nutrition labels in India: An experimental study. *Food Quality and Preference*, 112(October 2023), 105025. <https://doi.org/10.1016/j.foodqual.2023.105025>.
- Pettigrew, S., Jongenelis, M., Maganja, D., Hercberg, S., & Julia, C. (2024). The Ability of Nutrition Warning Labels to Improve Understanding and Choice

- Outcomes Among Consumers Demonstrating Preferences for Unhealthy Foods. *Journal of the Academy of Nutrition and Dietetics*, 124(1), 58-64.e1. <https://doi.org/10.1016/j.jand.2023.08.135>.
- Pongutta, S., Tantayapirak, P., & Paopeng, C. (2019). Packaged food consumption and understanding of front-of-pack labels in urban Thailand. *Public Health*, 172, 8–14. <https://doi.org/10.1016/j.puhe.2019.04.004>.
- Popkin, B. M. (2015). Nutrition Transition and the Global Diabetes Epidemic. *Current Diabetes Reports*, 15(9). <https://doi.org/10.1007/s11892-015-0631-4>.
- Reyes, M., Taillie, L. S., Popkin, B., Kanter, R., Vandevijvere, S., & Corvalán, C. (2020). Changes in the amount of nutrient of packaged foods and beverages after the initial implementation of the Chilean Law of Food Labelling and Advertising: A nonexperimental prospective study. In *PLoS Medicine* (Vol. 17, Issue 7). <https://doi.org/10.1371/journal.pmed.1003220>.
- Sapunova, I. D., Kontsevaya, A. V., Myrzamatova, A. O., Mukaneeva, D. K., Khudyakov, M. B., Ipatov, P. V., & Drapkina, O. M. (2019). Economic damage from smoking associated with four groups of chronic non-communicable diseases in the Russian Federation in 2016. *Cardiovascular Therapy and Prevention (Russian Federation)*, 18(6), 6–12. <https://doi.org/10.15829/1728-8800-2019-6-6-12>.
- Saputra, B. (2024). Kemenkes: Belanja Asuransi Kesehatan Sosial Naik 36 Persen pada 2023. *ANTARA*. <https://www.antaranews.com/berita/4178394/kemenkes-belanja-asuransi-kesehatan-sosial-naik-36-persen-pada-2023>.
- Seyedhamzeh, S., Nedjat, S., Shakibazadeh, E., Doustmohammadian, A., Hosseini, H., & Motlagh, A. D. (2020). Nutrition labels' strengths & weaknesses and strategies for improving their use in Iran: A qualitative study. *PLoS ONE*, 15(10 October), 1–20. <https://doi.org/10.1371/journal.pone.0241395>.
- Shin, S., Alqunaibet, A. M., Alsukait, R. F., Alruwaily, A., Alfawaz, R. A., Algwizani, A., Herbst, C. H., Shekar, M., & Finkelstein, E. A. (2023). A Randomized Controlled Study to Test Front-of-Pack (FOP) Nutrition Labels in the Kingdom of Saudi Arabia. *Nutrients*, 15(13). <https://doi.org/10.3390/nu15132904>.
- Singh, S. K., Taillie, L. S., Gupta, A., Bercholz, M., Popkin, B., & Murukutla, N. (2022). Front-of-Package Labels on Unhealthy Packaged Foods in India: Evidence from a Randomized Field Experiment. *Nutrients*, 14(15), 1–26. <https://doi.org/10.3390/nu14153128>.
- Sogno, P., Traidl-Hoffmann, C., & Kuenzer, C. (2020). Earth observation data supporting non-communicable disease research: A review. *Remote Sensing*, 12(16), 1–34. <https://doi.org/10.3390/RS12162541>.
- Taillie, L. S., Abrar, A. K., Afroza, U., Akhtar, J., Noe, V., Ide, N., Abdel-Gawad, N., & Choudhury, S. R. (2024). Designing Front-of-Package Labels to Inform Consumers and Encourage Healthier Food Choices in Bangladesh: A Qualitative Study. *Nutrients*, 16(23). <https://doi.org/10.3390/nu16233989>.
- Taillie, L. S., Hall, M. G., Gómez, L. F., Higgins, I., Bercholz, M., Murukutla, N., & Mora-Plazas, M. (2020). Designing an effective front-of-package warning label for food and drinks high in added sugar, sodium, or saturated fat in

- colombia: An online experiment. *Nutrients*, 12(10), 1–20. <https://doi.org/10.3390/nu12103124>.
- Taillie, L. S., Reyes, M., Colchero, M. A., Popkin, B., & Corvalán, C. (2020). An evaluation of Chile’s law of food labeling and advertising on sugar-sweetened beverage purchases from 2015 to 2017: A before-and-after study. *PLoS Medicine*, 17(2), 1–22. <https://doi.org/10.1371/JOURNAL.PMED.1003015>.
- Talati, Z., Egnell, M., Hercberg, S., Julia, C., & Pettigrew, S. (2019). Consumers’ perceptions of five front-of-package nutrition labels: An experimental study across 12 countries. *Nutrients*, 11(8). <https://doi.org/10.3390/nu11081934>.
- UNICEF. (2022). Front-of-pack Nutrition Labelling: A ‘How-to’ guide for countries. UNICEF. [https://www.unicef.org/media/118716/file#:~:text=As%20part%20of%20a%20comprehensive,FOPNL%20\(2%2D9\)](https://www.unicef.org/media/118716/file#:~:text=As%20part%20of%20a%20comprehensive,FOPNL%20(2%2D9)).
- UNICEF. (2024). Analisis lanskap kelebihan berat badan dan obesitas di Indonesia. Ringkasan temuan kunci. <https://www.unicef.org/indonesia/media/22496/file/Analisis>
- Vandevijvere, S., Mackenzie, T., & Mhurchu, C. N. (2017). Indicators of the relative availability of healthy versus unhealthy foods in supermarkets: A validation study. *International Journal of Behavioral Nutrition and Physical Activity*, 14(1), 1–9. <https://doi.org/10.1186/s12966-017-0512-0>.
- Vargas-Meza, J., Jáuregui, A., Pacheco-Miranda, S., Contreras-Manzano, A., & Barquera, S. (2019a). Front-of-pack nutritional labels: Acceptability and subjective understanding in Mexican consumers. *BMC Public Health*, 19(1751), 1–16. <https://doi.org/10.1186/s12889-019-8108-z>.
- Vargas-Meza, J., Jáuregui, A., Pacheco-Miranda, S., Contreras-Manzano, A., & Barquera, S. (2019b). Front-of-pack nutritional labels: Understanding by low-And middle-income Mexican consumers. *PLoS ONE*, 14(11), 1–16. <https://doi.org/10.1371/journal.pone.0225268>.
- Vegi, A. S. F., Guedes, L. F. F., Felisbino-Mendes, M. S., Malta, D. C., Fernandes, E. L., & Machado, I. E. (2024). Burden of non-communicable diseases attributed to alcohol consumption in 2019 for the Brazilian Unified Health System. *Public Health*, 233, 201–207. <https://doi.org/10.1016/j.puhe.2024.05.014>.
- Wakabayashi, M., McKetin, R., Banwell, C., Yiengprugsawan, V., Kelly, M., Seubsman, S. A., Iso, H., Sleight, A., Chokhanapitak, J., Khamman, S., Pangsap, S., Puengson, J., Rimpeekool, W., Somboonsook, B., Vilainerun, D., Pachanee, C. A., Tangmunkolvorakul, A., Tawatsupa, B., Bain, C., ... Zhao, J. (2015). Alcohol consumption patterns in Thailand and their relationship with non-communicable disease. *BMC Public Health*, 15(1), 1–9. <https://doi.org/10.1186/s12889-015-2662-9>.
- White-Barrow, V., Gomes, F. S., Eyre, S., Ares, G., Morris, A., Caines, D., & Finlay, D. (2023). Effects of front-of-package nutrition labelling systems on understanding and purchase intention in Jamaica: Results from a multiarm randomised controlled trial. *BMJ Open*, 13(4), 1–11. <https://doi.org/10.1136/bmjopen-2022-065620>.
- WHO. (2019). *Guiding principles and framework manual for front-of-pack*

- labelling for promoting healthy diet.* https://cdn.who.int/media/docs/default-source/healthy-diet/guidingprinciples-labelling-promoting-healthydiet.pdf?sfvrsn=65e3a8c1_7&download=true.
- WHO. (2021). Development of An Implementation Roadmap 2023-2030 for The Global Action Plan for The Prevention and Control of NCDs 2013–2030. *World Health Organization*, 55. https://iris.who.int/bitstream/handle/10665/94384/9789241506236_eng.pdf?sequence=1.
- WHO. (2022). *Global strategy and action plan on oral health 2023–2030.* <https://iris.who.int/bitstream/handle/10665/376623/9789240090538-eng.pdf?sequence=1>.
- WHO. (2024a). *Noncommunicable diseases.* <https://www.who.int/news-room/fact-sheets/detail/noncommunicable-diseases>.
- WHO. (2024b). *World health statistics 2024: monitoring health for the SDGs, Sustainable Development Goals.* <https://iris.who.int/bitstream/handle/10665/376869/9789240094703-eng.pdf>.
- WHO. (2025). *Obesity and overweight.* <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>.
- Winarno, D. A., Link, S., Muslim, E., & Moch, B. N. (2020). Design of Effective Positioning and Form of Front-of-Pack Nutrition Labelling on Food Products Based on Eye-Tracking Method. *IOP Conference Series: Materials Science and Engineering*, 1003(1). <https://doi.org/10.1088/1757-899X/1003/1/012008>.
- World Obesity Federation. (2019). Implementing front-of-pack nutrition labelling regulations; Considerations for European policymakers. *World Obesity Federation.* https://www.stopchildobesity.eu/wp-content/uploads/2019/11/STOP_FOPL_Briefing_FINAL.pdf
- Wu, J. X., Lau, A. T. Y., & Xu, Y. M. (2022). Indoor Secondary Pollutants Cannot Be Ignored: Third-Hand Smoke. *Toxics*, 10(7). <https://doi.org/10.3390/toxics10070363>.
- Yuningsih, N. (2022). *Report Number : Report Name : Food Processing Ingredients Country : Indonesia Post : Jakarta Report Category : Food Processing Ingredients Prepared By : Approved By : Jasmine Osinski Report Highlights : Indonesia currently imports 60 percent of the raw ma.* https://apps.fas.usda.gov/newgainapi/api/Report/DownloadReportByFileName?fileName=FoodProcessingIngredients_Jakarta_Indonesia_ID2022-0009.
- Zhang, X., Ouyang, Y., Yin, X., Bai, J., Zhang, R., Zhang, J., Wang, Q., & Wang, H. (2023). Consumers' Perceptions of the Design of Front-of-Package Warning Labels—A Qualitative Study in China. *Nutrients*, 15(2). <https://doi.org/10.3390/nu15020415>