

DAFTAR PUSTAKA

- ACOG, 2015. The Apgar score. Commite Opinion No. 644. *American College of Obstreticians and Gynecologists. Obstet Gynecol*; 126:e52-5.
- ACOG, 2017. Intrapartum management of intraamnotic infection. Committee Opinion. 712. *The American College of Obstetricians and Gynecologists. Obstet Gynecol* 130:e95-101.
- Aeimcharnbanchong, K. 2023. Incidence rate and associated factors of early onset sepsis among neonatal born at ≥ 35 weeks gestation in Thai tertiary hospital. *Infect Drug Resist.* 16 4093 - 4100. <https://doi.org/10.2147/IDR.S415590>
- Arora, P., Bagga, R., Kalra, J., Kumar, P., Radhika, S., Gautam, V. 2015. Mean gestation at delivery and histological chorioamnionitits correlates with earlu-onset neonatal sepsis following expectant management in pPROM. *J Obstet Gynaecol.* ;35(3):235-40. <https://doi.org/10.3109/01443615.2014.958143>
- Arora, N., Sadovsky, Y., Dermody, T.S., Coyne, C.B. 2017. Microbial vertical transmission during human pregnancy. *Cell Host & Microbe.* Elsevier Inc. 561-67. <http://dx.doi.org/10.1016/j.chom.2017.04.007>
- Aundhakar, C.D., Tatiya, H., Karande, G., Akhila, S., Madhura K. 2018. Study of umbilical cord blood culture in diagnosis of early-onset sepsis among newborns with high-risk factors. *Int J Med Health Res.* ISSN: 2454-9142. Impact Factor: RJIF 5.54 www.medicalsciencejournal.com. Volume 4; Issue 1; Page No. 41-46
- Axford, S.B., Andersen, C.C., Stark, M.J. 2019. Pattern of placental antimicrobial resistance in preterm birth before 30 completed weeks gestation complicated by preterm prelabor rupture of membranes. *Aust N Z J Obstet Gynaecol*; 1-5. doi:10.1111/ajo.13087
- Belachew, A., Tewabe, T. 2020. Neonatal sepsis and its association with birth weight and gestational age among admitted neonates in Ethiopia: systematic review and meta-analysis. *BMC Pediatrics.* 20 : 55. <https://doi.org/10.1186/s12887-020-1949-x>.
- Berardi, A., Spada, C., Vaccina, E., Boncompagni, A., Bedetti, L., Lucaccioni, L. 2020. Intrapartum beta-lactam antibiotics for preventing group B streptococcal early-onset disease: can we abandon the concept of “inadequate” intrapartum antibiotic prophylaxis? *Expert Rev Anti Infect Ther.* doi: 10.1080/14787210.2020.1697233.
- Berardi, A., Trevisani, V., Di Caprio, A., Caccamo, P., Latorre, G., Loprieno, S., *et al.* 2023. Timing of symptoms of early-onset sepsis after intrapartum antibiotic prophylaxis: can it inform the neonatal management? *Pathogens.* 12, 588. <https://doi.org/10.3390/pathogens12040588>.
- Blackburn., R.M., Muller-Pebody, B., Planche, T., Johnson, A., Hopkins, S., Sharland, M 2012.. Neonatal sepsis—many blood samples, few positive cultures: implications for improving antibiotic prescribing. *Arch Dis Child Fetal Neonatal Ed.* 97:F487–8. doi: 10.1136/archdischild-2012- 302261

- BPS, 2020. Peraturan Kepala Badan Pusat Statistik nomor 120 tahun 2020 tentang klasifikasi desa, perkotaan dan pedesaan di Indonesia 2020. Buku 2 Jawa. ISBN: 978-602-438-415-9. No.Publikasi: 03100. 2014. Katalog 1204014
- Braye, K., Foureux, M., de Waal, K., Jones, M., Putt, E., Ferguson, J. 2019. Epidemiology of neonatal early-onset sepsis in a geographically diverse Australian health district 2006-2016. *PLoS ONE* 14(4): e0214298. Available from: <https://doi.org/10.1371/journal.pone.0214298>
- Brown, D.R., Kutler, D., Rai, B., Chan, T., Cohen, M. 1995. Bacterial concentration and blood volume required for a positive blood culture. *J Perinatol.* 15:157–9.
- Budal, E. B., Bentsen, M.H.L., Kessler, J., Ebbing, C., Lindemann, P.C., Haugen, O.H., *et al.* 2023. Histologic chorioamnionitis in extremely preterm births, microbiological findings and infant outcomes. *J Matern Fetal Neonatal Med.* 36 (1). <https://doi.org/10.1080/14767058.2023.2196599>
- Burton, G.J., Jauniaux, E. 2015. What is the placenta? *Am J Obstet Gynecol.* 213(4 Suppl):S6.e1, S6-8. [PubMed] [Reference list]
- Cardona, Q.V., Lowery, V., Cooperberg, D., Anday, E.K., Carey, A.J. 2021. Eliminating contamination in umbilical cord blood culture sampling for early-onset neonatal sepsis. *Front. Pediatr.* 9 : 794710. doi :10.3389/fped.2021.794710
- Connell, T.G., Rele, M., Cowley, D., Buttery, J.P., Curtis, N. 2007. How reliable is a negative blood culture result? Volume of blood submitted for culture in routine practice in a children's hospital. *Pediatrics*, 119:891-6.
- Corinales-Lomod, M. 2020. Bacterial growth in placental swab cultures done among women who received ampicillin prophylaxis for term prelabor rupture of membranes: matched cohort study, primary healthcare. Paris. *Am J Prev Med Public Health.* Vol 6.
- Dahlan, M.S., 2013. Besar sampel dan cara pengambilan sampel. Tiga. ed. Salemba Medika, Jakarta.
- D'Aleo, F., Tuscano, A., Servello, T., Tripodi, M., Abramo, C., Bonanno, R., *et al.* 2024. Relevance of microbiological cultures of cord blood and placental swabs in the rapid diagnosis of preterm newborn infection due to *Listeria monocytogenes*: A case report. *Elsevier. Case Report in Women's Health.* 43. e00638.
- De Rose, D.U., Ronchetti, M.P., Martini, L., Rechichi, J., Lannetta, M., Dotta, A., *et al.* 2024. Diagnosis and management of neonatal bacterial sepsis: current challenges and future perspectives. *Trop. Med. Infect.* 9, 199. <https://doi.org/10.3390/tropicalmed9090199>
- Edmond, K.M., Kortsalioudaki, C., Scott, S., Schrag, S.J., Zaidi, A.K.M., Cousens, S., Heath, P.T. 2012. Group B streptococcal disease in infants aged younger than 3 months: systematic review and metaanalysis. *Lancet.* 379:547 - 56.
- Edwards, M.S., Baker, C.J. 2004. Sepsis in the newborn, p 545–561. In Gershon AA, Hotez PJ, Katz SL (ed), *Krugman's infectious diseases of children*, 11th ed. Mosby, Philadelphia, PA.

- El-Frargy, M., El-sharkawy, H.M., Attia, G.F. Use of melatonin as an adjuvant therapy in neonatal sepsis. *J Neonatal Perinatal Med.* 8:227-232. doi:10.3233/NPM-15814072.
- El-Gendy, F.M., El-Hawy, M.A., Hassan, M.G. 2018. Beneficial effect of melatonin in the treatment of neonatal sepsis. *J Matern Fetal Neonatal Med.* vol 31. <https://doi.org/10.1080/14767058.2017.1342794>
- Favaron, P.O., Carvalho, R.C., Borghesi, J., Anunciação, A.R., Miglino, M.A. 2015. The amniotic membrane: development and potential applications - a review. *Reprod Domest Anim.* 50(6):881-92. [PubMed] [Reference list]
- Flannery, D.D., Mukhopadhyay, S., Morales, K.H., Dhudasia, M.B., Passarella, M., Gerber, J.S., *et al.* 2022. Delivery characteristics and the risk of early onset neonatal sepsis. *Pediatrics.* 149(2):e2021052800. doi:10.1542/peds.2021-052900.
- Fleischmann, C., Reichert, F., Cassini, A., Horner, R., Harder, T., Markwart, R., *et al.* 2021. Global incidence and mortality of neonatal sepsis: a systematic review and meta-analysis. *Arch Dis Child.* 106:745–752.
- Fleiss, N., Schwabenbauer, K., Randis, T.M., Polin, R.A. 2023. What's new in the management of neonatal early-onset sepsis? *Arch Dis Child Fetal Neonatal.* 108:F10-F14.
- Gomella, T.C., Eyal, F.G., Mohammed, F.B. 2020. Gomella's Neonatology. Management, Procedures, On-Call Problems, Disease, and Drugs. 8th edition. A Lange medical book.
- Garvey, A., Powell, J., Murphy, B., O'Connell, N.H., Imcha, M., Philip, R.K. 2017. Youngest survivor of perinatal infection by *Eikenella corrodens*: case analysis and literature review highlighting the merits of placental swab culture. *New Microbe New Infect.* 21: 81–85. Published by Elsevier Ltd
- Giannoni, E., Dimopoulou, V., Klingenberg, C., Naver, L., Nordberg, V., Berardi, A., *et al.* 2022. Analysis of antibiotic exposure and early-onset neonatal sepsis in europe, north america, and australia. *JAMA Netw.* 5:e2243691. doi: 10.1001/jamanetworkopen.43691
- Gitto, E., Karbownik, M., Reiter, R.J., Tan, D.X., Cuzzocrea, S., Chiurazzi, P., *et al.* 2001. Effect of melatonin treatment in septic newborns. *Pediatr Res* 50, 756-760. <https://doi.org/10.1203/00006450-200112000-00021>.
- G/eyesus, T., Moges, F., Eshetie, S., Yeshitela, B., Abate, W. 2017. Bacterial etiologic agents causing neonatal sepsis and associated risk factors in Gondar, Northwest Ethiopia. *BMC Pediatrics* 17:137. doi:10.1186/s12887-017-0892-y
- Goldenberg, R.K., Hauth, J.C., Andrews, W.W. 2000. Intrauterine infection and preterm delivery. Mechanisms of disease. *N Engl J Med.* Vol 342:20.
- Hayun, M., Alasiry, E., Daud, D., Febriani, D.B., Madjid, D. 2015. The risk factors of early onset neonatal sepsis. *Am J Clin Exp Med.* 3(3):78-82. doi:10.11648/j.ajcem.20150303.11.
- Hornik, C.P., Fort, P., Clark, R.H., Watt, K., Benjamin, D.K., Smith, P.B., *et al.* 2012. Early and late onset sepsis in very low birth weight infants from large group of Neonatal Intensive Care Units. *Early Hum Dev.* 88 (Suppl 2): S69-S74. Doi: 10.1016/S0378-3782(12)70019-1.

- Huang, S.H., Chang, Y.J., Chen, L.J., Lee, C.H., Chen, H.N., Chen, J.Y., Hsiao, C.C. 2022. Relationship between maternal fever and neonatal sepsis: a retrospective study at a medical center. *Biomedicines*. 10: 2222. Available from: <https://doi.org/10.3390/biomedicines10092222>
- Hulley, S.B., Cummings, S.R., Browner, W.S., Grady, D.G., Newman, T.B. 2013. Designing clinical research fourth edition. Philadelphia: Lippincott Williams & Wilkins.
- Jaiman, S., Romero, R., Gotsh, F. 2022. Fetal sepsis: a cause of stillbirth. *J Matern Fetal Neonatal Med*. 35:9966-70
- Jung, E., Romero, R., Suksai, M., Gotsh, F., Chaemsaitong, P., Erez, O., *et al*. 2024. Clinical chorioambionitis at term: definition, pathogenesis, microbiology, diagnosis, and treatment. *Am J Obstet Gynecol*. S807-840. <https://doi.org/10.1016/j.ajog.2023.02.002>.
- Kayange, N., Kamugisha, E., Mwizamholya, D.L., Jeremiah, S., Mshana, S.E. 2010. Predictors of positive blood culture and deaths among neonates with suspected neonatal sepsis in a tertiary hospital, Mwanza – Tanzania. *BMC Pediatrics*. 10:39. <http://www.biomedcentral.com/1471-2431/10/39>.
- Kim, H., Choe, Y.J., Cho, H., Heo, J.S. 2021. Effect of prenatal antibiotic exposure on neonatal outcomes of preterm infants. *Pediatr Infect Vaccine*. 28(3): 149-159. <https://doi.org/10.14776/pi.2021.28.e21> pISSN 2384-1079-eISSN 2384-1087.
- Klingenberg, C., Kornelisse, R.F., Buonocore, G., Maier, R.F., Stocker, M. 2018. Culture negative early onset neonatal sepsis. At the crossroad between efficient sepsis care and microbial stewardship. *Front. Pediatr*. 6:285. Doi: 10.3389/fped.
- Krezel, S.L., Sepich, D.S. 2012. Gastrulation: making and shaping germ layers. *Annu Rev Cell Dev Biol*. 28:687-717. [PubMed] [Reference list]
- Kuhn, P., Dheu, C., Bolender, C., Chognot, D., Keller, L., Demil, H., Donato, L., Langer, B., Messer, J., Astruc, D. 2010. Incidence and distribution of pathogens in early-onset neonatal sepsis in the era of antenatal antibiotics. *Paediatr Perinat Epidemiol*.
- Kunze, M., Zubler, B., Muller, C., Flecken, U. 2006. Evaluation of placental membrane swabs in the diagnosis of intrauterine infections. *Geburtshilfe Frauenheilkd*: 55(6):575-78. doi:10.1055/s-2006-924191
- Lakbar, I., Einav, S., Lalavee, N., Martin-Loeches, I., Pastene, B., Leone, M. 2023. Interaction between gender and sepsis – implication for the future. *Microorganisms*. 11:746. <https://doi.org/10.3390/microorganisms11030746>.
- Lawn, J.E., Bianchi, J.,F., Russell, N.J., Kohli, L.M., Tann, C.J., Hall, J., *et al*. 2017. Group B streptococcal disease worldwide for pregnant women, stillbirths, and children: why, what, and how to undertake estimates?. *Clin Infect Dis*. 65 (Suppl 2):S89-S99.
- Matsubara, K., Hoshina, K., Suzuki, Y. 2013. Early-onset and late-onset group B streptococcal disease in Japan: a nationwide surveillance study 2004-2010. 2013. *Int J Infect Dis*. 17: e379-84.
- McDonald, H.M., Chambers, H.M. 2000. Intrauterine infection and spontaneous midgestation abortion: is the spectrum of microorganisms similar to that in

- preterm labor? *Infect Dis Obstet Gynecol.* 8:220–227. doi: 10.1155/S1064744900000314.
- Meena, J., Charles, M.V., Ali, A., Ramakrishnan, S., Gosh, S., Seetha, K.S. 2015. Utility of cord blood culture in early onset neonatal sepsis. *Aust Med J.* 8:263–7. doi:10.4066/AMJ. 2015.2460.
- Milton, R., Gillespie, D., Dyer, C., Taiyari, K., Carvalho, M.J., Thomson, K., *et al.* 2022. Neonatal sepsis and mortality in low-income and middle-income countries from a facility-based birth cohort: an international multisite prospective observational study.. *Lancet Glob Health.* 10:0-72.
- Moore, S. P., Newberry, Desi, M., Inah, Amy, J. 2017. Use of placental/umbilical blood sampling for neonatal admission blood cultures: benefits, challenges, and strategies for implementation. Neonatal Network Focus on Genetics Vol 36 Issue 3. doi: 10.1891/0730-0832.36.3.152.
- Müller, B., Becker, K.L., Schächinger, H. 2000. Calcitonin precursors are reliable markers of sepsis in a medical intensive care unit. *Crit Care Med* 28:977–83.
- Murthy, S., Godinho, M.A, Guddattu, V., Lewis, L.E.S., Nair, N.S. 2019. Risk factors of neonatal sepsis in India: a systematic review and metaanalysis. *PLoS One* 14(4):e0215683. <https://doi.org/10.1371/journal.pone.0215683>.
- NICE guideline, 2021. Neonatal infection: antibiotics for prevention and treatment. National Institute for Health and Care Excellent. <https://www.nice.org.uk/terms-and-conditions#notice-of-rights>.
- Oddie, S., and Embleton, N.D. 2002. Risk factors for early onset neonatal group B streptococcal sepsis: case-control study. *BMJ.* Volume 325.
- Okomo, U.A., Darboe, S., Bah, S.Y., Ayorinde, A., Jarju, S., Sesay, A.K., *et al.* 2023. Maternal colonization and early onset neonatal bacterial sepsis in the Gambia, West Africa: a genomic analysis of vertical transmission. *Clin Microbiol Infect.* 29:386.e1-386e9. Elsevier. <https://doi.org/10.1016/j.cmi.2022.10.012>
- Panduan Praktik Klinis, 2019. Sepsis neonatorum awitan dini (P36-P36.9). RSUP. Dr.Sardjito.
- Panneflek, T.J.R., Hasperhoven, G.F., Chimwaza, Y., Allen, C., Lavin, T., te Pas, A.B., *et al.* 2024. Intrapartum antibiotic prophylaxis to prevent Group B streptococcal infections in newborn infants: a systematic review and meta-analysis comparing various strategies. *J Clin Med.* 2024;74: 102748. <https://doi.org/10.1016/j.eclinm.2024.102748>
- Paul, S.P., Khattak, H., Kini, P.K., Heaton, P.A., Goel, N. 2022. NICE guideline review: neonatal infection: antibiotics for prevention and treatment (NG195). *Arch Dis Child Educ Pract Ed:* 107:292-297.
- Peng, C.C., Chang, J.H., Lin, H.Y., Cheng, P.J., Su, B.H.. 2017. Intrauterine inflammation, infection, or both (Triple I): A new concept for chorioamnionitis. *Pediatr Neonatol.* 59, 231e237. Available from: <https://doi.org/10.1016/j.pedneo.2017.09.001> Copyright a 2017, Taiwan Pediatric Association. Published by Elsevier Taiwan LLC.
- Polin, R.A. 2012. Management of neonates with suspected or proven early-onset bacterial sepsis. *Pediatrics.* 129:1006– 15. doi: 10.1542/peds.2012-0541.

- Polcwiartek, L.B., Smith, P.B., Benjamin, D.K., Zimmerman, K., Love, A., Tiu, L., *et al.* 2021. Early-onset sepsis in term infants admitted to neonatal intensive care units (2011-2016). *J Perinatol.* 41:157-163. <https://doi.org/10.1038/s41372-020-00860-3>.
- Powell, J., Crowley, C.M., Minihan, B., Imcha, M., O'Connell, N.H., Philip, R.K., *et al.* 2023. The microbial pathology of maternal perinatal sepsis: A single-institution retrospective five-year review. *PLoS ONE* 18(12): e0295210. <https://doi.org/10.1371/journal.pone.0295210>
- Puopolo, K.M., Benitz, W.E., Zaoutis, T.E. 2018. AAP committee on fetus and newborn. AAP committee on infectious disease. management of neonates born at > 35 0/7 weeks' gestation with suspected or proven early-onset bacterial sepsis. *Pediatrics*; 142(6):e20182894
- Pusponegoro, T.S. 2000. Sepsis pada neonatus (sepsis neonatal). *Petunjuk Praktis. Sari Pediatri* 2; 2: 96 - 102.
- Rasyidah. 2014. Pola kuman dan uji kepekaan antibiotik pada sepsis neonatorum di unit perawatan neonatus RSUD Dr Pirngadi Kota Medan (Microbial and antibiotic sensitivity patterns in neonatal sepsis in neonatal unit district General Hospital Dr. Pirngadi Kota Medan). *Sari Pediatri*. 15(5):341-4.
- Reed, B.D., Schibler, K.R., Deshmukh, H., Ambalavanan, N., Morrow, A.L. 2018. The impact of maternal antibiotics on neonatal disease. *J Pediatr.* 197: 97-103.e3. doi: 10.1016/j.peds.2018.01.056.
- Roger, A., Moore, L., Khong, Y. 2019. Histopathology management of the placenta. *SA Perinatal Pract Guidel.* ISBN no 978-1-76083-122-6.
- Salsabila, K., Toha, N.M.A., Rundjan, L., Pattanittum, P., Sirikarn, P., Rohsiswanto, R., *et al.* 2022. Early-onset neonatal sepsis and antibiotic use in Indonesia: a descriptive, cross-sectional study. *BMC Public Health.* 22:992. Available from: <https://doi.org/10.1186/s12889-022-13343-1>
- Sastroasmoro, S., Ismael, S., 2014. Dasar-dasar metodologi penelitian klinis, Edisi ke-5. ed. Yogyakarta: Sagung Seto.
- Schrag, S.J., Farley, M.M., Peti, S., Reingold, A., Weston, E.J., Pondo, T., *et al.* 2016. Epidemiology of Invasive Early-Onset Neonatal Sepsis, 2002 to 2014. *Pediatrics.* 138 (6): e20162013. <https://doi.org/10.1542/peds.2016-2013>
- Seale, A.C., Obiero, C.W., Berkley, J.A. 2015. Rational development of guidelines for management of neonatal sepsis in developing countries. *Curr Opin Infect Dis.* 28(3):225-30.
- Seyoum, K., Sahiladengle, B., Kene, C., Geta, G., Gomora, D., Ejigu, N., *et al.* 2023. Determinant of neonatal sepsis among neonates admitted to neonatal intensive care units in Ethiopian hospitals: A systematic review and meta-analysis. *Heliyon.* 9; e20336. <https://doi.org/10.1016/j.heliyon.2023.e20336>
- Shah, G., Budhathoki, S., Das, B.K., Mandal, R.N. 2006. Risk factors in early neonatal sepsis. *Kathmandu Univ Med J.* 4: 187-91.
- Siakwa, M., Kpikpitse, D., Mupepi, S.C., Semuatu, M. 2014. Neonatal Sepsis in Rural Ghana : A Case Control Study of Risk Factors in a Birth Cohort. *Peer Reviewed Articles.* 43. https://scholarworks.gvsu.edu/kcon_articles/43.
- Simonsen, K.A., Anderson-Berry, A.L., Delair, S.F., Davies, H.D. 2014. Early-onset neonatal sepsis. *Clin Microbiol Rev.* 27:21-47.

- Sofouli, G.A., Tsintoni, A., Fouzas, S., Vervenioti, A., Gkentzi, D., Dimitriou, G. 2023. Early diagnosis of late-onset neonatal sepsis using a sepsis prediction score. *Microorganisms*.11:235.
- Stoll, B.J., Hansen, N.I., Sanchez, P.J., Faix, R.G., Poindexter, B.B., Meurs, K.P., *et al.* 2011. Early onset neonatal sepsis: the burden of group B Streptococcal and E. coli disease continues. *Pediatrics*. 127(5):817- 26
- Stoll, B.J., Puopolo, K.M., Hansen N,M. 2020. Early onset sepsis 2015 to 2017, the rise of Escherechia coli, and the need for novel prevention strategies. *JAMA Pediatr*. 174 (7): e200593. doi:10.1001/jamapediatrics.2020.0593.
- Singh, T., Barnes, E.H., Isaacs, D. 2002-2012. Australian Study Group for Neonatal I. Early- onset neonatal infections in Australia and New Zealand.
- Tita, A.T.N., Andrews, W.W. 2010. Diagnosis and management of clinical chorioamnionitis. *Clin Perinatol*. 37(2):339.
- Turner, C., Turner, P., Hoongenboom, G., Aye-Mya-Thein, N., McGready, R., Phakaudom, K., *et al.* 2013. A three year descriptive study of early onset neonatal sepsis in a refugee population on the Thailand Myanmar border. *BMC Infect Dis*. 13-601.
- Utomo, M.T. 2010. Risk factors of neonatal sepsis: a preliminary study in Dr. Soetomo hospital. *Indones J Trop Infect Dis*. 1:23-6.
- Verani, J.R., McGee, L., Schrag, S.J. 2010. Division of Bacterial Disease, National Center for Immunization and Respiratory Disease. Centers for Disease Control and Prevention (CDC). Prevention of perinatal Group B Streptococcal disease. Revised guidelines from CDC, 2010. *MMWR Recomm Rep*. 59: 1-36.
- Vincent, J.L. 2023. Sepsis and infection: two words that should not be confused. *Front Med (Lausanne)* 10:1156732
- World Health Organization. 2023. Global report on the epidemiology and burden of sepsis: current evidence, identifying gaps and future directions.
- World Health Organization. 2020. Global report on the epidemiology and burden of sepsis. Current evidence, identifying gaps and future directions. ISBN 978-92-4-001078-9
- Wortham, J.M., Hansen, N.I., Schrag, S..J, Ellen-Hale, R.N., Meurs, K. V., Sanchez, P.J., *et al.* 2016. Chorioamnionitis and culture-confi rmed, early-onset neonatal infections. *Pediatrics*.137(1):e20152323
- Yoon, B.H., Romero, R., Moon, J.B., Shim, S.S., Kim, M., Kim, G.,*et al.* 2001. Clinical significance of intra- amniotic inflammation in patients with preterm labor and intact membranes. *Am J Obstet Gynecol*. 185(5):1130–6.
- Yossuck, P., Preedisripipat, K. 2002. Neonatal group B streptococcal infection: incidence and clinical manifestation in Siriraj Hospital. *J Med Assoc Thai*. 85 Suppl 2: S479-87.
- Yu, Y., Dong, Q., Li, S., Qi, H., Tan, X., Ouyang, H., *et al.* 2022. Etiology and clinical characteristics of neonatal sepsis in different medical seting models: A retrospective multiple center study. *Front. Pediatr*. 10:1004750. doi :10.3389/fped.2022.1004750.