

DAFTAR PUSTAKA

- Ahmaruzzaman, M. (2008). Adsorption of phenolic compounds on low-cost adsorbents: A review. Dalam *Advances in Colloid and Interface Science* (Vol. 143, Nomor 1–2, hlm. 48–67). <https://doi.org/10.1016/j.cis.2008.07.002>
- Akinpelu, A. A., Ali, M. E., Johan, M. R., Saidur, R., Chowdhury, Z. Z., Shemi, A. M., & Saleh, T. A. (2019). Effect of the oxidation process on the molecular interaction of polyaromatic hydrocarbons (PAH) with carbon nanotubes: Adsorption kinetic and isotherm study. *Journal of Molecular Liquids*, 289. <https://doi.org/10.1016/j.molliq.2019.111107>
- Ariyanto, T., Kurniasari, M., Laksmana, W. T., Rochmadi, & Prasetyo, I. (2019). Pore size control of polymer-derived carbon adsorbent and its application for dye removal. *International Journal of Environmental Science and Technology*, 16(8), 4631–4636. <https://doi.org/10.1007/s13762-018-2166-0>
- Ariyanto, T., Rochmadi, & Prasetyo, I. (2012). *PENGARUH STRUKTUR PORI TERHADAP KAPASITANSI ELEKTRODA SUPERKAPASITOR YANG DIBUAT DARI KARBON NANOPORI* (Vol. 14, Nomor 1).
- Atkins, P., & de Paula, J. (2010). *Physical Chemistry* (9 ed).
- Bansal, R. C., & Goyal, Meenakshi. (2005). *Activated carbon adsorption*. Taylor & Francis.
- Bhagawan, D., Poodari, S., Ravi kumar, G., Golla, S., Anand, C., Banda, K. S., Himabindu, V., & Vidyavathi, S. (2015). Reactivation and recycling of spent carbon using solvent desorption followed by thermal treatment (TR). *Journal of Material Cycles and Waste Management*, 17(1), 185–193. <https://doi.org/10.1007/s10163-014-0237-y>
- Canagaratna, M. R., Jimenez, J. L., Kroll, J. H., Chen, Q., Kessler, S. H., Massoli, P., Hildebrandt Ruiz, L., Fortner, E., Williams, L. R., Wilson, K. R., Surratt, J. D., Donahue, N. M., Jayne, J. T., & Worsnop, D. R. (2015). Elemental ratio measurements of organic compounds using aerosol mass spectrometry: Characterization, improved calibration, and implications. *Atmospheric Chemistry and Physics*, 15(1), 253–272. <https://doi.org/10.5194/acp-15-253-2015>

- Cannon, F. S., Snoeyink, V. L., & Lee, R. G. (1994). *REACTION MECHANISM OF CALCIUM-CATALYZED THERMAL REGENERATION OF SPENT GRANULAR ACTIVATED CARBON* (Vol. 32, Nomor 7).
- Cansado, I. P. da P., Mourão, P. A. M., & Castanheiro, J. E. dos S. F. (2023). Performance of Regenerated Activated Carbons on Pesticides Removal from the Aqueous Phase. *Processes*, *11*(8). <https://doi.org/10.3390/pr11082496>
- Canton-Vitoria, R., Sayed-Ahmad-Baraza, Y., Pelaez-Fernandez, M., Arenal, R., Bittencourt, C., Ewels, C. P., & Tagmatarchis, N. (2017). Functionalization of MoS₂ with 1,2-dithiolanes: toward donor-acceptor nanohybrids for energy conversion. *npj 2D Materials and Applications*, *1*(1). <https://doi.org/10.1038/s41699-017-0012-8>
- Chalmers, J. M., & Griffiths, P. R. (2006). *Handbook of Vibrational Spectroscopy* (Vol. 1). John Wiley & Sons, Ltd. <https://doi.org/10.1002/0470027320>
- Cooney, D. O., Nagerl, A., & Hines, A. L. (1983). SOLVENT REGENERATION OF ACTIVATED CARBON. Dalam *Water Res* (Vol. 17, Nomor 4).
- Do, D. D. (1998). *Adsorption analysis : equilibria and kinetics*. Imperial College Press.
- Dowaidar, A. M., El-Shahawi, M. S., & Ashour, I. (2007). Adsorption of polycyclic aromatic hydrocarbons onto activated carbon from non-aqueous media: 1. the influence of the organic solvent polarity. *Separation Science and Technology*, *42*(16), 3609–3622. <https://doi.org/10.1080/01496390701626537>
- Ferro-Garcia, M. A., Rivera-Utrilla, J., Bautista-Toledo, I., & Moreno-Castilla, C. (1996). Chemical Activated and Thermal Regeneration of an Carbon Saturated with Chlorophenols. Dalam *J. Chem. Tech. BiotechnoL* (Vol. 67).
- Foo, K. Y., & Hameed, B. H. (2010). Insights into the modeling of adsorption isotherm systems. Dalam *Chemical Engineering Journal* (Vol. 156, Nomor 1, hlm. 2–10). <https://doi.org/10.1016/j.cej.2009.09.013>
- Frenklach, M. (2002). Reaction mechanism of soot formation in flames. *Physical Chemistry Chemical Physics*, *4*(11), 2028–2037. <https://doi.org/10.1039/b110045a>

- Frenklach, M., Clary, D. W., Gardiner, W. C., & Stein, S. E. (1984). *DETAILED KINETIC MODELING OF SOOT FORMATION IN SHOCK-TUBE PYROLYSIS OF ACETYLENE*.
- Georgievskii, Y., Miller, J. A., & Klippenstein, S. J. (2007). Direct detection of polyynes formation from the reaction of ethynyl radical (C₂H) with propyne (CH₃-C≡CH) and allene (CH₂=C=CH₂). *Physical Chemistry Chemical Physics*, 9(31), 4291–4300. <https://doi.org/10.1039/b614502g>
- Haritash, A. K., & Kaushik, C. P. (2009). Biodegradation aspects of Polycyclic Aromatic Hydrocarbons (PAHs): A review. Dalam *Journal of Hazardous Materials* (Vol. 169, Nomor 1–3, hlm. 1–15). <https://doi.org/10.1016/j.jhazmat.2009.03.137>
- Ho, Y. S., & Mckay, G. (1998). Chemical Engineering Journal ELSEVIER Sorption of dye from aqueous solution by peat. Dalam *Chemical Engineering Journal* (Vol. 70).
- Hoehn, R. K., & Breitenfeldt, D. J. (2012). PROCESS FOR REMOVING HEAVY POLYNUCLEAR AROMATIC COMPOUNDS FROM A HYDROPROCESSED STREAM (Patent US 2012/0145594 A1). Dalam *Sheet* (US 2012/0145594 A1).
- Husain, N. C., Zawawi, N. A., Hamzah, F., Rodhi, M. N. M., Veny, H., Ariyanti, D., & Mohidem, N. A. (2023). Chemical properties and breakthrough adsorption study of activated carbon derived from carbon precursor from carbide industry. *ASEAN Journal of Chemical Engineering*, 23(2), 240–254. <https://doi.org/10.22146/ajche.80035>
- Hutchinson, D. H., & Robinson, C. W. (1990). A MICROBIAL REGENERATION PROCESS FOR GRANULAR ACTIVATED CARBON. II. REGENERATION STUDIES. Dalam *Wat. Res* (Vol. 24, Nomor 10).
- Khok, Y. T., Ooi, C. H., Matsumoto, A., & Yeoh, F. Y. (2020). Reactivation of spent activated carbon for glycerine purification. *Adsorption*, 26(7), 1015–1025. <https://doi.org/10.1007/s10450-020-00210-x>
- Kislov, V. V., Islamova, N. I., Kolker, A. M., Lin, S. H., & Mebel, A. M. (2005). Hydrogen abstraction acetylene addition and Diels-Alder mechanisms of PAH formation: A detailed study using first principles calculations. *Journal of*

Chemical Theory and Computation, 1(5), 908–924.
<https://doi.org/10.1021/ct0500491>

Kislov, V. V., Sadovnikov, A. I., & Mebel, A. M. (2013). Formation mechanism of polycyclic aromatic hydrocarbons beyond the second aromatic ring. *Journal of Physical Chemistry A*, 117(23), 4794–4816.
<https://doi.org/10.1021/jp402481y>

Koseoglu, O. R. (2014). *HYDROCRACKING PROCESS WITH FEED/BOTTOMS TREATMENT* (Patent US 2014/0360918 A1).

Kow, S. H., Fahmi, M. R., Abidin, C. Z. A., Ong, S. A., & Ibrahim, N. (2016). Regeneration of spent activated carbon from industrial application by NaOH solution and hot water. *Desalination and Water Treatment*, 57(60), 29137–29142. <https://doi.org/10.1080/19443994.2016.1168133>

Larasati, A., Fowler, G. D., & Graham, N. J. D. (2021). Insights into chemical regeneration of activated carbon for water treatment. Dalam *Journal of Environmental Chemical Engineering* (Vol. 9, Nomor 4). Elsevier Ltd.
<https://doi.org/10.1016/j.jece.2021.105555>

Latif, N. M. A. (1989). *Catalysts in Petroleum Refining*.

Ledesma, B., Román, S., Sabio, E., & Álvarez-Murillo, A. (2015). Improvement of spent activated carbon regeneration by wet oxidation processes. *Journal of Supercritical Fluids*, 104, 1–10. <https://doi.org/10.1016/j.supflu.2015.05.007>

Li, L., Yao, X., Li, H., Liu, Z., Ma, W., & Liang, X. (2014). Thermal stability of oxygen-containing functional groups on activated carbon surfaces in a thermal oxidative environment. *Journal of Chemical Engineering of Japan*, 47(1), 21–27. <https://doi.org/10.1252/jcej.13we193>

Liu, J., Chen, J., Jiang, L., & Yin, X. (2014). Adsorption of mixed polycyclic aromatic hydrocarbons in surfactant solutions by activated carbon. *Journal of Industrial and Engineering Chemistry*, 20(2), 616–623.
<https://doi.org/10.1016/j.jiec.2013.05.024>

Luna, F. M. T., Oliveira Filho, A. N., Araújo, C. C. B., Azevedo, D. C. S., & Cavalcante, C. L. (2016). Adsorption of Polycyclic Aromatic Hydrocarbons from Heavy Naphthenic Oil Using Commercial Activated Carbons. 1. Fluid-

- Particle Studies. *Industrial and Engineering Chemistry Research*, 55(29), 8176–8183. <https://doi.org/10.1021/acs.iecr.6b01059>
- Márquez, P., Benítez, A., Hidalgo-Carrillo, Urbano, & Caballero, Á. (2021). *Simple and eco-friendly thermal regeneration of granular activated carbon from the odour control system of a full-scale WWTP: Study of the process in oxidizing atmosphere*.
- Mebel, A. M., Kislov, V. V., & Kaiser, R. I. (2008). Photoinduced mechanism of formation and growth of polycyclic aromatic hydrocarbons in low-temperature environments via successive ethynyl radical additions. *Journal of the American Chemical Society*, 130(41), 13618–13629. <https://doi.org/10.1021/ja804198a>
- Mebel, A. M., Landera, A., & Kaiser, R. I. (2017). Formation Mechanisms of Naphthalene and Indene: From the Interstellar Medium to Combustion Flames. *Journal of Physical Chemistry A*, 121(5), 901–926. <https://doi.org/10.1021/acs.jpca.6b09735>
- Miguel, G. S., Lambert, S. D., & Graham, N. J. D. (2001). THE REGENERATION OF FIELD-SPENT GRANULAR-ACTIVATED CARBONS. Dalam *Wat. Res* (Vol. 35, Nomor 11).
- Mirzaee, E., & Sartaj, M. (2022). Activated carbon-based magnetic composite as an adsorbent for removal of polycyclic aromatic hydrocarbons from aqueous phase: Characterization, adsorption kinetics and isotherm studies. *Journal of Hazardous Materials Advances*, 6, 100083. <https://doi.org/10.1016/j.hazadv.2022.100083>
- Nasrollahzadeh, M., Atarod, M., Sajjadi, M., Sajadi, S. M., & Issaabadi, Z. (2019). Plant-Mediated Green Synthesis of Nanostructures: Mechanisms, Characterization, and Applications. Dalam *Interface Science and Technology* (Vol. 28, hlm. 199–322). Elsevier B.V. <https://doi.org/10.1016/B978-0-12-813586-0.00006-7>
- Nath, K., & Bhakhar, M. S. (2011). Microbial regeneration of spent activated carbon dispersed with organic contaminants: Mechanism, efficiency, and kinetic models. Dalam *Environmental Science and Pollution Research* (Vol. 18, Nomor 4, hlm. 534–546). <https://doi.org/10.1007/s11356-010-0426-8>

- Panandita, B. S., Prasetyo, I., & Ariyanto, T. (2023). Removal of metronidazole from simulated wastewater using Fe/C catalyst with a combination of heterogenous Fenton and ozonation. *Jurnal Rekayasa Proses*, 17(2), 158–165. <https://doi.org/10.22146/jrekpros.75633>
- Panigrahi, S. K., & Mishra, A. K. (2019). Identification of pyrene in complex sample matrix using time-resolved fluorescence measurement coupled with PARAFAC analysis. *Journal of Photochemistry and Photobiology A: Chemistry*, 383. <https://doi.org/10.1016/j.jphotochem.2019.111991>
- Parker, D. S. N., Kaiser, Ralf. I., Bandyopadhyay, B., Kostko, O., Troy, T. P., & Ahmed, M. (2015). Unexpected Chemistry from the Reaction of Naphthyl and Acetylene at Combustion-Like Temperatures. *Angewandte Chemie*, 127(18), 5511–5514. <https://doi.org/10.1002/ange.201411987>
- Pilawan, W., Sirikarn, W., & Kraiwattanawong, K. (2018). Removal of heavy polynuclear aromatics by activated carbons. *Key Engineering Materials*, 775 KEM, 371–375. <https://doi.org/10.4028/www.scientific.net/KEM.775.371>
- Qian, Y., Qiu, Y., Zhang, Y., & Lu, X. (2017). Effects of different aromatics blended with diesel on combustion and emission characteristics with a common rail diesel engine. *Applied Thermal Engineering*, 125, 1530–1538. <https://doi.org/10.1016/j.applthermaleng.2017.07.145>
- Raj, A., Prada, I. D. C., Amer, A. A., & Chung, S. H. (2012). A reaction mechanism for gasoline surrogate fuels for large polycyclic aromatic hydrocarbons. *Combustion and Flame*, 159(2), 500–515. <https://doi.org/10.1016/j.combustflame.2011.08.011>
- Reizer, E., Csizmadia, I. G., Nehéz, K., Viskolcz, B., & Fiser, B. (2021). Theoretical investigation of benzo(a)pyrene formation. *Chemical Physics Letters*, 772. <https://doi.org/10.1016/j.cplett.2021.138564>
- Reizer, E., Viskolcz, B., & Fiser, B. (2022). Formation and growth mechanisms of polycyclic aromatic hydrocarbons: A mini-review. Dalam *Chemosphere* (Vol. 291). Elsevier Ltd. <https://doi.org/10.1016/j.chemosphere.2021.132793>
- Robinson, P. R. (2007). Petroleum Processing Overview. Dalam *Practical Advances in Petroleum Processing* (hlm. 1–78). Springer New York. https://doi.org/10.1007/978-0-387-25789-1_1

- San Miguel, G., Lambert, S. D., & Graham, N. J. D. (2002). Thermal regeneration of granular activated carbons using inert atmospheric conditions. *Environmental Technology (United Kingdom)*, 23(12), 1337–1346. <https://doi.org/10.1080/09593332508618449>
- Sher, S., Waseem, M., & Leta, M. K. (2023). Review of Techniques for the Removal of Polycyclic Aromatic Hydrocarbons from Produced Water. Dalam *Environments - MDPI* (Vol. 10, Nomor 3). MDPI. <https://doi.org/10.3390/environments10030040>
- Shukla, B., & Koshi, M. (2010). A highly efficient growth mechanism of polycyclic aromatic hydrocarbons. *Physical Chemistry Chemical Physics*, 12(10), 2427–2437. <https://doi.org/10.1039/b919644g>
- Shukla, B., & Koshi, M. (2012). A novel route for PAH growth in HACA based mechanisms. *Combustion and Flame*, 159(12), 3589–3596. <https://doi.org/10.1016/j.combustflame.2012.08.007>
- Shukla, B., Susa, A., Miyoshi, A., & Koshi, M. (2008). Role of phenyl radicals in the growth of polycyclic aromatic hydrocarbons. *Journal of Physical Chemistry A*, 112(11), 2362–2369. <https://doi.org/10.1021/jp7098398>
- Siegmann, K., & Sattler, K. (2000). Formation mechanism for polycyclic aromatic hydrocarbons in methane flames. *Journal of Chemical Physics*, 112(2), 698–709. <https://doi.org/10.1063/1.480648>
- Sips, R. (1948). On the structure of a catalyst surface. *The Journal of Chemical Physics*, 16(5), 490–495. <https://doi.org/10.1063/1.1746922>
- Speight, J. G. (2014). *The Chemistry and Technology of Petroleum* (5th ed.).
- Sun, R., Sasi, P. C., Alinezhad, A., & Xiao, F. (2023). Sorptive removal of per- and polyfluoroalkyl substances (PFAS) in organic-free water, surface water, and landfill leachate and thermal reactivation of spent sorbents. *Journal of Hazardous Materials Advances*, 10. <https://doi.org/10.1016/j.hazadv.2023.100311>
- Thommes, M., Kaneko, K., Neimark, A. V., Olivier, J. P., Rodriguez-Reinoso, F., Rouquerol, J., & Sing, K. S. W. (2015). Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC

- Technical Report). *Pure and Applied Chemistry*, 87(9–10), 1051–1069.
<https://doi.org/10.1515/pac-2014-1117>
- Treese, S. A., Pujadó, P. R., & Jones, D. S. J. (2015). *Handbook of Petroleum Processing* (S. A. Treese, P. R. Pujadó, & D. S. J. Jones, Ed.; 2nd ed.). Springer International Publishing Switzerland. <https://doi.org/10.1007/978-3-319-14529-7>
- Wang, J., & Guo, X. (2020). Adsorption isotherm models: Classification, physical meaning, application and solving method. Dalam *Chemosphere* (Vol. 258). Elsevier Ltd. <https://doi.org/10.1016/j.chemosphere.2020.127279>
- Wang, J., Zhou, A., Song, Z., Liu, G., Qin, S., & Wang, J. (2024). The Kinetics of Semi-Coke CO₂ Gasification Based on Pore Fractal Growth. *Energies*, 17(2). <https://doi.org/10.3390/en17020483>
- Yan, X. F., Fan, X. R., Wang, Q., & Shen, Y. (2017). An adsorption isotherm model for adsorption performance of silver-loaded activated carbon. *Thermal Science*, 21(4), 1645–1649. <https://doi.org/10.2298/TSCI151202048Y>
- Yang, K., Fan, Q., Song, C., Zhang, Y., Sun, Y., Jiang, W., & Fu, P. (2023). Enhanced functional properties of porous carbon materials as high-performance electrode materials for supercapacitors. Dalam *Green Energy and Resources* (Vol. 1, Nomor 3). Elsevier B.V. <https://doi.org/10.1016/j.gerr.2023.100030>
- Zanella, O., Tessaro, I. C., & Féris, L. A. (2014). Desorption- and decomposition-based techniques for the regeneration of activated carbon. *Chemical Engineering and Technology*, 37(9), 1447–1459. <https://doi.org/10.1002/ceat.201300808>
- Zhao, L., Kaiser, R. I., Xu, B., Ablikim, U., Ahmed, M., Joshi, D., Veber, G., Fischer, F. R., & Mebel, A. M. (2018). Pyrene synthesis in circumstellar envelopes and its role in the formation of 2D nanostructures. *Nature Astronomy*, 2(5), 413–419. <https://doi.org/10.1038/s41550-018-0399-y>
- Zhao, L., Prendergast, M. B., Kaiser, R. I., Xu, B., Ablikim, U., Ahmed, M., Sun, B., Chen, Y., Chang, A. H. H., Mohamed, R. K., & Fischer, F. R. (2019). Synthesis of Polycyclic Aromatic Hydrocarbons by Phenyl Addition–

Dehydrocyclization: The Third Way. *Angewandte Chemie*, 131(48), 17603–17611. <https://doi.org/10.1002/ange.201909876>

Zhou, J., Zhao, J., Zhang, J., Zhang, T., Ye, M., & Liu, Z. (2020). Regeneration of catalysts deactivated by coke deposition: A review. Dalam *Chinese Journal of Catalysis* (Vol. 41, Nomor 7, hlm. 1048–1061). Science Press. [https://doi.org/10.1016/S1872-2067\(20\)63552-5](https://doi.org/10.1016/S1872-2067(20)63552-5)