



DAFTAR PUSTAKA

- [AOAC]. 2005. AOAC Official Methods of Analysis. Assoc. Off. Agric. Chem. Washington D.C., 15th: 136-138.
- AACC International Board. (2008). Available online : <http://www.aaccnet.org/initiatives/definitions/PagesWholeGrain.aspx>. Diakses 1 April 2021.
- Akrapunam, M.A. dan Dedeh, S. S. (1997). Some physicochemical properties and anti-nutritional factors of raw, cooked and germinated jack bean (*Canavalia ensiformis*). *Food Chemistry* 59(1): 121-125.
- Andriana, P., Astawan, M., Wresdiyati, T. (2016). Pengaruh Germinasi Kedelai terhadap Komposisi Proksimat dan Komponen Bioaktif *Isoflavon* Tempe Segar dan Semangit Artikel. IPB
- Amaral, C., Toloi, M. R. T., Vasconcelos, L. D., Fonseca, M. J. V, Correia-da-Silva, G., & Teixeira, N. (2017). The role of soybean extracts and *Isoflavones* in hormone-dependent breast cancer: aromatase activity and biological effects. *Food Funct.*, 8(9), 3064–3074. <https://doi.org/10.1039/C7FO00205J>
- Amalina, N. (2008) Uji Sitotoksik Ekstrak Etanol 70 % Buah Merica Hitam (*Piper nigrum* L.) Terhadap Sel Hela, Skripsi, Fakultas farmasi Universitas Muhammadiyah Surakarta, Surakarta American Cancer Society. (2013). Breast cancer: facts and figures 2013-2014. Atlanta: American Cancer Society, Inc.; 2013.
- Andriana, P., Astawan, M., Wresdiyati, T. (2016). Pengaruh Germinasi Kedelai terhadap Komposisi Proksimat dan Komponen Bioaktif *Isoflavon* Tempe Segar dan Semangit Artikel. IPB
- Anita, S. (2009). Studi Sifat Fisikokimia Sifat Fungsional Karbohidrat Dan Aktivitas Antioksidan Tepung Kecambah Kacang Komak (*Lablab purpureus* (L) sweet). skripsi. Tidak dipublikasikan. Institut Pertanian Bogor, Bogor.
- Anonim b. (2009). Kelayakan dan Teknologi Budidaya Koro Pedang (*Canavalia Sp.*) Balai Penelitian Tanaman Kacang-Kacangan dan Umbi-Umbian. <http://www.puslittan.bogor.net/downloads/Budidayakacangkoro.pdf>.
- Antarlina, S.S., J.S. Utomo, E. Ginting, dan S. Nikkuni. (2002). Evaluation of Indonesian Soybean Varieties for Food Processing. Proceedings of RILET- JIRCAS Workshop on Soybean Research. Malang, Indonesia
- Apriliansa, R. (2007). Studi Optimasi Proses Perkecambahan Koro Pedang (*Canavalia ensiformis*) Kajian Kondisi Perkecambahan dan Konsentrasi Elisitor Sukrosa. Universitas Jember, Jember
- Ariani S, Handayani S. 2009. Pengembangan produk tempe generasi ketiga berkhasiat antioksidan berbahan baku koro benguk (*Mucuna Pruriens* L.D.C.) Var. Utilis. LPPM UNS. Penelitian. DP2M.Hibah Bersaing. 2 hlm.
- Ariani, S.R.D. dan Hastuti, W. (2009). Analisis *Isoflavon* dan Uji Aktivitas Antioksidan Pada Tempe dengan Variasi Lama Waktu Fermentasi dan Metode Ekstraksi. Prosiding Kimia Organik, Bahan Alam, dan Biokimia. FKIP UNS Surakarta.
- Aryani, R., Astuti, P., Moeljoprawiro, S. Dan Nugroho, L.H. (2015). Penetapan Kadar *Genistein* dalam Ekstrak Metanol Biji Kedelai (*Glycine max* L. Merr.) Varietas Grobogan Menggunakan Metode KLT dan HPLC. Bioprospek 10(2)
- Astawan M dan Febrinda AE. 2009. *Isoflavon* kedelai sebagai anti kanker. Pangan 55(18):42-50.
- Astawan, M. (2004). Sehat Bersama Aneka Serat Pangan Alami. Jakarta: Tiga Serangkai.
- Astawan, M. (2008). Sehat dengan Tempe Panduan Lengkap Menjaga Kesehatan dengan



- Tempe. Jakarta: Dian Rakyat.
- Astawan, M. dan Hazmi. K. (2016). Karakteristik fisikokimia tepung kecambah kedelai. *Jurnal Pangan* 25: 105-112.
- Astawan, M., Wresdiyati, T., & Maknun, L. (2017). *Tempe Sumber Zat Gizi dan Komponen Bioaktif untuk Kesehatan*. Bogor: IBP Press.
- Astuti, M., Meliala, A, Dalais, F.S and Wahlqvist, M.L. (2000). “Tempe, a Nutritious and Healthy Food from Indonesia”. *Asia Pacific Journal of Clinical Nutrition*. 9: 322- 325.
- Astuti, Mary. 1995. *Tempe dan Antioksidan Prospek Pencegahan Penyakit Degenaratif*. Yayasan Tempe Indonesia.
- Astuti, S. (2008). *Isoflavon* kedelai dan potensinya sebagai penangkap radikal bebas. *Teknologi Industri Dan Hasil Pertanian Universitas Lampung*, 13(2), 126–136.
- Atun, S. (2010). *Prosiding Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA*, Fakultas MIPA, Universitas Negeri Yogyakarta. *Chem. Pharm. Bull.*, 56(1), 1-6
- Badan Standarisasi Nasional. (2006). SNI 01-2346-2006 Petunjuk Pengujian Organoleptik dan atau Sensori. BSN. Jakarta. Badan Standarisasi Nasional. (2015). SNI 3144:2015 *Tempe Kedelai*. BSN. Jakarta.
- Balitkabi. (2010). <http://balitkabi.litbang.pertanian.go.id/infotek/prospek-aneka-kacangpotensial-koro-pedang-sebagai-pengganti-kedelai/> tanggal akses 10 mei 2020
- Barz, W. Ang G.B. Papendorf. (1991). *Metabolism of Isoflavones and formation of factor-2 by tempeh producing microorganism*. Tempeh Workshop, Cologne.
- Bera, I., O’Sullivan, M., Flynn, D., & Shields, D. C. (2023). Relationship between Protein Digestibility and the Proteolysis of Legume Proteins during Seed Germination. *Molecules*, 28(7). <https://doi.org/10.3390/molecules28073204>
- Bintari SH & Nugraheni K. (2017). The potential of tempeh as a chemopreventive and chemotherapeutic agent targeting breast cancer cells. *Pakistan Journal of Nutrition* 16(10): 743-749.
- Boroumand Moghaddam, A., Moniri, M., Azizi, S., Abdul Rahim, R., Bin Ariff, A., Navaderi, M., & Mohamad, R. (2017). Eco-Friendly Formulated Zinc Oxide Nanoparticles: Induction of Cell Cycle Arrest and Apoptosis in the MCF-7 Cancer Cell Line. In *Genes* (Vol. 8, Nomor 10). <https://doi.org/10.3390/genes8100281>
- CCRC. (2009) *Standart operating procedure cancer chemoprevention research center*. Fakultas Farmasi UGM Yogyakarta
- Christanto. (2014). *Kapita Selektta Kedokteran*, Media Aesculapius, Jakarta hal : 230 – 236
- Cindy. (2015). Pengaruh Perlakuan Garam-garam Kalsium (Ca(OH)₂, CaCO₃, CaCl₂, CaO) Terhadap Penurunan Kadar HCN Tempe Koro Pedang (*Canavalia ensiformis*). Skripsi. Bogor: Institut Pertanian.
- Clemente-Soto, A. F., Salas-Vidal, E., Milan-Pacheco, C., Sánchez-Carranza, J. N., Peralta-Zaragoza, O., & González-Maya, L. (2019). Quercetin induces G2 phase arrest and apoptosis with the activation of p53 in an E6 expression-independent manner in HPV-positive human cervical cancer-derived cells. *Molecular Medicine Reports*, 19(3), 2097–2106. <https://doi.org/10.3892/mmr.2019.9850>
- Czabotar, P. E., Lessene, G., Strasser, A., & Adams, J. M. (2014). Control of apoptosis by the BCL2 protein family: implications for physiology and therapy. *Nature Reviews Molecular Cell Biology*, 15(1), 49–63. <https://doi.org/10.1038/nrm3722>
- Copeland, L. O dan Miller B. Me Donald. (2001). *Principles of Seed Science and Technology Fourth Edition*. Norwell. Massachusetts USA. 467 p.
- Dakornas. (2012). *Seminar Pengembangan Koro Pedang di Jawa Tengah di Fakultas Peternakan dan Pertanian Undip*. Semarang, 26 November 2012
- Damayanti I.D.A.B., Ni Wayan Wisaniyasa, N.W., Widarta, I. W.R. (2019). *Studi Sifat Fisik, Kimia, Fungsional, Dan Kadar Asam Sianida Tepung Kecambah Kacang Koro*



- Pedang (*Canavalia Ensiformis* L.) Jurnal Ilmu dan Teknologi Pangan ISSN : 2527-8010 (ejournal) 8 (3) : 238-247.
- Del Rosario Moguel Concha, D., Martínez, J. E. B., Velázquez, T. G. G., Martínez, C. J., & Ruiz, J. C. R. (2022). Impact of germination time on protein solubility and anti-inflammatory properties of *Pisum sativum* L grains. *Food Chemistry: X*, 13, 100219. <https://doi.org/10.1016/j.fochx.2022.100219>
- Dhiya, A. (2019). Aktivitas Ace Inhibitor Protein Tempe Kacang Koro Pedang (*Canavalia ensiformis* L). Skripsi. Fakultas Sains dan Teknologi. UIN Syarif Hidayatullah, Jakarta. Available at: <http://repository.uinjkt.ac.id/dspace/handle/123456789/47960>. Data accessed : 1 oct 2020
- Dibofori, A. N., P. N. Okoh dan A. O. Onigbinde. (1994). Effect of germination on the cyanide and oligosaccharide content of lima beans (*Phaseolus lunatus*). *Food Chemistry* 51: 133-136.
- Diniyah, N., NAFF, A. dan Fachirah, Z. (2015). Karakteristik Nugget yang Dibuak Dengan Variasi Rasio Jamur Merang (*Volvariella Volvaceae*) dan Tepung Koro Pedang (*Canavalia Ensiformis* L.). *Jurnal Agroteknologi* 9 (1) : 1 -12. Available at: . Date accessed: 17 oct. 2020.
- Diniyah, N., Windrati, W.S., Maryanto., Purnomo, B.H. dan Wardan, W. (2014). Karakterisasi Tempe Koro Pedang (*Canavalia Ensiformis* (L)) yang Dibuak dengan Variasi Persentase Ragi dan Jenis Pengemas. *Journal of Agro-based Industry* 31 (1): 1-10.
- Doyle, A dan Griffiths, J.B. (1998). *Cell and tissue culture: laboratory procedures in biotechnology*. New York: John Wiley & Sons, Inc.
- Eum HL, Park Y, Yi TG, Lee JW, Ha K-S, Choi I-Y, *et al.* (2020). Effect of germination environment on the biochemical compounds and anti-inflammatory properties of soybean cultivars. *PLoS ONE* 15(4): e0232159. <https://doi.org/10.1371/journal.pone.0232159>
- Fitriasari, R.M. (2010). Kajian Penggunaan Tempe Koro Benguk (*Mucuna Pruriens*) dan Tempe Koro Pedang (*Canavalia Ensiformis*) dengan Perlakuan Variasi Pengecilan Ukuran (Pengirisan dan Penggilingan) Terhadap Karakteristik Kimia dan Sensoris Nugget Tempe Koro. Skripsi. Fakultas Pertanian. Universitas Sebelas Maret, Surakarta.
- Folmer F. (2000). Apoptosis – a review.. Available from: URL: <http://www.geocities.com/Collegepark/Lab/1580/Apoptosis.html> [series online] 2000 [cited 2020 Juli 3]
- Fujiki H., Horiuci T., Yamashita K., Haki H., Suganuma M., Nishino H., Iwashima A., Hirata, Y., dan Sugimura T. (1986). Inhibition of Tumor Promotion by *Flavonoids*. *Plant Flavonoids in Biology and Medicine: Biochemical, Pharmaceutical and Structure Activity Relationships*. Alan R. Liss, Tnc. p: 429- 440
- George, P.(2011). p53 How crucialis its role in cancer. *International Journal of Current Pharmaceuatical Research*. Vol.3 Issue. 2
- Goes-Favoni SP, Carrao-Panizzi MC, Beleia A. (2010).Changes of *Isoflavone* in soybean cotyledons soaked in different volumes of water. *Food Chemistry* 119 (4): 1605–1612
- Gozal, C. (2015). Pengaruh Perlakuan Garam-Garam Kalsium (Ca(OH)_2 , CaCO_3 , CaCl_2 , CaO) Terhadap Penurunan Kadar HCN Tempe Koro Pedang (*Canavalia ensiformis*). Skripsi. Fakultas Teknologi Pertanian. Institut Pertanian Bogor.
- Gustiningsih D., D. Andrayani., (2011), Potensi Koro Pedang (*Canavalia ensiformis*) dan Saga Pohon (*Adhnanthera povonina*) sebagai Alternatif Substitusi Bahan Baku Tempe, Institut Pertanian Bogor, Bogor.



- Gyorgy, P., K., Murata, dan Ikehata, H. (1964). Antioxidants isolated from fermented soybeans tempeh. *Nature*. 203: 872-875.
- Hanahan, D. dan Weinberg, R.A. (2011). Hallmark of cancer: the next generation cell. 100: 57-70.
- Hanuji, R.R. (2017). Pengaruh Perbandingan Tepung Terigu Dengan Tepung Kacang Koro Pedang (*Canavalia Ensiformis*) Dan Konsentrasi Baking Powder Terhadap Karakteristik Cookies Koro. Skripsi. Jurusan Teknologi Pangan Fakultas Teknik. Universitas Pasundan, Bandung. Hashim, Normah and Tai, Chia Woon and Wen,
- Hui Xin and Ismail, Amin Razak and Kong, Kin Weng (2018). Comparative Evaluation of Antioxidant Properties and *Isoflavones* of Tempeh Fermented in Two Different Wrapping Materials. *Current Research in Nutrition and Food Science Journal*, 6 (2). pp. 307-317. ISSN 2347- 467X
- Hardwick, J. M., & Soane, L. (2013). Multiple functions of BCL2 family proteins. *Cold Spring Harbor Perspectives in Biology*, 5(2). <https://doi.org/10.1101/cshperspect.a008722>
- Hartanti, D., & Cahyani, A. N. (2020). Plant cyanogenic glycosides: an overview. *Farmasains : Jurnal Farmasi dan Ilmu Kesehatan*, 5(1 SE-), 1-6. <https://doi.org/10.22219/farmasains.v5i1.10047>
- Hernández Borrero, L. J., & El-Deiry, W. S. (2021). Tumor suppressor p53: Biology, signaling pathways, and therapeutic targeting. *Biochimica et Biophysica Acta. Reviews on Cancer*, 1876(1), 188556. <https://doi.org/10.1016/j.bbcan.2021.188556>
- Herwana, E. (2020). Fenotip equol-producer dan hubungannya dengan asupan *Isoflavon* dan kesehatan. *Jurnal Medika dan Kesehatan* 3(3).
- Heyne, K. (1987). *Tumbuhan Berguna Indonesia (Terjemahan) Jilid III*, Jakarta, Badan Penelitian dan Pengembangan Kehutanan.
- Huang X, Cai W, Xu B. (2014). Kinetic changes of nutrients and antioxidant capacities of germinated soybean (*Glycine max* L.) and mung bean (*Vigna radiata* L.) with germination time. *Food Chem* 143:268-276. <http://dx.doi.org/10.1016/j.foodchem.2013.07.080>.
- Hubert, J., Berger, M., Nepveu, F., Paul, F. dan Daydé, J. (2008). Effects of Fermentation on the Phytochemical Composition and Antioxidant Properties of Soy Germ. *Food Chemistry*, 109 (4): 709-721.
- Hudiyanti D, Arya A. P, Siahaan P, Suyati L. (2015). Chemical composition and Phospholipid content of Indonesian Jack Bean (*Canavalia ensiformis* L.). *Orient J Chem* 2015;31(4). Available from: <http://www.orientjchem.org/?p=12978>
- Hui C, Qi X, Qianyong Z, Xiaoli P, Jundong Z, Mantian M. (2013). *Flavonoids, Flavonoid* subclasses and breast cancer risk: a meta-analysis of epidemiologic studies. *PLoS One*. 8(1):e54318.
- IARC (International Agency for Research on Cancer). (2013). *Latest world cancer statistics*. UK: World Health Organization
- INBIO Indonesia. (2020). *Workshop Kultur Sel dan Uji Toksisitas Herbal*. Guest House Universitas Brawijaya Malang
- INDRAYANI, A. W., WAHYUNIARI, I. D. A. A. Y. U. I. K. A., & ARTINI, G. A. Y. U. (2012). Uji Proliferasi dan Ekspresi P53 Ekstrak Etanol Minyak Buah Merah terhadap Sel Kanker Serviks SiHa. *Indonesian Journal of Cancer; Vol 6, No 4 (2012): Oct - Dec 2012 DO - 10.33371/ijoc.v6i4.288*. <https://www.indonesianjournalofcancer.or.id/e-journal/index.php/ijoc/article/view/288>
- Istiani, Yurina. (2010). "Karakterisasi Senyawa Bioaktif *Isoflavon* dan Uji Aktivitas Antioksidan dari Ekstrak Etanol Tempe Berbahan Baku Koro Pedang (*Canavalia*



- ensiformis)". Tesis. Surakarta: Universitas Sebelas Maret
- Iqbal, N., & Poór, P. (2024). Plant Protection by Tannins Depends on Defence-Related Phytohormones. *Journal of Plant Growth Regulation*, 0123456789. <https://doi.org/10.1007/s00344-024-11291-1>
- Javed, Z., Khan, K., Herrera-Bravo, J., Naeem, S., Iqbal, M. J., Sadia, H., Qadri, Q. R., Raza, S., Irshad, A., Akbar, A., Reiner, Ž., Al-Harrasi, A., Al-Rawahi, A., Satmbekova, D., Butnariu, M., Bagiu, I. C., Bagiu, R. V., & Sharifi-Rad, J. (2021). *Genistein* as a regulator of signaling pathways and microRNAs in different types of cancers. *Cancer Cell International*, 21(1), 1–12. <https://doi.org/10.1186/s12935-021-02091-8>
- J. Ferlay, M. Colombet, I. Soerjomataram, C. Mathers, D.M. Parkin, M. Piñeros, A. Znaor and F. Bray. (2019). Estimating The Global Cancer Incidence and Mortality in 2018 : GLOBOCAN sources and methods. *Int.J.Cancer*: 144, 1941-1953.
- Jha, H.C. (1985). Novel isoflavanoids and its derivatives, new antioxidant derived from fermented soybean (tempe). Asian Symposium Non-salted Soybean Fermentation, Tsukuba, Japan
- Jing , X., Li, Q. K., Bedrossian, U. & Michael, C. W. (2013). Morphologic and Immunocytochemical Performance of Effusion Cell Blocks Prepared Using 3 Different Methods. *American Society for Clinical Pathology*, Volume 139, pp. 177-182.
- Kasmidjo, R.B. (1990). Tempe: Mikrobiologi dan Biokimia, Pengolahan Serta Pemanfaatannya. Pusat Antar Universitas Pangan dan Gizi. UGM Yogyakarta.
- Kasno, A. (2016). Prospek Aneka Kacang Potensial: Koro Pedang sebagai Pengganti Kedelai. Balai Penelitian Kacang dan Ubi. <http://balitkabi.litbang.pertanian.go.id/?p=4576>. Diakses pada 20 Juli 2020. Kay. (1979). Food Legumes. Tropical Product Institute. London
- Kassegn, H. H., Atsbha, T. W., & Weldeabezgi, L. T. (2018). Effect of germination process on nutrients and phytochemicals contents of faba bean (*Vicia faba* L.) for weaning food preparation. *Cogent Food & Agriculture*, 4(1), 1545738. <https://doi.org/10.1080/23311932.2018.1545738>
- KEMENDAG (Kementerian Perdagangan). (2017). Perkembangan Impor Menurut HS 6 Digit Periode : 2012-2017. Kementerian Perdagangan RI. Jakarta. <http://www.kemendag.go.id/id/economic-profile/indonesia-export-import/importgrowth-hs-6-digits>. Diakses pada 12 Juni 2020.
- Kemenkes RI. (2015). Stop Kanker. Infodatin-Kanker, p 3 Kemenkes . Hari Kanker Sedunia. (2019). <https://www.kemkes.go.id/article/view/19020100003/hari-kanker-sedunia2019.html>. tanggal akses Kamis, 23 April 2020
- Kim DO, Jeong SW, Lee CY. (2003). Antioxidant capacity of phenolic phytochemicals from various cultivars of plums. *Food Chemistry*. 81:321-326.
- Kim, J.H., Kim, S.L., Kim, K.C., Perera, R.M.T.D., Kim, S.C. and Lee, D.S., 2024. Bioactive constituents from Carica papaya fruit: implications for drug discovery and pharmacological applications. *Applied Biological Chemistry*, 67(1), pp.1-23.
- King, R.J.B. (2000). *Cancer Biology*, Second Ed, Pearson Education Limited, London
- Ko, K. P. (2014). *Isoflavones: chemistry, analysis, functions and effects on health and cancer*. *Asian Pac J Cancer Prev*, 15(17), 7001-7010.
- Koswara, S. (2006). *Isoflavon Senyawa Multi-Manfaat Dalam Kedelai*. Ebookpangan.com, Bogor
- Kresno, S.B. (2011). *Ilmu Dasar Onkologi*. Edisi 2. Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Kumar V, Cotran RS, Robbins SL. (2007). *Buku ajar patologi*. 7 nd ed , Vol. 1. Jakarta :



Penerbit Buku Kedokteran EGC 189-1.

- Kurniana, L.M. (2015) Karakteristik fisik, kimia, dan fungsional tepung koro pedang (*Canavalia ensiformis* L.) termodifikasi dengan fermentasi menggunakan *Lactobacillus plantarum*. Skripsi Sarjana. Universitas Jember.
- Lamastimere, C.A Murrill, B.W. dan Brown, N.M. (1996). *Genistein* Suppresses Chemically-Induced Mammary Cancer. Second International Symposium on the Role of Soybean in Preventing and Treating Chronic Diseases, September 15-18, 1996, Brussel, Belgique.
- Liu, H.C., Chen, G.G., Vlantis, A.C., Leung, B.C.S., Tong, M.C.E., van Hasselt, C.A. (2006). 5-Fluorouracil Mediates Apoptosis and G1/S Arrest in Laryngeal Squamous Cell Carcinoma via a p53-Independent Pathway. *The Cancer Journal*, 12(6), 482-493.
- Liu, Y., Yin, T., Feng, Y., Cona, M.M., Huang, G., Liu, G., Song, S., Jiang, Y., Xia, Q., Johannes V. Swinnen, Bormans, G., Himmelreich, U., Oyen, R. dan Ni, Y. (2015). Mammalian models of chemically induced primary malignancies exploitable for imaging-based preclinical theragnostic research. *QIMS Vol.5(5)*.
- Li, Y., Ahmed, F., Ali, S., Philip, P.A., Kucuk, O. and Sarkar, F.H. (2005) Inactivation of nuclear factor kappaB by soy isoflavone genistein contributes to increased apoptosis induced by chemotherapeutic agents in human cancer cells. *Cancer Research*, 65(15), pp. 6934–6942. DOI: 10.1158/0008-5472.CAN-05-1747.
- Li, Y.-C., Qian, H., Sun, X.-L., Cui, Y., Wang, H.-Y., Du, C., & Xia, X.-H. (2014). The Effects of Germination on Chemical Composition of Peanut Seed. *Food Science and Technology Research*, 20(4), 883–889. <https://doi.org/10.3136/fstr.20.883>
- Li, Y., Kong, D., Bao, B., Ahmad, A., & Sarkar, F. H. (2011). Induction of cancer cell death by *Isoflavone*: The role of multiple signaling pathways. *Nutrients*, 3(10), 877–896. <https://doi.org/10.3390/nu3100877>
- Lu, J., Cheng, J. H., Xu, Y., Chen, Y., Qian, K., & Zhang, Y. (2023). Effect of germination on nutritional quality of soybean. *Food Science and Technology (Brazil)*, 43, 1–12. <https://doi.org/10.1590/fst.008323>
- Marei, H. E., Althani, A., Affi, N., Hasan, A., Caceci, T., Pozzoli, G., Morrione, A., Giordano, A., & Cenciarelli, C. (2021). P53 Signaling in Cancer Progression and Therapy. *Cancer Cell International*, 21(1), 1–15. <https://doi.org/10.1186/s12935-021-02396-8>
- Mahriani, dan Utami, E.T. (2014). Uji Sitotoksis Senyawa *Genistein* Terhadap Sel Kanker Payudara MCF-7 Secara *In vitro*. Laporan Penelitian Hibah Bersaing. FMIPA: Universitas Jember. 18-30.
- Maloney A, Workman P. (2002). HSP90 as a new therapeutic target for cancer therapy: the story unfolds. *Expert Opin Biol Ther* 2:3-24
- Mariah, B.R.S., Rodrigo, S.L., Marcelo, A. And Elza I. 2020. Germination conditions influence the physical characteristics, *Isoflavones*, and vitamin C of soybean sprouts. (2020). *Pesq. agropec. bras.*, Brasilia, v.55, e01409. DOI: 10.1590/S1678-3921.pab2020.v55.01409
- Martin, S. (2005). Tannic Acid and Cancer Prevention. [http:// www. Group pekurowsawa. com/blog/2005/05/tannic-acid-and-cancer-prevention.htm](http://www.Grouppekurowsawa.com/blog/2005/05/tannic-acid-and-cancer-prevention.htm). Diakses 20 September 2020.
- Marzouk, M.M. (2016). *Flavonoid* Constituents And Cytotoxic Activity Of *Erucaria Hispanica* (L.) Druce Growing Wild In Egypt. *Arabian Journal Of Chemistry*, 9, 411–415 *Medicines* 4(18).
- Megat, Azlan, A., & Me, N. (2016). Effect of germination on total dietary fibre and total sugar in selected legumes. *International Food Research Journal*, 23, 257–261.
- Meiyanto, E.Fitria, M., Armandari, I., Septhea, D.B. Ikawati, A.H.M, 2011, Ekstrak



- Etanolik Herba Ciplukan (*Physalis angulata* L.) berefek sitotoksik dan Menginduksi Apoptosis Pada Sel Kanker Payudara MCF-7, *Bionatura –Jurnal Ilmu-ilmu Hayati dan Fisik*, Vol. 13 : 101 –107
- Meiyanto., E., Melanisa, R., Da'I, M. (2006). PGV-1 Menurunkan Ekspresi Faktor Angiogenesis C-VEGF dan COX-1 Pada Sel T47D Terinduksi Estrogen. *Majalah Farmasi Indonesia*, 17, 2006, 1-6.
- Melannisa, R. (2004). Pengaruh PGV-1 Pada Sel Kanker Payudara Yang Diinduksi 17 β Estradiol: Kajian Antiproliferasi, Pemacuan Apoptosis dan Antiangiogenesis. Tesis. Yogyakarta :Sekolah Pascasarjana UGM
- Mense, S., Chhabra, J., & Bhat, H. (2007). Phytoestrogens and breast cancer prevention: Possible mechanism of action.
- Min-Ah Kim and Mi-Ja Kim. 2020. *Isoflavone* profiles and antioxidant properties in different parts of soybean sprout . *J Food Sci. Mar*;85(3):689-695. DOI: 10.1111/1750-3841.15058
- Mitra, S., Emran, T.B., Chandran, D., Zidan, B.R.M., Das, R., Mamada, S.S., Masyita, A., Salampe, M., Nainu, F., Khandaker, M.U. and Idris, A.M., 2022. Cruciferous vegetables as a treasure of functional foods bioactive compounds: Targeting p53 family in gastrointestinal tract and associated cancers. *Frontiers in Nutrition*, 9, p.951935.
- Mora, J., Pott, D. M., Osorio, S., & Vallarino, J. G. (2022). Regulation of Plant Tannin Synthesis in Crop Species. *Frontiers in Genetics*, 13, 870976. <https://doi.org/10.3389/fgene.2022.870976>
- Morant, A. V., Bjarnholt, N., Kragh, M. E., Kjaergaard, C. H., Jørgensen, K., Paquette, S. M., Piotrowski, M., Imberty, A., Olsen, C. E., Møller, B. L., & Bak, S. (2008). The beta-glucosidases responsible for bioactivation of hydroxynitrile glucosides in *Lotus japonicus*. *Plant Physiology*, 147(3), 1072–1091. <https://doi.org/10.1104/pp.107.109512>
- Moningka, M.E.W. (2019). Perkembangan Terapi Kanker Terkait Senyawa Terpeneol, P53 dan Caspase 3. *Jurnal e-Biomedik (eBm)* 7 (1)
- Mosmann, T. (1983). Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. April 4, 2012. http://www.protocolonline.org/prot/Cell_Biology/Cell_GrowthCytotoxicity/MTT_Cell_Proliferation_Assay/index.html = MTT Cell Proliferation Assay.
- Mubarak, A.A.F. dan Fitranti, D.Y. (2016). Pengaruh Pemberian Yoghurt Koro Pedang (*Canavalia Ensiformis*) Terhadap Kadar Kolesterol Total Tikus Sprague Dawley. *Journal of Nutrition College*. 5 (3) : 138-142 Online di : <http://ejournals1.undip.ac.id/index.php/jnc>.
- Muchtadi D. 2012. Pangan Fungsional dan Senyawa Bioaktif. Alfabeta. Bandung. 252 hlm
- Muñoz-Llandes, C. B., Guzmán-Ortiz, F. A., Román-Gutiérrez, A. D., Palma-Rodríguez, H. M., Castro-Rosas, J., Hernández-Sánchez, H., Zamora-Natera, J. F., & Vargas-Torres, A. (2022). Effect of germination time on protein subunits of *Lupinus angustifolius* L. and its influence on functional properties and protein digestibility. *Food Science and Technology (Brazil)*, 42, 1–10. <https://doi.org/10.1590/fst.90821>
- Murata, K. (1985). Formation of antioxidants and nutrient in tempe, Asian Symposium on Non-salted soybean fermentation, Tsukuba, Japan, July 14-16, 1985.
- Murdiati, A. dan P. C. Bonita. (2015). “Determination of protein efficiency ratio of jack bean flour (*Canavalia ensiformis* (L.) DC) at weaned Sprague-Dawley rats,” *Proceeding of Scientific Conference of PBBMI*, (PBBMI, Yogyakarta 2015), pp. 166.
- Murdiati, Agnes., Anggrahini, S., Supriyanto dan Ayuk Alim. (2015). “Peningkatan Kandungan Protein Mie Basah dari Tapioka dengan Substitusi Tepung Koro Pedang

- Putih (*Canavalia ensiformis*L)”. *Jurnal Agritech*. 35: 3.
- Mwikya, S. M., Van Camp, J., Rodriguez, R., & Huyghebaert, A. (2001). Effects of sprouting on nutrient and antinutrient composition of kidney beans (*Phaseolus vulgaris* var. Rose coco). *European Food Research and Technology*, 212(2), 188–191.
- Nafrialdi., Gan, S. (1995). *Antikanker dalam Farmakologi dan Terapi*. Edisi IV, 686-701. Jakarta: UI Press.
- Namita, P., Mukesh, R., Vijay, K.J. (2012). *Camelia sinensis* (Green Tea): A Review. *Global Journal of Pharmacology*, 6 (2), 52-59
- Naufalina, M. D. dan Nuryanto. 2014. Pengaruh Pemberian Susu Kacang Koro Pedang (*Canavalia ensiformis*) Terhadap Kadar Kolesterol LDL dan HDL pada Tikus Dislipidemia. *Journal of Nutrition College* Vol. 3 No.4: 456-464.
- Nita, M.E., Nagawa, H., Tominaga, O., Tsuno, N., Fuji, S., Fu, C-G., takenoue, T., Tsuruo, T., Muro, T. (1998). 5-Fluorouracil induced Apoptosis in Human Colon cancer with Modulation of Bcl2 Family Protein. *BRJ Cancer*, 78 (8), 986-992.
- Nurani, L.H. (2011). Uji sitotoksitas, Antiproliferatif, Dan Pengaruhnya Terhadap Ekspresi p53 Dan Bcl2 Dari Fraksi Ethanol Infusa Daun Teh (*Camellia Sinensis* (L) O.K) Terhadap Sel Hela. *Majalah Obat Tradisional*. 16(1) : 14 – 21.
- Nurkolis, F., Taslim, N.A., Lee, D., Park, M.N., Moon, S., Hardinsyah, H., Tjandrawinata, R.R., Mayulu, N., Astawan, M., Tallei, T.E. and Kim, B. (2024) ‘Mechanism of action of isoflavone derived from soy-based tempeh as an antioxidant and breast cancer inhibitor via potential upregulation of miR-7-5p: a multimodal analysis integrating pharmacoinformatics and cellular studies’, *Antioxidants*, 13(6), p. 632. Available at: <https://doi.org/10.3390/antiox13060632>.
- Nwokolo, E. and Smartt, J. 1996. *Food and Feed from Legumes and Oilseeds*. London: Chapman & Hall
- Ojo, M. A. (2022). Tannins in Foods: Nutritional Implications and Processing Effects of Hydrothermal Techniques on Underutilized Hard-to-Cook Legume Seeds-A Review. *Preventive Nutrition and Food Science*, 27(1), 14–19. <https://doi.org/10.3746/pnf.2022.27.1.14>
- Oktavianti, M.I., Mahriani dan Utami, E.T. (2015). Pemanfaatan Tepung Tempe kedelai untuk Penghambatan Kanker Kelenjar Mammae Pada Mencit Strain C3H. *Artikel Ilmiah Hasil Penelitian*. Universitas Jember.
- Oshima A, Mine W, Nakada M, & Yanase E. 2016. Analysis of *Isoflavones* and coumestrol in soybean sprouts. *Bioscience, Biotechnology, and Biochemistry* 80(11): 2077-2079.
- Ososki, A.L., and Kenelly, E.J. (2003). Phytoestrogens: a Review of the Present State of Research. *Phytotherapy Research*, 17, 845-869
- Setiawati, A., Riswanto, F.D.O., Yuliani, S.H., Istyastono, E.P., 2014. Retrospective Validation of A StructureBased Virtual Screening Protocol To Identify Ligands For Estrogen Receptor Alpha and Its Application To Identify The Alpha-Mangostin Binding Pose. *Indo J. Chem*, 14(2), 103-108.
- Paputungan, W.A., Rotinsulu, H. dan Yamlean, P.V.Y. (2017) Standarisasi Parameter Spesifik Dan Uji Aktivitas Antikanker Terhadap Sel Kanker Kolon (Widr) Dari Ekstrak Etanol Lamun (*Enhalus acoroides*). *Pharmacon Jurnal Ilmiah Farmasi* Vol. 6(3).
- Paramita, D.S. (2008). Pengaruh Teknik Pemanasan terhadap Kadar Asam Fitat dan antioksidan Koro Benguk (*Mucuna pruriens*), Koro Glinding (*Phaseolus* *Jurnal Teknologi Hasil Pertanian*, Vol. VII, No. 2, Agustus 2014 94 bunatus), dan Koro Pedang (*Canavalia ensivormis*). Skripsi Fakultas Pertanian Universitas Sebelas Maret., Surakarta



- Paucar-Menacho LM, Berhow MA, Mandarino JMG, Chang YK, Mejia E. 2010. Effect of time and temperature on bioactive compounds in germinated Brazilian soybean cultivar BRS 258. *Food Research International* 43(7): 1856–1865.
- Pawiroharsono, S. (2001). Prospek dan Manfaat *Isoflavon* untuk Kesehatan. Direktorat Teknologi Bioindustri, Badan Pengkajian dan Penerapan Teknologi.
- Pesik, R.N. Ekspresi p53 pada apoptosis sel epitel mukosa lambung tikus putih wistar dengan indikasi indomethacin daya proteksi kombinasi vitamin E dan B karoten. Tesis. PPS Unair. Surabaya
- Peterson, T.G Kim, H. dan Bames, S. (1997). Mechanisms of Action of The Soy *Isoflavone Genistein* at the Cellular Level. Second International Symposium on the Role of Soybean in Preventing and Treating Chronic Diseases, September 15- 18, 1996, Brussel, Belgique
- Pradana, S. 2008. Prospek dan Manfaat *Isoflavon* sebagai Fitoestrogen Bagi Kesehatan. <http://one.indoskripsi.com/judul-skripsi-tugas-makalah/biologi-umum/prospekdan-manfaat-Isoflavon-sebagai-fitoestrogen-bagi-kesehatan>. Diakses Juli 2020
- Prakash, A. (2001). Antioxidant Activity. *Medallion Laboratories Analytical Progress*. 19(2).
- Pramita D.S, (2008). Pengaruh Teknik Pemanasan Terhadap Kadar Asam Fitat dan Aktivitas Antioksidan Koro Bengkok (*Mucuna pruriens*), Koro Glinding (*Phaseolus lunatus*) dan Koro Pedang (*Canavalia ensiformis*). Skripsi. Surakarta : Jurusan Teknologi Hasil Pertanian FP UNS.
- Prawiroharsono, S. (1995). Metabolisme *Isoflavon* dan Faktor –II pada proses pembuatan tempe. Prosiding Simposium Nasional Pengembangan Tempe dalam Industri Pangan Modern, April 1995. Yogyakarta
- Primawestri, M dan Rustanti, N. (2014). Pengaruh Pemberian Susu Koro Pedang (*Canavalia Ensiformis*) Terhadap Kadar Kolesterol Total Dan Trigliserida Serum Tikus Sprague Dawley Hiperkolesterolemia. *Journal of Nutrition College* 3 (4) : 447-455. <https://doi.org/10.14710/jnc.v3i4.6826>. Data accessed : 22 september 2020.
- Purwaningsih, E. (2010). Telomer, aging dan karsinogenesis. *Jurnal Kedokteran Yarsi* 18 (2) : 137-143.
- Purwaningsih, H., Ulfah, M., Sangari, M. A., & Nuryanti, S. (2021). The effect of temperature variations on koro sword bean flour (*Canavalia ensiformis* L) and the concentration of the addition of koro sword bean flour on cyanide acid (HCN) content and consumer acceptance of fried chicken seasoning flour. *IOP Conference Series: Earth and Environmental Science*, 672(1), 0–7. <https://doi.org/10.1088/1755-1315/672/1/012049>
- Purwoko, T. (2004). Kandungan *Isoflavon* aglikon pada tempe hasil fermentasi *Rhizopus microsporus* var. *oligosporus*: pengaruh perendaman. *BioSMART*, 6(2), 85–87.
- Pusat Kajian Hortikultura Tropika. Koro Pedang (*Canavalia ensiformis*). Institut Pertanian Bogor. <https://pkht.ipb.ac.id/index.php/2018/04/23/koro-pedang-canavaliaensiformis/>. Tanggal akses 11 September 2020.
- Putri, H., 2013, Protokol Uji sitotoksik metode MTT. Yogyakarta.
- Putro, N.T.L., Arisasmita, H. dan Srianta, I. (2015). Kajian Kadar HCN Dan Karakteristik Pati Pada Tepung Koro Pedang (*Canavalia Ensiformis*) Berdasarkan Waktu Perendaman Biji Dalam Air Panas Dan Larutan Natrium Bikarbonat (NaHCO₃). *Jurnal Teknologi Pangan dan Gizi* Vol 14(2): 72-82.
- Qi, W., Weber, C. R., Wasland, K., & Savkovic, S. D. (2011). *Genistein* inhibits proliferation of colon cancer cells by attenuating a negative effect of epidermal growth factor on tumor suppressor FOXO3 activity. *BMC Cancer*, 11. <https://doi.org/10.1186/1471-2407-11-219>



- Qian, S., Wei, Z., Yang, W., Huang, J., Yang, Y., & Wang, J. (2022). The role of BCL2 family proteins in regulating apoptosis and cancer therapy. *Frontiers in Oncology*, 12(October), 1–16. <https://doi.org/10.3389/fonc.2022.985363>
- Qu, C., Zhang, S., Zhao, H., Chen, J., Zuo, Z., Sun, X., Cheng, Y., Xu, Z., & Liu, G. (2020). Analysis of the energy source at the early stage of poplar seed germination: verification of Perl's pathway. *3 Biotech*, 10(10), 418. <https://doi.org/10.1007/s13205-020-02413-z>
- Rahman, N., Khan, H., Zia, A., Khan, A., Fakhri, S., Aschner, M., Gul, K., & Saso, L. (2021). Bcl2 Modulation in p53 Signaling Pathway by *Flavonoids*: A Potential Strategy towards the Treatment of Cancer. *International Journal of Molecular Sciences*, 22(21). <https://doi.org/10.3390/ijms222111315>
- Ralston, L. (2005). Partial reconstruction of *Flavonoid* and *IsoFlavonoid* biosynthesis in Yeast using soybean type I and II chalcone isomerase. *Plant physiology*. vol. 137, p 1375-1388
- Restuhadi, F. (2001). Studi Pendahuluan Biokonversi *Isoflavon* pada Proses Fermentasi Kedelai Menggunakan *Rhizopus* spp. L.41. Tesis Magister Kimia ITB. Bandung
- Retnaningsih, Christiana, Adytyas Sunjaya dan Sumardi. (2014). "Tempe Koro Pedang (*Canavalia ensiformis*[L] DC) Ditinjau Dari Sifat Fisik Dan Kimia". Seri Kajian Ilmiah. 15(2): 123-130. Riadi, Lieke. 2007. *Teknologi Fermentasi*. Yogyakarta: Graha Riset Kesehatan Dasar (Riskesdas). (2018). Badan Penelitian dan Badan Penelitian dan Pengembangan Kesehatan Kementerian RI tahun 2018. Diakses tanggal 11 Maret 2020
- Saddam, M., Paul, S. K., Habib, M. A., Fahim, M. A., Mimi, A., Islam, S., Paul, B., & Helal, M. M. U. (2024). Emerging biomarkers and potential therapeutics of the BCL2 protein family: the apoptotic and anti-apoptotic context. *Egyptian Journal of Medical Human Genetics*, 25(1), 12. <https://doi.org/10.1186/s43042-024-00485-7>
- Sahin, I., Bilir, B., Ali, S., Sahin, K. and Kucuk, O. (2019) Soy isoflavones in integrative oncology: Increased efficacy and decreased toxicity of cancer therapy. *Integrative Cancer Therapies*, 18, pp. 1–14. DOI: 10.1177/1534735419835310.
- Sarami, S., Dadmanesh, M., Hassan, Z. M., & Ghorban, K. (2020). Study on the Effect of Ethanol Ginger Extract on Cell Viability And p53 Level in Breast and Pancreatic Cancer. *Archives Of Pharmacy Practice*, 11(3), 115–121. <https://archivepp.com/article/study-on-the-effect-of-ethanol-ginger-extract-on-cell-viability-and-p53-level-in-breast-and-pancreatic-cancer>
- Sadhu, M. K. 1989. *Plant Propagation*. New Age International, New York.
- Samira Ziaei, S and Reginald Halaby, R. (2017). *Dietary Isoflavones and Breast Cancer Risk*
- Santell, R.C., Kieu, N., dan Helferich, W.G. (2000). *Genistein* Inhibits Growth of Estrogen-Independent Human Breast Cancer Cells in Culture But Not in Athymic Mice. *J Nutr*. 130: 1665–1669
- Sari, S.E., Harahap, W.A., dan Saputra D. (2018). Pengaruh Faktor Risiko Terhadap Ekspresi Reseptor Estrogen Pada Penderita Kanker Payudara Di Kota Padang. *Jurnal Kesehatan Andalas* 7(4). DOI: <https://doi.org/10.25077/jka.v7i4.902>
- Saraswati, M., Harmastuti, N. and Herdwiani, W., 2020. Aktivitas Sitotoksik dan Ekspresi Protein p53 Bcl2 Ekstrak dan Fraksi Daun Kersen (*Muntingia calabura* L.) terhadap Sel Kanker Payudara T47D. *PHARMACY: Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, 17(2), pp.292-303.
- Schmidl, M. K., & Labuza, T. P. (2000). *Essentials of Functional Foods*. Gaithersburg: Aspen Publishers.
- Schmidt F, Knobbe CB, Frank B, Wolburg H & Weller M. 2008. The topoisomerase II



- inhibitor, *genistein*, induces G2/M arrest and apoptosis in human malignant glioma cell lines. *Oncology reports* 19(4):1061-1066.
- Schmitt, E., Metzler M., Jonas R., Dekant W dan Stopper H. 2003. Genotoxic activity of four metabolites of the soy *Isoflavone daidzein*. *Mutation Research/Genetic Toxicology and Environmental Mutagenesis* 542(1):43-48.
- Setchell KD, Zhao X, Jha P, Heubi JE & Brown NM. 2009. The pharmacokinetic behavior of the soy *Isoflavone* metabolite S-(−) equol and its diastereoisomer R-(+) equol in healthy adults determined by using stable-isotope-labeled tracers. *The American journal of clinical nutrition* 90(4):1029-1037.
- Setchell, K. D. R. (2001). Soy *Isoflavones*—benefits and risks from nature’s selective estrogen receptor modulators (SERMs). *Journal of the American College of Nutrition*, 20(5), 354S–362S. <https://doi.org/10.1080/07315724.2001.10719168>
- Siegel R., MPH, Kimberly D. Miller, MPH, Ahmedin Jemal. (2019). *Cancer Statistics*. *CA Cancer .J CLIN* 2019;69:7–3
- Siegień, I., & Bogatek, R. (2006). Cyanide action in plants — from toxic to regulatory. *Acta Physiologiae Plantarum*, 28(5), 483–497. <https://doi.org/10.1007/BF02706632>
- Singleton VL, Orthofer R, Lamuela-Raventos RM. 1999. Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin Ciocalteu reagent. *Methods Enzymol.* 299:152-178.
- Siregar, F. & Hadijono, B.S., 2000, UJISITOTOKSISITAS DENGAN ESEI MTT, *Jurnal Kedokteran Gigi UI*, pp.28–32
- Snyder, H.E., and T.W. Kwon. 1987. *Soybean Utilization*. Van Nostrand. Reinhold Company. New York.
- Song KB, Atkinson C, Frankenfeld CL, *et al*. Prevalence of *Daidzein*-Metabolizing Phenotypes Differs between CaucaAsia and Korean American Women and Girls. *J Nutr* 2006;136: 1347–51. doi: 10.1093/jn/136.5.1347.
- Sorour, M. A.-H., Galel, H. A. E.-, Mehanni, A.-H. E., & Ahmed, W. K. (2018). Polyphenols, Tannins and Phytate Contents in Some Egyptian Legumes As Affected By Soaking and Germination Processes. *Journal of Sohag Agriscience (JSAS)*, 3(1), 94–111. <https://doi.org/10.21608/jsasj.2018.229203>
- STIH ITB. 2018. Pedoman Pengujian *Isoflavon* Meode HPLC.
- Subagio, A., W.S. Windarti dan Y. Witono. 2003. Development of functional proteins from some local non-oilseed legumes as food additives. *Proceeding of ITSF Seminar on Science and Technology*, Indonesia Toray Science Foundation.
- Suciati, A. (2012). “Pengaruh Lama Perendaman dan Ferments Terhadap kandungan HCN pada Tempe Kacang Koro(*Canavalia ensiformis* L)”. Skripsi. Makassar: Universitas Hasanuddin.
- Sudarnadji S., Haryono, B. dan Suhardi. (1997). *Prosedur Analisa untuk Bahan Makanan dan Pertanian*. Liberty. Yogyakarta.
- Sudiyono. 2010. Penggunaan Na₂HCO₃ Untuk Mengurangi Kandungan Asam Sianida (HCN) Koro Bengkuk Pada Pembuatan Koro Bengkuk Goreng. *Agrika*. 4(1): 48- 53
- Suharto, K.F. (2017). Pengaruh Lama Fermentasi Tempe Terhadap Kandungan Senyawa Fenolik Total dan *Isoflavon Genistein*. *ALCHEMY Jurnal Penelitian Kimia* 13(2) . DOI: 10.20961/alchemy.v13i2.5094
- Sukanya, S., & Gayathri, G. (2014). Variability in the distribution of *daidzein* and *genistein* in legume sprouts and their anticancer activity with mcf-7 breast cancer cells. *Acad J Cancer Res*, 7, 173-8.
- Sukardja, I.D.G. (2000). *Onkologi Klinik*. Edisi 2. Surabaya: Airlangga University Press.
- Sukma R. 2015. Optimasi Lama Frementasi Tempe Sebagai Upaya Perolehan *Isoflavon Genistein*.. SKRIPSI . Program Studi Kimia Fakultas Sains dan Matematika



Universitas Kristen Satya Wacana Salatiga, Jawa Tengah.

- Sulistiani H.R., Handayani S., Pangastuti A. (2014). Karakterisasi senyawa bioaktif *Isoflavon* dan uji aktivitas antioksidan dari ekstrak etanol tempe berbahan baku kedelai hitam (*Glycine soja*), koro hitam (*Lablab purpureus*), dan koro kratok (*Phaseolus lunatus*). *Biofarmasi* 12(2): pp. 62-72
- Susanti, I., Siregar, N.C. dan Supriatna, D. (2013). Potensi Kacang Koro Pedang (*Canavalia Ensiformis* DC) Sebagai Sumber Protein Produk Pangan. *Jurnal Riset Indonesia* 7(1): 1 – 3.
- Susanto, T., Zubaidah. dan Wijanarko, S.B. (1998). Studi tentang aktivitas antioksidan pada tempe terhadap lama fermentasi jenis pelarut dan ketahanan terhadap proses pemanasan. *Prosiding Seminar Nasional Teknologi Pangan dan Gizi*. Yogyakarta.
- Suyanto, P.Y., Utomo, A.R. dan Sandra, F. (2008). Mutasi Gen p53: Faktor Prediktif Kanker Payudara?. *Indonesian Journal Of Cancer* 4: 138-143.
- Syaifudin, M. (2012). Perubahan Molekuler Gen Penekan Tumor p53 Akibat Paparan Radiasi Pengion. *JFN Vol.* 6(1)
- Triswara, R., Farishal, A. dan Siregar, B.A. (2020). Potensi *Isoflavon Genistein* Sebagai Terapi Suportif Imunonutrisi Pada Pasien Kanker Payudara. *Medula* 9(4): 736
- Totta, P., Acconcia, F., Virgili, F., Cassidy, A., Weinberg, P. D., Rimbach, G., & Marino, M. (2005). *Daidzein*-sulfate metabolites affect transcriptional and antiproliferative activities of estrogen receptor- β in cultured human cancer cells. *The Journal of nutrition*, 135(11), 2687-2693.
- Tyagi A.K, Agarwal C., Chan D.C.F., & Agarwal R. (2004). Synergistic Anti Cancer Effects of Silibinin with Con-ventional Cytotoxic Agents Doxorubicin, Cisplatin dan Carboplatin against Human Breast Carcinoma MCF7 dan MDA-MB468 Cells. *Oncology Reports* 11:493-499
- Uadia, N. R. (2003). Effect of Aqueous Extract of *Canavalia ensiformis* Seeds on Hyperlipidemia and Hyperketonaemia in Alloxon-Induced Diabetic Rats. *The Nigerian Society for Experimental Biology Vol.* 15(1): 7-15.
- Udedibie, A. B. I. and Carlini, C. R. (1998). Questions and Answers to Edibility Problem of The *Canavalia ensiformis* Seeds-A Review. *Elsevier Animal Feed Science and Technology* 74: 95-106
- Uifălean, A., Schneider, S., Ionescu, C., Lalk, M., & Iuga, C. A. (2015). Soy *Isoflavones* and Breast Cancer Cell Lines: Molecular Mechanisms and Future Perspectives. *Molecules (Basel, Switzerland)*, 21(1), E13. <https://doi.org/10.3390/molecules21010013>
- Underwood JCE, (2009). *General and Systematic Pathology*. Fifth Ed. Churchill Livingstone, New York-London : p 117-119.
- Uppal, V., & Bains, K. (2012). Effect of germination periods and hydrothermal treatments on *in vitro* protein and starch digestibility of germinated legumes. *Journal of Food Science and Technology*, 49(2), 184–191. <https://doi.org/10.1007/s13197-011-0273-8>
- USDA (United States Department of Agriculture). (2007). Beans, kidney, California red, mature seeds, raw. USDA National Nutrient Database for Standard Reference.
- Utari D.M. dan Riyadi H. (2010). Pengaruh Pengolahan Kedelai Menjadi Tempe Dan Pemasakan Tempe Terhadap Kadar *Isoflavon* (Effects Of Soybean Processing Becoming Tempeh And The Cooking Of Tempeh On *Isoflavones* Level). *Pgm*, 33 (2), 148–153.
- Vanessa, M. Munhoza, R. L., José R.P., João, A.C., Zequic, E., Leite, M., Gisely, C., Lopesa, J.P., Melloa. (2014). Extraction Of *Flavonoids* From *Tagetes Patula*: Process Optimization And Screening For Biological Activity. *Rev Bras Farmacogn*, 24, 576-



583

- Vantangoli, M. M., Madnick, S. J., Huse, S. M., Weston, P., & Boekelheide, K. (2015). MCF-7 Human Breast Cancer Cells Form Differentiated Microtissues in Scaffold-Free Hydrogels. *PloS One*, *10*(8), e0135426. <https://doi.org/10.1371/journal.pone.0135426>
- Wahyuningih, S. B., Wyati Saddewisasi. (2013). Pemanfaatan Koro Pedang Pada Aplikasi Produk Pangan dan Analisa Ekonominya. Vol.7. No 2. hal.1-10.
- Wang, H., Guo, M., Wei, H., & Chen, Y. (2023). Targeting p53 pathways: mechanisms, structures and advances in therapy. *Signal Transduction and Targeted Therapy*, *8*(1), 92. <https://doi.org/10.1038/s41392-023-01347-1>
- Wang Q, WangH, Xie M .(2010). Antibacterial Mechanism of Soybean *Isoflavone* on *Staphylococcus Aureus*'. Archives of Microbiology, vol. 192, no. 11
- Weerapreeyakul N, Nonpunya A. Barusru S, Thitimetharoch T and Sripanidkulchai B. (2012). Evaluation of the anticancer potential of six herbs against a hepatomacellline. *J. Chinese Medicine*. 7(15).
- Wei, X., Li, M., Zheng, Z., Ma, J., Gao, Y., Chen, L., Peng, Y., Yu, S., & Yang, L. (2022). Senescence in chronic wounds and potential targeted therapies. *Burns & trauma*, *10*, tkab045. <https://doi.org/10.1093/burnst/tkab045>
- Widya, D. (2009). Karakteristik Fisik Kimia Dan Organoleptik Cookies Koro Pedang dan kajian Lama Perendaman Biji Koro Dan Proposi Penambahan Tepung Koro Pedang, <http://elibrary.ub.ac.id/bitstream/123456789/28955/2.pdf>, Diakses 15 Juni 2020
- Winarno, F. G. (2014). Kimia Pangan dan Gizi. Jakarta: PT. Gramedia Pustaka Utama.
- Winarsi H. (2007). Antioksidan Alami dan Radikal Bebas. Kanisius. Yogyakarta
- Winarsi H., Purwanto A. dan Dwiyaniti H. (2010). Kandungan Protein dan *Isoflavon* pada Kedelai dan Kecambah Kedelai. *Biota* Vol. 15 (2): 181–187, Juni 2010
- Winarsi, H. (2005). *Isoflavon*. Yogyakarta: Gadjah mada University Press.
- Windrati, Wiwik siti, Bambang Hery dan Nurud Diniyah. (2014). “Pengembangan Teknologi Pangan Berbasis Koro-Koroan Bahan Pangan Alternatif Pensubstitusi Kedelai”. Penelitian Dosen. Jember: Universitas Jember.
- Wisaniyasa, N.W. dan I.K. Suter. (2016). Kajian sifat fungsional dan kimia tepung kecambah kacang merah (*Phaseolus vulgaris* L.) dan aplikasinya menjadi flakes. *Jurnal Media Ilmiah Teknologi Pangan*. 3 (1) : 26-34.
- World Cancer Research Fund/American Institute for Cancer Research. (2007). Food, Nutrition, Physical Activity, and the Prevention of Cancer: A Global Perspective. Washington, DC: American Institute for Cancer Research.
- World Health Organization (WHO). (2018). Cancer.[Diakses Januari 2020], Available from : <https://www.who.int/news-room/fact-sheets/detail/cancer>
- Wu, AH, Wan P, Hankin J, Tseng CC, Yu MC, Pike MC. (2002). Adolescent and adult soy intake and risk of breast cancer in Asian-Americans. *Carcinogenesis* 23:1491-1496
- Wu, Q., Jin, N., Yu, J., Zhao, R., Yu, Z., Qiao, S., Lu, X., & Zhang, C. (2009). Effects of soy *Isoflavone* extracts on the growth of estrogen-dependent human breast cancer (MCF-7) tumors implanted in ovariectomized nude mice. *Chinese Science Bulletin*, *54*(1), 72–77. <https://doi.org/10.1007/s11434-008-0538-4>
- Yamaguchi, M., Igarashi, A., Sakai, M., Degawa, H., & Ozawa, Y. (2005). Prolonged Intake of dietary fermented *Isoflavone*-rich soybean reinforced with zinc affects circulating bone biochemical markers in aged individuals. *Journal of Health Science*, *51*(2), 191–196. <https://doi.org/10.1248/jhs.51.191>
- Yamamoto T. (2006). Soybean components and Food for Specified Health Uses (FONSHU). In : Michihiro Sugano, editor. Soy in health and disease prevention. Boca raton: Taylor and Francis Group; p.279-94.



- Yuan D, Yingni PAN, Yan Chen, Toshio Uno, Shahui Zhang, Yoshihiro Kano. (2008). An improved method for basic hydrolysis of *Isoflavone* malonylglucosides and quality evaluation of Chinese soy materials, *Chem. Pharm. Bull.*, 56(1), 1-6.
- Yulianti I, H. S. Santoso, and D. Sutningsih. (2006). Faktor-Faktor Risiko Kanker Payudara (Studi Kasus Pada Rumah Sakit Ken Saras Semarang). *J. Kesehat. Masy.* 4(4) : 401–409
- Yuslianti ER. (2018). Pengantar Radikal Bebas dan Antioksidan, Budi Utama, Yogyakarta
- Youle, R. J., & Strasser, A. (2008). The BCL2 protein family: opposing activities that mediate cell death. *Nature Reviews Molecular Cell Biology*, 9(1), 47–59. <https://doi.org/10.1038/nrm2308>
- Zaheer K dan Akhtar MH. (2017). An updated review of dietary *Isoflavone*: nutrition, processing, bioavailability and impacts on human health. *Critical Review in Food Science and Nutrition* 57(6):1280-1293.
- Zampieri, L., Bianchi, P., Ruff, P., Arbutnot, P. (2002). Differential Modulation by Estradiol of P-glycoprotein Drug Resistance Protein Expression in Cultured MCF7 and T47D Breast Cancer Cells. *Anticancer Res*, 22 (4), 2253-2259.
- Zhai, J., Wang, B., Sun, Y., Yang, J., Zhou, J., Wang, T., Zhang, W., Qi, C., & Guo, Y. (2023). Effects of *Aspergillus niger* on cyanogenic glycosides removal and fermentation qualities of ratooning sorghum. *Frontiers in Microbiology*, 14, 1128057. <https://doi.org/10.3389/fmicb.2023.1128057>
- Zhang, B., Su, J.-P., Bai, Y., Li, J. and Liu, Y. (2015) Inhibitory effects of O-methylated isoflavone glycitein on human breast cancer SKBR-3 cells., *International Journal of Clinical and Experimental Pathology*, 8(7), pp. 7809–7817
- Zhang C, Ho SC, Lin F, Cheng S, Fu J, Chen Y. (2010). Soy product and *Isoflavone* intake and breast cancer risk defined by hormone receptor status. *The Official Journal Of The Japanese Cancer Association*, 101(2): 501-507.
- Zhang, H., Guo, Z., Wu, N., Xu, W., Han, L., Li, N., Han, Y. (2012). Two Novel Naphthalene Glucosides and an Anthraquinone Isolated from *Rumex dentatus* and Their Antiproliferation Activities in Four Cell Lines. *Molecules*, 17, 843-850
- Zhang, H.-W., Hu, J.-J., Fu, R.-Q., Liu, X., Zhang, Y.-H., Li, J., Liu, L., Li, Y.-N., Deng, Q., Luo, Q.-S., Ouyang, Q., & Gao, N. (2018). *Flavonoids* inhibit cell proliferation and induce apoptosis and autophagy through downregulation of PI3K γ mediated PI3K/AKT/mTOR/p70S6K/ULK signaling pathway in human breast cancer cells. *Scientific Reports*, 8(1), 11255. <https://doi.org/10.1038/s41598-018-29308-7>
- Zhang, Z., Wang, C.-Z., Du, G.-J., Qi, L.-W., Calway, T., He, T.-C., Du, W., & Yuan, C.-S. (2013). *Genistein* induces G2/M cell cycle arrest and apoptosis via ATM/p53-dependent pathway in human colon cancer cells. *International Journal of Oncology*, 43(1), 289–296. <https://doi.org/10.3892/ijo.2013.1946>
- Ziaei S and Halaby R. (2017). Dietary *Isoflavons* and Breast Cancer Risk. *Medicines* . 4, 18; doi:10.3390/medicines4020018