

DAFTAR PUSTAKA

- Abdullah, S.M. (2011). The effect of repeated blood donations on the iron status of male Saudi blood donors. *Blood Transfus.* 9 : 167–171. Available at: <https://doi.org/10.2450/2010.0040-10>
- Abdullah, S.M. (2010). Frequency of ABO and Rh blood groups in the Jazan region of Saudi Arabia. *Pakistan J. Med. Sci.* 26 : 818–821.
- Ahmad, I., Abdullah, S.N.H.S., & Sabudin, R.Z.A.R. (2018). Morphological features analysis for erythrocyte classification in IDA and Thalassemia. *Int. J. Adv. Comput. Sci. Appl.* 9 : 274–280. Available at: <https://doi.org/10.14569/IJACSA.2018.091240>
- Almousawi, A.S., & Sharba, I. (2019). Erythroferrone Hormone a Novel Biomarker is associated with Anemia and Iron Overload in Beta Thalassemia Patients. *J. Phys. Conf. Ser.* 1294. Available at: <https://doi.org/10.1088/1742-6596/1294/6/062045>
- Alsafi, W.M., Gaffer, A.A., Al-Nafeesah, A., AlEed, A., Alfaifi, J., & Adam, I. (2024). Diagnostic Accuracy of Hemoglobin Levels and Red Blood Cell Parameters for Iron Deficiency in Adolescents: A Cross-Sectional Study. *Glob. Pediatr. Heal.* 11. Available at: <https://doi.org/10.1177/2333794X241304642>
- Anderson, G.J., & Frazer, D.M. (2017). Current understanding of iron homeostasis. *Am. J. Clin. Nutr.* 106 : 1559S-1566S. Available at: <https://doi.org/10.3945/ajcn.117.155804>
- Arosio, P., Cairo, G., & Bou-Abdallah, F. (2025). A Brief History of Ferritin, an Ancient and Versatile Protein. *Int. J. Mol. Sci.* 26 : 1–24. Available at: <https://doi.org/10.3390/ijms26010206>
- Ataro, Z., Urgessa, F., & Wasihun, T. (2018). Prevalence and Trends of Major Transfusion Transmissible Infections among Blood Donors in Dire Dawa Blood bank, Eastern Ethiopia: Retrospective Study. *Ethiop. J. Health Sci.* 28 : 701–710. Available at: <https://doi.org/10.4314/ejhs.v28i6.4>
- Bahr, T.M., Christensen, T.R., Henry, E., Wilkes, J., Ohls, R.K., Bennett, S.T., *et al.* (2021). Neonatal Reference Intervals for the Complete Blood Count Parameters MicroR and HYPO-He: Sensitivity Beyond the Red Cell Indices for Identifying Microcytic and Hypochromic Disorders. *J. Pediatr.* 239 : 95-100.e2. Available at: <https://doi.org/10.1016/j.jpeds.2021.08.002>
- Bani, M., & Giussani, B. (2010). Gender differences in giving blood: A review of the literature. *Blood Transfus.* 8 : 278–287. Available at: <https://doi.org/10.2450/2010.0156-09>
- Beaumont, C., & Canonne-Hergaux, F. (2005). Erythrophagocytosis and recycling of heme iron in normal and pathological conditions; regulation by hepcidin. *Transfus. Clin. Biol.* 12 : 123–130. Available at:

<https://doi.org/10.1016/j.tracli.2005.04.017>

- Bergquist, P.L., Hardiman, E.M., Ferrari, B.C., & Winsley, T. (2009). Applications of flow cytometry in environmental microbiology and biotechnology. *Extremophiles* 13 : 389–401. Available at: <https://doi.org/10.1007/s00792-009-0236-4>
- Bermúdez-Forero, M.I., Anzola-Samudio, D.A., Levi, J.E., & García-Otálora, M.A. (2023). Prevention of multiple whole blood donations by an individual at the same month through the creation of a national Deferred Donor Registry (DDR). *Transfus. Apher. Sci.* 62. Available at: <https://doi.org/10.1016/j.transci.2023.103767>
- Braunschweig, J., Bosch, J., Heister, K., Kuebeck, C., & Meckenstock, R.U. (2012). Reevaluation of colorimetric iron determination methods commonly used in geomicrobiology. *J. Microbiol. Methods* 89 : 41–48. Available at: <https://doi.org/10.1016/j.mimet.2012.01.021>
- Cable, R.G., Glynn, S.A., Kiss, J.E., Mast, A.E., Steele, W.R., Murphy, E.L., *et al.* (2012). Iron deficiency in blood donors: The REDS-II Donor Iron Status Evaluation (RISE) study. *Transfusion* 52 : 702–711. Available at: <https://doi.org/10.1111/j.1537-2995.2011.03401.x>
- Carlos, A.M., Souza, B.M.B. de, Souza, R.A.V. de, Resende, G.A.D., Pereira, G. de A., & Moraes-Souza, H. (2018). Causes of microcytic anaemia and evaluation of conventional laboratory parameters in the differentiation of erythrocytic microcytosis in blood donors candidates*. *Hematology* 23 : 705–711. Available at: <https://doi.org/10.1080/10245332.2018.1446703>
- Cazzola, M. (2022). Ineffective erythropoiesis and its treatment. *Blood* 139 : 2460–2470. Available at: <https://doi.org/10.1182/blood.2021011045>
- Ceciliani, F., & Lecchi, C. (2019). The immune functions of $\alpha 1$ acid glycoprotein. *Curr. Protein Pept. Sci.* 20 : 505–524. Available at: <https://doi.org/10.2174/1389203720666190405101138>
- Constantino, B.T. (2011). The red cell histogram and the dimorphic red cell population. *Lab. Med.* 42 : 300–308. Available at: <https://doi.org/10.1309/LMF1UY85HEKBMIWO>
- Di Angelantonio, E., Thompson, S.G., Kaptoge, S., Moore, C., Walker, M., Armitage, J., *et al.* (2017). Efficiency and safety of varying the frequency of whole blood donation (INTERVAL): a randomised trial of 45 000 donors. *Lancet* 390 : 2360–2371. Available at: [https://doi.org/10.1016/S0140-6736\(17\)31928-1](https://doi.org/10.1016/S0140-6736(17)31928-1)
- Divyadharshini, K., Shanmugam, S.G., Krishnan, U., Sankar, P., & Gayathri, T. (2025). Assessment of Iron Profile and Its Correlation With Micro R% and Other Red Cell Parameters in Patients With Chronic Renal Failure on Dialysis and Receiving Erythropoietin Injection. *Asian J. Pharm. Clin. Res.* 18 : 90–

94. Available at: <https://doi.org/10.22159/ajpcr.2025v18i1.53474>

Djalali, M., Neyestani, T.R., Bateni, J., & Siassi, F. (2006). The effect of repeated blood donations on the iron status of Iranian blood donors attending the Iranian blood transfusion organization. *Int. J. Vitam. Nutr. Res.* 76 : 132–137. Available at: <https://doi.org/10.1024/0300-9831.76.3.132>

Elsafi, S.H. (2020). Demographical pattern of blood donors and pre-donation deferral causes in Dhahran, Saudi Arabia. *J. Blood Med.* 11 : 243–249. Available at: <https://doi.org/10.2147/JBM.S254168>

Enawgaw, B., Aynalem, M., & Melku, M. (2022). Distribution of ABO and Rh-D Blood Group Antigens Among Blood Donors in the Amhara Regional State, Ethiopia. *J. Blood Med.* 13 : 97–104. Available at: <https://doi.org/10.2147/JBM.S356425>

Enculescu, M., Metzendorf, C., Sparla, R., Hahnel, M., Bode, J., Muckenthaler, M.U., *et al.* (2017). Modelling Systemic Iron Regulation during Dietary Iron Overload and Acute Inflammation: Role of Hepcidin-Independent Mechanisms. *PLoS Comput. Biol.* 13 : 1–27. Available at: <https://doi.org/10.1371/journal.pcbi.1005322>

Erhabor, O., & Adias, T.C. (2011). From whole blood to component therapy: The economic, supply/demand need for implementation of component therapy in sub-Saharan Africa. *Transfus. Clin. Biol.* 18 : 516–526. Available at: <https://doi.org/10.1016/j.tracli.2011.06.001>

Eriksson, E.A., Mobäck, C., Jakobsson, S., & Hoffmann, J.J.M.L. (2015). Iron depletion in blood donors - Have extended erythrocyte and reticulocyte parameters diagnostic utility? *Transfus. Apher. Sci.* 53 : 76–81. Available at: <https://doi.org/10.1016/j.transci.2015.03.011>

Farajzadeh, D., Karimi-Gharigh, S., & Dastmalchi, S. (2017). Tumor necrosis factor-alpha and its inhibition strategies: Review article. *Tehran Univ. Med. J.* 75 : 159–171.

Fuqua, B.K., Vulpe, C.D., & Anderson, G.J. (2012). Intestinal iron absorption. *J. Trace Elem. Med. Biol.* 26 : 115–119. Available at: <https://doi.org/10.1016/j.jtemb.2012.03.015>

Gabay, C. (2006). Interleukin-6 and chronic inflammation. *Arthritis Res. Ther.* 8 : 1–6. Available at: <https://doi.org/10.1186/ar1917>

Gammella, E., Buratti, P., Cairo, G., & Recalcati, S. (2017). The transferrin receptor: The cellular iron gate. *Metallomics* 9 : 1367–1375. Available at: <https://doi.org/10.1039/c7mt00143f>

Garg, B., Vardhan, H., De, A.K., & Sahay, A.P. (2012). Estimation of serum ferritin - A better screening test for blood donors. *J. Med.* 13 : 174–178. Available at: <https://doi.org/10.3329/jom.v13i2.12754>

- Gilani, S.T.A., Khan, D.A., Rauf, A., Haroon, Z.H., Khan, K.A., & Hassan, F.U. (2022). Early Diagnosis of Coronary Artery Disease by Inflammatory Biomarkers of Atherosclerosis in Patients with Angina. *J. Interf. Cytokine Res.* 42 : 493–500. Available at: <https://doi.org/10.1089/jir.2022.0110>
- Goff, L., Ladang, A., Cavalier, E., & Gothot, A. (2022). BIOLOGICAL MARKERS OF INFLAMMATION: AN UPDATE | LES MARQUEURS BIOLOGIQUES DE L'INFLAMMATION: FAISONS LE POINT. *Rev. Med. Liege* 77 : 258–264.
- González, A.G., Herrador, M.Á., & Asuero, A.G. (2010). Intra-laboratory assessment of method accuracy (trueness and precision) by using validation standards. *Talanta* 82 : 1995–1998. Available at: <https://doi.org/10.1016/j.talanta.2010.07.071>
- Grebenciucova, E., & VanHaerents, S. (2023). Interleukin 6: at the interface of human health and disease. *Front. Immunol.* 14 : 1–10. Available at: <https://doi.org/10.3389/fimmu.2023.1255533>
- Güven, B., & Can, M. (2024). Fibrinogen: Structure, abnormalities and laboratory assays, *Advances in Clinical Chemistry.* Available at: <https://doi.org/10.1016/bs.acc.2024.03.004>
- Haase, V.H. (2013). Regulation of erythropoiesis by hypoxia-inducible factors. *Blood Rev.* 27 : 41–53. Available at: <https://doi.org/10.1016/j.blre.2012.12.003>
- Haddad, A., Assi, T.B., Haddad, L., Wakim, P., Feghali, R., Makki, W., *et al.* (2020). Difficulties in achieving a sustainable blood supply: Report from the first national seminar on blood donation in lebanon. *East. Mediterr. Heal. J.* 26 : 736–743. Available at: <https://doi.org/10.26719/emhj.19.070>
- Helbawi, F.M., Abdelrahman, M.S.I., & Rayan, A.A. (2025). Value of fibrinogen, fibrinogen to albumin ratio, and blood cell-derived inflammatory indices in patients with systemic sclerosis: A case–control study | Valor del fibrinógeno, relación fibrinógeno-albúmina e índices inflamatorios derivados de las células. *Rev. Colomb. Reumatol.* Available at: <https://doi.org/10.1016/j.rcreu.2025.03.002>
- Hochepped, T., Libert, C., Berger, F.G., & Baumann, H. (2003). α 1-acid glycoprotein: An acute phase protein with inflammatory and immunomodulating properties. *Cytokine Growth Factor Rev.* 14 : 25–34. Available at: [https://doi.org/10.1016/S1359-6101\(02\)00054-0](https://doi.org/10.1016/S1359-6101(02)00054-0)
- Hod, E.A., Brittenham, G.M., Bitan, Z.C., Feit, Y., Gaelen, J.I., La Carpia, F., *et al.* (2022). A randomized trial of blood donor iron repletion on red cell quality for transfusion and donor cognition and well-being. *Blood* 140 : 2730–2739. Available at: <https://doi.org/10.1182/blood.2022017288>
- Hu, W., Meng, H., Hu, Q., Feng, L., & Qu, X. (2019). Blood donation from 2006

to 2015 in Zhejiang Province, China: Annual consecutive cross-sectional studies. *BMJ Open* 9 : 1–11. Available at: <https://doi.org/10.1136/bmjopen-2018-023514>

Huang, X.P., O'Brien, P.J., & Templeton, D.M. (2006). Mitochondrial involvement in genetically determined transition metal toxicity. I. Iron toxicity. *Chem. Biol. Interact.* 163 : 68–76. Available at: <https://doi.org/10.1016/j.cbi.2006.05.007>

Humphry, E., & Armstrong, C.E. (2022). Physiology of red and white blood cells. *Anaesth. Intensive Care Med.* 23 : 118–122. Available at: <https://doi.org/10.1016/j.mpaic.2021.10.019>

Jahanpour, O., Pyuza, J.J., Ntiyakunze, E.O., Mremi, A., & Shao, E.R. (2017). ABO and Rhesus blood group distribution and frequency among blood donors at Kilimanjaro Christian Medical Center, Moshi, Tanzania. *BMC Res. Notes* 10 : 1–5. Available at: <https://doi.org/10.1186/s13104-017-3037-3>

Jamal, S., Mansoor, N., Ali, A., Nadeem, A., Aijaz, J., & Meraj, F. (2023). Degree of blood safety of voluntary non-remunerated versus replacement blood donations: A multi-centre study of the large cohort of blood donors from two provinces of Pakistan. *Vox Sang.* 118 : 1078–1085. Available at: <https://doi.org/10.1111/vox.13546>

Jang, M.-K., Kim, H.S., & Chung, Y.-H. (2014). Clinical Aspects of Tumor necrosis factor- α signaling in hepatocellular carcinoma. *Curr. Pharm. Des.* 20 : 2799–2808. Available at: <https://doi.org/10.2174/13816128113199990587>

Kaleda, M.I., & Fedorov, E.S. (2022). Significance of hyperferritinemia as a diagnostic and prognostic biomarker. *Sovrem. Revmatol.* 16 : 74–80. Available at: <https://doi.org/10.14412/1996-7012-2022-2-74-80>

Karami, P., Afsar, T., Gholamin, D., Pahlavan, Y., & Johari, M. (2025). Nanoparticles - based biosensor devices developed for point - of - care (POC) analyses of c - reactive protein (CRP) as the clinically important inflammatory biomarker. *Chem. Pap.* 79 : 615–635. Available at: <https://doi.org/10.1007/s11696-024-03810-x>

Keohane, E.M., Otto, C.N., & Walenga, J.M. (2020). *Rodak's Hematology Clinical Principles and Applications*, sixth edition, 6th ed, Sustainability (Switzerland). Elsevier.

Kim, H., Hur, M., Choi, S.-G., Moon, H.-W., Yun, Y.-M., Hwang, H.S., *et al.* (2014). Performance evaluation of Sysmex XN hematology analyzer in umbilical cord blood: A comparison study with Sysmex XE-2100. *Clin. Chem. Lab. Med.* 52 : 1771–1779. Available at: <https://doi.org/10.1515/cclm-2014-0392>

Kim, H.W., & Greenburg, G. (2013). *Hae Won Kim · A. Gerson Greenburg.*

Koenig, W. (2003). Fibrin(ogen) in cardiovascular disease: An update. *Thromb. Haemost.* 89 : 601–609. Available at: <https://doi.org/10.1055/s-0037-1613566>

- Koury, M.J. (2014). Abnormal erythropoiesis and the pathophysiology of chronic anemia. *Blood Rev.* 28 : 49–66. Available at: <https://doi.org/10.1016/j.blre.2014.01.002>
- Kumar, S., Amarapurkar, A., & Amarapurkar, D. (2013). Serum aminotransferase levels in healthy population from western India. *Indian J. Med. Res.* 138 : 894–899.
- Kumar, S.D., Ghosh, J., Ghosh, S., & Eswarappa, S.M. (2025). Emerging concepts in the molecular cell biology and functions of mammalian erythrocytes. *J. Biol. Chem.* 301 : 108331. Available at: <https://doi.org/10.1016/j.jbc.2025.108331>
- Lapić, I., Padoan, A., Bozzato, D., & Plebani, M. (2020). Erythrocyte sedimentation rate and c-reactive protein in acute inflammation: Meta-analysis of diagnostic accuracy studies. *Am. J. Clin. Pathol.* 153 : 14–29. Available at: <https://doi.org/10.1093/ajcp/aqz142>
- Levinson, T., & Wasserman, A. (2022). C-Reactive Protein Velocity (CRPv) as a New Biomarker for the Early Detection of Acute Infection/Inflammation. *Int. J. Mol. Sci.* 23. Available at: <https://doi.org/10.3390/ijms23158100>
- Liao, H., & Li, J. (2020). Distribution characteristics of ABO and RhD blood groups among the voluntary blood donors in Chongqing: A retrospective study. *Med. (United States)* 99 : E22689. Available at: <https://doi.org/10.1097/MD.00000000000022689>
- Lin, F., Huang, Y., He, X., & Liu, Z. (2023). Research on the socioeconomic factors that influence the development of voluntary, non-remunerated blood donation in China—A correlation and regression analysis based on data from 2012 to 2018. *Heal. Sci. Reports* 6. Available at: <https://doi.org/10.1002/hsr2.1341>
- Luan, Y.Y., & Yao, Y.M. (2018). The clinical significance and potential role of C-reactive protein in chronic inflammatory and neurodegenerative diseases. *Front. Immunol.* 9 : 1–8. Available at: <https://doi.org/10.3389/fimmu.2018.01302>
- Marley, A., & Brookes, M.J. (2024). Iron deficiency anaemia – modern investigation and management. *Med. (United Kingdom)* 52 : 77–80. Available at: <https://doi.org/10.1016/j.mpmed.2023.11.008>
- Martinez, E.Z., Galdino, G., & Zucoloto, M.L. (2023). Perceptions and practices of the Brazilian LGBT+ population toward blood donation. *Transfus. Apher. Sci.* 62 : 103578. Available at: <https://doi.org/10.1016/j.transci.2022.103578>
- Mast, A.E., & Murphy, E.L. (2017). The price of blood is measured in iron. *Lancet* 390 : 2331–2333. Available at: [https://doi.org/10.1016/S0140-6736\(17\)32156-6](https://doi.org/10.1016/S0140-6736(17)32156-6)
- Metzgeroth, G., Schultheis, B., Dorn-Beineke, A., Hehlmann, R., & Hastka, J. (2007). Zinc protoporphyrin, a useful parameter to address hyperferritinemia.

Ann. Hematol. 86 : 363–368. Available at: <https://doi.org/10.1007/s00277-007-0271-0>

Milto, I. V., Suhodolo, I. V., Prokopieva, V.D., & Klimenteva, T.K. (2016). Molecular and cellular bases of iron metabolism in humans. *Biochem.* 81 : 549–564. Available at: <https://doi.org/10.1134/S0006297916060018>

Mohammed, A.S., Yassin, A., & Aliyi, A.A. (2022). Voluntary blood donation practice and its associated factors among civil servants in Bale Robe town, Southeast Ethiopia, 2021. *SAGE Open Med.* 10. Available at: <https://doi.org/10.1177/20503121221102099>

Mos, O.D., Gothot, A., & Szabo, B. (2021). Ferritinemia, a complex marker of iron metabolism | La ferritinémie, un marqueur complexe du métabolisme du fer. *Rev. Med. Liege* 76 : 799–804.

Nangaku, M., & Eckardt, K.U. (2007). Hypoxia and the HIF system in kidney disease. *J. Mol. Med.* 85 : 1325–1330. Available at: <https://doi.org/10.1007/s00109-007-0278-y>

Newton, L.M., Fowler, V.M., & Humbert, P.O. (2024). Erythroblast enucleation at a glance. *J. Cell Sci.* 137. Available at: <https://doi.org/10.1242/jcs.261673>

Patel, E.U., Bloch, E.M., Grabowski, M.K., Goel, R., Lokhandwala, P.M., Brunker, P.A.R., *et al.* (2019). Sociodemographic and behavioral characteristics associated with blood donation in the United States: a population-based study. *Transfusion* 59 : 2899–2907. Available at: <https://doi.org/10.1111/trf.15415>

Piperno, A., Pelucchi, S., & Mariani, R. (2023). Hereditary Hyperferritinemia. *Int. J. Mol. Sci.* 24 : 1–22. Available at: <https://doi.org/10.3390/ijms24032560>

Piva, E., & Plebani, M. (2010). The ESR test: An old test with new contents. *J. Med. Biochem.* 29 : 265–268. Available at: <https://doi.org/10.2478/v10011-010-0035-6>

Prihatni, D., Audiyandana, D., Suraya, N., & Sugianli, A.K. (2024). The Utility of Micro-R/Hypo-He Ratio Cut-off for Distinguishing Iron Deficiency Anemia and Minor Thalassemia. *Indones. J. Clin. Pathol. Med. Lab.* 31 : 17–22. Available at: <https://doi.org/10.24293/ijcpml.v31i1.2234>

Rao, H.R.S., & Mirji, S. (2024). Diagnostic Utility of Reticulocyte Hemoglobin Equivalent Parameter in the Evaluation of Microcytic Hypochromic Anemia - Our Experience from Northeast India. *Ann. Afr. Med.* 23 : 222–228. Available at: https://doi.org/10.4103/aam.aam_8_23

Ratnaningsih, T., Centurya, A.F., Falaq, D.M., Putra, M.A.R.H., Muflihah, Z.N., Wahyuningsih, A.T., *et al.* (2024). Correlations of Extended Hematological Parameters with Iron Status in Healthy Adolescents: Cross-sectional study. *Malaysian J. Med. Heal. Sci.* 20 : 74–78. Available at: <https://doi.org/10.47836/mjmhs.20.s6.16>

- Reinhart, W.H. (2006). Erythrocyte sedimentation rate - Just an old fashion? | Die blutsenkungs-reaktion - Mehr als ein alter zopf? *Ther. Umschau* 63 : 108–112. Available at: <https://doi.org/10.1024/0040-5930.63.1.108>
- Roccaforte, V., Spitaler, C., Joos, A., Platzgummer, S., Mancabelli, M., & Daves, M. (2016). Evaluation of procalcitonin in the management of the patient with suspected sepsis | Valutazione della procalcitonina nella gestione del paziente con sospetto di sepsi. *Riv. Ital. della Med. di Lab.* 12 : 165–169. Available at: <https://doi.org/10.1007/s13631-016-0126-6>
- Rowatt, K., Burns, R.E., Frasca, S., & Long, D.M. (2018). A combination Prussian blue–hematoxylin and eosin staining technique for identification of iron and other histological features. *J. Histotechnol.* 41 : 29–34. Available at: <https://doi.org/10.1080/01478885.2017.1417696>
- Sahithya, H., & Arakeri, S.U. (2024). Utility of new reticulocyte parameters such as reticulocyte hemoglobin and new erythrocyte parameters in detection of subclinical stage of iron deficiency in pregnancy. *J. Krishna Inst. Med. Sci. Univ.* 13 : 114–124.
- Scaramellini, N., Fischer, D., Agarvas, A.R., Motta, I., Muckenthaler, M.U., & Mertens, C. (2023). Interpreting Iron Homeostasis in Congenital and Acquired Disorders. *Pharmaceuticals* 16. Available at: <https://doi.org/10.3390/ph16030329>
- Schapkaitz, E. (2018). Stability of new erythrocyte and reticulocyte parameters intesting for anemia on the Sysmex XN 9000. *Lab Med.* 49 : 219–225. Available at: <https://doi.org/10.1093/labmed/lmx095>
- Scheers, N. (2013). Regulatory effects of Cu, Zn, and Ca on Fe absorption: The intricate play between nutrient transporters. *Nutrients* 5 : 957–970. Available at: <https://doi.org/10.3390/nu5030957>
- Schippel, N., & Sharma, S. (2023). Dynamics of human hematopoietic stem and progenitor cell differentiation to the erythroid lineage. *Exp. Hematol.* 123 : 1–17. Available at: <https://doi.org/10.1016/j.exphem.2023.05.001>
- Shimizu, T., Lengalova, A., Martínek, V., & Martínková, M. (2019). Heme: Emergent roles of heme in signal transduction, functional regulation and as catalytic centres. *Chem. Soc. Rev.* 48 : 5624–5657. Available at: <https://doi.org/10.1039/c9cs00268e>
- Shukla, A., Namrata, , Awasthi, P., Sharma, P., Tiwari, V., Sharma, · V K, *et al.* (2024). Evaluation of Diagnostic Efficacy of Novel Red Blood Cell Parameters as Potential Screening Test for Detecting Latent Iron Deficiency in Blood Donors. *Indian J. Hematol. Blood Transfus.* 40 : 139–145. Available at: <https://doi.org/10.1007/s12288-023-01683-w>
- Sinclair, A.M. (2013). Erythropoiesis stimulating agents: Approaches to modulate activity. *Biol. Targets Ther.* 7 : 161–174. Available at:

<https://doi.org/10.2147/BTT.S45971>

- Sivapalan, P., & Jensen, J.-U.S. (2019). Procalcitonin in acute infections: from the research laboratory to clinical impact—new perspectives of biomarker use. *J. Lab. Precis. Med.* 4. Available at: <https://doi.org/10.21037/jlpm.2019.09.05>
- Solanki, S., Singh, M.J., Sharma, A.A., Meenu, Giri, S., & Raghav, A. (2017). Prevalence of ABO and rhesus blood groups in district Hapur, Uttar Pradesh - An institutional study. *Indian J. Public Heal. Res. Dev.* 8 : 302–306. Available at: <https://doi.org/10.5958/0976-5506.2017.00060.2>
- Starčević, A., Mavrinac, M., Katalinić, N., & Balen, S. (2020). Are Croatian blood donors obese? *Acta Clin. Croat.* 59 : 455–462. Available at: <https://doi.org/10.20471/acc.2020.59.03.09>
- Steele, W.R., Schreiber, G.B., Gultinan, A., Nass, C., Glynn, S.A., Wright, D.J., *et al.* (2008). The role of altruistic behavior, empathetic concern, and social responsibility motivation in blood donation behavior. *Transfusion* 48 : 43–54. Available at: <https://doi.org/10.1111/j.1537-2995.2007.01481.x>
- Su, P., Zhan, W., Du, X., Zhu, L., Xu, J., Cheng, L., *et al.* (2021). Demographic Characteristics and Lifestyle Habits of Chinese Plasma Donors: A Multicenter Study. *Med. Sci. Monit.* 27 : 1–10. Available at: <https://doi.org/10.12659/MSM.931471>
- Suchat, S., & Boonrod, C. (2016). The measurement of erythrocyte size by using diffraction technique base on laser, Key Engineering Materials. Available at: <https://doi.org/10.4028/www.scientific.net/KEM.675-676.718>
- Sukhbaatar, N., & Weichhart, T. (2018). Iron regulation: Macrophages in control. *Pharmaceuticals* 11. Available at: <https://doi.org/10.3390/PH11040137>
- Swamy, C.M., Basavaraj, P.B., Kavitha, G.U., & Shashikala, P. (2012). Prevalence of ABO and Rhesus blood groups among blood donors. *Indian J. Public Heal. Res. Dev.* 3 : 106–109.
- Sweegers, M.G., Zalpuri, S., Quee, F.A., Huis In 't Veld, E.M.J., Prinsze, F.J., Hoogendijk, E.O., *et al.* (2020). Ferritin measurement in Donors - Effectiveness of iron Monitoring to diminish iron deficiency and low haemoglobin in whole blood donors (FIND'EM): Study protocol for a stepped wedge cluster randomised trial. *Trials* 21 : 1–10. Available at: <https://doi.org/10.1186/s13063-020-04648-w>
- Tadesse, T., Berhane, T., Abraha, T.H., Gidey, B., Hagos, E., Grum, T., *et al.* (2018). Blood donation practice and associated factors among health professionals in Tigray regional state public hospitals, northern Ethiopia. *BMC Res. Notes* 11 : 1–6. Available at: <https://doi.org/10.1186/s13104-018-3786-7>
- Teglkamp, J., Handgaard, L., Hansen, T., Pedersen, O.B., Rigas, A.S., Mikkelsen, S., *et al.* (2020). The donors perceived positive and negative effects of blood donation. *Transfusion* 60 : 553–560. Available at:

<https://doi.org/10.1111/trf.15717>

- Thacker, R.I., & Retzinger, G.S. (2008). Adsorbed fibrinogen regulates the behavior of human dendritic cells in a CD18-dependent manner. *Exp. Mol. Pathol.* 84 : 122–130. Available at: <https://doi.org/10.1016/j.yexmp.2008.01.001>
- Truong, J., Naveed, K., Sholzberg, M., Beriault, D., Lightfoot, D., & Fralick, M. (2024). The origin of ferritin reference intervals: a systematic review. *Lancet Haematol.* 11 : e530–e539. Available at: [https://doi.org/10.1016/S2352-3026\(24\)00103-0](https://doi.org/10.1016/S2352-3026(24)00103-0)
- Uen, W.-C., & Ling, K.-E. (2005). Evaluation of the accuracy and efficiency of iron-related tests in the diagnosis of iron deficiency anemia. *J. Intern. Med. Taiwan* 16 : 269–273.
- Ugwu, A.O., Madu, A.J., Efobi, C.C., & Ibegbulam, O.G. (2018). Pattern of blood donation and characteristics of blood donors in Enugu, Southeast Nigeria. *Niger. J. Clin. Pract.* 21 : 1438–1443. Available at: https://doi.org/10.4103/njcp.njcp_346_17
- Urbina, A., García-Otálora, M.A., Mendoza-Romero, D., Rocha, F., Rodriguez, A., Palomino, F., *et al.* (2022). Deferral due to low hemoglobin and predictors of permanence in the blood donation system of repeat female blood donors. *Transfus. Apher. Sci.* 61. Available at: <https://doi.org/10.1016/j.transci.2021.103340>
- Urrechaga, E. (2020). Discriminant Value of %Microcytic Cells/%Hypochromic Cells Ratio in the Differential Diagnosis of Microcytic Anemia. *Thalass. Reports* 10 : 8388. Available at: <https://doi.org/10.4081/thal.2020.8388>
- Urrechaga, E., Borque, L., & Escanero, J.F. (2009). Potential utility of the new sysmex XE 5000 red blood cell extended parameters in the study of disorders of iron metabolism. *Clin. Chem. Lab. Med.* 47 : 1411–1416. Available at: <https://doi.org/10.1515/CCLM.2009.301>
- van den Berg, K., Swanevelder, R., Ingram, C., Lawrie, D., Glencross, D.K., Hilton, C., *et al.* (2019). The iron status of South African blood donors: balancing donor safety and blood demand. *Transfusion* 59 : 232–241. Available at: <https://doi.org/10.1111/trf.15001>
- van den Hurk, K., Arvas, M., Roberts, D.J., Castrén, J., & Erikstrup, C. (2024). Whole Blood Donor Iron Management Across Europe: Experiences and Challenges in Four Blood Establishments. *Transfus. Med. Rev.* 38 : 4–10. Available at: <https://doi.org/10.1016/j.tmr.2024.150860>
- Vogt, A.C.S., Arsiwala, T., Mohsen, M., Vogel, M., Manolova, V., & Bachmann, M.F. (2021). On iron metabolism and its regulation. *Int. J. Mol. Sci.* 22 : 1–17. Available at: <https://doi.org/10.3390/ijms22094591>
- Vuhahula, E.A.M., Yahaya, J., Morgan, E.D., Othieno, E., Mollel, E., & Mremi, A.

- (2023). Frequency and distribution of ABO and Rh blood group systems among blood donors at the Northern Zone Blood Transfusion Center in Kilimanjaro, Tanzania: a retrospective cross-sectional study. *BMJ Open* 13 : 1–7. Available at: <https://doi.org/10.1136/bmjopen-2022-068984>
- Weaver, M.S., Yee, M.E.M., Lawrence, C.E., Antommaria, A.H.M., & Fasano, R.M. (2023). Requests for directed blood donations. *Pediatrics* 151. Available at: <https://doi.org/10.1542/peds.2022-058183>
- Westgard (2025). 2025 CLIA Acceptance Limits for Proficiency Testing - Westgard QC [WWW Document]. URL <https://westgard.com/cli-a-quality/quality-requirements/2024-clia-requirements.html> (accessed 5.4.25).
- Wish, J.B. (2006). Assessing iron status: beyond serum ferritin and transferrin saturation. *Clin. J. Am. Soc. Nephrol.* 1 Suppl 1 : 4–8. Available at: <https://doi.org/10.2215/CJN.01490506>
- Zafar, M., Tabassum, A., Cheema, Q.A., & Mazhar, S.B. (2019). Role of red cell distribution width and mentzer index in differentiating iron deficiency anemia from anemia due to β thalassemia trait. *J. South Asian Fed. Obstet. Gynaecol.* 11 : 297–300. Available at: <https://doi.org/10.5005/jp-journals-10006-1718>
- Zhang, Y., Zhang, W., Wang, S., Wang, C., Xie, J., Chen, X., *et al.* (2012). Detection of human erythrocytes influenced by iron deficiency anemia and thalassemia using atomic force microscopy. *Micron* 43 : 1287–1292. Available at: <https://doi.org/10.1016/j.micron.2011.10.018>
- Zhang, Z., Huang, X., Liu, K., Lan, T., Wang, Z., & Zhu, Z. (2021). Recent advances in electrical impedance sensing technology for single-cell analysis. *Biosensors* 11. Available at: <https://doi.org/10.3390/bios11110470>
- Zhao, N., Zhang, A., & Enns, C.A. (2013). Science in medicine Iron regulation by hepcidin. *Sciencce Med.* 123 : 2337–2343. Available at: <https://doi.org/10.1172/JCI67225.SMAD5>
- Zhao, X., Qin, H., Chen, W., & Dong, X. (2023). Analysis and clinical significance of peripheral blood routine changes of platelet donors with ultra-high frequency donation. *Transfus. Apher. Sci.* 62 : 103604. Available at: <https://doi.org/10.1016/j.transci.2022.103604>
- Zucoloto, M.L., Gonçalez, T.T., Gilchrist, P.T., Custer, B., McFarland, W., & Martinez, E.Z. (2019). Factors that contribute to blood donation behavior among primary healthcare users: A structural approach. *Transfus. Apher. Sci.* 58 : 663–668. Available at: <https://doi.org/10.1016/j.transci.2019.08.020>