

## DAFTAR PUSTAKA

- Abdellatif, F., Hassani, A., 2015. Chemical composition of the essential oils from leaves of *Melissa officinalis* extracted by hydrodistillation, steam distillation, organic solvent and microwave hydrodistillation. *Journal of Materials and Environmental Science* 6, 207–213.
- Adiandasari, J., Wusnah, A., Kunci, K., Ekstraksi, :, Wangi, S., 2021. PENGARUH SUHU DAN WAKTU TERHADAP PROSES PENYULINGAN MINYAK SEREH WANGI (*Cimbopogon nardus* L.), *Chemical Engineering Journal Storage*.
- Adiani, V., Gupta, S., Chatterjee, S., Variyar, P.S., Sharma, A., 2015. Activity guided characterization of antioxidant components from essential oil of Nutmeg (*Myristica fragrans*). *J Food Sci Technol* 52, 221–230. <https://doi.org/10.1007/s13197-013-1034-7>
- Aeineh, M., Najafian, S.H., Hosseinfarahi, M., 2023. Investigating the Phenological Stages of Essential Oil Yield and Essential Oil Compounds and Phytochemical Properties of *Artemisia absinthium* L. (Wormwood). *Russian Journal of Plant Physiology* 70, 1–10. <https://doi.org/10.1134/S1021443723601891>
- Ahmady- Asbchin, S., Nasrolahi Omran, A., Jafari, N., Mostafapour, M., Kia, S.M., 2012. Antibacterial effects of *Lavandula Stoechas* Essential Oil, on Gram Positive and Negative Bacteria. *Medical Laboratory Journal* 6, 35–41.
- Alsaraf, S., Hadi, Z., Akhtar, M.J., Khan, S.A., 2021. Chemical profiling, cytotoxic and antioxidant activity of volatile oil isolated from the mint (*Mentha spicata* L.) grown in Oman. *Biocatal Agric Biotechnol* 34. <https://doi.org/10.1016/j.bcab.2021.102034>
- Ansory, H.M., Fitriani, I.N., Nilawatii, A., 2020a. Chemical Separation and Antibacterial Activity of Nutmeg seed Essential Oil against *Shigella* sp. and *Escherichia coli* ATCC 25922. *IOP Conf Ser Mater Sci Eng* 846. <https://doi.org/10.1088/1757-899X/846/1/012005>
- Ansory, H.M., Putri, P.K.K., Hidayah, A., Nilawati, A., 2020b. The Analysis of Nutmeg Mace Essential Oil Compound Using GC-MS and Antibacterial Activity Test

- Toward *Escherichia coli* and *Staphylococcus aureus*. | *Majalah Farmaseutik* 16, 1–8. <https://doi.org/10.22146/farmaseutik.v16i1.35985>
- Ansory, H.M., Sastrohamidjojo, H., Purwono, B., 2015. Perbandingan Kualitas Minyak Pala Hasil Isolasi Dari Bagian-Bagian Buah Pala Berdasarkan Kadar Miristinin  
Comparison of Essential Oils Quality From Parts of Nutmeg Based on Myristicine Levels. *Jurnal Farmasi Indonesia* 12, 127–136.
- ARRIJANI, A., 1970. REVIEW: Biology and Conservation of Genus *Myristica* in Indonesia. *Biodiversitas* 6, 147–151. <https://doi.org/10.13057/biodiv/d060216>
- Ashokkumar, K., Simal-Gandara, J., Murugan, M., Dhanya, M.K., Pandian, A., 2022. Nutmeg (*Myristica fragrans* Houtt.) essential oil: A review on its composition, biological, and pharmacological activities. *Phytotherapy Research* 36, 2839–2851. <https://doi.org/10.1002/ptr.7491>
- Ashokkumar, K., Vellaikumar, S., Muthusamy, M., Dhanya, M.K., Aiswarya, S., 2021. Compositional variation in the leaf, mace, kernel, and seed essential oil of nutmeg (*Myristica fragrans* Houtt.) from the Western Ghats, India. *Nat Prod Res* 36, 432–435. <https://doi.org/10.1080/14786419.2020.1771713>
- Bayramoglu, B., Sahin, S., Sumnu, G., 2008. Solvent-free microwave extraction of essential oil from oregano. *J Food Eng* 88, 535–540. <https://doi.org/10.1016/j.jfoodeng.2008.03.015>
- Benmoussa, H., Béchohra, I., He, S., Elfalleh, W., Chawech, R., 2023. Optimization of sonohydrodistillation and microwave assisted hydrodistillation by response surface methodology for extraction of essential oils from *Cinnamomum cassia* barks. *Ind Crops Prod* 192. <https://doi.org/10.1016/j.indcrop.2022.115995>
- Berly, I., Kapelle, D., Sohilait, H., Wolontery, J.A., 2023. 43% in mace), Beta-Myrcene (13.41-18.27% in seeds and 13.26-14.8 7% in mace), Limonen (3.04-3.25% in seeds and 2.84-3.03% in mace). *IOSR Journal of Applied Chemistry* 16, 34–3973. <https://doi.org/10.9790/5736-1609013439>
- Burt, S., 2004. Essential oils: Their antibacterial properties and potential applications in foods - A review. *Int J Food Microbiol* 94, 223–253. <https://doi.org/10.1016/j.ijfoodmicro.2004.03.022>
- Caballero-Román, A., Nardi-Ricart, A., Vila, R., Cañigüeral, S., Ticó, J.R., Miñarro, M.,

2024. Use of Natural Polymers for the Encapsulation of Eugenol by Spray Drying. *Pharmaceutics* 16. <https://doi.org/10.3390/pharmaceutics16101251>
- Cardoso-Ugarte, G.A., Juárez-Becerra, G.P., Sosa-Morales, M.E., López-Malo, A., 2013. Microwave-assisted extraction of essential oils from herbs. *Journal of Microwave Power and Electromagnetic Energy* 47, 63–72. <https://doi.org/10.1080/08327823.2013.11689846>
- Cavanagh, H.M.A., Wilkinson, J.M., 2002. Biological activities of lavender essential oil. *Phytotherapy Research* 16, 301–308. <https://doi.org/10.1002/ptr.1103>
- Chen, Y., Xu, F., Pang, M., Jin, X., Lv, H., Li, Z., Lee, M., 2022. Microwave-assisted hydrodistillation extraction based on microwave-assisted preparation of deep eutectic solvents coupled with GC-MS for analysis of essential oils from clove buds. *Sustain Chem Pharm* 27, 1–12. <https://doi.org/10.1016/j.scp.2022.100695>
- Costa, S.S., Garipey, Y., Rocha, S.C.S., Raghavan, V., 2014. Microwave extraction of mint essential oil - Temperature calibration for the oven. *J Food Eng* 126, 1–6. <https://doi.org/10.1016/j.jfoodeng.2013.10.033>
- Cui, H., Zhang, X., Zhou, H., Zhao, C., Xiao, Z., Lin, L., Changzhu, L., 2015. Antibacterial Properties of Nutmeg Oil in Pork and Its Possible Mechanism. *J Food Saf* 35, 370–377. <https://doi.org/10.1111/jfs.12184>
- Dahham, S.S., Tabana, Y.M., Iqbal, M.A., Ahamed, M.B.K., Ezzat, M.O., Majid, A.S.A., Majid, A.M.S.A., 2015. The anticancer, antioxidant and antimicrobial properties of the sesquiterpene  $\beta$ -caryophyllene from the essential oil of *Aquilaria crassna*. *Molecules* 20, 11808–11829. <https://doi.org/10.3390/molecules200711808>
- de Sousa, D.P., Damasceno, R.O.S., Amorati, R., Elshabrawy, H.A., de Castro, R.D., Bezerra, D.P., Nunes, V.R. V., Gomes, R.C., Lima, T.C., 2023. Essential Oils: Chemistry and Pharmacological Activities. *Biomolecules* 13. <https://doi.org/10.3390/biom13071144>
- Dettmer-Wilde, K., Engewald, W., n.d. *Practical Gas Chromatography*.
- Díaz-Maroto, M.C., Pérez-Coello, M.S., Cabezudo, M.D., 2002. Effect of drying method on the volatiles in bay leaf (*Laurus nobilis* L.). *J Agric Food Chem* 50, 4520–4524. <https://doi.org/10.1021/jf011573d>
- Drinić, Z., Pljevljakušić, D., Janković, T., Zdunić, G., Bigović, D., Šavikin, K., 2021.

- Hydro-distillation and microwave-assisted distillation of *Sideritis raeseri*: Comparison of the composition of the essential oil, hydrolat and residual water extract. *Sustain Chem Pharm* 24. <https://doi.org/10.1016/j.scp.2021.100538>
- Ebrahimzadeh, H., Yamini, Y., Sefidkon, F., Chaloosi, M., Pourmortazavi, S.M., 2003. Chemical composition of the essential oil and supercritical CO<sub>2</sub> extracts of *Zataria multiflora* Boiss. *Food Chem* 83, 357–361. [https://doi.org/10.1016/S0308-8146\(03\)00096-7](https://doi.org/10.1016/S0308-8146(03)00096-7)
- Eid, A.M., Hawash, M., 2021. Biological evaluation of Safrole oil and Safrole oil Nanoemulgel as antioxidant, antidiabetic, antibacterial, antifungal and anticancer. *BMC Complement Med Ther* 21, 1–12. <https://doi.org/10.1186/s12906-021-03324-z>
- Elnour, A.A.M., Abdurahmani, N.H., Musa, K.H., Abdulla, F.M., 2024. Bioactive compounds extracted from patchouli via microwave-assisted hydrodistillation: A 36-year bibliometric and systematic review analysis. *Phytomedicine Plus* 4. <https://doi.org/10.1016/j.phyplu.2024.100616>
- Erhard Buchbauer, G., Jirovetz, L., Alter Jäger, W., n.d. Aromatherapy: Evidence for Sedative Effects of the Essential Oil of Lavender after Inhalation.
- Faheem, M., Akram, W., Akram, H., Khan, M.A., Siddiqui, F.A., Majeed, I., 2022. Gender-based differences in prevalence and effects of ADHD in adults: A systematic review. *Asian J Psychiatr* 75. <https://doi.org/10.1016/j.ajp.2022.103205>
- Fakfak, P.D.K., 2023. Kabupaten Fakfak. Wikipedia 1.
- Feng, C., Zhao, R., Yang, X., Ruan, M., Yang, L., Liu, T., 2024. A novel stepwise microwave hydrodistillation and extraction process for separating seed oil and essential oil simultaneously from perilla seeds. *Lwt* 198. <https://doi.org/10.1016/j.lwt.2024.116048>
- Ferhat, M.A., Tigrine-Kordjani, N., Chemat, S., Meklati, B.Y., Chemat, F., 2007. Rapid extraction of volatile compounds using a new simultaneous microwave distillation: Solvent extraction device. *Chromatographia* 65, 217–222. <https://doi.org/10.1365/s10337-006-0130-5>
- Ghasemi Pirbalouti, A., Hashemi, M., Ghahfarokhi, F.T., 2013. Essential oil and chemical compositions of wild and cultivated *Thymus daenensis* Celak and *Thymus*

- vulgaris L. Ind Crops Prod 48, 43–48.  
<https://doi.org/10.1016/j.indcrop.2013.04.004>
- Golmakani, M.T., Rezaei, K., 2008. Comparison of microwave-assisted hydrodistillation with the traditional hydrodistillation method in the extraction of essential oils from *Thymus vulgaris* L. Food Chem 109, 925–930.  
<https://doi.org/10.1016/j.foodchem.2007.12.084>
- Guimarães, A.C., Meireles, L.M., Lemos, M.F., Guimarães, M.C.C., Endringer, D.C., Fronza, M., Scherer, R., 2019. Antibacterial activity of terpenes and terpenoids present in essential oils. Molecules 24, 1–12.  
<https://doi.org/10.3390/molecules24132471>
- Guenther. (1987). *Minyak Atsiri diterjemahkan oleh R.S Ketaren dan R. Mulyono*. Jakarta: UI Press.
- Guntur, G., Harlia, H., Sapar, A., 2019. Identifikasi Komponen Minyak Atsiri Daging Buah Pala (*Myristica Fragrans* Houtt.) Asal Pulau Lemukutan dan Uji Aktivitas Antiinflamasi Menggunakan Metode Stabilisasi Membran RBCs (Red Blood Cells). Al-Kimia 7. <https://doi.org/10.24252/al-kimia.v7i2.11276>
- Guo, Z., Fan, Y., Yu, C., Lu, H., Zhang, Z., 2024. GCMSFormer: A Fully Automatic Method for the Resolution of Overlapping Peaks in Gas Chromatography-Mass Spectrometry. Anal Chem 96, 5878–5886.  
<https://doi.org/10.1021/acs.analchem.3c05772>
- Gupta, A.D., Rajpurohit, D., 2011. Antioxidant and Antimicrobial Activity of Nutmeg (*Myristica fragrans*). Nuts and Seeds in Health and Disease Prevention 831–839.  
<https://doi.org/10.1016/B978-0-12-375688-6.10098-2>
- Hartanto Nugroho. L. (2022). Jaringan Sekretori Tumbuhan. Gadjah Mada University Press. Jl. Sendok, Karanggayam CT.VIII, Caturtunggal, Depok, Sleman, D.I. Yogyakarta, 55281.
- Harianingsih, et al., (2017), n.d.
- Hussain, A., Kausar, T., Sehar, S., Sarwar, A., Ashraf, A.H., Jamil, M.A., Noreen, S., Rafique, A., Iftikhar, K., Quddoos, M.Y., Aslam, J., Majeed, M.A., 2022. A Comprehensive review of functional ingredients, especially bioactive compounds present in pumpkin peel, flesh and seeds, and their health benefits. Food Chemistry

- Advances 1. <https://doi.org/10.1016/j.focha.2022.100067>
- Hýsková, V., Ryšlavá, H., 2019. Antioxidant Properties of Phenylpropanoids. *Biochemistry & Analytical Biochemistry* 08, 6–7. <https://doi.org/10.35248/2161-1009.19.8.e171>
- Jeyaratnam, N., Nour, Abdurahman Hamid, Kanthasamy, R., Nour, Azhari Hamid, Yuvaraj, A.R., Akindoyo, J.O., 2016. Essential oil from *Cinnamomum cassia* bark through hydrodistillation and advanced microwave assisted hydrodistillation. *Ind Crops Prod* 92, 57–66. <https://doi.org/10.1016/j.indcrop.2016.07.049>
- Joshi, R., 2013. Chemical composition, in vitro antimicrobial and antioxidant activities of the essential oils of *Ocimum gratissimum*, *O. sanctum* and their major constituents. *Indian J Pharm Sci* 75, 457–462. <https://doi.org/10.4103/0250-474X.119834>
- Kant, R., Kumar, A., 2022. Review on essential oil extraction from aromatic and medicinal plants: Techniques, performance and economic analysis. *Sustain Chem Pharm* 30. <https://doi.org/10.1016/j.scp.2022.100829>
- Kaur, V., Kaushal, S., Kalia, A., Heena, 2024a. Nutmeg vs mace: Evaluation of functional, nutritional, antioxidant and antimicrobial traits to employ as a food preservative. *Food Biosci* 62, 105193. <https://doi.org/10.1016/j.fbio.2024.105193>
- Kaur, V., Kaushal, S., Kalia, A., Heena, 2024b. Effect of different hydrodistillation pretreatments on the yield, chemical composition, antibacterial and antioxidant potential of nutmeg and mace (*Myristica fragrans* Houtt.) essential oils. *Chemical Papers* 78, 1125–1138. <https://doi.org/10.1007/s11696-023-03151-1>
- Kizil, C., Kyritsis, N., Brand, M., 2015. Effects of inflammation on stem cells: together they strive? *EMBO Rep* 16, 416–426. <https://doi.org/10.15252/embr.201439702>
- Li, Z., Xu, Y., Liu, Y., Kong, M., Ma, K., Wang, J., Wang, H., Zhao, Y., 2024. Ultrasonic pretreatment combined with microwave-assisted hydrodistillation for the situ extraction of essential oil from *Pinus koraiensis* seed scales induced by tea saponin: Functional activity, composition, thermal stability and material characterization. *Ind Crops Prod* 210. <https://doi.org/10.1016/j.indcrop.2024.118191>
- Likić, V.A., 2009. Extraction of pure components from overlapped signals in gas chromatography-mass spectrometry (GC-MS). *BioData Min* 2, 15–24.

<https://doi.org/10.1186/1756-0381-2-6>

- Liunokas, A.B., Karwur, F.F., 2020. Pala (*Myristica fragrans* Houtt) sebagai bioreaktor hayati senyawa fenilpropanoid: suatu kajian pustaka. *Jurnal Biologi Udayana* 24, 96. <https://doi.org/10.24843/jbiounud.2020.v24.i02.p05>
- Loizzo, M.R., Sicari, V., Tenuta, M.C., Leporini, M.R., Falco, T., Pellicanò, T.M., Menichini, F., Tundis, R., 2016. Phytochemicals content, antioxidant and hypoglycaemic activities of commercial nutmeg mace (*Myristica fragrans* L.) and pimento (*Pimenta dioica* (L.) Merr.). *Int J Food Sci Technol* 51, 2057–2063. <https://doi.org/10.1111/ijfs.13178>
- López-Salazar, H., Camacho-Díaz, B.H., Arenas Ocampo, M.L., Jiménez-Aparicio, A.R., 2023. Microwave-assisted Extraction of Functional Compounds from Plants: A Review. *Bioresources* 18, 6614–6638. <https://doi.org/10.15376/biores.18.3.Lopez-Salazar>
- Luo, X., Lim, L.T., 2023. A colorimetric assay for the detection of monoterpenes in hemp (*Cannabis sativa*) essential oil. *Measurement: Food* 11. <https://doi.org/10.1016/j.meafoo.2023.100102>
- Ma'mun, 2013. KARAKTERISTIK MINYAK DAN ISOLASI TRIMIRISTIN BIJI PALA PAPUA ( *Myristica argentea* ) Characteristics of Oil and Trimyristin Isolation of Papua Nutmeg Seeds ( *Myristica argentea* ). *Jurnal Littri* 19, 72–77.
- Maryati, 2023. Isolasi, Karakterisasi, dan Identifikasi Senyawa Kimia dari Minyak Atsiri Biji Pala Papua (*Myristica argentea* Warb) Isolation, Characterization, and Identification of Chemical Compounds from Papuan Nutmeg Essential Oil (*Myristica argentea* Warb). *Gorontalo Agriculture Technology Journal* 6, 2023.
- M'hamdi, Z., Bouymajane, A., Riffi, O., Rhazi Filali, F., Ettarchouch, M., ELhourri, M., Amechrouq, A., 2024. Chemical composition and antibacterial activity of essential oil of *Pelargonium graveolens* and its fractions. *Arabian Journal of Chemistry* 17. <https://doi.org/10.1016/j.arabjc.2023.105375>
- Mohamadi, M., Shamspur, T., Mostafavi, A., 2013a. Comparison of microwave-assisted distillation and conventional hydrodistillation in the essential oil extraction of flowers *Rosa damascena* Mill. *Journal of Essential Oil Research* 25, 55–61. <https://doi.org/10.1080/10412905.2012.751555>

- Mohamadi, M., Shamspur, T., Mostafavi, A., 2013b. Comparison of microwave-assisted distillation and conventional hydrodistillation in the essential oil extraction of flowers *Rosa damascena* Mill. *Journal of Essential Oil Research* 25, 55–61. <https://doi.org/10.1080/10412905.2012.751555>
- Mohamed, A.A., Alotaibi, B.M., 2023. Essential oils of some medicinal plants and their biological activities: a mini review. *Journal of Umm Al-Qura University for Applied Sciences* 9, 40–49. <https://doi.org/10.1007/s43994-022-00018-1>
- Moon, J.K., Shibamoto, T., 2009. Antioxidant assays for plant and food components. *J Agric Food Chem* 57, 1655–1666. <https://doi.org/10.1021/jf803537k>
- Moradi, S., Fazlali, A., Hamed, H., 2018. Microwave-assisted hydro-distillation of essential oil from rosemary: Comparison with traditional distillation. *Avicenna J Med Biotechnol* 10, 22–28.
- Muilu-Mäkelä, R., Aapola, U., Tienaho, J., Uusitalo, H., Sarjala, T., 2022. Antibacterial and Oxidative Stress-Protective Effects of Five Monoterpenes from Softwood. *Molecules* 27. <https://doi.org/10.3390/molecules27123891>
- NANAN NURDJANNAH, 2007. *Teknologi Pengolahan Pala*. Badan Penelitian Dan Pengembangan Pertanian Balai Besar Penelitian Dan Pengembangan Pascapanen Pertanian.
- Nasir, M., Marwati, E., 2024. Isolasi dan Uji Aktivitas Antioksidan Minyak Atsiri Daging Buah Pala (*Myristica fragrans*). *Journal Syifa Sciences and Clinical Research* 5, 453–462. <https://doi.org/10.37311/jsscr.v5i3.24109>
- Nazzaro, F., Fratianni, F., Coppola, R., De Feo, V., 2017. Essential oils and antifungal activity. *Pharmaceuticals* 10, 1–20. <https://doi.org/10.3390/ph10040086>
- Nikolic, V., Nikolic, L., Dinic, A., Gajic, I., Urosevic, M., Stanojevic, L., Stanojevic, J., Danilovic, B., 2021a. Chemical Composition, Antioxidant and Antimicrobial Activity of Nutmeg (*Myristica fragrans* Houtt.) Seed Essential Oil. *Journal of Essential Oil-Bearing Plants* 24, 218–227. <https://doi.org/10.1080/0972060X.2021.1907230>
- Nikolic, V., Nikolic, L., Dinic, A., Gajic, I., Urosevic, M., Stanojevic, L., Stanojevic, J., Danilovic, B., 2021b. Chemical Composition, Antioxidant and Antimicrobial Activity of Nutmeg (*Myristica fragrans* Houtt.) Seed Essential Oil. *Journal of*

- Essential Oil-Bearing Plants 24, 218–227.  
<https://doi.org/10.1080/0972060X.2021.1907230>
- Nour, A.H., Modather, R.H., Yunus, R.M., Elnour, A.A.M., Ismail, N.A., 2024. Characterization of bioactive compounds in patchouli oil using microwave-assisted and traditional hydrodistillation methods. *Ind Crops Prod* 208, 0–2.  
<https://doi.org/10.1016/j.indcrop.2023.117901>
- Noyraksa, S., Wichianwat, K., Punpuk, S., Aiemyeesun, S., Maitip, J., Suttiarporn, P., 2023. Optimization of microwave-assisted hydrodistillation of essential oils from fennel seeds. *Mater Today Proc* 77, 1079–1085.  
<https://doi.org/10.1016/j.matpr.2022.11.392>
- Nurjanah, S., Putri, I.L., Sugiarti, D.P., 2017. Antibacterial Activity of Nutmeg Oil. *KnE Life Sciences* 2, 563. <https://doi.org/10.18502/cls.v2i6.1076>
- Orphanides, A., Goulas, V., Gekas, V., 2016. Drying Technologies: Vehicle to High-Quality Herbs. *Food Engineering Reviews*. <https://doi.org/10.1007/s12393-015-9128-9>
- Oyedeji, O.O., Lawal, O.A., Shode, F.O., Oyedeji, A.O., 2009. Chemical composition and antibacterial activity of the essential oils of *Callistemon citrinus* and *Callistemon viminalis* from South Africa. *Molecules* 14, 1990–1998.  
<https://doi.org/10.3390/molecules14061990>
- Park, C., Garland, S.M., Close, D.C., 2022. The influence of temperature, light, and storage period on the colour and chemical profile of *Kunzea ambigua* (Sm.) Druce. *J Appl Res Med Aromat Plants* 30.  
<https://doi.org/10.1016/j.jarmap.2022.100383>
- Purwanto dan Irianto. (2022). *Senyawa Alam Sebagai Antibakteri dan Mekanisme Aksinya*. Gadjah Mada University Press. Jl. Sendok, Karanggayam CT.VIII, Caturtunggal, Depok, Sleman, D.I. Yogyakarta, 55281.
- Pusat Data dan Sistem Informasi Pertanian, 2022. *Outlook Komoditas Kelapa*.
- Qorriaina, R., Hawa, L.C., Yulianingsih, R., Keteknikan, J., Teknologi, P.-F., Brawijaya, P.-U., Veteran, J., Korespondensi, P., 2015. Aplikasi Pra-Perlakuan Microwave Assisted Extraction (MAE) Pada Ekstrak Daun Kemangi (*Ocimum sanctum*) Menggunakan Rotary Evaporator (Studi Pada Variasi Suhu dan Waktu Ekstraksi),

Jurnal Bioproses Komoditas Tropis.

- Rao, A. V., Rao, L.G., 2007. Carotenoids and human health. *Pharmacol Res.*  
<https://doi.org/10.1016/j.phrs.2007.01.012>
- Scotti, R., Stringaro, A., Nicolini, L., Zanellato, M., Boccia, P., Maggi, F., Gabbianelli, R., 2021. Effects of essential oils from *cymbopogon* spp. And *cinnamomum verum* on biofilm and virulence properties of *escherichia coli* o157:H7. *Antibiotics* 10, 1–15. <https://doi.org/10.3390/antibiotics10020113>
- Selvia, D., Budi, W., Hisyam, A., 2019. Industrial Crops & Products Kinetics of mace (*Myristicae arillus*) essential oil extraction using microwave assisted hydrodistillation : Effect of microwave power 131, 315–322.
- Semeniuc, C.A., Pop, C.R., Rotar, A.M., 2017. Antibacterial activity and interactions of plant essential oil combinations against Gram-positive and Gram-negative bacteria. *J Food Drug Anal* 25, 403–408. <https://doi.org/10.1016/j.jfda.2016.06.002>
- Sipahelut, S.G., 2013. Variasi komposisi kimia minyak atsiri dari daging buah pala melalui beberapa metode pengeringan. *Jurnal Agroqua* 11, 29–32.
- Sipahelut, S.G., Patty, J.A., Patty, Z., Kastanja, A.Y., Lekahena, V.N.J., 2019. The antibacterial and antifungal activity of essential oil derived from the flesh of nutmeg fruit. *Eurasian J Biosci* 13, 93–98.
- Sohilait, M.R., Sohilait, H.J., Kainama, H., 2021. Comparison Of Chemical Compositions Of Seed And Mace Nutmeg (*Myristica Fragrans*) Essential Oils From Amboina Island, Moluccas, Indonesia And Their Antioxidant Activities. *NVEO-NATURAL VOLATILES & ESSENTIAL OILS Journal*| NVEO 8, 5537–5545.
- Sri Mulyani, Purwanto, Sudarsono, Wahyono, Pramono S, Purwantini I, Puspitasari G, Santoso D, Hertiana T, Fakhrudin N, Murti Y B, Utami S. (2020). *Minyak Atsiri Tumbuhan Obat*. Gadjah Mada University Press. Jl. Sendok, Karanggayam CT.VIII, Caturtunggal, Depok, Sleman, D.I. Yogyakarta, 55281.
- Suprihatin, S. Ketaren, S. Ngudiwaluyo, dan A.. F., 1988. ISOLASI MIRISTISIN DARI MINYAK PALA (*Myristica fragrans*) DENGAN METODE PENYULINGAN UAP. *Jurnal Teknik Industri Pertanian* 17, 23–28.
- Susanto, S., Drajad Widodo, W., Santosa, E., 2020. The Fruit Characteristics of Ambon Forest Nutmeg (*Myristica fatua* Houtt) and Banda Nutmeg (*Myristica fragrans*

- Houtt) (Perbandingan Komposisi Kimia dan Kadar Minyak Atsiri Buah Pala Hutan Ambon (*Myristica fatua* Houtt) dan Banda (*Myristica fragrans* Houtt)). *Jurnal Ilmu Pertanian Indonesia (JIPI)* 25, 291–298. <https://doi.org/10.18343/jipi.25.2.291>
- Suttiarporn, P., Seangwattana, T., Srisurat, T., Kongitthinon, K., Chumnanvej, N., Luangkamin, S., 2024. Enhanced extraction of clove essential oil by ultrasound and microwave assisted hydrodistillation and their comparison in antioxidant activity. *Current Research in Green and Sustainable Chemistry* 8. <https://doi.org/10.1016/j.crgsc.2024.100411>
- Thamkaew, G., Sjöholm, I., Galindo, F.G., 2021. A review of drying methods for improving the quality of dried herbs. *Crit Rev Food Sci Nutr*. <https://doi.org/10.1080/10408398.2020.1765309>
- Tomaino, A., Cimino, F., Zimbalatti, V., Venuti, V., Sulfaro, V., De Pasquale, A., Saija, A., 2005. Influence of heating on antioxidant activity and the chemical composition of some spice essential oils. *Food Chem* 89, 549–554. <https://doi.org/10.1016/j.foodchem.2004.03.011>
- Valente, V.M.M., Jham, G.N., Jardim, C.M., Dhingra, O.D., Ghiviriga, I., 2014. Major Antifungals in Nutmeg Essential Oil against *Aspergillus flavus* and *A. ochraceus*. *J Food Res* 4, 51. <https://doi.org/10.5539/jfr.v4n1p51>
- Veggi, P.C., Martinez, J., Meireles, M.A.A., 2013. Fundamentals of microwave extraction, *Food Engineering Series*. [https://doi.org/10.1007/978-1-4614-4830-3\\_2](https://doi.org/10.1007/978-1-4614-4830-3_2)
- Wahyuni, S., Bermawie, N., 2020. Yield and fruit morphology of selected high productive Papua nutmeg trees (*Myristica argentea* Warb.). *IOP Conf Ser Earth Environ Sci* 418. <https://doi.org/10.1088/1755-1315/418/1/012032>
- Wang, D., Dong, Y., Wang, Q., Wang, X., Fan, W., 2020. Limonene, the compound in essential oil of nutmeg displayed antioxidant effect in sunflower oil during the deep-frying of Chinese Maye. *Food Sci Nutr* 8, 511–520. <https://doi.org/10.1002/fsn3.1333>
- Zavahir, J.S., Nolvachai, Y., Marriott, P.J., n.d. J S. Zavahir, Y. Nolvachai, and Philip J. Marriott \*.