

DAFTAR PUSTAKA

- Abramicheva, P. A., & Plotnikov, E. Y. (2022). Hormonal Regulation of Renal Fibrosis. *Life*. <https://doi.org/10.3390/life12050737>
- Almendarez, M., *et al.* (2019). Procedural Strategies to Reduce the Incidence of Contrast-Induced Acute Kidney Injury During Percutaneous Coronary Intervention. *JACC: Cardiovascular Interventions*, 12(19), 1877–1888. <https://doi.org/10.1016/j.jcin.2019.04.055>
- Banai, A., Rozenfeld, K. L., Lewit, D., Merdler, I., Loewenstein, I., Banai, S., *et al.* (2021). Neutrophil gelatinase-associated lipocalin (NGAL) for the prediction of acute kidney injury in chronic kidney disease patients treated with primary percutaneous coronary intervention. *IJC Heart and Vasculature*, 32, 100695. <https://doi.org/10.1016/j.ijcha.2020.100695>
- Buonafine, M., Martinez-Martinez, E., Jaisser, F. ric, (2018). More than a simple biomarker: The role of NGAL in cardiovascular and renal diseases. *Clin. Sci.* 132, 909–923.
- Baranauskas, T., Kaunienė, A., Švagždienė, M., Širvinskas, E., & Lenkutis, T. (2019). The correlation of post-operative acute kidney injury and perioperative anaemia in patients undergoing cardiac surgery with cardiopulmonary bypass. *Acta Medica Lituanica*, 26 (1), 79–86. <https://doi.org/10.6001/actamedica.v26i1.3959>
- Butterworth IV JF, Mackey DC, Wasnick JD. (2022). Morgan & Mikhail's Clinical Anesthesiology, 7e. *McGraw-Hill Education*; <https://accessmedicine.mhmedical.com/content.aspx?bookid=3194§ionid=266517075>
- Chakraborty, S., Kaur, S., Tong, Z., Batra, S. K., & Guha, S. (2011). Neutrophil Gelatinase Associated Lipocalin : Structure , Function and Role in Human Pathogenesis. In P. F. Veas (Ed.), *Acute Phase Protein* (hal. 345–368). Europe: In Tech Europe, University Campus STeP Ri.
- Chakraborty, S., Kaur, S., Guha, S., Batra, S.K., (2012). The multifaceted roles of neutrophil gelatinase associated lipocalin (NGAL) in inflammation and cancer. *Biochim. Biophys. Acta - Rev. Cancer* 1826, 129–169.
- Clerico, A., Galli, C., Fortunato, A., & Ronco, C. (2012). Neutrophil gelatinase-associated lipocalin (NGAL) as biomarker of acute kidney injury: A review of the laboratory characteristics and clinical evidences. *Clinical Chemistry and Laboratory Medicine*, 50(9), 1505–1517. <https://doi.org/10.1515/cclm-2011-0814>
- Danquah, M., Owiredun, W. K. B. A., Jnr, B. A. E., Serwaa, D., Odame Anto, E.,

- Peprah, M. O., *et al.* (2023). Diagnostic value of neutrophil gelatinase- associated lipocalin (NGAL) as an early biomarker for detection of renal failure in hypertensives: a case–control study in a regional hospital in Ghana. *BMC Nephrology*, 24(1). <https://doi.org/10.1186/s12882-023-03120-6>
- Delanghe, J. R., & Speeckaert, M. M. (2013). Creatinine determination according to Jaffe - What does it stand for? *NDT Plus*, 4(2), 83–86. <https://doi.org/10.1093/ndtplus/sfq211>
- Devarajan, P. (2010). Review: Neutrophil gelatinase-associated lipocalin: A troponin-like biomarker for human acute kidney injury. *Nephrology*, 15(4), 419–428. <https://doi.org/10.1111/j.1440-1797.2010.01317.x>
- Fanning, N., Galvin, S., Parke, R., Gilroy, J., Bellomo, R., & McGuinness, S. (2016). A Prospective Study of the Timing and Accuracy of Neutrophil Gelatinase-Associated Lipocalin Levels in Predicting Acute Kidney Injury in High-Risk Cardiac Surgery Patients. *Journal of Cardiothoracic and Vascular Anesthesia*, 30(1), 76–81. <https://doi.org/10.1053/j.jvca.2015.07.034>.
- Fatoni, A.Z., Kestriani, N.D., (2018). Acute Kidney Injury (AKI) pada Pasien Kritis. *Anesth. Crit. Care* 36, 64–75.
- Ferreira, L. O., Vasconcelos, V. W., Lima, J. de S., Vieira Neto, J. R., da Costa, G. E., Esteves, J. de C., *et al.* (2023). Biochemical Changes in Cardiopulmonary Bypass in Cardiac Surgery: New Insights. *Journal of Personalized Medicine*. <https://doi.org/10.3390/jpm13101506>
- Gaffney, A. M., & Sladen, R. N. (2015). Acute kidney injury in cardiac surgery. *Current Opinion in Anaesthesiology*, 28(1), 50–59. <https://doi.org/10.1097/ACO.0000000000000154>
- Ghonemy, T. A., & Amro, G. M. (2014). Plasma neutrophil gelatinase-associated lipocalin (NGAL) and plasma cystatin C (CysC) as biomarker of acute kidney injury after cardiac surgery. *Saudi journal of kidney diseases and transplantation : an official publication of the Saudi Center for Organ Transplantation, Saudi Arabia*, 25(3), 582–588. <https://doi.org/10.4103/1319-2442.132194>
- Gibbs, N. M. (2019). Hensley’s Practice Approach to Cardiothoracic Anesthesia Sixth edition. *Wolster Kluwer, Philadelphia*. <https://emed.library.gov.ua/wp-content/uploads/tainacan-items/26427/78601/Hensleys-Practical-Approach-to-Cardiothoracic-Anesthesia.-Sixth-edition.pdf>
- Glasscock, R.J., Rule, A.D., (2012). The implications of anatomical and functional changes of the aging kidney: with an emphasis on the glomeruli. *Kidney Int* 8, 270–277.

- Gorelik, Y., Abassi, Z., Bloch-Isenberg, N., Khamaisi, M., & Heyman, S. N. (2022). Changing serum creatinine in the detection of acute renal failure and recovery following radiocontrast studies among acutely ill inpatients: Reviewing insights regarding renal functional reserve gained by large-data analysis. *Practical Laboratory Medicine*, <https://doi.org/10.1016/j.plabm.2022.e00276>
- Grams, M.E., Sang, Y., Ballew, S.H., Gansevoort, R.T., Kimm, H., Kovesdy, C.P., Naimark, D., Oien, C., Smith, D.H., Coresh, J., Sarnak, M.J., Stengel, B., Tonelli, M., (2015). A meta-analysis of the association of estimated GFR, albuminuria, age, race, and sex with acute kidney injury. *Am. J. Kidney Dis.* 66, 591–601.
- Haase, M., Bellomo, R., Devarajan, P., Schlattmann, P., Haase-Fielitz, A., Bagshaw, S. M., *et al.* (2009). Accuracy of Neutrophil Gelatinase-Associated Lipocalin (NGAL) in Diagnosis and Prognosis in Acute Kidney Injury: A Systematic Review and Meta-analysis. *American Journal of Kidney Diseases*, 54(6), 1012–1024. <https://doi.org/10.1053/j.ajkd.2009.07.020>
- Helanova, K., Spinar, J., & Parenica, J. (2014). Diagnostic and prognostic utility of Neutrophil Gelatinase-Associated Lipocalin (NGAL) in patients with cardiovascular diseases - Review. *Kidney and Blood Pressure Research*, 39(6), 623–629. <https://doi.org/10.1159/000368474>
- Højagergaard, M. A., Beske, R. P., Hassager, C., Holmvang, L., Jensen, L. O., Shacham, Y., *et al.* (2023). Neutrophil Gelatinase-Associated Lipocalin (NGAL) in Patients with ST-Elevation Myocardial Infarction and Its Association with Acute Kidney Injury and Mortality. *Journal of Clinical Medicine*, 12(11). <https://doi.org/10.3390/jcm12113681>
- Jahaj, E., Vassiliou, A. G., Pratikaki, M., Gallos, P., Mastora, Z., Dimopoulou, I., *et al.* (2021). Serum neutrophil gelatinase-associated lipocalin (NGAL) could provide better accuracy than creatinine in predicting acute kidney injury development in critically ill patients. *Journal of Clinical Medicine*, 10(22). <https://doi.org/10.3390/jcm10225379>
- Jing, H., Liao, M., Tang, S., Lin, S., Ye, L., Zhong, J., *et al.* (2022). Predicting the risk of acute kidney injury after cardiopulmonary bypass: development and assessment of a new predictive nomogram. *BMC Anesthesiology*, 22(1). <https://doi.org/10.1186/s12871-022-01925-w>.
- Kadir, A., (2016). Hubungan patofisiologi hipertensi dan hipertensi renal. *Ilmiah Kedokteran*. Vol.5 No.1, 15–25.
- Kali, J.M., Hrovat, E., Hrastovec, A., Zibert, J., (2016). Creatinine, Neutrophil Gelatinase- Associated Lipocalin, and Cystatin C in Determining Acute Kidney Injury After Heart Operations Using Cardiopulmonary Bypass. *Artif Organs* 00.

- Kališnik, J. M., Hrovat, E., Hrastovec, A., Žibert, J., Jerin, A., Skitek, M., *et al.* (2017). Creatinine, Neutrophil Gelatinase-Associated Lipocalin, and Cystatin C in Determining Acute Kidney Injury After Heart Operations Using Cardiopulmonary Bypass. *Artificial Organs*, 41(5), 481–489. <https://doi.org/10.1111/aor.12779>
- Kalisnik, J. M., Steblovnik, K., Hrovat, E., Jerin, A., Skitek, M., Dinges, C., *et al.* (2022). Enhanced Detection of Cardiac Surgery-Associated Acute Kidney Injury by a Composite Biomarker Panel in Patients with Normal Preoperative Kidney Function. *Journal of Cardiovascular Development and Disease*, 9(7). <https://doi.org/10.3390/jcdd9070210>
- Kashani, K., Cheungpasitporn, W., & Ronco, C. (2017). Biomarkers of acute kidney injury: The pathway from discovery to clinical adoption. *Clinical Chemistry and Laboratory Medicine*, 55(8), 1074–1089. <https://doi.org/10.1515/cclm-2016-0973>
- Kaya, K., Cavolli, R., Telli, A., Soyak, M. F. T., Aslan, A., Gokaslan, G., *et al.* (2010). Off-pump versus on-pump coronary artery bypass grafting in acute coronary syndrome: A clinical analysis. *Journal of Cardiothoracic Surgery*, 5(1), 1–8. <https://doi.org/10.1186/1749-8090-5-31>
- KDIGO. (2013). Official Journal Of the internatiOnal SOciety Of nephrOLOgy KDIGO Clinical Practice Guideline for Lipid Management in Chronic Kidney Disease KDIGO Clinical Practice Guideline for Lipid Management in Chronic Kidney Disease. *Kiney Intnernational Supplements*, 3(3), 1–56.
- Kumar, A.B., Suneja, M., 2011. Cardiopulmonary Bypass–associated Acute Kidney Injury. *Anesthesiology* 114, 964–970.
- Küme, T., Sağlam, B., Ergon, C., & Sisman, A. R. (2018). Evaluation and comparison of Abbott Jaffe and enzymatic creatinine methods: Could the old method meet the new requirements? *Journal of Clinical Laboratory Analysis*, 32(1), 1–8. <https://doi.org/10.1002/jcla.22168>
- Kun Arifi Abbas, dr, S., 2020. Serial Kasus Acute Kidney Injury Pasca Operasi Coronary Artery Bypass Graft Dengan Cardiopulmonari Bypass di RSUD Dr. Soetomo Surabaya. *Repository.Unair.Ac.Id* 1–6.
- Li, Y., Hou, X. J., Liu, T. S., Xu, S. J., Huang, Z. H., Yan, P. Y., *et al.* (2021). Risk factors for acute kidney injury following coronary artery bypass graft surgery in a Chinese population and development of a prediction model. *Journal of Geriatric Cardiology*, 18(9). <https://doi.org/10.11909/j.issn.1671-5411.2021.09.011>
- Li, Z., Ludwig, N., Thomas, K., Mersmann, S., Lehmann, M., Vestweber, D., *et al.* (2022). The Pathogenesis of Ischemia-Reperfusion Induced Acute Kidney

Injury Depends on Renal Neutrophil Recruitment Whereas Sepsis-Induced AKI Does Not. *Frontiers in Immunology*, 13. <https://doi.org/10.3389/fimmu.2022.843782>

Liao, B., Nian, W., Xi, A., & Zheng, M. (2019). Evaluation of a diagnostic test of serum neutrophil gelatinase-associated lipocalin (NGAL) and urine KIM-1 in contrast-induced nephropathy (CIN). *Medical Science Monitor*, 25, 565–570. <https://doi.org/10.12659/MSM.912569>

Liebetrau, C., Gaede, L., Doerr, O., Blumenstein, J., Rixe, J., Teichert, O., *et al.* (2014). Neutrophil gelatinase-associated lipocalin (NGAL) for the early detection of contrast-induced nephropathy after percutaneous coronary intervention. *Scandinavian Journal of Clinical and Laboratory Investigation*, 74(2), 81–88. <https://doi.org/10.3109/00365513.2013.860615>

Liu, D., Liu, B., Liang, Z., Yang, Z., Ma, F., Yang, Y., & Hu, W. (2021). Acute Kidney Injury following Cardiopulmonary Bypass: A Challenging Picture. *Oxidative Medicine and Cellular Longevity*, 2572(2021). <https://doi.org/10.1155/2021/8873581>

Liu, Z., Shang, A., Chen, Z., Yin, L., & Qi, H. (2020). Neutrophil gelatinase-associated lipocalin as an early predictor of contrast-induced nephropathy following endovascular therapy for arteriosclerosis obliterans. *Medicine*, 99(37), e21386. <https://doi.org/10.1097/MD.00000000000021386>

Macdonald, S.P.J., Bosio, E., Neil, C., Arendts, G., Burrows, S., Smart, L., Brown, S.G.A., Fatovich, D.M., 2017. Resistin and NGAL are associated with inflammatory response, endothelial activation and clinical outcomes in sepsis. *Inflamm. Res.* 66, 611–619.

Magboul, S. M., Osman, B., & Elnour, A. A. (2020). The incidence, risk factors, and outcomes of acute kidney injury in the intensive care unit in Sudan. *International Journal of Clinical Pharmacy*, 42(6), 1447–1455. <https://doi.org/10.1007/s11096-020-01147-5>

Makris, K., & Spanou, L. (2016). Acute Kidney Injury: Definition, Pathophysiology and Clinical Phenotypes. *Clinical Biochemist Reviews*, 37(2), 85–98.

Mao, H., Katz, N., Ariyanon, W., Blanca-Martos, L., Adýbelli, Z., Giuliani, A., *et al.* (2013). Cardiac surgery-associated acute kidney injury. *CardioRenal Medicine*, 3(3), 178–199. <https://doi.org/10.1159/000353134>

Mårtensson, J., Bellomo, R.R., 2014. The rise and fall of NGAL in acute kidney injury. *Blood Purif.* 37, 304–310.

Martling, C., Bell, M., & Ma, J. (2012). Novel biomarkers of acute kidney injury and failure : clinical applicability. *British of Journal of Anaesthesia*,

109(October), 843–850. <https://doi.org/10.1093/bja/aes357>.

Maskoen, T.T., Akbar, D., (2023). Injuri Ginjal Akut Akibat Sepsis pada Pasien di ICU. *JAI (Jurnal Anesthesiol. Indones.* 15, 69–85.

Melati, A.C., Sofia, S.N., 2019. Hubungan Antara Fraksi Ejeksi Ventrikel Kiri Dengan Kejadian Gagal Ginjal Akut Post Operasi Katup Jantung. *Diponegoro Med. J. (Jurnal Kedokt. Diponegoro)* 8, 46–60.

Melsom, T., Norvik, J. V., Enoksen, I. T., Stefansson, V., Mathisen, U. D., Fuskevåg, O. M., *et al.* (2022). Sex Differences in Age-Related Loss of Kidney Function. *Journal of the American Society of Nephrology*, 33(10). <https://doi.org/10.1681/ASN.2022030323>

Milne, B., Gilbey, T., De Somer, F., & Kunst, G. (2024). Adverse renal effects associated with cardiopulmonary bypass. *Perfusion*. Vol. 39(3), 452-468 <https://doi.org/10.1177/02676591231157055>

Murphy, G. S., Hessel, E. A., & Groom, R. C. (2009). Optimal perfusion during cardiopulmonary bypass: An evidence-based approach. *Anesthesia and Analgesia*, 108(5), 1394–1417. <https://doi.org/10.1213/ane.0b013e3181875e2e>

Murty, M. S. N., Sharma, U. K., Pandey, V. B., & Kankare, S. B. (2013). Serum cystatin C as a marker of renal function in detection of early acute kidney injury. *Indian Journal of Nephrology*, 23(3), 180–183. <https://doi.org/10.4103/0971-4065.111840>.

Neugarten, J., Golestaneh, L., (2013). Gender and the prevalence and progression of renal disease. *Adv. Chronic Kidney Dis.* 20, 390–395.

Othman, H. M. E. D. M., Hassan, A. E. M., Elserisi, M. H., Soliman, A. K. M. A., & Emam, D. F. (2021). Neutrophil gelatinase-associated lipocalin as a biomarker for predicting acute kidney injury after coronary artery bypass grafting. *Ain-Shams Journal of Anesthesiology*, 13(5), 1–9. https://doi.org/10.4103/aca.ACA_48_17

Ozkok, S., & Ozkok, A. (2017). Contrast-induced acute kidney injury: A review of practical points. *World Journal of Nephrology*, 6(3), 86. <https://doi.org/10.5527/wjn.v6.i3.86>

Padhy, M., Kaushik, S., Girish, M. P., Mohapatra, S., Shah, S., & Koner, B. C. (2014). Serum neutrophil gelatinase associated lipocalin (NGAL) and cystatin C as early predictors of contrast-induced acute kidney injury in patients undergoing percutaneous coronary intervention. *Clinica Chimica Acta*, 435, 48–52. <https://doi.org/10.1016/j.cca.2014.04.016>

Paliliewu, N., Lefrandt, R.L., (2010). Sindrom Kardiorenal. *J. Biomedik* 2, 95–104.

- Pedersen, K. R., Ravn, H. B., Hjortdal, V. E., Nørregaard, R., & Povlsen, J. V. (2010). Neutrophil Gelatinase-Associated Lipocalin (NGAL): Validation of commercially available ELISA. *Scan J Clin Lab*, 70(5), 374–382. <https://doi.org/10.3109/00365513.2010.486868>
- Privratsky, J.R., Fuller, M., Raghunathan, K., Ohnuma, T., Bartz, R.R., Schroeder, R., Price, T.M., Martinez, M.R., Sigurdsson, M.I., Mathis, M.R., Naik, B., Krishnamoorthy, V., 2023. Postoperative Acute Kidney Injury by Age and Sex: A Retrospective Cohort Association Study. *Anesthesiology* 138, 184–194.
- Quintavalle, C., Anselmi, C. V., De Micco, F., Roscigno, G., Visconti, G., Golia, B., *et al.* (2015). Neutrophil gelatinase-associated lipocalin and contrast-induced acute kidney injury. *Circulation: Cardiovascular Interventions*, 8(9), 1–11. <https://doi.org/10.1161/CIRCINTERVENTIONS.115.002673>
- Ronco, F., Tarantini, G., & McCullough, P. A. (2020). Contrast induced acute kidney injury in interventional cardiology: An update and key guidance for clinicians. *Reviews in Cardiovascular Medicine*, 21(1), 9–23. <https://doi.org/10.31083/J.RCM.2020.01.44>
- Samy, M., Fahmy, T. S., Effat, H., & Ashour, A. (2017). Serum Cystatin C as a predictor of cardiac surgery associated-acute kidney injury in patients with normal preoperative renal functions. A prospective cohort study. *The Egyptian Journal of Critical Care Medicine*, 5(1), 41–47. <https://doi.org/10.1016/j.ejccm.2017.02.002>.
- Saputra, S.I., Berawi, K.N., Hadibrata, E., (2023). Hubungan Diabetes Melitus dengan Kejadian Gagal Ginjal Kronik The Relationship Between Diabetes Mellitus And The Incidence Of Chronic Renal Failure. *Medula* 13, 787–791.
- Sarkar, M., & Prabhu, V. (2019). Basics of CPB. *Indian Journal of Anaesthesia*, 49(4), 257–262. <https://doi.org/10.4103/ija.IJA>
- Sharrod-Cole, H., Fenn, J., Gama, R., Ford, C., Giri, R., & Luckraz, H. (2022). Utility of plasma NGAL for the diagnosis of AKI following cardiac surgery requiring cardiopulmonary bypass: a systematic review and meta-analysis. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-10477-5>
- Shekar, P. S. (2006). On-pump and off-pump coronary artery bypass grafting. *Circulation*, 113(4), 51–52. <https://doi.org/10.1161/CIRCULATIONAHA.105.566737>
- Shi, N., Liu, K., Fan, Y., Yang, L., Zhang, S., Li, X., *et al.* (2020). The Association Between Obesity and Risk of Acute Kidney Injury After Cardiac Surgery. *Frontiers in Endocrinology*, 11. <https://doi.org/10.3389/fendo.2020.534294>

- Singer, E., Markó, L., Paragas, N., Barasch, J., Dragun, D., Müller, D. N., *et al.* (2013). Neutrophil gelatinase-associated lipocalin: Pathophysiology and clinical applications. *Acta Physiologica*, 207(4), 663–672. <https://doi.org/10.1111/apha.12054>
- Syadiah, A. R., Febrina, E., & Levita, J. (2021). Review Neutrophil Gelatinase-Associated Lipocalin (NGAL): Perannya sebagai Biomarker pada Kerusakan Ginjal Akut. *Jurnal Sains Farmasi & Klinis*, 8(1), 35. <https://doi.org/10.25077/jsfk.8.1.35-42.2021>
- Thiele, R. H., Isbell, J. M., & Rosner, M. H. (2015). AKI associated with cardiac surgery. *Clinical Journal of the American Society of Nephrology*, 10(3), 500–514. <https://doi.org/10.2215/CJN.07830814>
- Thompson, L. E., & Joy, M. S. (2022). Endogenous markers of kidney function and renal drug clearance processes of filtration, secretion, and reabsorption. *Current Opinion in Toxicology*. <https://doi.org/10.1016/j.cotox.2022.03.005>
- Thongprayoon, C., Cheungpasitporn, W., & Kashani, K. (2016). Serum creatinine level, a surrogate of muscle mass, predicts mortality in critically ill patients. *Journal of Thoracic Disease*, 8(5), E305–E311. <https://doi.org/10.21037/jtd.2016.03.62>
- Turner, N., Lameire, N., Goldsmith, D.J., Winearls, C.G., Himmelfarb, J., Remuzzi, G., (2016). Oxford Textbook of Clinical Nephrology Vol. 1, Fourth. ed. *Oxford University Press*, Oxford.
- Valero, E., Rodriguez, J. C., Moyano, P., Minana, G., Sanchis, J., & Nunez, J. (2016). Role of Neutrophil Gelatinase-associated Lipocalin in the Detection of Contrast-induced Nephropathy in Patients Undergoing a Coronary Angiography. *Rev Esp Cardiol*, 69(5), 520–530. <https://doi.org/10.1016/j.rec.2016.01.015>
- Vives, M., Hernandez, A., Parramon, F., Estanyol, N., Pardina, B., Muñoz, A., *et al.* (2019). Acute kidney injury after cardiac surgery: Prevalence, impact and management challenges. *International Journal of Nephrology and Renovascular Disease*, 12, 153–166. <https://doi.org/10.2147/IJNRD.S167477>
- Wald, R., Liangos, O., Perianayagam, M. C., Kolyada, A., Herget-Rosenthal, S., Mazer, C. D., & Jaber, B. L. (2010). Plasma cystatin C and acute kidney injury after cardiopulmonary bypass. *Clinical Journal of the American Society of Nephrology*, 5(8), 1373–1379. <https://doi.org/10.2215/CJN.06350909>
- Wu, B., Chen, J., & Yang, Y. (2019). Biomarkers of Acute Kidney Injury after Cardiac Surgery: A Narrative Review. *BioMed Research International*, 2019. <https://doi.org/10.1155/2019/7298635>

- Xiang, D., Zhang, H., Bai, J., Ma, J., Li, M., Gao, W., *et al.* (2013). Particle-enhanced turbidimetric immunoassay for determination of serum neutrophil gelatinase-associated lipocalin on the Roche Cobas c501 analyzer. *Clin Biochem*, 46(16–17), 1756–1760. <https://doi.org/10.1016/j.clinbiochem.2013.09.007>
- Yang, X., Zhu, L., Pan, H., & Yang, Y. (2024). Cardiopulmonary bypass associated acute kidney injury: better understanding and better prevention. *Renal Failure*. <https://doi.org/10.1080/0886022X.2024.2331062>
- Yim, H. E. (2015). Neutrophil Gelatinase-Associated Lipocalin and Kidney Diseases. *The Korean Society of Pediatric Nephrology*, 0242, 79–88.
- Zdziechowska, M., Gluba-Brzózka, A., Poliwczak, A. R., Franczyk, B., Kidawa, M., Zielinska, M., & Rysz, J. (2020). Serum NGAL, KIM-1, IL-18, L-FABP: new biomarkers in the diagnostics of acute kidney injury (AKI) following invasive cardiology procedures. *International Urology and Nephrology*, 52(11), 2135–2143. <https://doi.org/10.1007/s11255-020-02530-x>
- Zhou, F., Luo, Q., Wang, L., & Han, L. (2016). Diagnostic value of neutrophil gelatinase-associated lipocalin for early diagnosis of cardiac surgery-associated acute kidney injury: A meta-analysis. *European Journal of Cardiothoracic Surgery*, 49(3), 746–755. <https://doi.org/10.1093/ejcts/ezv199>