

## DAFTAR PUSTAKA

- Al Hassani, A. A., & Al Shamma, M. A., (2018). Effect of Delayed Bonding and Different Antioxidants on Composite Restoration Microleakage of Internally Bleached Teeth. *Adv Dent & Oral Health*, 1-6.
- Alqahtani, M.Q., (2014) Review Article: Tooth-Bleaching Procedures And Their Controversial Effects: A Literature Review, *The Saudi Dental Journal*, 26 : 33-46.
- Alvarenga, F.A.D.,Pineli, C.,Loffredo, L.D.C.M., (2015) Realibility of Marginal Microleakage Assessment by Visual and Digital Methods, *European Journal of Dentistry*, 9(1):1-5.
- Anindita, (2023) *Pengaruh Surfaktan 0,4% dan 0,5% dalam Sodium Askorbat 35% Terhadap Sudut Kontak dan Kekuatan Geser Restorasi Resin Komposit pada Dentin Pasca Bleaching Intrakoronar dengan Hidrogen Peroksida 35%*, Yogyakarta: Tesis Program Pendidikan Dokter Gigi Spesialis, Fakultas Kedokteran Gigi, Universitas Gadjah Mada.
- Anusavice, K.J., (2013) *Phillips' Science of Dental Materials*. 11 ed. Elsevier: USA: 58, 259-260, 279-289.
- Arlini, R., (2023) *Pengaruh Sodium Askorbat 35% Kombinasi Surfaktan 0,4% sebagai Antioksidan terhadap Panjang Resin Tag Restorasi Resin Komposit Pasca Bleaching Intrakoronar*. Yogyakarta: Tesis Program Pendidikan Dokter Gigi Spesialis, Fakultas Kedokteran Gigi, Universitas Gadjah Mada.
- Belhaj, A. F., Elraies, K. A., & Mahmood, S. M., 2020, The effect of surfactant concentration, salinity, temperature, and pH on surfactant adsorption for chemical enhanced oil recovery: a review. *Journal of Petroleum Exploration and Production Technology*, 125-135.
- Benetti A, Havndrup-Pedersen C, Honoré D, Pedersen M, Pallesen U., (2015) Bulk Fill Resin Composites: Polymerization Contraction, Depth of Cure, and Gap Formation. *Oper. Dent.* 2015;40(2):190–200.

- Briso, A., Rahal, V., Sundfeld, R. H., Dantos, P. H., & Alexandre, R. S., (2014) Effect of Sodium Ascorbate on Dentin Bonding After Two Bleaching Techniques. *Operative Dentistry*, 195-203
- Cakir, F., Korkmaz, Y., Firat, E., Oztas, S., & Gurgan, S. (2011). Chemical Analysis of Enamel and Dentin Following the Application of Three Different At-home Bleaching Systems. *Operative Dentistry*, 36(5): 529-536.
- Chauhan, U., Dewan, R., & Goyal, N. (2020). Comparative Evaluation of Bond Strength of Fifth, Sixth, Seventh, and Eighth Generations of Dentin Bonding Agents: An In Vitro Study. *Journal of Operative Dentistry and Endodontics*, 5(2): 69-73.
- Cavalli, V., Sebold, M., Shinohara, M. S., Pereira, N. P., & Giannini, M. (2018). Dentin bond strength and nanoleakage of the adhesive interface after intracoronar bleaching. *Microsc Res Tech*, 4-8.
- Chandaru TP, Azhikodan N, Peedikayil FC, Kottayi S, N D. (2020) Evaluation of Effect of Polymerization Time on Curing Depth of Various Bulk Fill Composites-an in Vitro Study. *J Res Dent*. 16;7(3):45.
- Coelho, A. S., Garrido, L., Mota, M., Marto, C. M., Amaro, I., Carrilho, E., & Paula, A. (2020). Non-Vital Tooth Bleaching Techniques: A Systematic Review. *MDPI Coatings*, 10(61): 1-10.
- Coppla, F. M., Freire, A., Bittencourt, B., Vega, A. A., Banitez, V., Calixto, A. L., & Loguercio, A. D., (2019) Influence Of Simplified, Higher- Concentrated Sodium Ascorbate Application Protocols On Bond Strength Of Bleached Enamel. *J Clin Exp Dent*, 21-26.
- Cortez, T. V., Ziotti, I. R., Scatolin, S. R., Corona, S. A., & Souza-Gabriel, A. E. (2018). Protocols for sodium ascorbate application on intracoronary dentin bleached with high-concentrated agent. *Journal of Conservative Dentistry*, 21(1): 26-30.
- Dabas, Deepati., Anand C Patil., Veerendra M Uppin., (2011) Evaluation of the effect of concentration and duration of application of sodium ascorbate

hydrogel on the bond strength of composite resin to bleached enamel, *Journal of Conservative Dentistry*, 14 : 356-60.

Elawsya, M. E., El-shehawy, T. M., & Zaghloul, M. N. (2020). Influence of various antioxidants on micro-shear bond strength of resin composite to bleached enamel. *J Esthet Restor Dent.*, 1-9.

European Food Safety Authority, (2015) Scientific Opinion on the re-evaluation of ascorbic acid (E 300), sodium ascorbate (E 301) and calcium ascorbate (E302) as food additives, *EFSA Journal*, 13(5): 1-124.

Faqiha, F.A., (2021) *Pengaruh Frekuensi Aplikasi dan Penambahan Surfaktan 0,4% dalam Sodium Askorbat 35% terhadap Kekuatan Tarik Pelekatan Resin Komposit Pasca Bleaching Intrakoronar dengan Hidrogen Peroksida 35%*. Yogyakarta: Tesis Program Pendidikan Dokter Gigi Spesialis, Fakultas Kedokteran Gigi, Universitas Gadjah Mada.

Feiz, A., Mosleh, H., & Nazeri, R., (2017) Evaluating the effect of antioxidant agents on shear bond strength of tooth coloured restorative material after bleaching: A systematic review. *J Mech Behav*, 156-164.

Fioresta, R., Melo, M., Forner, L., & Sanz, J. L. (2023). Prognosis in home dental bleaching: a systematic review. *Clinical Oral Investigations*, 27:3347–3361.

Freire, A., Souza, E.M., Caldas, D.B.M., Rosa, E.A.R., Bordin, C.F.W., Carvalho, R.M., dan Vieira, S., (2009) Reaction Kinetics Of Sodium Ascorbate And Dental Bleaching Gel, *J Dent*, 37(12): 932 -936.

Freire, A., Durski, M.T., Ingberman, M., Nakao, L.S., Souza, E.M., Vieira, S., (2011) Assessing The Use of 35 Percent Sodium Ascorbate For Removal of Residual Hydrogen Peroxide After In-Office Tooth Bleaching, *JADA*, 147(7): 836-841.

Garg, N., & Garg, A., (2015) *Textbook of Operative Dentistry 3rd Edition*. New Delhi: Jaypee Brothers., 447 – 462

Ghaleb, M., Orsini, G., Putignano, A., Dabbagh, S., Haber, G., & Hardan, L. (2020). The Effect of Different Bleaching Protocols, Used with and without Sodium

Ascorbate, on Bond Strength between Composite and Enamel. *materials MDPI*, 1-10.

Goncalves, F., L. M. P. Campos, E. C. Rodrigues-Junior, F. V. Costa, P. A. Marques, C. E. Francci, R. R. Braga, dan L. C. C. Boaro., (2017) A Comparative Study of Bulk-Fill Composites: Degree of Conversion, Post-Gel Shrinkage dan Cytotoxicity. *Braz Oral Res.* 32: 17.

Gopikrishna, V., (2021) *Grossman's Endodontic Practice, 14th Edition*. India: Wolters Kluwer., 480-488

Greenwall, L., (2017) *Tooth Whitening Techniques*. Boca Raton: CRC Press Taylor & Francis Group.

Han, Y., Mo, S., Jiang, L., & Zhu, Y., (2014) Effects Of Antioxidants On The Microleakage Of Composite Resin Restorations After External Tooth Bleaching. *Eur J Dent*, 147-153.

Han S-H, Park S-H., (2018) Incremental and Bulkfill Techniques with Bulk-fill Resin Composite in Different Cavity Configurations. *Oper Dent.* 43(6):631–641.

Haan, K. d., Ballard, Z. S., Rivenson, Y., Yichen Wu, Y., & Ozcan, A., (2019) Resolution enhancement in scanning electron microscopy using deep learning. *Scientific Report*, 1-6.

Hansen, J.R., Frick, K.J., dan Walker, M.P., (2014) Effect of 35% Sodium Ascorbate Treatment on Microtensile Bond Strength After Non Vital Bleaching, *JOE*, 1-3.

Hardan, L., Rim Bourgi, Carlos Enrique Cuevas-Suárez, Maroun Ghaleb, Khalil Kharma, Ryan Harouny, Monika Lukomska-Szymanska., (2023) Can Sodium Ascorbate Increase the In Vitro Bond Strength of the Interface between a Composite and Bleached Enamel? *MDPI Coatings*, 1-6.

Hargreaves, K., Berman, L., & Rotstein, I., (2016) *Cohen's Pathways of The Pulp, Eleventh Edition*. California: Elsevier., 1008-1021.

Hatrack, C. D., dan W. S. Eakle. 2016. *Dental Materials: Clinical Application for Dental Assistants and Dental Hygienists 3rd Edition*. Elseviers., 47-60.

- Ismail, E.H., Kilinc, E., Hardigan, P.C., Rothrock, J.K., Thompson, J.Y., Godoy, C.G., (2017) Effect of Two-minute Application of 35% Sodium Ascorbate on Composite Bond Strength following Bleaching, *The Journal of Contemporary Dental Practice*, 18(10) : 874-880.
- Jang, J-H., S-H. Park, dan I-N. Hwang., (2015) Polymerization Shrinkage and Depth of Cure of Bulk-Fill Resin Composites and Highly Filled Flowable Resin. *Operative Dentistry*, 40 (2): 172-180.
- Junaidi, A., (2023) *Pengaruh Konsentrasi Surfaktan dalam Sodium Askorbat 35% terhadap Kebocoran Mikro Resin Komposit pada Gigi Pasca Bleaching Intrakoronar dengan Hidrogen Peroksida 35%*, Yogyakarta: Tesis Program Pendidikan Dokter Gigi Spesialis, Fakultas Kedokteran Gigi, Universitas Gadjah Mada.
- Kahler, B., (2022) Present status and future directions - Managing discoloured teeth. *Int Endod J.*, 922-943.
- Karadas, M., & Demiburga, S., (2019) Influence of short-time antioxidant application on the dentine bond strength after intracoronar bleaching. *Microscopy Research Tech*, 1-8.
- Kesumawardhany, B., & Mita, S. R., (2016) Pengaruh Penambahan Tween 80 sebagai Enhancer Dalam Sediaan Transdermal. *Farmaka*.
- Kishen, A., 2015, *Nanotechnology in Endodontics Current and Potential Clinical Applications*. Switzerland: Springer.
- Kowalczyk D., Kazimierzak, w., Zieba, E., Mezynska, M., Cembala, M.B., Lisiecki, S., Karas, M., dan Baraniak, B., (2018) Ascorbic Acid- And Sodium Ascorbate-Loaded Oxidized Potato Starch Films: Comparative Evaluation Of Physicochemical And Antioxidant Properties, *Carbohydrate Polymers*, 181 : 317-326.
- Khurshid, Z., Najeeb, S., Zafar, M. S., & Sefat, F., (2019) *Advanced Dental Biomaterials*. United Kingdom: Elsevier.
- Kwon, S.R., dan Wertz, P.ET AL., (2015) Review of the Mechanism of Tooth Whitening, *Journal of Esthetic and Restorative Dentistry*, 27(5) : 240 – 257.

- Lima, A.F., Lessa, F.C.R., Hebling, J., Costa, C.A.D., dan Marchi, G.M., (2010) Protective Effect of Sodium Ascorbate on MDPC-23 Odontoblast Like Cell Exposed to Bleaching Agent, *European Journal of Dentistry*, 4(3): 238-44.
- Llena, C., Esteve, I., & Forner, L. (2017). Effect of Hydrogen and Carbamide Peroxide in Bleaching, Enamel Morphology, and Mineral Composition: In vitro Study. *The Journal of Contemporary Dental Practice*, 576-582.
- Llena, C., Galdón, O. M., Mallench, L. G., Lozano, F. J., & Gambini, J. (2018). Hydrogen Peroxide Diffusion through Enamel and Dentin. *Materials MDPI*, 1-8.
- Lopes, A. L., Ribei, M. E., & Barbosa, H. J., (2023) Does the Elapsed Time from Bleaching and the Use of Sodium Ascorbate Influence the Bond Strength of Resin Cement to Bleached Enamel? *MDPI Materials*, 1-7.
- Maleknejad, F., Ameri, H., & Kianfar, I. (2012). Effect of Intracoronal Bleaching Agents on Ultrastructure and Mineral Content of Dentin. *Journal Conservative Dentistry*, 15(2): 174-177.
- Miletic, V., (2018) *Dental Composite Materials for Direct Restorations*. Switzerland: Springer.
- Nascimento, G. C., Guerreiro, M. Y., Carvalho, F. F., Forçaa, A., Mário H. Silva E Souza Júnior, & Sandro C. Loretto., (2015) Does sodium ascorbate improve bond strength after dental bleaching techniques? *Rev Odonto Cienc*, 205- 210.
- Navyasri, K., Alla, R. K., Vineeth, G., & Sajjan MC, S. (2019). An overview of dentin bonding agents. *Int J Dent Mater*, 1(2): 60-67.
- Nugraheni, T., Nuryono, N., Sunarintyas, S., & Mulyawati, E., (2018) Composite Resin Shear Bond Strength on Bleached Dentin Increased by 35% Sodium Ascorbate Application. *Dental Journal (Majalah Kedokteran Gigi)*, 178-182.
- Nugraheni, T., Nuryono, Sunarintyas, S., & Mulyawati, E. (2021). Effect of 35% sodium ascorbate on calcium and phosphorus loss in dentin bleached by 35% hydrogen peroxide. *MKGI*, 10-15.

Oliveira, D. (2022). *Color Science and Shade Selection in Operative Dentistry*. USA: Springer.

Olmedo, D. E., Kury, M., Bruna, B. A., & Cavalli, V. (2021). Use of antioxidants to restore bond strength after tooth bleaching with peroxides. *Eur J Oral Sci.*, 1-19.

Orlowski, M., B. Tarczydło, dan R. Chalas., (2015) Evaluation of Marginal Integrity of Four Bulk-Fill Dental Composite Materials: In Vitro Study. *The Scientific World Journal.*, 1-8.

Park, J.ET AL., Kwon, T.ET AL., dan Kim, ET AL.K., (2013) Effective Application Duration Of Sodium Ascorbate Antioxidant In Reducing Microleakage Of Bonded Composite Restoration In Intracoronally-Bleached Teeth, *Restorative Dentistry & Endodontics*, ;38(1):43-47.

Pavlenko, V., Ronsénqvist, L., Kochukhov, O., (2015) *Fluid Mechanics*, Department of Physics and Astronomy Uppsala University.

Perdigao, J. (2016) *Tooth Whitening An Evidence-Based Perspective*, Springer, USA.

Piemjai, M., & Lenglerdphol, S. (2017). Effect of strong tooth-bleaching with 38% hydrogen peroxide on marginal seal of dental restorations using self-etch and total-etch adhesives. *J Esthet Restor Dent.*, 1-7.

Rathi, S. D., Nikhade, P., Cha, M., Motwani, N., Rathi, C., & Chandak, M., (2020) Microleakage in Composite Resin Restoration- A Review Article. *J. Evolution Med. Dent. Sci.*, 1006-1010.

Reningtyas, R., dan Mahreni, (2015) *Biosurfaktan, Eksergi*, 12(2): 12-22.

Rezaei, M., & et al. (2019). Effect of Er: YAG Laser on Microtensile Bond Strength of Bleached Dentin to Composite. *J Lasers Med Sci*, 10(2): 117–124.

Ritter, A. V., Boushell, L. W., & Walter, R., 2019, *Sturdevant's Art and Science of Operative Dentistry*. Missouri: Elsevier., 275, 279.

- Sabbagh, J., & McConnell, R., (2023) *Bulk Fill Resin Composites in Dentistry*. Switzerland: Springer.
- Sakaguchi, R., Ferrance, J., dan John, P., (2019) *Craig's Restorative Dental Materials. 14th ed.*, Missouri: Elsevier, hal: 136, 151
- Sekhon, B.S., (2013) Surfactants: Pharmaceutical and Medicinal Aspects, *Journal of Pharmaceutical, Technology, Research and Management* 1: 43-68.
- Shafigh, E., Mahdavi, M. R., & Nasiri, R. (2020). Evaluation and Comparison of Micro Shear of 5th, 7th and 8th Generation Bonding Agents in Dentin (In Vitro Study). *Archives of Pharmacy Practice*, 145-148.
- Sheraz, M.A., Khan, M.F., Ahmed, S., Kazi, S.ET AL., dan Ahmad, I., (2015) Stability and Stabilization of Ascorbic Acid A Review, *Household and Personal Care Today*, 10(3): 22-25.
- Szymczyk, K., Zdziennicka, A., dan Janczuk, B., (2018) Adsorption And Aggregation Properties Of Some Polysorbates At Diferent Temperatures, *Journal of Solution Chemistry*.
- Tabatabaee, M. H., Arami, S., Ghavam, M., & Rezaii, A., (2014). Monomer Release from Nanofilled and Microhybrid Dental Composites after Bleaching. *Journal of Dentistry*, Vol. 11, No. 1; 56-64.
- Torabinejad, M., Fouad, A. F., & Shabahang, S., (2021) *Endodontics Principles and Practice. 6th edition*. USA: Elsevier.
- Torres, C. R., (2020) *Modern Operative Dentistry*. Switzerland: Springer.
- Tosco, V., Vitiello, F., Furlani, M., Gatto, M. L., Monterubbianesi, R., Giuliani, A., Putignano, A., 2020, Microleakage Analysis of Different Bulk-Filling Techniques for Class II Restorations: Micro-CT, SEM and EDS Evaluations. *MDPI Materials*, 1-11.
- Uysal, T., Er, O., Sagsen, B., Ustdal, A., dan Akdogan, G., (2009) Can intracoronally bleached teeth be bonded safely?, *American Journal of Orthodontics and Dentofacial Orthopedics*, 690-694.

Widowati, K.D., Kristanti, Y., dan Nugraheni, T., (2015) Pengaruh Konsentrasi dan Lama Waktu Aplikasi Sodium Askorbat Terhadap Kebocoran Mikro Tumpatan Resin Komposit Kavitas Kelas I pasca *Bleaching* Intrakoronar dengan Hidrogen Peroksida. *J. Ked. Gi.* 6(2): 185-191.

Yasin, M., & et al. (2024). The influence of dental bleaching techniques on microleakage of composite resin restoration: a systematic review. *JUMMEC*, 2024(1): 311-323.

Yin, X., Chen, K., Cheng, H., Shen, X., Feng, S., Song, Y., dan Liang, L., (2022) Chemical Stability of Ascorbic Acid Integrated into Commercial Products: A Review on Bioactivity and Delivery Technology. *MDPI antioxidants*. 11(53): 1-20.

Yulianasari, (2020) *Pengaruh Konsentrasi Surfaktan Dalam Sodium Askorbat 35% Terhadap Sudut Kontak dan kekuatan Tarik Pelekatan Resin Komposit pada Gigi Pasca Bleaching Intrakoronar dengan Hidrogen Peroksida 35%*, Yogyakarta: Tesis Program Pendidikan Dokter Gigi Spesialis, Program Studi Konservasi Gigi, Universitas Gadjah Mada

Yuniaty, Maria, (2021) *Pengaruh Frekuensi Aplikasi Penambahan Surfaktan 0,4% dalam Sodium Askorbat 35% terhadap Kebocoran Mikro Resin Komposit Pasca Bleaching dengan Hidrogen Peroksida 35%*, Yogyakarta: Tesis Program Pendidikan Dokter Gigi Spesialis, Program Studi Konservasi Gigi, Universitas Gadjah Mada

Yusri, Trilaksana, A. C., & Rovani, C. A., (2016) Antioxidant effectivity to decrease coronal microleakage of composite resin restoration after intra-coronal bleaching. *Journal of Dentomaxillofacial Science*, 158-162.

Veloso, S. R., Lemos, A. C., de Moraes, L. S., Vasconcelos, C. B., Pellizzer, P. E., & Monteiro, Q. G., (2019). Clinical performance of bulk-fill and conventional resin composite restorations in posterior teeth: a systematic review and meta-analysis. *Clin Oral Invest*, 23:221–233.