



BAB VI

DAFTAR PUSTAKA

- Abdellatif, M., & Sedej, S. (2020). Cardiovascular benefits of intermittent fasting. In *Cardiovascular Research* (Vol. 116, Issue 3, pp. E36–E38). Oxford University Press. <https://doi.org/10.1093/cvr/cvaa022>
- Acharya, A. S., Prakash, A., Saxena, P., & Nigam, A. (2013). Sampling: why and how of it? *Indian Journal of Medical Specialities*, 4(2). <https://doi.org/10.7713/ijms.2013.0032>
- Ahmet I, Wan R, Mattson MP, Lakatta EG, Talan M. Cardioprotection by intermittent fasting in rats. *Circulation*. (2005) 112:3115–21. doi: 10.1161/CIRCULATIONAHA.105.563817
- Ahmed, N., *et al* (2021). Impact of Intermittent Fasting on Lipid Profile—A Quasi-Randomized Clinical Trial. *Frontiers in Nutrition*, 7. <https://doi.org/10.3389/fnut.2020.596787>
- Arciero, P. J., *et al* (2023). Intermittent fasting and protein pacing are superior to caloric restriction for weight and visceral fat loss. *Obesity*, 31(S1), 139–149. <https://doi.org/10.1002/oby.23660>
- Atit R, *et al* (2006). Beta-catenin activation is necessary and sufficient to specify the dorsal dermal fate in the mouse. *Dev Biol*;296:164–176. doi: 10.1016/j.ydbio.2006.04.449
- Badman, M.K. (2005). The Gut and Energy Balance: Visceral Allies in the Obesity Wars. *Science* 2005, 307, 1909–1914.
- Bansal, S., Buring, J. E., Rifai, N., Mora, S., Sacks, F. M., & Ridker, P. M. (2007). Fasting Compared With Nonfasting Triglycerides and Risk of Cardiovascular Events in Women. *JAMA*, 298(3), 309. <https://doi.org/10.1001/jama.298.3.309>
- Bays HE, *et al* (2013). Obesity, adiposity, and dyslipidemia: a consensus statement from the National Lipid Association. *J Clin Lipidol*, 7:304–383
- Becher T, *et al* (2021). Brown adipose tissue is associated with cardiometabolic health. *Nat Med*, 27:58–65.
- Berry R, Rodheffer MS. (2013). Characterization of the adipocyte cellular lineage in vivo. *Nat Cell Biol*. 15:302–308. doi: 10.1038/ncb2696
- Bhupathiraju SN, Hu FB. (2016). Epidemiology of obesity and diabetes and their cardiovascular complications. *Circ Res*, 118:1723–1735
- Bora, K., Pathak, M. S., Borah, P., & Das, D. (2017). Association of decreased high-density lipoprotein cholesterol (HDL-C) with obesity and risk estimates for decreased HDL-C attributable to obesity: Preliminary findings from a hospital-based study in a city from Northeast India. *Journal of Primary Care and Community Health*, 8(1), 26–30. <https://doi.org/10.1177/2150131916664706>
- Bostick B, *et al* (2015). Mineralocorticoid receptor block-ade prevents Western diet-induced diastolic dysfunction in female mice. *Am J Physiol Heart Circ Physiol*, 308:H1126– H1135
- Calabresi, L., Gomaschi, M., & Franceschini, G. (2003). Endothelial Protection by HighDensity Lipoproteins. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 23(10),1724–1731. <https://doi.org/10.1161/01.ATV.0000094961.74697.54>
- Chen, Y., Chang, Z., Zhao, Y., Fu, J., Zhang Y., Liu Y., Fan Z. (2022) “Triglyceride to high-density lipoprotein cholesterol ratio and cardiovascular events in the general population: A systematic review and meta-analysis of Cohort studies,” *Nutrition, Metabolism and Cardiovascular Diseases*, 32(2), pp. 318–329. Available at: <https://doi.org/10.1016/j.numecd.2021.11.005>.
- Cildir G, Akincilar SC, Tergaonkar V. (2013). Chronic adipose tissue inflammation: all



- immune cells on the stage. *Trends Mol Med*, 19:487–500. doi: 10.1016/j.molmed.2013.05.001
- DeMarco VG, Aroor AR, Sowers JR. (2014). The pathophysiology of hypertension in patients with obesity. *Nat Rev Endocrinol*, 10:364–376. doi:10.1038/nrendo.2014.44
- Eeg-Olofsson K, Gudbjörnsdottir S, Eliasson B. (2014). The triglycerides-to-hdlcholesterol ratio and cardiovascular disease risk in obese patients with type 2 diabetes: an observational study from the Swedish National Diabetes Register (NDR). *Diabetes Res Clin Pract*, 106:136–44
- Erdem, N. Z., Bayraktaroğlu, E., Samancı, R. A., Geçgil-Demir, E., Tarakçı, N. G., & Mert-Biberoğlu, F. (2022). The effect of intermittent fasting diets on body weight and composition. *Clinical Nutrition ESPEN*, 51, 207–214. <https://doi.org/10.1016/j.clnesp.2022.08.030>
- Figueiredo, N., *et al* (2022). Triglyceride-to-High-Density-Lipoprotein-Cholesterol Ratio as a Predictor of Metabolic Syndrome According to Stage of Life at Obesity Onset in Women with Severe Obesity—A Pilot Study. *Obesities*, 2(4), 361–371. <https://doi.org/10.3390/obesities2040030>
- Foster, G. D., *et al* (2010). Weight and Metabolic Outcomes After 2 Years on a Low-Carbohydrate Versus Low-Fat Diet. *Annals of Internal Medicine*, 153(3), 147–157. <https://doi.org/10.7326/0003-4819-153-3-201008030-00005>
- Frisch, S., *et al* (2009). A randomized controlled trial on the efficacy of carbohydrate-reduced or fat-reduced diets in patients attending a telemedically guided weight loss program. *Cardiovascular Diabetology*, 8(1), 36. <https://doi.org/10.1186/1475-2840-8-36>
- Gadde, K.M., Martin, C.K., Berthoud, H., Heymsfield, S.B.(2018) “Obesity,” *Journal of the American College of Cardiology*, 71(1), pp. 69–84. Available at: <https://doi.org/10.1016/j.jacc.2017.11.011>.
- Ghaben, A. L., & Scherer, P. E. (2019). Adipogenesis and metabolic health. *Nature Reviews Molecular Cell Biology*, 20(4), 242–258. <https://doi.org/10.1038/s41580-018-0093-z>
- Gjermeni, E., *et al* (2021) “Obesity—an update on the basic pathophysiology and review of recent therapeutic advances,” *Biomolecules*, 11(10), p. 1426. Available at: <https://doi.org/10.3390/biom11101426>
- Guzik TJ, Skiba DS, Touyz RM, Harrison DG. (2017). The role of infiltrating immune cells in dysfunctional adipose tissue. *Cardiovasc Res*, 113:1009–1023. doi: 10.1093/cvr/cvx108
- Greenstein AS, *et al* (2009). Local inflammation and hypoxia abolish the protective anticontractile properties of perivascular fat in obese patients. *Circulation*, 119:1661–1670
- Guanghong J, Hill MA, Sowers JR. (2019). Maternal exposure to high fructose and offspring health. *Hypertension American Heart Association*, 74:499–501
- Guh DP, Zhang W, Bansback N, Amarsi Z, Birmingham CL, Anis AH. (2009). The incidence of comorbidities related to obesity and overweight: a systematic review and meta-analysis. *BMC Public Health*, 9:88.
- Hall JE, do Carmo JM, da Silva AA, Wang Z, Hall ME. (2015). Obesity-induced hypertension. *Circ Res*, 116:991–1006
- Harvie, M. and Howell, A. (2017) “Potential benefits and harms of intermittent energy restriction and intermittent fasting amongst obese, overweight and normal weight subjects—a narrative review of human and animal evidence,” *Behavioral Sciences*, 7(4), p. 4. Available at: <https://doi.org/10.3390/bs7010004>
- Harris, A. D., *et al* (2006). The use and interpretation of quasi-experimental studies in medical informatics. *Journal of the American Medical Informatics Association*, 13(1), 16–23. <https://doi.org/10.1197/jamia.M1749>



- Hotamisligil GS, Shargill NS, Spiegelman BM. (1993). Adipose expression of tu-mor necrosis factor- alpha: direct role in obesity-linked insulin resistance. *Science*. 1993;259:87–91. doi: 10.1126/science.7678183
- Hu, T., & Bazzano, L. A. (2014). The low-carbohydrate diet and cardiovascular risk factors: Evidence from epidemiologic studies. *Nutrition, Metabolism and Cardiovascular Diseases*, 24(4), 337–343. <https://doi.org/10.1016/j.numecd.2013.12.008>
- Johnstone, A. (2014). Fasting for weight loss. An effective strategy or latest dieting trend? *Int. J. Obes*, 39, 727–733.
- Jia G, Aroor AR, Sowers JR. (2017). The role of mineralocorticoid receptor signaling in the cross-talk between adipose tissue and the vascular wall. *Cardiovasc Res*, 113:1055–1063. doi: 10.1093/cvr/cvx097
- Jia G, Durante W, Sowers JR. (2016). Endothelium-derived hyperpolarizing factors: a potential therapeutic target for vascular dysfunction in obesity and insulin resistance. *Diabetes*, 65:2118–2120. doi: 10.2337/dbi16-0026
- Jia G, Martinez-Lemus LA, Sowers JR. Interaction of adipogenesis and angiogenesis in dietary-induced obesity. *Diabetes*. 2015;64:2326–2328. doi: 10.2337/db15-0202
- Jia G, *et al* (2016). Endothelial mineralocorticoid receptor mediates diet-induced aortic stiffness in females. *Circ Res*, 118:935–943. doi: 10.1161/CIRCRESAHA.115.30826
- Keenan, S. J., *et al* (2022). Intermittent fasting and continuous energy restriction result in similar changes in body composition and muscle strength when combined with a 12 week resistance training program. *European Journal of Nutrition*, 61(4), 2183–2199. <https://doi.org/10.1007/s00394-022-02804-3>
- Klaus S, Casteilla L, Bouillaud F, Ricquier D. (1991). The uncoupling protein UCP: a membraneous mitochondrial ion carrier exclusively expressed in brown adipose tissue. *Int J Biochem*. 23:791–801. doi: 10.1016/0020-711x(91)90062
- Klop B, Elte JW, Cabezas MC. (2013). Dyslipidemia in obesity: mechanisms and potential targets. *Nutrients*, 5:1218–1240
- Koenen, M., Hill, M.A., Cohen, P., Sowers, J.R. (2021) “Obesity, adipose tissue and vascular dysfunction,” *Circulation Research*, 128(7), pp. 951–968. doi: 10.1161/circresaha.121.318093
- Kumar, R.B., Srivastava, G., Reid, T.J., Aronne, I.J. (2021) “Understanding the pathophysiologic pathways that underlie obesity and options for treatment,” *Expert Review of Endocrinology & Metabolism*, 16(6), pp. 321–338. doi: 10.1080/17446651.2021.1991310.
- Lee MJ, Wu Y, Fried SK. (2013). Adipose tissue heterogeneity: implication of depot differences in adipose tissue for obesity complications. *Mol Aspects Med*. 34:1–11. doi: 10.1016/j.mam.2012.10.001
- Leitner BP, *et al* (2017). Mapping of human brown adipose tissue in lean and obese young men. *Proc Natl Acad Sci USA*. 114:8649–8654. doi: 10.1073/pnas.1705287114
- Marchington JM, Mattacks CA, Pond CM. (1989). Adipose tissue in the mammalian heart and pericardium: structure, foetal development and biochemical properties. *Comp Biochem Physiol B*. 94:225–232. doi: 10.1016/0305-0491(89)90337-4
- Martin B, Mattson MP, Maudsley S. (2006). Caloric restriction and intermittent fasting: two potential diets for successful brain aging. *Ageing Res Rev*. 5:332–53. doi: 10.1016/j.arr.2006.04.002
- Matyjaszyk, P.; Hoffmann, K.; Bryl, W (2011). The Epidemiology of Selected Risk Factors of Cardiovascular Diseases. *Przegląd Kardiologinczny*. 6(4):255–262
- Mohamed, Y. A., Abouelmagd, M., Elbially, A., Elwassefy, M., & Kyrillos, F. (2024). Effect of intermittent fasting on lipid biokinetics in obese and overweight patients with type 2 diabetes mellitus: prospective observational study. *Diabetology and Metabolic*



- Syndrome, 16(1). <https://doi.org/10.1186/s13098-023-01234-3>
- Monica, M. H. (2022). Correlation of Triglyceride/HDL-Cholesterol Ratio and Visceral Adiposity Index with 25(OH)D in Obese Female. *Indonesia Journal of Clinical Pathology and Medical Laboratory*, 29(1), 59–63.
- Moreno-Indias I and Tinahones FJ. (2015). Impaired adipose tissue expandability and lipogenic capacities as ones of the main causes of metabolic disorders. *J Diabetes Res*. 2015:970375. doi: 10.1155/2015/9703
- Padilla J, Vieira-Potter VJ, Jia G, Sowers JR. (2015). Role of perivascular adipose tissue on vascular reactive oxygen species in type 2 diabetes: a give-and-take relationship. *Diabetes*. 64:1904–1906. doi: 10.2337/db15-0096
- Patterson, R. E., Laughlin, G. A., LaCroix, A. Z., Hartman, S. J., Natarajan, L., Senger, C. M., Martínez, M. E., Villaseñor, A., Sears, D. D., Marinac, C. R., & Gallo, L. C. (2015). Intermittent Fasting and Human Metabolic Health. *Journal of the Academy of Nutrition and Dietetics*, 115(8), 1203–1212. <https://doi.org/10.1016/j.jand.2015.02.018>
- Piché M-E, Tchernof A, Després J-P. (2020). Obesity phenotypes, diabetes, and cardiovascular diseases. *Circ Res*.126:1477–1500
- Roh HC, *et al* (2018). Warming induces significant reprogramming of Beige, but not brown, adipocyte cellular identity. *Cell Metab*.27:1121–1137.e5. doi: 10.1016/j.cmet.2018.03.005
- Sacks, HS, *et al* (2019). Uncoupling protein-1 and related messenger ribonucleic acids in human epicardial and other adipose tissues: epicardial fat functioning as brown fat. *J Clin Endocrinol Metab*. 94:3611–3615. doi: 10.1210/jc.2009-0571
- Salazar MR, Carbajal HA, Espeche WG. (2013). Identifying cardiovascular disease risk and outcome: use of the plasma triglyceride/high-density lipoprotein cholesterol concentration ratio versus metabolic syndrome criteria. *J Intern Med* 2013;273:595–601.
- Salazar MR, Carbajal HA, Espeche WG. (2014). Use of the plasma triglyceride/ high-density lipoprotein cholesterol ratio to identify cardiovascular disease in hypertensive subjects. *J Am Soc Hypertens*. 8:724–31
- Santos, H.O and Macedo, R.(2018). Impact of intermittent fasting on the lipid profile: assessment associated with diet and weight loss. *Clin Nutr ESPEN*. 24:14–21.doi: 10.1016/j.clnesp.2018.01.002
- Saxton, SN., Clark, BJ., Withers, SB., Eringa, EC., Heagerty, AM. (2019). Mechanistic links between obesity, diabetes, and blood pressure: role of perivascular adipose tissue. *Physiol Rev*. 99:1701–1763. doi:10.1152/physrev.00034.2018
- Schwartz, M.W., *et al*(2017). Obesity Pathogenesis: An Endocrine Society Scientific Statement. *Endocr. Rev*. 38:267–296.
- Seale, P., *et al*. (2008). PRDM16 controls a brown fat/skeletal muscle switch. *Nature*. 454:961–967. doi: 10.1038/nature07182
- Selcuk A, *et al* (2013). Skinfold thickness as a predictor of arterial stiffness: obesity and fatness linked to higher stiffness measure-ments in hypertensive patients. *Clin Exp Hypertens*. 35:459–464. doi: 10.3109/10641963.2012.7463
- Song, S., & Lee, J. E. (2018). Dietary Patterns Related to Triglyceride and High-Density Lipoprotein Cholesterol and the Incidence of Type 2 Diabetes in Korean Men and Women. *Nutrients*, 11(1), 8. <https://doi.org/10.3390/nu11010008>
- Sowers JR, *et al* (2019). Epithelial sodium channels in endothelial cells medi-ate diet-induced endothelium stiffness and impaired vascular relaxation in obese female mice. *Metabolism*. 99:57–66. doi: 10.1016/j. metabol.2019.15394
- Sowers JR, *et al* (2020). Endothelial sodium channel activation promotes cardiac stiffness and diastolic dysfunction in Western diet fed female mice. *Metabolism*. 109:154223.



- doi: 10.1016/j.metabol.2020.15422
- Stern, L., *et al* (2004). The Effects of Low-Carbohydrate versus Conventional Weight Loss Diets in Severely Obese Adults: One-Year Follow-up of a Randomized Trial. *Annals of Internal Medicine*, 140(10), 778–785. <https://doi.org/10.7326/0003-4819-140-10-200405180-00007>
- Strasser B, Arvandi M, Pasha EP, Haley AP, Stanforth P, Tanaka H. (2015). Abdominal obesity is associated with arterial stiffness in middle-aged adults. *Nutr Metab Cardiovasc Dis*. 25:495–502. doi: 10.1016/j. numecd.2015.01.002
- Sutton-Tyrrell K, *et al* (2001). Aortic stiffness is associated with visceral adi-positiy in older adults enrolled in the study of health, aging, and body compo-sition. *Hypertension*. 38:429–433. doi: 10.1161/01.hyp.38.3.42
- Talman, AH., Psaltis, PJ., Cameron, JD., Meredith, IT., Seneviratne, SK., Wong, DT. (2014). Epicardial adipose tissue: far more than a fat depot. *Cardiovasc Diagn Ther*. 4:416–429. doi: 10.3978/j.issn.2223-3652.2014.11.05
- Thanassoulis, G., *et al* (2012). Periaortic adipose tissue and aortic dimensions in the Framingham Heart Study. *J Am Heart Assoc*.1:885. doi: 10.1161/JAHA.112.000885
- Timmons, JA., *et al* (2007). Myogenic gene expression signature establishes that brown and white adipocytes originate from distinct cell lineages. *Proc Natl Acad Sci USA*. 104:4401–4406. doi: 10.1073/pnas.0610615104
- Vega, GL., Barlow, CE., Grundy, SM. (2014). Triglyceride-to-high-density-lipoproteincholesterol ratio is an index of heart disease mortality and of incidence of type 2 diabetes mellitus in men. *J Investig Med*. 62:345–9.
- Virtanen, KA., *et al* (2009). Functional brown adipose tissue in healthy adults. *N Engl J Med*. 360:1518–1525. doi: 10.1056/NEJMoa0808949
- Waldén, TB., Hansen, IR., Timmons, JA., Cannon, B., Nedergaard, J. (2012). Recruited vs. nonrecruited molecular signatures of brown, “brite,” and white adipose tissues. *Am J Physiol Endocrinol Metab*. 302:E19–E31. doi: 10.1152/ajpendo.00249.2011
- Wang, QA., Tao, C., Gupta, RK., Scherer, PE. (2013). Tracking adipogenesis during white adipose tissue development, expansion and regeneration. *Nat Med*. 2013;19:1338–1344. doi: 10.1038/nm.332
- Welton, S., *et al* (2020). Intermittent fasting and weight loss Systematic review. *Canadian Family Physician*, 66, 116–125.
- WHO expert consultation. (2004). Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *The Lancet*, 363(9403), 157–163. [https://doi.org/10.1016/S0140-6736\(03\)15268-3](https://doi.org/10.1016/S0140-6736(03)15268-3)
- Witjaksono, F., Prafiantini, E., & Rahmawati, A. (2022). Effect of intermittent fasting 5:2 on body composition and nutritional intake among employees with obesity in Jakarta: a randomized clinical trial. In *BMC Research Notes* (Vol. 15, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s13104-022-06209-7>
- Wu, J., *et al* (2012). Beige adipocytes are a distinct type of thermogenic fat cell in mouse and human. *Cell*. 150:366–376. doi: 10.1016/j.cell.2012.05.016
- Yang, Y., Wang, B., Yuan, H., & Li, X. (2021). Triglycerides to High-Density Lipoprotein Cholesterol Ratio Is the Best Surrogate Marker for Insulin Resistance in Nonobese Middle-Aged and Elderly Population: A Cross-Sectional Study. *International Journal of Endocrinology*, 2021, 1–8. <https://doi.org/10.1155/2021/6676569>
- Yoo S. (2018). Dynamic Energy Balance and Obesity Prevention. *J Obes Metab Syndr*. 27(4):203–12. doi: 10.7570/jomes.2018.27.4.203
- Zhang, F., *et al* (2018). An adipose tissue atlas: an image-guided identification of human-like BAT and beige depots in rodents. *Cell Metab*. 27:252.e3–262.e3. doi: 10.1016/j.cmet.2017.12.004



Zoico, E., Rubele, S., De Caro, A. (2019). Brown and beige adipose tissue and aging. *Front Endocrinol (Lausanne)*. 10:368