

DAFTAR PUSTAKA

- Almalki, D., Badawi, M.A., Elgemmezi, T., Alabdali, A., Almutairi, M., Almogbel, A., *et al.* (2024). Blood Donor Characteristics at a Hospital Blood Bank in Saudi Arabia: A Trend-analysis. *J. Appl. Hematol.* 15 : 169–175. Available at: https://doi.org/10.4103/joah.joah_74_24
- Altés, A., Ruiz, M.A., Castell, C., Roure, E., & Tresserras, R. (2004). Iron deficiency and iron overload in an adult population in Catalonia, Spain | Déficit y sobrecarga de hierro en la población adulta de Cataluña. *Med. Clin. (Barc).* 123 : 131–133. Available at: [https://doi.org/10.1016/s0025-7753\(04\)74435-8](https://doi.org/10.1016/s0025-7753(04)74435-8)
- Anderson, G.J., & Frazer, D.M. (2017). Current understanding of iron homeostasis. *Am. J. Clin. Nutr.* 106 : 1559S-1566S. Available at: <https://doi.org/10.3945/ajcn.117.155804>
- Anju, J., Abhishekh, B., Debdatta, B., Bobby, Z., & Sharan, M. (2022). Assessment of iron status in regular blood donors in a tertiary care hospital in Southern India. *Asian J. Transfus. Sci.* 16 : 186. Available at: https://doi.org/10.4103/ajts.ajts_119_21
- Ansar, W., & Ghosh, S. (2013). C-reactive protein and the biology of disease. *Immunol. Res.* 56 : 131–142. Available at: <https://doi.org/10.1007/s12026-013-8384-0>
- Anshori, F., Ratnaningsih, T., & Triyono, T. (2021). Hematology and Iron Status Evaluation Based on Donation Characteristics in Dr. Sardjito Hospital, Yogyakarta. *Indones. J. Clin. Pathol. Med. Lab.* 27 : 249–253. Available at: <https://doi.org/10.24293/ijcpml.v27i3.1876>
- Ashton, N. (2010). Physiology of red and white blood cells. *Anaesth. Intensive Care Med.* 11 : 236–241. Available at: <https://doi.org/10.1016/j.mpaic.2010.02.018>
- Athanasiou, L. V., Tsokana, C.N., Pardali, D., & Moraitou, K.A. (2018). Histograms of Complete Blood Counts in Dogs: Maximizing Diagnostic Information. *Top. Companion Anim. Med.* 33 : 141–146. Available at: <https://doi.org/10.1053/j.tcam.2018.06.001>
- Badenhorst, C.E., Forsyth, A.K., & Govus, A.D. (2022). A contemporary understanding of iron metabolism in active premenopausal females. *Front. Sport. Act. Living* 4. Available at: <https://doi.org/10.3389/fspor.2022.903937>
- Bajbouj, K., Shafarin, J., Allam, H., Madkour, M., Awadallah, S., El-Serafy, A., *et al.* (2018). Elevated Levels of Estrogen Suppress Hcpidin Synthesis and Enhance Serum Iron Availability in Premenopausal Women. *Exp. Clin. Endocrinol. Diabetes* 126 : 453–459. Available at: <https://doi.org/10.1055/s-0043-124077>
- Bani, M., Strepparava, M., & Giussani, B. (2014). Gender differences and frequency of whole blood donation in Italian donors: Even though I want to, I cannot? *Transfus. Apher. Sci.* 50 : 81–86. Available at: <https://doi.org/10.1016/j.transci.2013.11.001>
- Belcher, J.D., Chen, C., Nguyen, J., Abdulla, F., Zhang, P., Nguyen, H., *et al.* (2018). Haptoglobin and hemopexin inhibit vaso-occlusion and inflammation in murine sickle cell disease: Role of heme oxygenase-1 induction. *PLoS One* 13. Available at: <https://doi.org/10.1371/journal.pone.0196455>
- Bhattacharya, A. (2011). Red blood cell mechanics. *J. Indian Med. Assoc.* 109 : 668–670.

- Blackson, E.A., McCarthy, C., Bell, C., Ramirez, S., & Bazzano, A.N. (2024). Experiences of menopausal transition among populations exposed to chronic psychosocial stress in the United States: a scoping review. *BMC Womens. Health* 24. Available at: <https://doi.org/10.1186/s12905-024-03329-z>
- Blake, J.T. (2019). Modelling the need for new blood donors following a change in deferral period, in: *Springer Proceedings in Mathematics and Statistics*. pp. 61–73. Available at: https://doi.org/10.1007/978-3-030-14969-7_6
- Boinska, J., Sury, M., Zawacka, D., Filipiak, J., & Żekanowska, E. (2019). Iron metabolism parameters in regular blood donors - A gender related analysis. *J. Elem.* 24 : 1395–1407. Available at: <https://doi.org/10.5601/jelem.2019.24.1.1767>
- Bou Assi, T., Haddad, A., Haddad, L., & Garraud, O. (2018). Can a decentralized blood supply system reach 100% voluntary nonremunerated donation? *Int. J. Health Plann. Manage.* 33 : e883–e891. Available at: <https://doi.org/10.1002/hpm.2576>
- Braunschweig, J., Bosch, J., Heister, K., Kuebeck, C., & Meckenstock, R.U. (2012). Reevaluation of colorimetric iron determination methods commonly used in geomicrobiology. *J. Microbiol. Methods* 89 : 41–48. Available at: <https://doi.org/10.1016/j.mimet.2012.01.021>
- Bruno, M., De Falco, L., & Iolascon, A. (2015). How I Diagnose Non-thalassemic Microcytic Anemias. *Semin. Hematol.* 52 : 270–278. Available at: <https://doi.org/10.1053/j.seminhematol.2015.05.002>
- Cable, R.G., Glynn, S.A., Kiss, J.E., Mast, A.E., Steele, W.R., Murphy, E.L., *et al.* (2012). Iron deficiency in blood donors: The REDS-II Donor Iron Status Evaluation (RISE) study. *Transfusion* 52 : 702–711. Available at: <https://doi.org/10.1111/j.1537-2995.2011.03401.x>
- Cappellini, M.D., Russo, R., Andolfo, I., & Iolascon, A. (2020). Inherited microcytic anemias. *Hematol. (United States)* 20 : 465–470. Available at: <https://doi.org/10.1182/HEMATOLOGY.2020000158>
- Cappellini, M.D., Santini, V., Braxs, C., & Shander, A. (2022). Iron metabolism and iron deficiency anemia in women. *Fertil. Steril.* 118 : 607–614. Available at: <https://doi.org/10.1016/j.fertnstert.2022.08.014>
- Cooling, L. (2014). The RBC as a Physiological Object, Pathobiology of Human Disease: A Dynamic Encyclopedia of Disease Mechanisms. Available at: <https://doi.org/10.1016/B978-0-12-386456-7.06202-X>
- Correnti, M., Gammella, E., Cairo, G., & Recalcati, S. (2022). Iron Mining for Erythropoiesis. *Int. J. Mol. Sci.* 23. Available at: <https://doi.org/10.3390/ijms23105341>
- Dajak, M. (2005). Preanalytical phase of clinical-diagnostic process | Preanalitička faza kliničko-dijagnostičkog procesa. *Jugosl. Med. Biohemija* 24 : 23–33.
- Di Angelantonio, E., Thompson, S.G., Kaptoge, S., Moore, C., Walker, M., Armitage, J., *et al.* (2017). Efficiency and safety of varying the frequency of whole blood donation (INTERVAL): a randomised trial of 45 000 donors. *Lancet* 390 : 2360–2371. Available at: [https://doi.org/10.1016/S0140-6736\(17\)31928-1](https://doi.org/10.1016/S0140-6736(17)31928-1)

- Djalali, M., Neyestani, T.R., Bateni, J., & Siassi, F. (2006). The effect of repeated blood donations on the iron status of Iranian blood donors attending the Iranian blood transfusion organization. *Int. J. Vitam. Nutr. Res.* 76 : 132–137. Available at: <https://doi.org/10.1024/0300-9831.76.3.132>
- Drvenica, I.T., Stančić, A.Z., Maslovarić, I.S., Trivanović, D.I., & Ilić, V.L. (2022). Extracellular Hemoglobin: Modulation of Cellular Functions and Pathophysiological Effects. *Biomolecules* 12 : 1–20. Available at: <https://doi.org/10.3390/biom12111708>
- Enculescu, M., Metzendorf, C., Sparla, R., Hahnel, M., Bode, J., Muckenthaler, M.U., *et al.* (2017). Modelling Systemic Iron Regulation during Dietary Iron Overload and Acute Inflammation: Role of Hepcidin-Independent Mechanisms. *PLoS Comput. Biol.* 13 : 1–27. Available at: <https://doi.org/10.1371/journal.pcbi.1005322>
- Eriksson, E.A., Mobäck, C., Jakobsson, S., & Hoffmann, J.J.M.L. (2015). Iron depletion in blood donors - Have extended erythrocyte and reticulocyte parameters diagnostic utility? *Transfus. Apher. Sci.* 53 : 76–81. Available at: <https://doi.org/10.1016/j.transci.2015.03.011>
- Fiedler, G.M., & Thiery, J. (2004). The incorrect laboratory result. Part 1: Pre- and postanalytical phase | Der “fehlerhafte” laborbefund. Teil 1: Fehlerquellen der prä- und postanalytischen phase. *Internist* 45 : 315–331. Available at: <https://doi.org/10.1007/s00108-003-1126-y>
- Ford, J. (2013). Red blood cell morphology. *Int. J. Lab. Hematol.* 35 : 351–357. Available at: <https://doi.org/10.1111/ijlh.12082>
- Gammella, E., Buratti, P., Cairo, G., & Recalcati, S. (2017). The transferrin receptor: The cellular iron gate. *Metallomics* 9 : 1367–1375. Available at: <https://doi.org/10.1039/c7mt00143f>
- Ganz, T., & Nemeth, E. (2024). Anemia of chronic disease, *Molecular Hematology*. Available at: <https://doi.org/10.1002/97811394180486.ch12>
- Ganz, T., & Nemeth, E. (2016). Iron Balance and the Role of Hepcidin in Chronic Kidney Disease. *Semin. Nephrol.* 36 : 87–93. Available at: <https://doi.org/10.1016/j.semnephrol.2016.02.001>
- González, A.G., Herrador, M.Á., & Asuero, A.G. (2010). Intra-laboratory assessment of method accuracy (trueness and precision) by using validation standards. *Talanta* 82 : 1995–1998. Available at: <https://doi.org/10.1016/j.talanta.2010.07.071>
- Gow, A.J., Payson, A.P., & Bonaventura, J. (2005). Invertebrate hemoglobins and nitric oxide: How heme pocket structure controls reactivity. *J. Inorg. Biochem.* 99 : 903–911. Available at: <https://doi.org/10.1016/j.jinorgbio.2004.12.001>
- Goyal, H., Lippi, G., Gjymishka, A., John, B., Chhabra, R., & May, E. (2017). Prognostic significance of red blood cell distribution width in gastrointestinal disorders. *World J. Gastroenterol.* 23 : 4879–4891. Available at: <https://doi.org/10.3748/wjg.v23.i27.4879>
- Gürel, E.I. (2012). Programmed erythrocyte death: Eryptosis: Review | Eritrositlerin programlanmış ölümü: Eriptoz. *Turkiye Klin. Cardiovasc. Sci.* 24 : 254–259.
- Gurung, N., Shakya, B., Rai, G., & Shrestha, D. (2023). Comparison of Volunteer Non-

- Remunerated Donors and Replacement Donors. *J. Nepal Health Res. Counc.* 20 : 973–976. Available at: <https://doi.org/10.33314/jnhrc.v20i4.4392>
- Haase, V.H. (2013). Regulation of erythropoiesis by hypoxia-inducible factors. *Blood Rev.* 27 : 41–53. Available at: <https://doi.org/10.1016/j.blre.2012.12.003>
- Hod, E.A., Brittenham, G.M., Bitan, Z.C., Feit, Y., Gaelen, J.I., La Carpia, F., *et al.* (2022). A randomized trial of blood donor iron repletion on red cell quality for transfusion and donor cognition and well-being. *Blood* 140 : 2730–2739. Available at: <https://doi.org/10.1182/blood.2022017288>
- Jahanpour, O., Pyuza, J.J., Ntiyakunze, E.O., Mremi, A., & Shao, E.R. (2017). ABO and Rhesus blood group distribution and frequency among blood donors at Kilimanjaro Christian Medical Center, Moshi, Tanzania. *BMC Res. Notes* 10 : 1–5. Available at: <https://doi.org/10.1186/s13104-017-3037-3>
- Jain, A., Chowdhury, N., Jain, S., Uttam, N., & Meinia, S.K. (2018). Altered Red Cell Indices in Repeat Blood Donors: Experience of a North Indian Blood Bank. *Indian J. Hematol. Blood Transfus.* 34 : 666–670. Available at: <https://doi.org/10.1007/s12288-018-0954-9>
- Jin, Y., & Savage, N.M. (2024). Sideroblastic Anemia, Non-Neoplastic Hematologic Disorders: A Quick Review of Modern Diagnostic and Therapeutic Approaches. Available at: https://doi.org/10.1007/978-3-031-62373-8_11
- Kalanidhi, P.C., Rakesh, R., Manisha, M., & Srujana, S. (2024). A clinico-hematological profile of microcytic hypochromic anemia in children: an observational study. *Glob. J. Res. Anal.* 77–80. Available at: <https://doi.org/10.36106/GJRA/6805652>
- Kalinowski, D.S., & Richardson, D.R. (2010). Cellular and molecular biology of iron-binding proteins, *Cellular and Molecular Biology of Metals*. Available at: <https://doi.org/10.1201/9781420059984>
- Kemenkes (2015). Standard Pelayanan Transfusi Darah.
- Keohane, E.M., Otto, C.N., & Walenga, J.M. (2020). Rodak's Hematology Clinical Principles and Applications, sixth edition, 6th ed, Sustainability (Switzerland). Elsevier.
- Kim, H.W., & Greenburg, G. (2013). Hae Won Kim · A. Gerson Greenburg.
- Kurl, A., Berry, V., Dhanoa, J., & Masih, A. (2007). Seropositivity of HBsAg, anti HCV and anti HIV among blood donors: a comparative study on three years of 5 years interval. *Indian J. Public Health* 51 : 41–42.
- Lee, J.Y., Choi, H., Park, J.W., Son, B.R., Park, J.H., Jang, L.C., *et al.* (2022). Age-related changes in mean corpuscular volumes in patients without anaemia: An analysis of large-volume data from a single institute. *J. Cell. Mol. Med.* 26 : 3548–3556. Available at: <https://doi.org/10.1111/jcmm.17397>
- Liu, W.J., Chen, Y.Y., Chen, J.W., Lin, C.H., Wei, S.T., & Hou, S.M. (2024). The potential benefits of extra screening for glycated haemoglobin, total cholesterol and low-density lipoprotein cholesterol on donor health management and retention. *Vox Sang.* Available at: <https://doi.org/10.1111/VOX.13749>
- Mantadakis, E., Panagopoulou, P., Kontekaki, E., Bezirgiannidou, Z., & Martinis, G.

- (2022). Iron Deficiency and Blood Donation: Links, Risks and Management. *J. Blood Med.* 13 : 775–786. Available at: <https://doi.org/10.2147/JBM.S375945>
- Manuel, A. (2021). Carbon Dioxide, Encyclopedia of Respiratory Medicine, Second Edition. Available at: <https://doi.org/10.1016/B978-0-12-801238-3.11632-0>
- Marković, M., Majkić-Singh, N., & Subota, V. (2005). Usefulness of soluble transferrin receptor and ferritin in iron deficiency and chronic disease. *Scand. J. Clin. Lab. Invest.* 65 : 571–576. Available at: <https://doi.org/10.1080/00365510500206542>
- Mast, A.E., Blinder, M.A., & Dietzen, D.J. (2008). Reticulocyte hemoglobin content. *Am. J. Hematol.* 83 : 307–310. Available at: <https://doi.org/10.1002/ajh.21090>
- Merlo, F., Groothof, D., Khatami, F., Ahanchi, N.S., Wehrli, F., Bakker, S.J.L., *et al.* (2023). Changes in Iron Status Biomarkers with Advancing Age According to Sex and Menopause: A Population-Based Study. *J. Clin. Med.* 12. Available at: <https://doi.org/10.3390/jcm12165338>
- Metzgeroth, G., & Hastka, J. (2004). Diagnostic work-up of iron deficiency. *LaboratoriumsMedizin* 28 : 391–399. Available at: <https://doi.org/10.1515/LabMed.2004.054>
- Metzgeroth, G., Schultheis, B., Dorn-Beineke, A., Hehlmann, R., & Hastka, J. (2007). Zinc protoporphyrin, a useful parameter to address hyperferritinemia. *Ann. Hematol.* 86 : 363–368. Available at: <https://doi.org/10.1007/s00277-007-0271-0>
- Meulenbeld, A., Ramondt, S., Sweegers, M.G., Quee, F.A., Prinsze, F.J., Hoogendijk, E.O., *et al.* (2024). Less iron deficiency in whole-blood donors: the effect of ferritin-guided donation intervals | Minder ijzerdeficiëntie bij volbloeddonors. *Ned. Tijdschr. Geneeskd.* 8.
- Milto, I. V., Suhodolo, I. V., Prokopieva, V.D., & Klimenteva, T.K. (2016). Molecular and cellular bases of iron metabolism in humans. *Biochem.* 81 : 549–564. Available at: <https://doi.org/10.1134/S0006297916060018>
- Moras, M., Lefevre, S.D., & Ostuni, M.A. (2017). From erythroblasts to mature red blood cells: Organelle clearance in mammals. *Front. Physiol.* 8. Available at: <https://doi.org/10.3389/fphys.2017.01076>
- Mousinho-Ribeiro, R.C., Sousa, G.P., Nunes, T.M., & Neves, M.C. (2008). Impact of blood donation on donor iron reserves | Impacto da doação de sangue nos depósitos de ferro do organismo de doadores. *Rev. Bras. Hematol. Hemoter.* 30 : 62–64.
- Nurjanah, M.H., Fihayati, Z., & Setiawati, W.Y. (2021). Description of erythrocyte morphology with blood smear method of giemsa staining in patients at the thalassemia patients parents association Indonesia (TPPAI) Kediri. *Malaysian J. Med. Heal. Sci.* 17 : 68–70.
- Pagani, A., Nai, A., Silvestri, L., & Camaschella, C. (2019). Hepcidin and Anemia: A Tight Relationship. *Front. Physiol.* 10 : 1–7. Available at: <https://doi.org/10.3389/fphys.2019.01294>
- Pan, L.L., Chen, C.M., Huang, W.T., & Sun, C.K. (2014). Enhanced accuracy of optical platelet counts in microcytic anemia. *Lab Med.* 45 : 32–36. Available at: <https://doi.org/10.1309/LM7QPULDM5IHBO3L>

- Petersen, P., Hakimjavadi, H., Chamala, S., & Mathur, G. (2024). Evaluating utility of routine ferritin testing in blood donors: A hospital-based blood donor centre experience. *Transfus. Med.* 491–498. Available at: <https://doi.org/10.1111/tme.13081>
- Plays, M., Müller, S., & Rodriguez, R. (2021). Chemistry and biology of ferritin. *Metallomics* 13. Available at: <https://doi.org/10.1093/mtomcs/mfab021>
- Pusparini, & Alvina (2022). Performance Comparison of Dymind DH-76 and Sysmex Xn-1000 Automated Hematology Analyzers. *Indones. J. Clin. Pathol. Med. Lab.* 28 : 257–262. Available at: <https://doi.org/10.24293/ijcpml.v28i3.1907>
- Radtke, H., Tegtmeier, J., Röcker, L., Salama, A., & Kiesewetter, H. (2004). Daily doses of 20 mg of elemental iron compensate for iron loss in regular blood donors: A randomized, double-blind, placebo-controlled study. *Transfusion* 44 : 1427–1432. Available at: <https://doi.org/10.1111/j.1537-2995.2004.04074.x>
- Rahmнитарini, A., Hernaningsih, Y., & Indrasari, Y.N. (2019). The stability of sample storage for complete blood count (CBC) toward the blood cell morphology. *Bali Med. J.* 8 : 391–395. Available at: <https://doi.org/10.15562/bmj.v8i2.1369>
- Rao, H.R.S., & Mirji, S. (2024). Diagnostic Utility of Reticulocyte Hemoglobin Equivalent Parameter in the Evaluation of Microcytic Hypochromic Anemia - Our Experience from Northeast India. *Ann. Afr. Med.* 23 : 222–228. Available at: https://doi.org/10.4103/aam.aam_8_23
- Reddy, V.K., Shastry, S., Raturi, M., & Baliga B, P. (2020). Impact of Regular Whole-Blood Donation on Body Iron Stores. *Transfus. Med. Hemotherapy* 47 : 75–79. Available at: <https://doi.org/10.1159/000499768>
- Richard, C., & Verdier, F. (2020). Transferrin receptors in erythropoiesis. *Int. J. Mol. Sci.* 21 : 1–16. Available at: <https://doi.org/10.3390/ijms21249713>
- Rigas, A.S., Sørensen, C.J., Pedersen, O.B., Petersen, M.S., Thørner, L.W., Kotzé, S., et al. (2014). Predictors of iron levels in 14,737 Danish blood donors: results from the Danish Blood Donor Study. *Transfusion* 54 : 789–796. Available at: <https://doi.org/10.1111/trf.12518>
- Rowatt, K., Burns, R.E., Frasca, S., & Long, D.M. (2018). A combination Prussian blue–hematoxylin and eosin staining technique for identification of iron and other histological features. *J. Histotechnol.* 41 : 29–34. Available at: <https://doi.org/10.1080/01478885.2017.1417696>
- Schapkaitz, E. (2018). Stability of new erythrocyte and reticulocyte parameters intesting for anemia on the Sysmex XN 9000. *Lab Med.* 49 : 219–225. Available at: <https://doi.org/10.1093/labmed/lmx095>
- Sebastiani, G., & Pantopoulos, K. (2010). Iron metabolism and disease, Cellular and Molecular Biology of Metals. Available at: <https://doi.org/10.1201/9781420059984>
- Semenova, Y., Bjørklund, G., Butnariu, M., & Peana, M. (2024). Iron-related Biomarkers in the Diagnosis and Management of Iron Disorders. *Curr. Med. Chem.* 31 : 4233–4248. Available at: <https://doi.org/10.2174/0109298673263003231228060800>
- Shahshahani, H.J., Attar, M., & Yavari, M.T. (2005). A study of the prevalence of iron deficiency and its related factors in blood donors of Yazd, Iran, 2003. *Transfus. Med.*

15 : 287–293. Available at: <https://doi.org/10.1111/j.0958-7578.2005.00590.x>

- Sheftel, A.D., Richardson, D.R., Prchal, J., & Ponka, P. (2009). Mitochondrial iron metabolism and sideroblastic anemia. *Acta Haematol.* 122 : 120–133. Available at: <https://doi.org/10.1159/000243796>
- Sheth, S. (2022). Transfusional iron overload, Rossi's Principles of Transfusion Medicine. Available at: <https://doi.org/10.1002/9781119719809.ch51>
- Shin, S., Ku, Y., Babu, N., & Singh, M. (2007). Erythrocyte deformability and its variation in diabetes mellitus. *Indian J. Exp. Biol.* 45 : 121–128.
- Shukla, A., Namrata, ., Awasthi, P., Sharma, P., Tiwari, V., Sharma, . V K, *et al.* (2024). Evaluation of Diagnostic Efficacy of Novel Red Blood Cell Parameters as Potential Screening Test for Detecting Latent Iron Deficiency in Blood Donors. *Indian J. Hematol. Blood Transfus.* 40 : 139–145. Available at: <https://doi.org/10.1007/s12288-023-01683-w>
- Srole, D.N., & Ganz, T. (2021). Erythroferrone structure, function, and physiology: Iron homeostasis and beyond. *J. Cell. Physiol.* 236 : 4888–4901. Available at: <https://doi.org/10.1002/jcp.30247>
- Stabell, N., Averina, M., & Flægstad, T. (2021). Chronic iron deficiency and anaemia were highly prevalent in a population-based longitudinal study among adolescent girls. *Acta Paediatr. Int. J. Paediatr.* 110 : 2842–2849. Available at: <https://doi.org/10.1111/apa.16016>
- Steinmetz, H.T., & Steinmetz, F.L. (2016). Diagnostics and differential diagnostics of iron deficiency anemia | Diagnostik und differenzialdiagnostik der eisenmangelanämie. *Internist. Prax.* 56 : 287–299.
- Sukhbaatar, N., & Weichhart, T. (2018). Iron regulation: Macrophages in control. *Pharmaceuticals* 11. Available at: <https://doi.org/10.3390/PH11040137>
- Sundh, A., Kaur, P., Palta, A., & Kaur, G. (2020). Utility of screening tools to differentiate beta thalassemia trait and iron-deficiency anemia - Do they serve a purpose in blood donors? *Blood Res.* 55 : 169–174. Available at: <https://doi.org/10.5045/br.2020.2020219>
- Tekle, E., Adisu, Y., Rikitu, D., Teferi, S., Fikadu, A., & Kifle, E. (2024). ABO and Rh (D) blood group phenotype distribution pattern among blood donors at the Nekemte Blood Bank, Oromia, West Ethiopia: a retrospective cross-sectional study. *J. Int. Med. Res.* 52. Available at: <https://doi.org/10.1177/03000605231223038>
- Tiwari, A.K., Chandola, I., & Ahuja, A. (2010). Approach to blood donors with microcytosis. *Transfus. Med.* 20 : 88–94. Available at: <https://doi.org/10.1111/j.1365-3148.2009.00980.x>
- Tyagi, M., Saini, L.M., & Dahyia, N. (2016). Detection of Poikilocyte cells in Iron Deficiency Anaemia using Artificial Neural Network. *2016 Int. Conf. Comput. Power, Energy, Inf. Commun. ICCPEIC 2016* 108–112. Available at: <https://doi.org/10.1109/ICCPEIC.2016.7557233>
- Urrechaga, E., Borque, L., & Escanero, J.F. (2009). Potential utility of the new sysmex XE 5000 red blood cell extended parameters in the study of disorders of iron metabolism.

Clin. Chem. Lab. Med. 47 : 1411–1416. Available at:
<https://doi.org/10.1515/CCLM.2009.301>

Vargas, A., Vega, J., Cornejo, R., Lezama, C., Paredes, R., & Aro, P. (2024). Relación entre deficiencia de hierro y el factor de anemia microcítica en postulantes diferidos para donar sangre. *An. la Fac. Med.* 85 : 140–145. Available at:
<https://doi.org/10.15381/anales.v85i2.27354>

Villambrosia, S., González Mesones, B., Núñez, J., & Insunza, A. (2012). Diagnostic protocol of microcytic anemias | Protocolo diagnóstico de las anemias microcíticas. *Med.* 11 : 1242–1245. Available at: [https://doi.org/10.1016/S0304-5412\(12\)70476-6](https://doi.org/10.1016/S0304-5412(12)70476-6)

Vogt, A.C.S., Arsiwala, T., Mohsen, M., Vogel, M., Manolova, V., & Bachmann, M.F. (2021). On iron metabolism and its regulation. *Int. J. Mol. Sci.* 22 : 1–17. Available at: <https://doi.org/10.3390/ijms22094591>

Wish, J.B. (2006). Assessing iron status: beyond serum ferritin and transferrin saturation. *Clin. J. Am. Soc. Nephrol.* 1 Suppl 1 : 4–8. Available at:
<https://doi.org/10.2215/CJN.01490506>

Zahraini, H., Indrasari, Y.N., & Kahar, H. (2021). Comparison of K2 and K3 EDTA Anticoagulant on Complete Blood Count and Erythrocyte Sedimentation Rate. *Indones. J. Clin. Pathol. Med. Lab.* Available at:
<https://doi.org/10.24293/ijcpml.v28i1.1735>

Zhao, N., Zhang, A., & Enns, C.A. (2013). Science in medicine Iron regulation by hepcidin. *Science Med.* 123 : 2337–2343. Available at:
<https://doi.org/10.1172/JCI67225.SMAD5>