

DAFTAR PUSTAKA

- Aditiya, D. R. 2021. Herbisida: Risiko terhadap lingkungan dan efek menguntungkan. *Saintekno*, 191: 597–605.
- Akram, N. A., F. Shafiq, & M. Ashraf. 2017. *Ascorbic acid*-a potential oxidant scavenger and its role in plant development and abiotic stress tolerance. *Frontiers in Plant Science*, 8: 613.
- Alipour, M., & M. J. Saharkhiz. 2016. Phytotoxic activity and variation in essential oil content and composition of Rosemary (*Rosmarinus officinalis* L.) during different phenological growth stages. *Biocatalysis and Agricultural Biotechnology*, 7: 271–278.
- Aslam, M., B. Sultana, F. Anwar, & H. Munir. 2016. Foliar spray of selected plant growth regulators affected the biochemical and antioxidant attributes of spinach in a field experiment. *Turkish Journal of Agriculture and Forestry*, 40: 136–145.
- Bednarz, M. K., J. Plonka, & H. Barchanska. 2023. Allelopathy as a source of bioherbicides: Challenges and prospects for sustainable agriculture. *Reviews in Environmental Science and Bio/Technology*, 22: 471–504.
- Bidira, T., T. Shimales, M. Adissu, & T. Eshetu. 2021. Weed species dominance and abundance in tea (*Camellia sinensis* L.) plantation of southwest Ethiopia. *American Journal of Plant Biology*, 64: 89–94.
- Budiono, R., D. Sugiarti, M. Nurzaman, T. Setiawati, T. Supriatun, & A. Z. Mutaqin. 2016. Kerapatan stomata dan kadar klorofil tumbuhan *Clausena excavata* berdasarkan perbedaan intensitas cahaya. Dalam *Prosiding Seminar Nasional Pendidikan dan Saintek 2016* hlm. 1–5.
- Caverzan, A., C. Piasecki, G. Chavarria, C. N. Stewart Jr., & L. Vargas. 2019. Defenses against ROS in crops and weeds: The effects of interference and herbicides. *International Journal of Molecular Sciences*, 205: 1086.
- Chen, L. C., X. Guan, Q. K. Wang, Q. P. Yang, W. D. Zhang, & S. L. Wang. 2020. Effects of phenolic acids on soil nitrogen mineralization over successive rotations in Chinese fir plantations. *Journal of Forestry Research*, 311: 303–311.
- Chivinge, O. A., & M. A. Schweppenhauser. 1995. Competition of soybean with blackjack (*Bidens pilosa* L.) and pigweed (*Amaranthus hybridus* L.). *African Crop Science Journal*, 31: 73–81.
- Deru, E., K. R. Kusumaningsih, & A. Prijono. 2023. Pemanfaatan beberapa jenis bioherbisida untuk mengendalikan gulma di Arboretum Fakultas Kehutanan Instiper Yogyakarta. *Agroforestech*, 13: 2138–2145.
- Dewi, S. A., M. A. Chozin, & D. Guntoro. 2017. Identifikasi senyawa fenol beberapa aksesori teki (*Cyperus rotundus* L.) serta pengaruhnya terhadap perkecambahan biji *Borreria alata* (Aubl.) DC. *Jurnal Agronomi Indonesia*, 451: 93–99.
- Dhianawaty, D., & R. Ruslin. 2015. Kandungan total polifenol dan aktivitas antioksidan dari ekstrak metanol akar *Imperata cylindrica* (L.) Beauv. (alang-alang). *Majalah Kedokteran Bandung*, 471: 60–64.
- Diniyah, N., & S. H. Lee. 2020. Komposisi senyawa fenol dan potensi antioksidan dari kacang-kacangan: Review. *Jurnal Agroteknologi*, 141: 91–102.
- Farooq, A., S. A. Bukhari, N. A. Akram, M. Ashraf, L. Wijaya, M. N. Alyemeni, & P. Ahmad. 2020. Exogenously applied ascorbic acid-mediated changes in osmoprotection and oxidative defense system enhanced water stress tolerance in different cultivars of safflower (*Carthamus tinctorious* L.). *Plants*, 91: 104.
- Hanin, N. N. F., & R. Pratiwi. 2017. Kandungan fenolik, flavonoid dan aktivitas antioksidan ekstrak daun paku laut (*Acrostichum aureum* L.) fertil dan steril. *Jurnal Tropical Biodiversity and Biotechnology*, 22: 51–56.
- Hasan, M., M. S. A. Hamdani, A. M. Rosli, & H. Hamdan. 2021. Bioherbicides: An eco-friendly tool for sustainable weed management. *Plants*, 106: 1212.

- Hasanuzzaman, M., M. H. M. B. Bhuyan, F. Zulfiqar, A. Raza, S. M. Mohsin, J. A. Mahmud, M. Fujita, & V. Fotopoulos. 2020. Reactive oxygen species and antioxidant defense in plants under abiotic stress: Revisiting the crucial role of a universal defense regulator. *Antioxidants*, 98: 681.
- Hermawati, A. T., F. I. Fajarwati, & S. Widada. 2021. Analisis kadar nitrogen total pada pupuk padat dengan metode kjedahl di Balai Pengkajian Teknologi Pertanian (BPTP) Yogyakarta. *Indonesian Journal of Chemical Research*, 62: 80–91.
- Hirschel, J. B., Z. Pan, P. Pandey, R. N. Asolkar, A. G. Chittiboyina, L. Boddy, M. C. Machingura, & S. O. Duke. 2023. Spliceostatin C, a component of a microbial bioherbicide, is a potent phytotoxin that inhibits the spliceosome. *Frontiers in Plant Science*, 13: 1079313.
- Ikbal, M., Damhuri, & A. Munir. 2016. Jenis-jenis tumbuhan gulma di area persawahan Desa Tajuncu Kecamatan Mata Oleo Kabupaten Bombana. *Jurnal Ampibi*, 13: 10–14.
- Indra, N., Nurmalasari, & M. Kusmiati. 2019. Fenolik total, kandungan flavonoid dan aktivitas antioksidan ekstrak etanol daun Mareme (*Glochidion arborescens* Blume.). *Jurnal Sains Farmasi & Klinis*, 63: 206–212.
- Indrawati, N. L., & Razimin. 2013. Bawang Dayak: Si umbi ajaib penakluk aneka penyakit. PT AgroMedia Pustaka.
- International Seed Testing Association. 1999. International rules for seed testing. *Seed Science and Technology*, 27: 45–48.
- Janda, K., É. Hideg, G. Szalai, L. Kovács, & T. Janda. 2012. Salicylic acid may indirectly influence the photosynthetic electron transport. *Journal of Plant Physiology*, 16910: 971–978.
- Jayasumarta, D. 2012. Pengaruh sistem olah tanah dan pupuk P terhadap pertumbuhan dan produksi tanaman kedelai (*Glycine max* L. Merrill). *Jurnal Agrium*, 173: 148–155.
- Kengar, Y. D., U. H. Patil, A. N. Madane, & S. K. Kambl. 2021. Allelopathic effects of *Celosia argentea* L. on enzyme activity of peroxidase and catalase in germinating seeds of *Lens culinaris*. *International Journal of Research and Analytical Reviews*, 81: 349–355.
- Kusuma, A. V. C., M. A. Chozin, & D. Guntoro. 2017. Senyawa fenol dari umbi teki (*Cyperus rotundus* L.) pada berbagai umur pertumbuhan serta pengaruhnya terhadap perkecambahan gulma berdaun lebar. *Jurnal Agronomi Indonesia*, 451: 100–107.
- Laamari, I., I. Marques, A. I. R. Barros, Z. Bejaoui, & M. Abassi. 2023. Can saline preconditioning enhance plant survival in degraded soils? Physiological, biochemical, and molecular responses in *Casuarina glauca* saplings. *Plant Ecology*, 224: 905–919.
- Lawendatu, O. P. G., J. Pontoh, & V. S. Kamu. 2019. Analisis kandungan klorofil pada berbagai posisi daun dan anak daun aren (*Arrenga pinnata*). *Chem. Prog.*, 122: 67–72.
- Lee, S. M., R. Radhakrishnan, S. M. Kang, J. H. Kim, I. Y. Lee, B. Y. Moon, B. W. Yoon, & I. J. Lee. 2015. Phytotoxic mechanisms of bur cucumber seed extracts on lettuce with special reference to analysis of chloroplast proteins, phytohormones, and nutritional elements. *Ecotoxicology and Environmental Safety*, 122: 230–237.
- Lestari, E. G. 2006. Hubungan antara kerapatan stomata dengan ketahanan kekeringan pada somaklon padi Gajahmungkur, Towuti, dan IR 64. *Biodiversitas*, 71: 44–48.
- Liu, T., T. Li, L. Zhang, H. L. Li, S. Liu, L. Yang, Q. An, P. Canping, & N. Zou. 2021. Exogenous salicylic acid alleviates the accumulation of pesticides and mitigates pesticide-induced oxidative stress in cucumber plants (*Cucumis sativus* L.). *Ecotoxicology and Environmental Safety*, 208: 111654.
- Logo, N. J. B., S. Zubaidah, & H. Kuswantoro. 2017. Karakteristik morfologi polong beberapa genotip kedelai (*Glycine max* L. Merrill). *Prosiding Seminar Nasional Hayati V*, 37–45.
- Mangoensoekarjo, S., & A. T. Soejono. 2015. Ilmu gulma dan pengelolaan pada budidaya perkebunan. Gadjah Mada University Press.
- Maurya, P., N. Dwivedi, A. Mazeed, D. Kumar, B. Kumar, C. S. Chanotiya, K. Dev, & P.

- Suryavanshi. 2024. Allelopathic weed management in wheat (*Triticum aestivum* L.). *The Pharma Innovation Journal*, 131: 445–458.
- Munemasa, S., F. Hauser, J. Park, R. Waadt, B. Brandt, & J. I. Schroeder. 2015. Mechanisms of abscisic acid-mediated control of stomatal aperture. *Current Opinion in Plant Biology*, 28: 154–162.
- Nguyen, T. C., H. Jo, H. A. Tran, J. Lee, J.-D. Lee, J. H. Kim, H. S. Seo, & J. T. Song. 2024. Assessment of drought responses of wild soybean accessions at different growth stages. *Agronomy*, 143 (471) : 1-18.
- Novita, N., N. Soverda, & G. Gusniwati. 2014. Pengaruh naungan terhadap kandungan klorofil daun dan hasil dua varietas tanaman kedelai (*Glycine max* L. Merill). *Jurnal Online Mahasiswa Fakultas Pertanian Universitas Riau*, 12: 1–9.
- Nyoki, D., P. I. Massawe, A. Baltazari, & P. A. Ndakidemi. 2019. The role of agro-inputs (Rhizobia, P and K) and critical stages of application for improved soybean yield and biomass. *Top 10 Contributions on Agri and Aquaculture*, 2–31.
- Powles, S. B., & Q. Yu. 2010. Evolution in action: Plants resistant to herbicides. *Annual Review of Plant Biology*, 61: 317–347.
- Purwanti, S., F. Ghaisani, & Nasfullah. 2010. Penentuan periode kritis cekaman gulma pada pertumbuhan dan hasil benih kedelai hitam (*Glycine max* (L.) Merill). Dalam *Prosiding Seminar Nasional Sumber Daya Genetik dan Pemuliaan Tanaman*, 196–202.
- Puspita, K. D., D. W. Respatie, & P. Yudono. 2017. Pengaruh waktu penyiangan terhadap pertumbuhan dan hasil dua kultivar kedelai (*Glycine max* (L.) Merr.). *Vegetalika*, 63: 24–36.
- Rab, A., S. Khalil, M. Asim, N. Mehmood, H. Fayyaz, I. Khan, S. Zahid, & H. Nawaz. 2016. Response of sorghum (*Sorghum bicolor* L.) extract type, concentration and application time to weeds weight, grain and biomass yield of wheat. *Pure and Applied Biology*, 54: 849-857.
- Radhakrishnan, R., A. A. Alqarawi, & E. F. Abd_Allah. 2018. Bioherbicides: Current knowledge on weed control mechanism. *Ecotoxicology and Environmental Safety*, 158: 131–138.
- Rao, M. J., & B. Zheng. 2025. The role of polyphenols in abiotic stress tolerance and their antioxidant properties to scavenge reactive oxygen species and free radicals. *Antioxidants*, 141 (74):1-31.
- Respatie, D. W., P. Yudono, A. Purwantoro, & Y. A. Trisyono. 2019. The potential of *Cosmos sulphureus* Cav. extracts as a natural herbicide. *AIP Conference Proceedings*, 22021: 020059.
- Respatie, D. W., P. Yudono, A. Purwantoro, & Y. A. Trisyono. 2019b. The potential of *Cosmos sulphureus* flower extract as a bioherbicide for *Cyperus rotundus*. *Biodiversitas*, 2012: 3568–3574.
- Respatie, D. W., P. Yudono, A. Purwantoro, & Y. A. Trisyono. 2021. Effect spraying volume of *Cosmos sulphureus* Cav. flower extract on weed dominance and soybean yield. *IOP Conference Series: Earth and Environmental Science*, 662 (012002): 1-8.
- Rosawanti, P. 2016. Pertumbuhan akar kedelai pada cekaman kekeringan. *Jurnal Daun*, 3 (1): 21-28.
- Sangekar, S. N., T. J. Shaikh, & V. D. Devarkar. 2018. Phytochemical and taxonomical studies of *Celosia argentea* L. *International Journal of Scientific Research in Science and Technology*, 45: 481–486.
- Schieber, A., & M. Wüst. 2020. Volatile phenols—Important contributors to the aroma of plant-derived foods. *Molecules*, 2519: 4529.
- Shebis, Y., D. Iluz, Y. K. Tahan, Z. Dubinsky, & Y. Yehoshua. 2013. Natural antioxidants: Function and sources. *Food and Nutrition Sciences*, 4: 643–649.
- Shemi, R., R. Wang, E. S. M. S. Gheith, H. A. Hussain, S. Hussain, & W. Song. 2021. Effects of salicylic acid, zinc and glycine betaine on morpho-physiological growth and yield of maize under drought stress. *Scientific Reports*, 11: 3195.

- Siagian, E. S., S. Darmanti, & R. Budihastuti. 2017. Indikasi Cekaman Gulma *Bidens Pilosa* L. Akibat Perlakuan Perasan *Pilea Microphylla* L. Buletin Anatomi dan Fisiologi, 2(2): 198-204.
- Simanjuntak, N. A., S. I. Aisyah, & W. Nurcholis. 2020. Karakter agro-morfologi Jengger Ayam (*Celosia cristata* L.) pada genotipe mutan M3. Jurnal Agronomi Indonesia, 48(1): 68–74.
- Sudhana, A., S.H.E. Kawuryan, & O.S. Padmini. 2018. Pengaruh aplikasi herbisida dan PGPR dalam pengendalian gulma untuk meningkatkan pertumbuhan tanaman padi sawah. Seminar Nasional “Inovasi Pangan Lokal Untuk Mendukung Ketahanan Pangan”: 15-22.
- Suryanto, P., Tohari, E. Sulistyaningsih, E. T. S. Putra, D. Kastono, & T. Alam. 2019. Estimation of critical period for weed control in soybean on agro-forestry system with kayu putih. Asian Journal of Crop Science, 11(1): 16–25.
- Syahri, R., E. Widaryanto, & K. P. Wicaksono. 2017. Bioactive compound from mangoes leaves extract as potential soil bioherbicide to control amaranth weed (*Amaranthus spinosus* Linn.). Journal of Degraded and Mining Lands Management, 43: 829–836.
- Tampubolon, K., F. N. Sihombing, Z. Purba, S. T. S. Samosir, & S. Karim. 2018. Potensi metabolit sekunder gulma sebagai pestisida nabati di Indonesia. Jurnal Kultivasi, 17(3): 683–693.
- Taufiq, A., & T. Sundari. 2012. Respon tanaman kedelai terhadap lingkungan tumbuh. Buletin Palawija, 23: 13–26.
- Tian, D. L., W. H. Xiang, & W. H. Yang. 2002. Nutrient characteristics of hydrological process in young second rotation Chinese fir plantations. Ying Yong Sheng Tai Xue Bao, 13(9): 1085-1089.
- Uyun, Q., D. W. Respatie, & D. Indradewa. 2024. Unveiling the allelopathic potential of wedelia leaf extract as a bioherbicide against purple nutsedge: A promising strategy for sustainable weed management. Sustainability, 16(522): 1-18.
- Venkatesh, J. & S.W. Park. Role of L-ascorbate in alleviating abiotic stresses in crop plants. Botanical studies, 55 (1): 1-19.
- Wang, C., Z. Liu, Z. Wang, W. Pang, L. Zhang, Z. Wen, Y. Zhao, J. Sun, Z. Wang, & C. Yang. 2022. Effects of autotoxicity and allelopathy on seed germination and seedling growth in *Medicago truncatula*. Frontiers in Plant Science, 13: 908426.
- Wang, K., P. Dou, Z. Miao, J. Huang, Q. Gao, L. Guo, K. Liu, Y. Rong, D. Huang, & K. Wang. 2024. Seed germination and seedling growth response of *Leymus chinensis* to the allelopathic influence of grassland plants. Oecologia, 204: 899–913.
- Wardini, T.H., I. N. Afifa, R. R. Esyanti, N. T. Astutiningsih, & H. Pujisiswanto. (2023). The potential of invasive species *Praxelis clematidea* extract as a bioherbicide for *Asystasia gangetica*. Biodiversitas, 24(9), 4738-4746.
- Yulifrianti, E., R. Linda, & I. Lovadi. 2015. Potensi alelopati ekstrak serasah daun mangga (*Mangifera indica* (L.)) terhadap pertumbuhan gulma rumput grinting (*Cynodon dactylon* (L.)). Jurnal Protobiont, 4 (1) : 46-59.
- Yuniasih, B., A. T. Soejono, & D. Ulinuha. 2017. Komposisi dan dominansi gulma kebun kelapa sawit pada tanaman belum menghasilkan dan tanaman menghasilkan. AGROISTA: Jurnal Agroteknologi, 12: 171–180.
- Zhang, S.-M., X.-F. Wang, J. Feng, & Z.-L. Sun. 2016. Chemical constituents of the seeds of *Celosia cristata*. Chemistry of Natural Compounds, 52: 827–829.
- Zhao, J., Z. Yang, J. Zou, & Q. Li. 2022. Allelopathic effects of sesame extracts on seed germination of moso bamboo and identification of potential allelochemicals. Scientific Reports, 12: 6661.
- Zielewicz, W., B. Wróbel, & G. Niedbała. 2020. Quantification of chlorophyll and carotene pigments content in mountain melick (*Melica nutans* L.) in relation to edaphic variables. Forests, 11(11): 1195.
- Zimdahl, R. L. 1980. Weed-crop competition: A review. International Plant Protection Center,



Potensi Bioherbisida Tanaman Jengger Ayam Merah (*Celosia argentea* (L.) Kelompok Plumosa) terhadap Gulma Dominan Pertanaman Kedelai (*Glycine max* (L.) Merrill)
Safira Nur Aini, Dr. Dyah Weny Respatie, S.P., M.Si.; Prof. Dr. Ir. Aziz Purwanto, M.Sc.
Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Oregon State University.