

DAFTAR PUSTAKA

- Ahsani, D N; Susilowati, R; Sumiwi, Y.A.A. (2019). Original article: *Bangladesh J. Med. Sci.* 18 : 50–56.
- An, Y., Yan, H.X., Zhao, J.N., Yang, X.M., & Yan, J.T. (2022). Evaluation methods of a rat sciatic nerve crush injury model. *J. Integr. Neurosci.* 21 : 1–9.
- Arbash, M., Alzobi, O.Z., Salameh, M., Alkhayarin, M., & Ahmed, G. (2024). Incidence, risk factors, and prognosis of sciatic nerve injury in acetabular fractures: a retrospective cross-sectional study. *Int. Orthop.* 48 : 849–856.
- Asato, F., Butler, M., Blomberg, H., & Gordh, T. (2000). Variation in rat sciatic nerve anatomy: Implications for a rat model of neuropathic pain. *J. Peripher. Nerv. Syst.* 5 : 19–21.
- Austin, P.J., Berglund, A.M., Siu, S., Fiore, N.T., Gerke-Duncan, M.B., Ollerenshaw, S.L., *et al.* (2015). Evidence for a distinct neuro-immune signature in rats that develop behavioural disability after nerve injury. *J. Neuroinflammation* 12 : 1–16.
- Bauder, A.R., & Ferguson, T.A. (2012). Reproducible mouse sciatic nerve crush and subsequent assessment of regeneration by whole mount muscle analysis. *J. Vis. Exp.* 1–7.
- Bayburt, K.A., Diker, N., Aydin, M.S., & Dolanmaz, D. (2025). The effect of high-intensity versus photobiomodulation therapy (PBM) on the regeneration of the sciatic nerve following crush injury: an animal study. *Lasers Med. Sci.* 40 : 1–10.
- Boe, S.G., Rice, C.L., & Doherty, T.J. (2008). Estimating Contraction Level Using Root Mean Square Amplitude in Control Subjects and Patients With Neuromuscular Disorders. *Arch. Phys. Med. Rehabil.* 89 : 711–718.
- Bolívar, S., Navarro, X., & Udina, E. (2020). Schwann cell role in selectivity of nerve regeneration. *Cells* 9 : 1–18.
- Bosch-Queralt, M., Fledrich, R., & Stassart, R.M. (2023). Schwann cell functions in peripheral nerve development and repair. *Neurobiol. Dis.* 176 : 1–19.
- Çalışkan, S.G., & Bilgin, M.D. (2022). Nonlinear surface EMG analysis to detect the neuroprotective effect of citicoline in rat sciatic nerve crush injury. *Med. Biol. Eng. Comput.* 60 : 2865–2875.
- Caudle, K.L., Atkinson, D.A., Brown, E.H., Donaldson, K., Seibt, E., Chea, T., *et al.* (2015). Hindlimb stretching alters locomotor function after spinal cord injury in the adult rat. *Neurorehabil. Neural Repair* 29 : 268–277.
- Chen, P., Piao, X., & Bonaldo, P. (2015). Role of macrophages in Wallerian degeneration and axonal regeneration after peripheral nerve injury. *Acta Neuropathol.* 130 : 605–618.
- Czapla, N., Bargiel, P., Petriczko, J., Kotrych, D., Krajewski, P., & Prowans, P. (2020). Electromyography as an intraoperative test to assess the quality of nerve anastomosis - Experimental study on rats. *Open Med.* 15 : 556–562.
- de Siqueira-Santos, R., Sardella-Silva, G., Nascimento, M.A., Teixeira de Oliveira, L., Coelho-Sampaio, T., & Ribeiro-Resende, V.T. (2019). Biological activity of laminin/polylaminin-coated poly- ϵ -caprolactone filaments on the regeneration and tissue replacement of the rat sciatic nerve. *Mater. Today Bio*

3 : 100026.

- Ding, Z., Jiang, M., Qian, J., Gu, D., Bai, H., Cai, M., *et al.* (2024). Role of transforming growth factor- β in peripheral nerve regeneration. *Neural Regen. Res.* 19 : 380–386.
- Drake, R.L., Vogl, W., & Mitchell, A.W.M. (2012). *Gray's basic anatomy*, 1st ed. Elsevier.
- Drukarch, B., & Wilhelmus, M.M.M. (2023). Thinking about the action potential: the nerve signal as a window to the physical principles guiding neuronal excitability. *Front. Cell. Neurosci.* 17 : 1–13.
- Ganguly, A., McEwen, C., Troy, E.L., Colburn, R.W., Caggiano, A.O., Schallert, T.J., *et al.* (2017). Recovery of sensorimotor function following sciatic nerve injury across multiple rat strains. *J. Neurosci. Methods* 275 : 25–32.
- Gaudet, A.D., Popovich, P.G., & Ramer, M.S. (2011). Wallerian degeneration: Gaining perspective on inflammatory events after peripheral nerve injury. *J. Neuroinflammation* 8 : 1–13.
- Geuna, S. (2015). The sciatic nerve injury model in pre-clinical research. *J. Neurosci. Methods* 243 : 39–46.
- Gordon, T. (2020). Peripheral nerve regeneration and muscle reinnervation. *Int. J. Mol. Sci.* 21 : 1–24.
- Gu, D., Xia, Y., Ding, Z., Qian, J., Gu, X., Bai, H., *et al.* (2024). Inflammation in the Peripheral Nervous System after Injury. *Biomedicines* 12 : 1–15.
- Huseyinoglu, N., Ozaydin, I., Huseyinoglu, U., Yayla, S., & Aksoy, O. (2013). Minimally Invasive Motor Nerve Conduction Study of the Rat Sciatic and Tail Nerves. *Kafkas Univ. Vet. Fak. Derg.* 19 : 943–948.
- Jiang, M., Ding, Z., Huang, Y., Jiang, T., Xia, Y., Gu, D., *et al.* (2025). TGF- β 1 Improves Nerve Regeneration and Functional Recovery After Sciatic Nerve Injury by Alleviating Inflammation. *Biomedicines* 13 : 1–19.
- Kamble, N., Shukla, D., & Bhat, D. (2019). Peripheral Nerve Injuries: Electrophysiology for the Neurosurgeon. *Neurol. India* 67 : 1419–1422.
- Kritis, A., Kapoukranidou, D., Michailidou, B., Hatzisotiriou, A., & Albani, M. (2010). Sciatic nerve crush evokes a biphasic TGF- β and Decorin modulation in the rat spinal cord. *Hippokratia* 14 : 37–41.
- Lara-Ramírez, R., Segura-Anaya, E., Martínez-Gómez, A., & Dent, M.A.R. (2008). Expression of interleukin-6 receptor α in normal and injured rat sciatic nerve. *Neuroscience* 152 : 601–608.
- Lee, J. II, Gurjar, A.A., Talukder, M.A.H., Rodenhouse, A., Manto, K., O'Brien, M., *et al.* (2020). A novel nerve transection and repair method in mice: histomorphometric analysis of nerves, blood vessels, and muscles with functional recovery. *Sci. Rep.* 10 : 1–12.
- Li, S., Gu, X., & Yi, S. (2017). The regulatory effects of transforming growth factor- β on nerve regeneration. *Cell Transplant.* 26 : 381–394.
- Liao, C.F., Chen, C.C., Lu, Y.W., Yao, C.H., Lin, J.H., Way, T. Der, *et al.* (2019). Effects of endogenous inflammation signals elicited by nerve growth factor, interferon- γ , and interleukin-4 on peripheral nerve regeneration. *J. Biol. Eng.* 13 : 1–14.
- Ma, Y., Zhai, D., Zhang, W., Zhang, H., Dong, L., Zhou, Y., *et al.* (2020). Down-

- regulation of long non-coding RNA MEG3 promotes Schwann cell proliferation and migration and repairs sciatic nerve injury in rats. *J. Cell. Mol. Med.* 24 : 7460–7469.
- Maita, K.C., Garcia, J.P., Avila, F.R., Ricardo A., T.G., Ho, O.A., Claudia C.S., C., *et al.* (2023). Evaluation of the Aging Effect on Peripheral Nerve Regeneration: A Systematic Review. *J. Surg. Res.* 288 : 329–340.
- Mangueira, M. de A.M.M., Caparelli-Dáquer, E., Filho, O.P.G., de Assis, D.S.F.R., Sousa, J.K.C., Lima, W.L., *et al.* (2022). Raman spectroscopy and sciatic functional index (SFI) after low-level laser therapy (LLLT) in a rat sciatic nerve crush injury model. *Lasers Med. Sci.* 37 : 2957–2971.
- Menorca, R.M.G., Fussell, T.S., & Elfar, J.C. (2013). Nerve physiology. Mechanisms of injury and recovery. *Hand Clin.* 29 : 317–330.
- Mishra, A., Bandopadhyay, R., Singh, P.K., Mishra, P.S., Sharma, N., & Khurana, N. (2021). Neuroinflammation in neurological disorders: pharmacotherapeutic targets from bench to bedside. *Metab. Brain Dis.* 36 : 1591–1626.
- Moore, K.L., Dalley, arthur F., & Agur, A.M.R. (2013). Moore Clinical Oriented Anatomy, 7th ed, Lippincott Williams & Wilkins.
- Msheik, Z., El Massry, M., Rovini, A., Billet, F., & Desmoulière, A. (2022). The macrophage: a key player in the pathophysiology of peripheral neuropathies. *J. Neuroinflammation* 19 : 1–18.
- Nocera, G., & Jacob, C. (2020). Mechanisms of Schwann cell plasticity involved in peripheral nerve repair after injury. *Cell. Mol. Life Sci.* 77 : 3977–3989.
- Ogden, M., Karaca, S.B., Aydin, G., Yuksel, U., Dagli, A.T., Akkaya, S., *et al.* (2021). The Healing Effects of Thymoquinone and Dexpanthenol in Sciatic Nerve Compression Injury in Rats. *J. Investig. Surg.* 34 : 504–512.
- Oshima, E., Hayashi, Y., Xie, Z., Sato, H., Hitomi, S., Shibuta, I., *et al.* (2023). M2 macrophage-derived cathepsin S promotes peripheral nerve regeneration via fibroblast–Schwann cell-signaling relay. *J. Neuroinflammation* 20 : 1–22.
- Osseni, A., Thomas, J.L., Ghasemizadeh, A., Schaeffer, L., & Gache, V. (2022). Simple Methods for Permanent or Transient Denervation in Mouse Sciatic Nerve Injury Models. *Bio-protocol* 12 : 1–12.
- Ren, Z., Tan, Y., & Zhao, L. (2024). Cell Heterogeneity and Variability in Peripheral Nerve after Injury. *Int. J. Mol. Sci.* 25 : 1–11.
- Rigaud, M., Gemes, G., Barabas, M.E., Chernoff, D.I., Abram, S.E., Stucky, C.L., *et al.* (2008). Species and strain differences in rodent sciatic nerve anatomy: Implications for studies of neuropathic pain. *Pain* 136 : 188–201.
- Rotshenker, S. (2011). Wallerian degeneration: The innate-immune response to traumatic nerve injury. *J. Neuroinflammation* 8 : 109.
- Savastano, L.E., Laurito, S.R., Fitt, M.R., Rasmussen, J.A., Gonzalez Polo, V., & Patterson, S.I. (2014). Sciatic nerve injury: A simple and subtle model for investigating many aspects of nervous system damage and recovery. *J. Neurosci. Methods* 227 : 166–180.
- Scholle, H.C., Jinnah, H.A., Arnold, D., Biedermann, F.H.W., Faenger, B., Grassme, R., *et al.* (2010). Kinematic and electromyographic tools for characterizing movement disorders in mice. *Mov. Disord.* 25 : 265–274.
- Seo, T.B., Jeon, Y.A., Kim, S.S., & Lee, Y.J. (2021). In vitro and in vivo effects of

- nobiletin on drg neurite elongation and axon growth after sciatic nerve injury. *Int. J. Environ. Res. Public Health* 18 : 1–10.
- Sherwood, L. (2014). *Human Physiology From Cells to Systems*, 9th ed.
- Siwei, Q., Ma, N., Wang, W., Chen, S., Wu, Q., Li, Y., *et al.* (2022). Construction and effect evaluation of different sciatic nerve injury models in rats. *Transl. Neurosci.* 13 : 38–51.
- Sohn, E.J., & Park, H.T. (2018). MicroRNA Mediated Regulation of Schwann Cell Migration and Proliferation in Peripheral Nerve Injury. *Biomed Res. Int.* 2018 : 1–7.
- Somensi, D.N., Teixeira, R.K.C., Feijó, D.H., Loureiro, K.D., Valente, A.L., de Carvalho, L.T.F., *et al.* (2019). Does the type of electrode affect the electromyoneurographic parameters in rats? *Acta Cir. Bras.* 34 : 1–5.
- Talsma, A.D., Niemi, J.P., & Zigmond, R.E. (2024). Neither injury induced macrophages within the nerve, nor the environment created by Wallerian degeneration is necessary for enhanced in vivo axon regeneration after peripheral nerve injury. *J. Neuroinflammation* 21 : 1–25.
- Tortora, G.J., & Derrickson, B. (2009). *Principles of anatomy and physiology*. Wiley.
- Umansky, D., Hagen, K.M., Chu, T.H., Pathiyil, R.K., Alzahrani, S., Ousman, S.S., *et al.* (2022). Functional Gait Assessment Using Manual, Semi-Automated and Deep Learning Approaches Following Standardized Models of Peripheral Nerve Injury in Mice. *Biomolecules* 12 : 1–18.
- Vaquie, A., Sauvain, A., Duman, M., Nocera, G., Egger, B., Meyenhofer, F., *et al.* (2019). Injured Axons Instruct Schwann Cells to Build Constricting Actin Spheres to Accelerate Axonal Disintegration. *Cell Rep.* 27 : 3152-3166.e7.
- Wang, B., Guo, C., Sun, S.Q., Zhang, X.N., Li, Z., Li, W.J., *et al.* (2023). Comparison of the Nerve Regeneration Capacity and Characteristics between Sciatic Nerve Crush and Transection Injury Models in Rats. *Biomed. Environ. Sci.* 36 : 160–173.
- Wang, H., Fang, J., Hu, F., Li, G., & Hong, H. (2015). Seawater immersion aggravates sciatic nerve injury in rats. *Exp. Ther. Med.* 9 : 1153–1160.
- Wang, J., Lu, S., Yuan, Y., Huang, L., Bian, M., Yu, J., *et al.* (2023). Inhibition of Schwann Cell Pyroptosis Promotes Nerve Regeneration in Peripheral Nerve Injury in Rats. *Mediators Inflamm.* 2023 : 1–12.
- Wang, M.L., Rivlin, M., Graham, J.G., & Beredjikian, P.K. (2019). Peripheral nerve injury, scarring, and recovery. *Connect. Tissue Res.* 60 : 3–9.
- Wang, T., Ito, A., Aoyama, T., Nakahara, R., Nakahata, A., Ji, X., *et al.* (2018). Functional evaluation outcomes correlate with histomorphometric changes in the rat sciatic nerve crush injury model: A comparison between sciatic functional index and kinematic analysis. *PLoS One* 13 : 1–13.
- Wicaksono, S., Ghufron, M., & Susilowati, R. (2015). The percentage of macrophage numbers in rat model of sciatic nerve crush injury. *J. the Med. Sci. (Berkala Ilmu Kedokteran)* 47 : 1–11.
- Wofford, K.L., Shultz, R.B., Burrell, J.C., & Cullen, D.K. (2022). Neuroimmune interactions and immunoengineering strategies in peripheral nerve repair. *Prog. Neurobiol.* 208 : 1–14.

- Xing, L., Cheng, Q., Zha, G., & Yi, S. (2017). Transcriptional Profiling at High Temporal Resolution Reveals Robust Immune/Inflammatory Responses during Rat Sciatic Nerve Recovery. *Mediators Inflamm.* 2017 : 1–7.
- Yazar, U., Çakır, E., Boz, C., Çobanoğlu, Ü., & Baykal, S. (2020). Electrophysiological, functional and histopathological assessments of high dose melatonin on regeneration after blunt sciatic nerve injury. *J. Clin. Neurosci.* 72 : 370–377.
- Ye, Z., Wei, J., Zhan, C., & Hou, J. (2022). Role of Transforming Growth Factor Beta in Peripheral Nerve Regeneration: Cellular and Molecular Mechanisms. *Front. Neurosci.* 16 : 1–16.
- Yi, S., Zhang, H., Gong, L., Wu, J., Zha, G., Zhou, S., *et al.* (2015). Deep sequencing and bioinformatic analysis of lesioned sciatic nerves after crush injury. *PLoS One* 10 : 1–18.
- Yong, H.Y.F., Rawji, K.S., Ghorbani, S., Xue, M., & Yong, V.W. (2019). The benefits of neuroinflammation for the repair of the injured central nervous system. *Cell. Mol. Immunol.* 16 : 540–546.
- Yu, F., Yuan, Y., Xu, H., Niu, S., Han, N., Zhang, Y., *et al.* (2022). Neutrophil peptide-1 promotes the repair of sciatic nerve injury through the expression of proteins related to nerve regeneration. *Nutr. Neurosci.* 25 : 631–641.
- Zeynal, M., & Kadioğlu, H.H. (2022). All aspects of sciatic nerve injection injury: an experiment with 78 rats. *Turkish J. Med. Sci.* 52 : 1591–1599.
- Zhang, D., Jing, B., Chen, Z. ni, Li, X., Shi, H. mei, Zheng, Y. chun, *et al.* (2023). Ferulic acid alleviates sciatica by inhibiting neuroinflammation and promoting nerve repair via the TLR4/NF-κB pathway. *CNS Neurosci. Ther.* 29 : 1000–1011.
- Zhang, F., Miao, Y., Liu, Q., Li, S., & He, J. (2020). Changes of pro-inflammatory and anti-inflammatory macrophages after peripheral nerve injury. *RSC Adv.* 10 : 38767–38773.
- Zhang, P., Xue, F., Zhao, F., Lu, H., Zhang, H., & Jiang, B. (2008). The immunohistological observation of proliferation rule of Schwann cell after sciatic nerve injury in rats. *Artif. Cells, Blood Substitutes, Biotechnol.* 36 : 150–155.
- Zhao, X., Fede, C., Petrelli, L., Pirri, C., Stocco, E., Fan, C., *et al.* (2024). The Impact of Sciatic Nerve Injury on Extracellular Matrix of Lower Limb Muscle and Thoracolumbar Fascia: An Observational Study. *Int. J. Mol. Sci.* 25 : 1–16.
- Zhou, Y.Q., Liu, Z., Liu, Z.H., Chen, S.P., Li, M., Shahveranov, A., *et al.* (2016). Interleukin-6: An emerging regulator of pathological pain. *J. Neuroinflammation* 13 : 1–9.
- Zigmond, R.E., & Echevarria, F.D. (2019). Macrophage biology in the peripheral nervous system after injury. *Prog. Neurobiol.* 173 : 102–121.