

DAFTAR PUSTAKA

- Ackerley, R., Watkins, R.H., 2018. Microneurography as a tool to study the function of individual C-fiber afferents in humans: responses from nociceptors, thermoreceptors, and mechanoreceptors. *J Neurophysiol* 120, 2834–2846. <https://doi.org/10.1152/jn.00109.2018>
- Alimasi, W., Sawaji, Y., Endo, K., Yorifuji, M., Suzuki, H., Kosaka, T. *et al.*, 2013. Regulation of Nerve Growth Factor by Anti-Inflammatory Drugs, a Steroid, and a Selective Cyclooxygenase 2 Inhibitor in Human Intervertebral Disc Cells Stimulated With Interleukin-1. *Spine*, 38(17), 1466–1472. doi:10.1097/brs.0b013e318294edb1
- Aman, M., Zimmermann, K.S., Thielen, M., Thomas, B., Daeschler, S., Boecker, A.H. *et al.*, 2022. An Epidemiological and Etiological Analysis of 5026 Peripheral Nerve Lesions from a European Level I Trauma Center. *J Pers Med* 12, 1673. <https://doi.org/10.3390/jpm12101673>
- Arthur-Farraj, P.J., Latouche, M., Wilton, D.K., Quintes, S., Chabrol, E., Banerjee, A., *et a.* 2012. c-Jun reprograms Schwann cells of injured nerves to generate a repair cell essential for regeneration. *Neuron*, 75(4), pp.633-647
- Bardin, L., Malfetes, N., Newman-Tancredi, A., Depoortère, R., 2009. Chronic restraint stress induces mechanical and cold allodynia, and enhances inflammatory pain in rat: Relevance to human stress-associated painful pathologies. *Behav Brain Res* 205, 360–366. <https://doi.org/10.1016/j.bbr.2009.07.005>
- Barker, P.A., Mantyh, P., Arendt-Nielsen, L., Viktrup, L., Tive, L., 2020. Nerve growth factor signaling and its contribution to pain. *J Pain Res.* <https://doi.org/10.2147/JPR.S247472>
- Barouch, R., Kazimirsky, G., Appel, E., Brodie, C., 2001. Nerve growth factor regulates TNF-alpha production in mouse macrophages via MAP kinase activation. *J Leukoc Biol* 69, 1019–26.
- Becker, A., Geisslinger, G., Murin, R., Grecksch, G., Höllt, V., Zimmer, A. *et al.*, 2013. Cannabinoid-mediated diversity of antinociceptive efficacy of parecoxib in Wistar and Sprague Dawley rats in the chronic constriction injury model of neuropathic pain. *Naunyn Schmiedebergs Arch Pharmacol* 386, 369–382. <https://doi.org/10.1007/s00210-013-0839-2>
- Benarroch EE. Periaqueductal gray: an interface for behavioral control. *Neurology*. 2012 Jan 17;78(3):210–217. doi:10.1212/WNL.0b013e31823fcdde
- Benbouzid, M., Pallage, V., Rajalu, M., Waltisperger, E., Doridot, S., Poisbeau, P. *et al.*, 2008. Sciatic nerve cuffing in mice: A model of sustained

neuropathic pain. *Eur J Pain* 12, 591–599.
<https://doi.org/10.1016/j.ejpain.2007.10.002>

Brenner, D.S., Golden, J.P., Gereau IV, R.W., 2012. A novel behavioral assay for measuring cold sensation in mice. *PLoS One* 7.
<https://doi.org/10.1371/journal.pone.0039765>

Camarena-Delgado, C., Llorca-Torralba, M., Suárez-Pereira, I., Bravo, L., López-Martín, C., Garcia-Partida, J.A. *et al.*, 2022. Nerve injury induces transient locus coeruleus activation over time: role of the locus coeruleus–dorsal reticular nucleus pathway. *Pain* 163, 943–954.
<https://doi.org/10.1097/j.pain.0000000000002457>

Casadei, M., Fiore, E., Rubione, J., Domínguez, L.M., Coronel, M.F., Leiguarda, C. *et al.*, 2022. IMT504 blocks allodynia in rats with spared nerve injury by promoting the migration of mesenchymal stem cells and by favoring an anti-inflammatory milieu at the injured nerve. *Pain* 163, 1114–1129. <https://doi.org/10.1097/j.pain.0000000000002476>

Ceci, M.L., Mardones-Krsulovic, C., Sánchez, M., Valdivia, L.E., Allende, M.L., 2014. Axon-Schwann cell interactions during peripheral nerve regeneration in zebrafish larvae. *Neural Dev* 9, 22.
<https://doi.org/10.1186/1749-8104-9-22>

Chang, C. W., Shieh, S. F., Li, C. M., Wu, W. T., & Chang, K. F. 2006. Measurement of motor nerve conduction velocity of the sciatic nerve in patients with piriformis syndrome: a magnetic stimulation study. *Arch Phys Med Rehabil*, 87(10), 1371–1375.
<https://doi.org/10.1016/j.apmr.2006.07.258>

Chao, M. V., 2003. Neurotrophins and their receptors: A convergence point for many signalling pathways. *Nat Rev Neurosci* 4, 299–309.
<https://doi.org/10.1038/nrn1078>

Choi, Y., Wook Yoon, Y., Sik Na, H., Ho Kim, S., Chung, J.M., 1994. Behavioral signs of ongoing pain and cold allodynia in a rat model of neuropathic pain, *Pain*.

Costa, L.M., *et al.* 2020. Relationship between inflammatory cytokines and sciatic functional index in Wistar rats subjected to peripheral nerve crush injury. *Neuroscience Letters*, 728, 134976.
<https://doi.org/10.1016/j.neulet.2020.134976>

Cuesta MC, Quintero L, Pons H, Suarez-Roca H. Substance P and calcitonin gene-related peptide increase IL-1 β , IL-6 and TNF α secretion from human peripheral blood mononuclear cells. *Neurochemistry International*. 2002;40(4):301–306. doi:10.1016/S0197-0186(01)00094-8

Davis, K.D., Aghaeepour, N., Ahn, A.H., Angst, M.S., Borsook, D., Brenton, A. *et al.*, 2020. Discovery and validation of biomarkers to aid the

development of safe and effective pain therapeutics: challenges and opportunities. *Nat Rev Neurol* 16, 381–400. <https://doi.org/10.1038/s41582-020-0362-2>

Deal, B., Phillips, K., Crelli, C., Janjic, J., & Pollock, J., 2023. RNA-Seq Reveals Sex Differences in Gene Expression during Peripheral Neuropathic Inflammation and in Pain Relief from a COX-2 Inhibiting Theranostic Nanoemulsion. *Int J Mol Sci*, 24. <https://doi.org/10.3390/ijms24119163>.

Dickie, A.C., McCormick, B., Lukito, V., Wilson, K.L., Torsney, C., 2017. Inflammatory pain reduces C fiber activity-dependent slowing in a sex-dependent manner, amplifying nociceptive input to the spinal cord. *J Neurosci* 37, 6488–6502. <https://doi.org/10.1523/JNEUROSCI.3816-16.2017>

Du, L., Zhu, J., Liu, S., Yang, W., Hu, X., Zhang, W., *et al.*, 2025. Transient receptor potential melastatin 8 contributes to the interleukin-33-mediated cold allodynia in a mouse model of neuropathic pain. *Pain* 166, 347–359. <https://doi.org/10.1097/j.pain.0000000000003346>

Eko Purwata, T., Sadeli, H.A., Anwar, Y., Amir, D., Asnawi, C., Rahmawati, D. *et al.*, 2015. Characteristics of neuropathic pain in Indonesia: A hospital based national clinical survey, *Neurology Asia*.

Ellis, A., Bennett, D.L.H., 2013. Neuroinflammation and the generation of neuropathic pain. *Br J Anaesth* 111, 26–37. <https://doi.org/10.1093/bja/aet128>

Gao, T., Hao, J., Wiesenfeld-Hallin, Z., Xu, X.-J., 2013. Activation of TRPM8 cold receptor triggers allodynia-like behavior in spinally injured rats. *Scand J Pain* 4, 33–37. <https://doi.org/10.1016/j.sjpain.2012.09.007>

Gaudet, A.D., Popovich, P.G., Ramer, M.S., 2011. Wallerian degeneration: Gaining perspective on inflammatory events after peripheral nerve injury. *J Neuroinflammation*. <https://doi.org/10.1186/1742-2094-8-110>

Geetha, T., Rege, S.D., Mathews, S.E., Meakin, S.O., White, M.F., Babu, J.R., 2013. Nerve growth factor receptor TrkA, a new receptor in insulin signaling pathway in PC12 cells. *J Bio Chem* 288, 23807–23813. <https://doi.org/10.1074/jbc.M112.436279>

Geuna, S., 2015. The sciatic nerve injury model in pre-clinical research. *J Neurosci Methods*. <https://doi.org/10.1016/j.jneumeth.2015.01.021>

González, A., Ugarte, G., Restrepo, C., Herrera, G., Piña, R., Gómez-Sánchez, J.A., Pertusa, M., Orió, P., Madrid, R., 2017. CCI dan acetone evaporation test. *J Neurosci* 37, 3109–3126. <https://doi.org/10.1523/JNEUROSCI.3553-16.2017>

- Gu, D., Xia, Y., Ding, Z., Qian, J., Gu, X., Bai, H. *et al.*, 2024. Inflammation in the Peripheral Nervous System after Injury. *Biomedicines* 12. <https://doi.org/10.3390/biomedicines12061256>
- Hansson, P., Baron, R., Stubhaug, A., 2019. Acute neuropathic pain: equivalent or different to chronic neuropathic pain? A call for gathering of scientifically based information on acute neuropathic pain. *Pain* 160, 2413–2414. <https://doi.org/10.1097/j.pain.0000000000001650>
- Hattori, A., Iwasaki, S., Murase, K., Tsujimoto, M., Sato, M., Hayashi, K. *et al.*, 1994. Tumor necrosis factor is markedly synergistic with interleukin 1 and interferon γ in stimulating the production of nerve growth factor in fibroblasts. *FEBS Lett* 340, 177–180. [https://doi.org/10.1016/0014-5793\(94\)80132-0](https://doi.org/10.1016/0014-5793(94)80132-0)
- Hirosawa, N., Uchida, K., Kuniyoshi, K., Murakami, K., Inoue, G., Miyagi, M. *et al.*, 2018. Vein wrapping promotes M2 macrophage polarization in a rat chronic constriction injury model. *Journal of Orthopaedic Research* 36, 2210–2217. <https://doi.org/10.1002/jor.23875>
- Iannone LF, Fattori D, Geppetti P, De Cesaris F. Galcanezumab effectiveness on comorbid cluster headache and chronic migraine: a prospective case series. *Neurological Sciences*. 2022 Jan;43(1):697–703. doi:10.1007/s10072-021-05624-1
- Ide, C., 2008. Basal Lamina in Nerve Regeneration, in: *Encyclopedia of Neuroscience*. Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 352–353. https://doi.org/10.1007/978-3-540-29678-2_564
- IWANAGA, T., TAKAHASHI-IWANAGA, H., NIO-KOBAYASHI, J., EBARA, S., 2022. Structure and barrier functions of the perineurium and its relationship with associated sensory corpuscles: A review. *Biomed Res* 43, 145–159. <https://doi.org/10.2220/biomedres.43.145>
- Izham, N., Chia, J., Kaswan, N., Sukirthalingam, K., Vidyadaran, S., Bharatham, H. *et al.*, 2022. Exploring the possibilities of using in vitro model for neuropathic pain studies. *Neuroscience Research Notes*. <https://doi.org/10.31117/neuroscirn.v5i3.144>.
- Ji, R.-R., Lee, S.-Y., 2021. Molecular Sensors of Temperature, Pressure, and Pain with Special Focus on TRPV1, TRPM8, and PIEZO2 Ion Channels. *Neurosci Bull* 37, 1745–1749. <https://doi.org/10.1007/s12264-021-00798-2>
- Kiguchi, N., Kobayashi, Y., Kishioka, S., 2012. Chemokines and cytokines in neuroinflammation leading to neuropathic pain. *Curr Opin Pharmacol* 12, 55–61. <https://doi.org/10.1016/j.coph.2011.10.007>
- Knowlton, W.M., Bifulck-Fisher, A., Bautista, D.M., McKemy, D.D., 2010. TRPM8, but not TRPA1, is required for neural and behavioral responses

to acute noxious cold temperatures and cold-mimetics in vivo. *Pain* 150, 340–350. <https://doi.org/10.1016/j.pain.2010.05.021>

Knowlton, W.M., Palkar, R., Lippoldt, E.K., McCoy, D.D., Baluch, F., Chen, J. *et al.*, 2013. A sensory-labeled line for cold: TRPM8-expressing sensory neurons define the cellular basis for cold, cold pain, and cooling-mediated analgesia. *J Neurosci* 33, 2837–2848. <https://doi.org/10.1523/JNEUROSCI.1943-12.2013>

Kocot-Kępska, M., Zajączkowska, R., Mika, J., Wordliczek, J., Dobrogowski, J., Przeklasa-Muszyńska, A., 2021. Peripheral Mechanisms of Neuropathic Pain—The Role of Neuronal and Non-Neuronal Interactions and Their Implications for Topical Treatment of Neuropathic Pain. *Pharmaceuticals* 14, 77. <https://doi.org/10.3390/ph14020077>

Lavorato, A., Aruta, G., De Marco, R., Zeppa, P., Titolo, P., Colonna, M.R. *et al.*, 2023. Traumatic peripheral nerve injuries: a classification proposal. *J Orthop Traumatol* 24. <https://doi.org/10.1186/s10195-023-00695-6>

Liu, Y., Qin, N., 2011. TRPM8 in Health and Disease: Cold Sensing and Beyond. pp. 185–208. https://doi.org/10.1007/978-94-007-0265-3_10

Macdonald, D.I., Luiz, A.P., Iseppon, F., Millet, Q., Emery, E.C., Wood, J.N., 2021. Silent cold-sensing neurons contribute to cold allodynia in neuropathic pain. *Brain* 144, 1711–1726. <https://doi.org/10.1093/brain/awab086>

Mahmoud, M., Rezaq, S., Alsemeh, A., Abdelfattah, M., El-Shazly, A., Daoud, R. *et al.*, 2021. Potamogeton perfoliatus L. Extract Attenuates Neuroinflammation and Neuropathic Pain in Sciatic Nerve Chronic Constriction Injury-Induced Peripheral Neuropathy in Rats. *Front Pharmacol*, 12. <https://doi.org/10.3389/fphar.2021.799444>.

Mense S, Gerwin RD. *Muscle Pain: Understanding the Mechanisms*. Berlin: Springer-Verlag; 2010. doi:10.1007/978-3-540-85021-2

Moore, K.L., D.A.F., & A.A.M.R., 2014. *Clinically Oriented Anatomy*, 7th ed. wolters kluwer.

Obata, K., Yamanaka, H., Fukuoka, T., Yi, D., Tokunaga, A., Hashimoto, N. *et al.*, 2003. Contribution of injured and uninjured dorsal root ganglion neurons to pain behavior and the changes in gene expression following chronic constriction injury of the sciatic nerve in rats. *Pain*, 101, pp. 65–77. [https://doi.org/10.1016/S0304-3959\(02\)00296-8](https://doi.org/10.1016/S0304-3959(02)00296-8).

Ørstavik, K., Weidner, C., Schmidt, R., Schmelz, M., Hilliges, M., Jørum, E. *et al.*, 2003. Pathological C-fibres in patients with a chronic painful condition. *Brain* 126, 567–578. <https://doi.org/10.1093/brain/awg060>

Ozturk, C., 2015. Peripheral nerve surgery models sciatic nerve crush injury model, in: *Plastic and Reconstructive Surgery: Experimental Models and*

- Research Designs. Springer-Verlag London Ltd, pp. 513–517.
https://doi.org/10.1007/978-1-4471-6335-0_63
- Raffaelli, W., Arnaudo, E., 2017. Pain as a disease: An overview. *J Pain Res* 10, 2003–2008. <https://doi.org/10.2147/JPR.S138864>
- Rotshenker, S., 2011. Wallerian degeneration: The innate-immune response to traumatic nerve injury. *J Neuroinflammation*.
<https://doi.org/10.1186/1742-2094-8-109>
- Sari, D.C.R., Ar Rochmah, M., Yunus, J., Arfian, N., Napitupulu, A.F., Kusuma, M.H.H. *et al.*, 2024. *Anatomi Sistem Saraf dan organ Indra: Multimodal Book*. EGC, Yogyakarta.
- Scholz, J., Woolf, C.J., 2007. The neuropathic pain triad: Neurons, immune cells and glia. *Nat Neurosci*. <https://doi.org/10.1038/nn1992>
- Seo, T.B., Jeon, Y.A., Kim, S.S., Lee, Y.J., 2021. In vitro and in vivo effects of nobiletin on drg neurite elongation and axon growth after sciatic nerve injury. *Int J Environ Res Public Health* 18. <https://doi.org/10.3390/ijerph18178988>
- Shepherd, A., Mohapatra, D., 2019. (228) Pain Hypersensitivity in Chronic Traumatic Neuropathy is Mediated by Peripheral Macrophages and AT2R Signaling. *J Pain* 20, S32. <https://doi.org/10.1016/j.jpain.2019.01.149>
- Sikandar, S., Patel, R., Patel, S., Sikander, S., Bennett, D.L.H., Dickenson, A.H., 2013. Genes, molecules and patients - Emerging topics to guide clinical pain research. *Eur J Pharmacol*. <https://doi.org/10.1016/j.ejphar.2013.01.069>
- Siqueira Mietto, B., Kroner, A., Girolami, E.I., Santos-Nogueira, E., Zhang, J., David, S., 2015. Role of IL-10 in Resolution of Inflammation and Functional Recovery after Peripheral Nerve Injury. *Journal of Neuroscience* 35, 16431–16442. <https://doi.org/10.1523/JNEUROSCI.2119-15.2015>
- Sommer, C., Kress, M., 2004. Recent findings on how proinflammatory cytokines cause pain: peripheral mechanisms in inflammatory and neuropathic hyperalgesia. *Neurosci Lett* 361, 184–187. <https://doi.org/10.1016/j.neulet.2003.12.007>
- Standring, S. (Ed.). 2016. *Gray's Anatomy: The Anatomical Basis of Clinical Practice* (41st ed.). Elsevier., n.d.
- Sulaiman, W. & Gordon, T., 2009. Role of chronic Schwann cell denervation in poor functional recovery after nerve injuries and experimental strategies to combat it. *Neurosurgery*, 65(4), pp.A105-A114

- Sun, W., Sun, C., Zhao, H., Lin, H., Han, Q., Wang, J. *et al.*, 2009. Improvement of Sciatic Nerve Regeneration Using Laminin-Binding Human NGF- β . *PLoS One* 4, e6180. <https://doi.org/10.1371/journal.pone.0006180>
- Suroto, H., Antoni, I., Siyo, A., Steendam, T.C., Prajasari, T., Mulyono, H.B. *et al.*, 2022. Traumatic Brachial Plexus Injury in Indonesia: An Experience from a Developing Country. *J Reconstr Microsurg* 38, 511–523. <https://doi.org/10.1055/s-0041-1735507>
- Tai, T.W., Su, F.C., Chien, J.T., Lee, J.S., Huang, Y.H., Lin, C.L. *et al.*, 2015. Changes in excursion and strain in the rat sciatic nerve under cauda equina compression induced by epidural balloon inflation. *Spine Journal* 15, 329–335. <https://doi.org/10.1016/j.spinee.2014.10.006>
- Tamaddonfard, E., Samadi, F., Egdami, K., Info, A., Dvm, E.T., 2013. The effects of vitamin B 12 and diclofenac and their combination on cold and mechanical allodynia in a neuropathic pain model in rats, ARTICLE Veterinary Research Forum.
- Taskinen, H.S., Olsson, T., Bucht, A., Khademi, M., Svelander, L., R ytt , M., 2000. Peripheral nerve injury induces endoneurial expression of IFN- γ , IL-10 and TNF- α mRNA. *J Neuroimmunol* 102, 17–25. [https://doi.org/10.1016/S0165-5728\(99\)00154-X](https://doi.org/10.1016/S0165-5728(99)00154-X)
- Varga, I., Mravec, B., 2015. Nerve Fiber Types, in: *Nerves and Nerve Injuries*. Elsevier Ltd, pp. 107–113. <https://doi.org/10.1016/B978-0-12-410390-0.00008-1>
- Vissers, K., Meert, T., 2005. A behavioral and pharmacological validation of the acetone spray test in gerbils with a chronic constriction injury. *Anesth Analg* 101, 457–464. <https://doi.org/10.1213/01.ANE.0000158471.41575.F0>
- Vogel, C., Stallforth, S., Sommer, C., 2006. Altered pain behavior and regeneration after nerve injury in TNF receptor deficient mice. *J Peripher Nerv Syst* 11, 294–303. <https://doi.org/10.1111/j.1529-8027.2006.00101.x>
- Walczak, J.-S., Beaulieu, P., 2006. Comparison of three models of neuropathic pain in mice using a new method to assess cold allodynia: The double plate technique. *Neurosci Lett* 399, 240–244. <https://doi.org/10.1016/j.neulet.2006.01.058>
- Wang, X.-S., Chen, X., Gu, T.-W., Wang, Y.-X., Mi, D.-G., Hu, W., 2019. Axonotmesis-evoked plantar vasodilatation as a novel assessment of C-fiber afferent function after sciatic nerve injury in rats. *Neural Regen Res* 14, 2164. <https://doi.org/10.4103/1673-5374.262595>
- Wu, G., Wen, X., Kuang, R., Lui, K.W., He, B., Li, G. *et al.*, 2024. Roles of Macrophages and Their Interactions with Schwann Cells After Peripheral

Nerve Injury. *Cell Mol Neurobiol* 44, 11. <https://doi.org/10.1007/s10571-023-01442-5>

Xing, H., Chen, M., Ling, J., Tan, W., Gu, J.G., 2007. TRPM8 Mechanism of Cold Allodynia after Chronic Nerve Injury. *The Journal of Neuroscience* 27, 13680–13690. <https://doi.org/10.1523/JNEUROSCI.2203-07.2007>

Yadav, A., Ramasamy, T.S., Lin, S.C., Chen, S.H., Lu, J., Liu, Y.H. *et al.*, 2022. Autologous Platelet-Rich Growth Factor Reduces M1 Macrophages and Modulates Inflammatory Microenvironments to Promote Sciatic Nerve Regeneration. *Biomedicines* 10. <https://doi.org/10.3390/biomedicines10081991>

Yang, C., Wei, C., Alam, S., Chen, X., McKemy, D.D., 2024. The neurotrophic factor artemin and its receptor GFR α 3 mediate migraine-like pain via the ion channel TRPM8. <https://doi.org/10.1101/2024.09.09.611532>

Yi, S., Zhang, H., Gong, L., Wu, J., Zha, G., Zhou, S. *et al.*, 2015. Deep sequencing and bioinformatic analysis of lesioned sciatic nerves after crush injury. *PLoS One* 10. <https://doi.org/10.1371/journal.pone.0143491>

Zhang, Y., Wang, T., Wu, S., Tang, L., Wang, J., Yang, J. *et al.*, 2023. Notch signaling pathway: a new target for neuropathic pain therapy. *JHeadache and Pain*. <https://doi.org/10.1186/s10194-023-01616-y>

Zhou, N., Gu, T.W., Xu, Y., Liu, Y., Peng, L.H., 2023. Challenges and progress of neurodrug: bioactivities, production and delivery strategies of nerve growth factor protein. *J Biol Eng*. <https://doi.org/10.1186/s13036-023-00392-2>

Zigmond, R.E., Echevarria, F.D., 2019a. Macrophage biology in the peripheral nervous system after injury. *Prog Neurobiol* 173, 102–121. <https://doi.org/10.1016/j.pneurobio.2018.12.001>

Zigmond, R.E., Echevarria, F.D., 2019b. Macrophage biology in the peripheral nervous system after injury. *Prog Neurobiol* 173, 102–121. <https://doi.org/10.1016/j.pneurobio.2018.12.001>

Zochodne, D.W., 2020. Irreversible events: How nerves are injured, in: *Our Wired Nerves*. Elsevier, pp. 85–95. <https://doi.org/10.1016/b978-0-12-821487-9.00003-9>

Zou, Y., Xu, F., Tang, Z., Zhong, T., Cao, J., Guo, Q. *et al.*, 2016. Distinct calcitonin gene-related peptide expression pattern in primary afferents contribute to different neuropathic symptoms following chronic constriction or crush injuries to the rat sciatic nerve. *Mol Pain* 12. <https://doi.org/10.1177/1744806916681566>