

DAFTAR PUSTAKA

- [1] Badan Pusat Statistik, “Booklet Sakernas Agustus 2024.” 2024. Accessed: Apr. 19, 2025. [Online]. Available: <file:///C:/Users/Hendra%20Chastina%20P/Zotero/storage/WYXSLIUU/booklet-sakernas-agustus-2024.html>
- [2] P. Parmadi, E. Emilia, and Z. Zulgani, “Daya saing produk unggulan sektor pertanian Indonesia dalam hubungannya dengan pertumbuhan Ekonomi,” *J. Paradig. Ekon.*, vol. 13, no. 2, Art. no. 2, Dec. 2018, doi: 10.22437/paradigma.v13i2.6677.
- [3] “Badan Pangan Nasional - Badan Pangan Nasional Dukung Kemandirian Pangan dari Desa - Blog.” Accessed: May 27, 2025. [Online]. Available: <https://badanpangan.go.id/blog/post/badan-pangan-nasional-dukung-kemandirian-pangan-dari-desa>
- [4] Badan Pusat Statistik, “Luas Panen dan Produksi Padi di Indonesia 2024 (Angka Tetap).” 2025. Accessed: Apr. 10, 2025. [Online]. Available: <https://www.bps.go.id/id/pressrelease/2025/02/03/2414/pada-2024--luas-panen-padi-mencapai-sekitar-10-05-juta-hektare-dengan-produksi-padi-sebanyak-53-14-juta-ton-gabah-kering-giling--gkg--.html>
- [5] F. C. Rizki, P. R. Wicaksono, and F. Wijayanti, “Peningkatan Kesuburan Tanah Dan Produktivitas Sebagai Hasil Pengolahan Lahan Di Dusun Ngadilegi, Pandaan,” *J. Inf. Pengabd. Masy.*, vol. 2, no. 1, Art. no. 1, Jan. 2024, doi: 10.47861/jipm-nalanda.v2i1.732.
- [6] R. Fitri, Erdiman, N. Kusnandi, and K. Yamaoka, “SALIBU technology in Indonesia: an alternative for efficient use of agricultural resources to achieve sustainable food security.” Accessed: Apr. 10, 2025. [Online]. Available: https://www.researchgate.net/publication/344959668_SALIBU_technology_in_Indonesia_an_alternative_for_efficient_use_of_agricultural_resources_to_achieve_sustainable_food_security
- [7] F. Y. Chani and B. Kurniawan, “Hand Arm Vibration Syndrome: Ancaman Bagi Pekerja Sektor Industri,” *J. Kesehat. Dan Agromedicine*, vol. 5, no. 1, Art. no. 1, Jun. 2018.
- [8] S. Prabawa, “Analisis Kebisingan dan Getaran Mekanis pada Traktor Tangan,” *agriTECH*, vol. 29, no. 2, Art. no. 2, May 2012, doi: 10.22146/agritech.9770.
- [9] R. Wahyudi and M. Ariandi, “Implementation of Hand Tractor Control Device Remotely Using Flysky Fs-I6 Remote Control,” *Protek J. Ilm. Tek. Elektro*, vol. 11, no. 1, Art. no. 1, Jan. 2024, doi: 10.33387/protek.v11i1.6741.
- [10] D. Prasetya and K. Satriyatama, “Rancang Bangun Prototype Traktor dengan Kendali Jarak Jauh Menggunakan Smart Phone,” no. Query date: 2025-02-07 02:39:48, 2019, [Online]. Available: <https://proceedings.ums.ac.id/index.php/rapi/article/download/1358/1326>
- [11] NORDIC Semiconductor, “nRF24L01 Single Chip 2.4GHz Transceiver: Product Specification.” Jul. 2007. [Online]. Available: https://www.mouser.com/datasheet/2/297/nRF24L01_Product_Specification_



- v2_0-9199.pdf?srsId=AfmBOoqvOuaVHB7SLzvNikBPcs-JtGJx5bIU6Wz7IQLpNmNfJy9inIDn
- [12] H. Dialani, “Highly Efficient Dual-Side Wireless Power Transfer”, Accessed: Apr. 11, 2025. [Online]. Available: https://repository.tudelft.nl/file/File_ae28eeb1-24af-4af0-9f4d-ef3b7c7d5020?preview=1
- [13] M. Bhardwaj and N. Kumar, “Comparative Analysis of Frequency Shift Keying (FSK) and Gaussian Frequency Shift Keying (GFSK) Modulation Techniques over an AWGN Channel in MATLAB,” in *2023 8th International Conference on Communication and Electronics Systems (ICCES)*, Jun. 2023, pp. 95–102. doi: 10.1109/ICCES57224.2023.10192735.
- [14] R. A. Gheorghiu, M. Minea, V. Iordache, and L. D. Buretea, “Field testing of nRF24 communications as a support for Smart City applications,” in *2023 46th International Conference on Telecommunications and Signal Processing (TSP)*, Jul. 2023, pp. 74–77. doi: 10.1109/TSP59544.2023.10197725.
- [15] A. Ayati and H. R. Naji, “A security mechanism for Enhanced ShockBurst wireless communication protocol using nRF24L01,” ResearchGate. Accessed: Apr. 18, 2025. [Online]. Available: https://www.researchgate.net/publication/376801236_A_security_mechanism_for_Enhanced_ShockBurst_wireless_communication_protocol_using_nRF24L01
- [16] A. Finawan, M. Muhaimin, E. Eliyani, and ..., “Rancang Bangun Prototipe Pengendali Traktor Tangan Secara Jarak Jauh berbasis Mikrokontroler,” *Pros. Semin. ...*, no. Query date: 2025-02-07 02:39:48, 2019, [Online]. Available: <https://e-jurnal.pnl.ac.id/semnaspnl/article/view/1708>
- [17] H. K. Pandey, S. Negi, L. Kothari, A. Jaiswal, S. Thapliyal, and M. Singh, “Development of a Versatile Wireless Control System Using nRF24L01 Transceiver and Arduino Unit,” in *2023 International Conference on Computational Intelligence for Information, Security and Communication Applications (CIISCA)*, Jun. 2023, pp. 103–108. doi: 10.1109/CIISCA59740.2023.00030.
- [18] D. Suswati and E. Dolorosa, “Teknik Pengolahan Tanah Untuk Budidaya Tanaman Padi Di Desa Saing Rambi Kecamatan Sambas Kabupaten Sambas: a,” *J. Pengabd. Kpd. Masy. Nusant.*, vol. 4, no. 4, pp. 4088–4095, 2023.
- [19] M. Zaenal Arifin, “Bajak Kerbau Masih Diminati Petani Jenggawur Banjarnegara, Ini Keunggulannya,” *Tribunjateng.com*. Accessed: May 15, 2025. [Online]. Available: <https://jateng.tribunnews.com/2022/01/24/bajak-kerbau-masih-diminati-petani-jenggawur-banjarnegara-ini-keunggulannya>
- [20] C. Javandira, I. D. N. Raka, and A. W. S. Gama, “Pengenalan dan Demonstrasi Penggunaan Traktor pada Krama Subak Desa Adat Anggabaya,” *WIDYABHAKTI J. Ilm. Pop.*, vol. 1, no. 2, Art. no. 2, Mar. 2019, doi: 10.30864/widyabhakti.v1i2.42.
- [21] N. I. Wibowo, “Modul traktor pertanian.” Accessed: May 25, 2025. [Online]. Available: <https://repositori.kemdikbud.go.id/17522/>
- [22] J. Jamaluddin, H. Syam, N. Lestari, and M. Rizal, *Alat dan mesin pertanian*. eprints.unm.ac.id, 2019. [Online]. Available: <http://eprints.unm.ac.id/17661/>



- [23] G. M. Miller, J. S. Beasley, and J. Vasek, *Modern Electronic Communication*. Pearson Education Canada, 2004.
- [24] Djuanda, “Spektrum Frekuensi Radio Tulang Punggung transformasi digital - Kata Logika,” *Spektrum Frekuensi Radio Tulang Punggung transformasi digital - Kata Logika*. Accessed: May 16, 2025. [Online]. Available: <https://www.katalogika.com/digital/pr-1441507384/spektrum-frekuensi-radio-tulang-punggung-transformasi-digital>
- [25] B. Santoso and E. Prihartono, “PERANCANGAN JARINGAN DAN OTOMASI STUDIO TERINTEGRASI STASIUN RADIO STREAMING,” pp. 226–235, 2017.
- [26] Haykin, *COMMUNICATION SYSTEMS, 4TH ED.* Wiley India Pvt. Limited, 2006.
- [27] E. Saletović, E. Babović, and Đ. Hadžić, “Maintaining a stable point-to-point remote control link based on transceivers nRF24L01+ PA/LNA in presence of interferences,” in *2023 22nd International Symposium INFOTEH-JAHORINA (INFOTEH)*, Mar. 2023, pp. 1–5. doi: 10.1109/INFOTEH57020.2023.10094147.
- [28] A. Lopez, “Low-Latency GFSK Demodulation Architecture Comparison and Design for FPGA.” Accessed: May 08, 2025. [Online]. Available: <http://essay.utwente.nl/96205/>
- [29] M. Yamamoto, T. Isono, K. Toyotomi, and M. Tanaka, “Radio control device for target object to be controlled,” US9063526B2, Jun. 23, 2015 Accessed: Apr. 14, 2025. [Online]. Available: <https://patents.google.com/patent/US9063526B2/en>
- [30] P. Beard, J. Adams, M. Lee, and E. Meyers, “Method and system for controlling radio controlled devices,” US8049600B2, Nov. 01, 2011 Accessed: Apr. 14, 2025. [Online]. Available: <https://patents.google.com/patent/US8049600/en>
- [31] P. Choquet and C. Hock, “Method for customising a remote control,” EP2455150A1, May 23, 2012 Accessed: Apr. 14, 2025. [Online]. Available: <https://patents.google.com/patent/EP2455150A1/en>
- [32] E. Wright, “Radio control transmitter and receiver,” 6983128, Jan. 03, 2006 Accessed: Apr. 14, 2025. [Online]. Available: <https://www.freepatentsonline.com/6983128.html>
- [33] Z. Haider, M. S. Saleem, and T. Jamal, “Analysis of Interference in Wireless Networks,” *ArXiv Netw. Internet Archit.*, Oct. 2018, Accessed: Apr. 15, 2025. [Online]. Available: <https://arxiv.org/pdf/1810.13164>
- [34] N. Trabelsi, L. Chaari Fourati, and C. S. Chen, “Interference management in 5G and beyond networks: A comprehensive survey,” *Comput. Netw.*, vol. 239, p. 110159, Feb. 2024, doi: 10.1016/j.comnet.2023.110159.
- [35] J. R. Foerster, “The effects of multipath interference on the performance of UWB systems in an indoor wireless channel,” in *IEEE VTS 53rd Vehicular Technology Conference, Spring 2001. Proceedings (Cat. No.01CH37202)*, May 2001, pp. 1176–1180 vol.2. doi: 10.1109/VETECS.2001.944566.



- [36] M. Litchman, “Multipath Fading | PySDR: A Guide to SDR and DSP using Python,” PySDR: A Guide to SDR and DSP using Python. Accessed: May 20, 2025. [Online]. Available: https://pysdr.org/content/multipath_fading.html
- [37] D. Briawan, T. R. Sedayu, and I. Ekayanti, “Kebiasaan minum dan asupan cairan remaja di perkotaan,” *J. Gizi Klin. Indones.*, vol. 8, no. 1, Art. no. 1, Jul. 2011, doi: 10.22146/ijcn.17729.
- [38] M. U. Rehman, Y. Gao, X. Chen, C. G. Parini, and Z. Ying, “Effects of human body interference on the performance of a GPS antenna,” in *2nd European Conference on Antennas and Propagation (EuCAP 2007)*, Edinburgh, UK: Institution of Engineering and Technology, 2007, pp. 111–111. doi: 10.1049/ic.2007.1042.
- [39] Basu, “Fundamentals of Radio Propagation | VU2NSB.com - Amazing Amateur Radio.” Accessed: May 15, 2025. [Online]. Available: <https://vu2nsb.com/radio-propagation/radio-propagation-fundamentals/>
- [40] L. Azpilicueta *et al.*, “Analysis of Radio Wave Propagation for ISM 2.4 GHz Wireless Sensor Networks in Inhomogeneous Vegetation Environments,” *Sensors*, vol. 14, no. 12, Art. no. 12, Dec. 2014, doi: 10.3390/s141223650.
- [41] K. Amano, N. Goda, S. Nishida, Y. Ejima, T. Takeda, and Y. Ohtani, “Estimation of the Timing of Human Visual Perception from Magnetoencephalography,” *J. Neurosci.*, vol. 26, no. 15, pp. 3981–3991, Apr. 2006, doi: 10.1523/JNEUROSCI.4343-05.2006.
- [42] “Bromo Series | Traktor tangan | Produk | Pertanian | YANMAR Indonesia,” YANMAR. Accessed: May 28, 2025. [Online]. Available: <https://www.yanmar.com/id/agri/products/tiller/bromo/>

