

DAFTAR PUSTAKA

- Abazari, M., Ghaffari, A., Rashidzadeh, H., Badeleh, S. M., & Maleki, Y. (2022). A systematic review on classification, identification, and healing process of burn wound healing. *The International Journal of Lower Extremity Wounds*, 21(1), 18-30
- Ahmed, E. M. (2015). Hydrogel: Preparation, characterization, and applications: A review. *Journal of advanced research*, 6(2), 105-121
- Alauhdin, M., & Widiarti, N. (2014). Sintesis dan modifikasi lapis tipis kitosan-tripolifosfat. *Indonesian Journal of Mathematics and Natural Sciences*, 37(1)
- Alavi, A., & Kirsner, R. S. (2020). The Basic Principles in Local Wound Care. *Local Wound Care for Dermatologists*, 1-4
- American Burn Association. (2019). Pembaruan National Burn Repository 2019, Laporan data dari tahun 2009–2018. *ameriburn.site-ym.com*. Diakses melalui <https://ameriburn.site-ym.com/store/ViewProduct.aspx?id=14191872> pada 20 September 2024
- Aminuddin, M., Sholichin, S. K., & Nopriyanto, D. (2020). Modul Perawatan Luka. *Samarinda: Program Studi Diploma Iii Keperawatan Fakultas Kedokteran Universitas Mulawarman*
- Andonegi, M., Las Heras, K., Santos-Vizcaíno, E., Igartua, M., Hernandez, R. M., de la Caba, K., & Guerrero, P. (2020). Structure-properties relationship of chitosan/collagen films with potential for biomedical applications. *Carbohydrate polymers*, 237, 116159
- Azuri, M. S., Forid, M. S., Ishak, W. M. W., Ain, N., & Azhar, A. (2023). Optimization of Chitosan Concentration on Physicochemical Properties of Polyvinyl Alcohol-Based Hydrogel. *International Journal of Chemical and Biochemical Science*, 24(8), 147-157.
- Bahreini, E., Aghaiypour, K., Abbasalipourkabir, R., Mokarram, A. R., Goodarzi, M. T., & Saidijam, M. (2014). Preparation and nanoencapsulation of L-asparaginase II in chitosan-tripolyphosphate nanoparticles and in vitro release study. *Nanoscale research letters*, 9, 1-13
- Bamgbose, J. T., Bamigbade, A. A., Adewuyi, S., Dare, E. O., Lasisi, A. A., & Njah, A. N. (2012). Equilibrium *swelling* and kinetic studies of highly swollen chitosan film. *Journal of chemistry and chemical Engineering*, 6(3).
- Bamgbose, J. T., Nkiko, M. O., Bamigbade, A. A., & Dare, E. O. (2014). Interactions of cross-linked and uncross-linked chitosan hydrogels with surfactants for biomedical applications. *Ife Journal of Science*, 16(3), 341-351.
- Bashir, S., Hina, M., Iqbal, J., Rajpar, A. H., Mujtaba, M. A., Alghamdi, N. A., ... & Ramesh, S. (2020). Fundamental concepts of hydrogels: Synthesis, properties, and their applications. *Polymers*, 12(11), 2702
- Bierhalz, A. C. K., Westin, C. B., & Moraes, Â. M. (2016). Comparison of the properties of membranes produced with alginate and chitosan from mushroom and from shrimp. *International Journal of Biological*

Macromolecules, 91, 496–504.
<https://doi.org/10.1016/J.IJBIOMAC.2016.05.095>

- Biernat, M., Woźniak, A., Chraniuk, M., Panasiuk, M., Tymowicz-Grzyb, P., Pagacz, J., Antosik, A., Ciołek, L., Gromadzka, B., & Jaegermann, Z. (2023). Effect of Selected Crosslinking and Stabilization Methods on the Properties of Porous Chitosan Composites Dedicated for Medical Applications. *Polymers*, 15(11), 2507.
<https://doi.org/10.3390/polym15112507>
- Boateng, J. S., Matthews, K. H., Stevens, H. N., & Eccleston, G. M. (2008). Wound healing dressings and drug delivery systems: a review. *Journal of pharmaceutical sciences*, 97(8), 2892-2923
- Boateng, J., & Catanzano, O. (2015). Advanced therapeutic dressings for effective wound healing—a review. *Journal of pharmaceutical sciences*, 104(11), 3653-3680
- Butko, Y., Tkachova, O., UIANOVA, V., Şahin, Y. M., Levashova, O., & Tishakova, T. (2019). Immune histochemical study of KI-67 level and ribonucleic acid in the process of healing of burn wounds after treatment with drugs containing dexpanthenol and ceramide. *Biointerface Research in Applied Chemistry*
- Cesarani, P. P. E., Hamid, A., & Wiratnaya, I. G. E. (2020). Profil penderita luka bakar di unit luka bakar RSUP Sanglah Denpasar (2013-2015). *JMU*, 9(3), 39–43
- Chattopadhyay, S., & Raines, R. T. (2014). Collagen-based biomaterials for wound healing. *Biopolymers*, 101(8), 821-833
- Cho, A. R., Chun, Y. G., Kim, B. K., & Park, D. J. (2014). Preparation of chitosan–TPP microspheres as resveratrol carriers. *Journal of food science*, 79(4), E568-E576
- Christie, C. D., Dewi, R., Pardede, S. O., & Wardhana, A. (2018). Pediatric Burn Injury Characteristics and Causes of Death. *Kedokteran UKI*, XXXIV(3)
- Chuysinuan, P., Thanyacharoen, T., Thongchai, K., Techasakul, S., & Ummartyotin, S. (2020). Preparation of chitosan/hydrolyzed collagen/hyaluronic acid based hydrogel composite with caffeic acid addition. *International journal of biological macromolecules*, 162, 1937-1943.
- Cooper, D. K. (2012, January). A brief history of cross-species organ transplantation. In *Baylor University Medical Center Proceedings* (Vol. 25, No. 1, pp. 49-57). Taylor & Francis
- Costa-Júnior, E. S., Barbosa-Stancioli, E. F., Mansur, A. A., Vasconcelos, W. L., & Mansur, H. S. (2009). Preparation and characterization of chitosan/poly (vinyl alcohol) chemically crosslinked blends for biomedical applications. *Carbohydrate polymers*, 76(3), 472-481
- Crema, N. M., Castro, L. E. N., Alves, H. J., & Ribeiro, L. F. (2024). Effect of Chitosan Incorporation in Films: Evaluation of Characteristics and Degradability. Available at SSRN 4685538.
- Cruz, M. A., Araujo, T. A., Avanzi, I. R., Parisi, J. R., de Andrade, A. L. M., & Rennó, A. C. M. (2021). Collagen from marine sources and skin wound

- healing in animal experimental studies: a systematic review. *Marine Biotechnology*, 23, 1-11
- Daunton, C., Kothari, S., Smith, L., & Steele, D. (2012). A history of materials and practices for wound management. *Wound Practice & Research: Journal of the Australian Wound Management Association*, 20(4)
- Davison-Kotler, E., Marshall, W. S., & García-Gareta, E. (2019). Sources of collagen for biomaterials in skin wound healing. *Bioengineering*, 6(3), 56
- Dhivya S, Padma VV, Santhini E (2015) Wound dressings - a review. *Biomedicine (Taipei)* 5(4):24–28
- Enoch, K., & Somasundaram, A. A. (2024). Thixotropic chitosan hydrogels for biomedical applications: Unravelling the effect of chitosan concentration on the mechanical behaviour. *Surfaces and Interfaces*, 50, 104475
- Fang, Y., Zhang, T., Song, Y., & Sun, W. (2020). Assessment of various crosslinking agents on collagen/chitosan scaffolds for myocardial tissue engineering. *Biomedical Materials*, 15(4), 045003
- Feiner, R., & Dvir, T. (2017). Tissue-electronics interfaces: From implantable devices to engineered tissues. *Nature Reviews Materials*, 3. <https://doi.org/10.1038/NATREVMATS.2017.76>
- Feng, P., Luo, Y., Ke, C., Qiu, H., Wang, W., Zhu, Y., ... & Wu, S. (2021). Chitosan-based functional materials for skin wound repair: Mechanisms and applications. *Frontiers in Bioengineering and Biotechnology*, 9, 650598
- Ferreira, I., Marques, A. C., Costa, P. C., & Amaral, M. H. (2023). Effects of steam sterilization on the properties of stimuli-responsive polymer-based hydrogels. *Gels*, 9(5), 385
- Gajbhiye, S., & Wairkar, S. (2022). Collagen fabricated delivery systems for wound healing: A new roadmap. *Biomaterials Advances*, 142, 213152
- Galante, R., Pinto, T. J. A., Colaço, R., & Serro, A. P. (2017). Sterilization of hydrogels for biomedical applications: A review. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 106(6), 2472–2492. <https://doi.org/10.1002/jbm.b.34048>
- Galante, R., Pinto, T. J. A., Colaço, R., & Serro, A. P. (2018). Sterilization of hydrogels for biomedical applications: A review. In *Journal of Biomedical Materials Research - Part B Applied Biomaterials* (Vol. 106, Issue 6, pp. 2472–2492). John Wiley and Sons Inc. <https://doi.org/10.1002/jbm.b.34048>
- Galante, R., Rediguieri, C. F., Kikuchi, I. S., Vasquez, P. A., Colaço, R., Serro, A. P., & Pinto, T. J. (2016). About the sterilization of chitosan hydrogel nanoparticles. *PLoS One*, 11(12), e0168862.
- Gayas, M. A., Ahmad, R. A., Gugjoo, M. B., & Handoo, N. (2018). Fungal wound infections: Mini review. *Pharma Innov*, 7, 295-298
- Ge, B., Wang, H., Li, J., Liu, H., Yin, Y., Zhang, N., & Qin, S. (2020). Comprehensive assessment of Nile tilapia skin (*Oreochromis niloticus*) collagen hydrogels for wound dressings. *Marine drugs*, 18(4), 178
- Ghica, M. V., Albu Kaya, M. G., Dinu-Pîrvu, C.-E., Lupuleasa, D., & Udeanu, D. I. (2017). Development, Optimization and In Vitro/In Vivo Characterization of Collagen-Dextran Spongy Wound Dressings Loaded with Flufenamic Acid. *Molecules*, 22(9), 1552. <https://doi.org/10.3390/molecules22091552>

- Ghobril, C., & Grinstaff, M. W. (2015). The chemistry and engineering of polymeric hydrogel adhesives for wound closure: a tutorial. *Chemical Society reviews*, 44(7), 1820–1835. <https://doi.org/10.1039/c4cs00332b>
- Gomez-Florit, M., Pardo, A., Domingues, R. M., Graça, A. L., Babo, P. S., Reis, R. L., & Gomes, M. E. (2020). Natural-based hydrogels for tissue engineering applications. *Molecules*, 25(24), 5858
- Gupta, A., Kedige, S. D., & Jain, K. (2015). Amnion and chorion membranes: potential stem cell reservoir with wide applications in periodontics. *International journal of biomaterials*, 2015(1), 274082
- Gupta, A., Kowalczyk, M., Heaselgrave, W., Britland, S. T., Martin, C., & Radecka, I. (2019). The production and application of hydrogels for wound management: A review. *European Polymer Journal*, 111, 134-151
- Hidaka, M., Kojima, M., Sakai, S., & Delattre, C. (2024). Characterization of Chitosan Hydrogels Obtained through Phenol and Tripolyphosphate Anionic Crosslinking. *Polymers*, 16(9), 1274. <https://doi.org/10.3390/polym16091274>
- Ho, T. C., Chang, C. C., Chan, H. P., Chung, T. W., Shu, C. W., Chuang, K. P., ... & Tyan, Y. C. (2022). Hydrogels: properties and applications in biomedicine. *Molecules*, 27(9), 2902
- Holbert, M. D., Kimble, R. M., Chatfield, M., & Griffin, B. R. (2021). Effectiveness of a hydrogel dressing as an analgesic adjunct to first aid for the treatment of acute paediatric burn injuries: a prospective randomised controlled trial. *BMJ open*, 11(1), e039981
- Huisman, R., Van Kamp, H. V., Weyland, J. W., Doornbos, D. A., Bolhuis, G. K., & Lerk, C. F. (1984). Development and optimization of pharmaceutical formulations using a *simplex lattice design*. *Pharmaceutisch weekblad. Scientific edition*, 6(5), 185–194. <https://doi.org/10.1007/BF01999941>
- Ishfaq, B., Khan, I. U., Khalid, S. H., & Asghar, S. (2023). Design and evaluation of sodium alginate-based hydrogel dressings containing *Betula utilis* extract for cutaneous wound healing. *Frontiers in bioengineering and biotechnology*, 11, 1042077. <https://doi.org/10.3389/fbioe.2023.1042077>
- Islam, A., Yasin, T., Bano, I., & Riaz, M. (2012). Controlled release of aspirin from pH-sensitive chitosan/poly (vinyl alcohol) hydrogel. *Journal of Applied Polymer Science*, 124(5), 4184-4192
- Jahromi, M. A. M., Zangabad, P. S., Basri, S. M. M., Zangabad, K. S., Ghamarypour, A., Aref, A. R., ... & Hamblin, M. R. (2018). Nanomedicine and advanced technologies for burns: Preventing infection and facilitating wound healing. *Advanced drug delivery reviews*, 123, 33-64
- Jantrawut, P., Bunrueangtha, J., Suerthong, J., & Kantrong, N. (2019). Fabrication and Characterization of Low Methoxyl Pectin/Gelatin/Carboxymethyl Cellulose Absorbent Hydrogel Film for Wound Dressing Applications. *Materials*, 12(10), 1628. <https://doi.org/10.3390/ma12101628>
- Jeschke, M. G., van Baar, M. E., Choudhry, M. A., Chung, K. K., Gibran, N. S., & Logsetty, S. (2020). Burn injury. *Nature reviews. Disease primers*, 6(1), 11. <https://doi.org/10.1038/s41572-020-0145-5>

- Jonassen, H., Kjøniksen, A. L., & Hiorth, M. (2012). Stability of chitosan nanoparticles cross-linked with tripolyphosphate. *Biomacromolecules*, 13(11), 3747–3756. <https://doi.org/10.1021/bm301207a>
- Kan, Y., Salimon, A. I., & Korsunsky, A. M. (2020). On the electrospinning of nanostructured collagen-PVA fiber mats. *Materials Today: Proceedings*, 33, 2013–2019. <https://doi.org/10.1016/J.MATPR.2020.07.621>
- Kaur, P., Gondil, V. S., & Chhibber, S. (2019). A novel wound dressing consisting of PVA-SA hybrid hydrogel membrane for topical delivery of bacteriophages and antibiotics. *International journal of pharmaceutics*, 572, 118779
- Kloth, L. C. (2014). Electrical stimulation technologies for wound healing. *Advances in wound care*, 3(2), 81-90
- Koehler, J., Brandl, F. P., & Goepferich, A. M. (2018). Hydrogel wound dressings for bioactive treatment of acute and chronic wounds. *European Polymer Journal*, 100, 1-11
- Kou, S. G., Peters, L. M., & Mucalo, M. R. (2021). Chitosan: A review of sources and preparation methods. *International Journal of Biological Macromolecules*, 169, 85-94
- Kus, K. J., & Ruiz, E. S. (2020). Wound dressings—a practical review. *Current Dermatology Reports*, 9, 298-308
- Laurano, R., Boffito, M., Ciardelli, G., & Chiono, V. (2022). Wound dressing products: A translational investigation from the bench to the market. *Engineered Regeneration*, 3(2), 182-200
- Lee, S. M., Park, I. K., Kim, Y. S., Kim, H. J., Moon, H., Mueller, S., dkk. (2016). Physical, morphological, and wound healing properties of a polyurethane foam-film dressing. *Biomater. Res.* 20 (15). doi: 10.1186/s40824-016-0063-5
- León-López, A., Morales-Peñaloza, A., Martínez-Juárez, V. M., Vargas-Torres, A., Zeugolis, D. I., & Aguirre-Álvarez, G. (2019). Hydrolyzed collagen—sources and applications. *Molecules*, 24(22), 4031
- Li, X., Shang, L., Li, D., Wang, W., Chen, S., Zhong, H., ... & Long, S. (2022). High-strength, strong-adhesion, and antibacterial polyelectrolyte complex hydrogel films from natural polysaccharides. *Polymer Testing*, 109, 107547.
- Liu, X., Qin, S., Xu, L., Fu, G., Huang, Y., Yu, C., Cheng, G., Li, Y., He, Y., Qi, Y., & Sun, D. (2023). A tough and mechanically stable adhesive hydrogel for non-invasive wound repair. *Frontiers in bioengineering and biotechnology*, 11, 1173247. <https://doi.org/10.3389/fbioe.2023.1173247>
- Mahinroosta, M., Farsangi, Z. J., Allahverdi, A., & Shakoory, Z. (2018). Hydrogels as intelligent materials: A brief review of synthesis, properties and applications. *Materials today chemistry*, 8, 42-55
- Mahmood, H., Khan, I. U., Asif, M., Khan, R. U., Asghar, S., Khalid, I., ... & Asim, M. (2021). In vitro and in vivo evaluation of gellan gum hydrogel films: Assessing the co impact of therapeutic oils and ofloxacin on wound healing. *International Journal of Biological Macromolecules*, 166, 483-495.

- Martínez-Ruvalcaba, A., Chornet, E., & Rodrigue, D. (2007). Viscoelastic properties of dispersed chitosan/xanthan hydrogels. *Carbohydrate Polymers*, 67(4), 586-595
- Mathew-Steiner, S. S., Roy, S., & Sen, C. K. (2021). Collagen in wound healing. *Bioengineering*, 8(5), 63
- McBane, J. E., Vulesevic, B., Padavan, D. T., McEwan, K. A., Korbitt, G. S., & Suuronen, E. J. (2013). Evaluation of a collagen-chitosan hydrogel for potential use as a pro-angiogenic site for islet transplantation. *PloS one*, 8(10), e77538.
- Meyer, M. (2019). Processing of collagen based biomaterials and the resulting materials properties. *Biomedical engineering online*, 18(1), 24
- Mogoşanu, G. D., & Grumezescu, A. M. (2014). Natural and synthetic polymers for wounds and burns dressing. *International journal of pharmaceuticals*, 463(2), 127-136
- Mohebbali, A., Abdouss, M., & Taromi, F. A. (2020). Fabrication of biocompatible antibacterial nanowafers based on HNT/PVA nanocomposites loaded with minocycline for burn wound dressing. *Materials Science and Engineering: C*, 110, 110685
- Mohiuddin, A. K. (2019). A thoroughgoing detail of surgical dressings. *Journal of Orthopaedics and Sports Medicine*, 1(1), 1-17
- Mozaffari, E., Tanhaei, B., Khajenoori, M., & Khoshkho, S. M. (2025). Unveiling the *swelling* behavior of κ -carrageenan hydrogels: Influence of composition and physiological environment on drug delivery potential. *Journal of Industrial and Engineering Chemistry*, 141, 217-227.
- Naseri-Nosar, M., & Ziora, Z. M. (2018). Wound dressings from naturally-occurring polymers: A review on homopolysaccharide-based composites. *Carbohydrate polymers*, 189, 379-398
- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 71853, Chitosan. Retrieved October 18, 2024 from <https://pubchem.ncbi.nlm.nih.gov/compound/Chitosan>
- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 962, Water. Retrieved October 18, 2024 from <https://pubchem.ncbi.nlm.nih.gov/compound/Water>
- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 6913668, Collagen I, alpha chain (98-110). Retrieved October 18, 2024 from https://pubchem.ncbi.nlm.nih.gov/compound/Collagen-I_alpha-chain_98-110
- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 176, Acetic Acid. Retrieved October 18, 2024 from <https://pubchem.ncbi.nlm.nih.gov/compound/Acetic-Acid>
- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 24455, Pentasodium Triphosphate. Retrieved November 29, 2024 from <https://pubchem.ncbi.nlm.nih.gov/compound/Pentasodium-Triphosphate>

- Nie, J., Pei, B., Wang, Z., & Hu, Q. (2019). Construction of ordered structure in polysaccharide hydrogel: A review. *Carbohydrate polymers*, 205, 225-235
- Nielsen, J., & Fogh, K. (2015). Clinical utility of foam dressings in wound management: A review. *Chronic Wound Care Management and Research*, 31-38
- Nike, D. U., Katas, H., Mohd, N. F., Hiraoka, Y., Tabata, Y., Idrus, R. B. H., & Fauzi, M. B. (2021). Characterisation of rapid in situ forming gelipin hydrogel for future use in irregular deep cutaneous wound healing. *Polymers*, 13(18), 3152
- Ningrum, D. R., Hanif, W., Mardhian, D. F., & Asri, L. A. (2023). In vitro biocompatibility of hydrogel polyvinyl alcohol/moringa oleifera leaf extract/graphene oxide for wound dressing. *Polymers*, 15(2), 468.
- Ningsih, S. N. R., Tania, E., Azizah, N. N., & Lutfiah, S. L. (2022). Aktivitas Antibakteri Kitosan dari Berbagai Jenis Bahan Baku Hewani: Review Journal. *Jurnal Buana Farma*, 2(4), 25-30
- Nita, M., Pliszczynski, J., Kowalewski, C., Woźniak, K., Eljaszewicz, A., Moniuszko, M., Kamiński, A., Śladowski, D., Zimek, Z., Majewski, S., Kosieradzki, M., & Fiedor, P. (2020). New Treatment of Wound Healing With Allogenic Acellular Human Skin Graft: Preclinical Assessment and In Vitro Study. *Transplantation proceedings*, 52(7), 2204–2207. <https://doi.org/10.1016/j.transproceed.2020.02.115>
- Pan, Z., & Brassart, L. (2022). Constitutive modelling of hydrolytic degradation in hydrogels. *Journal of the Mechanics and Physics of Solids*, 167, 105016.
- Pannerselvam, B., Jothinathan, M. K. D., Rajenderan, M., Perumal, P., Thangavelu, K. P., Kim, H. J., ... & Rangarajulu, S. K. (2017). An in vitro study on the burn wound healing activity of cotton fabrics incorporated with phytosynthesized silver nanoparticles in male Wistar albino rats. *European journal of pharmaceutical sciences*, 100, 187-196
- Papadimitriou, S. A., Achilias, D. S., & Bikiaris, D. N. (2012). Chitosan-g-PEG nanoparticles ionically crosslinked with poly (glutamic acid) and tripolyphosphate as protein delivery systems. *International Journal of Pharmaceutics*, 430(1-2), 318-327
- Papagiannopoulos A, Nikolakis SP, Pamvouxoglou A, and Koutsopoulou E. (2023). Physicochemical properties electrostatically crosslinked carrageenan/chitosan hydrogels and carrageenan/chitosan/Laponite nanocomposite hydrogels. *Int J Biol Macromol*, 225:565–573.
- Parikh, D. V., Fink, T., Rajasekharan, K., Sachinvala, N. D., Sawhney, A. P. S., Calamari, T. A., & Parikh, A. D. (2005). Antimicrobial silver/sodium carboxymethyl cotton dressings for burn wounds. *Textile Research Journal*, 75(2), 134-138
- Peers, S., Montembault, A., & Ladavière, C. (2020). Chitosan hydrogels for sustained drug delivery. *Journal of Controlled Release*, 326, 150-163
- Pinto, C., Méndez, L., Camacho-Rodríguez, B., & Silva-Cote, I. (2024). Antibacterial PVA/Chitosan/alginate/Meropenem-based hydrogel as a potential therapeutic strategy for chronic ulcers infections. *International*

- Journal of Polymeric Materials and Polymeric Biomaterials, 73(12), 1021-1033.
- Price, A., Grey, J. E., Patel, G. K., & Harding, K. G. (Eds.). (2021). *ABC of wound healing*. John Wiley & Sons
- Purnama, H., Sriwidodo, R. S., & Ratnawulan, S. (2017). Review sistematis: proses penyembuhan dan perawatan luka. *Farmaka*, 15(2), 251-6
- Purwaningtyas, F. Y. (2024). Sintesis dan Karakterisasi Penutup Luka dari Kitosan dan Kolagen. *Jurnal Integrasi Proses dan Lingkungan*, 2(1), 73-79.
- Ramadhani, F., Pasaribu, S. P., & Panggabean, A. S. (2023, November). SYNTHESIS AND SWELLING PROPERTIES OF CHITOSAN-BASED HYDROGELS CROSSLINKED FORMALDEHYDE AND TRIPOLYPHOSPHATE. In PROSIDING SEMINAR NASIONAL KIMIA (Vol. 2, No. 1, pp. 57-61).
- Reddy, N., Santosh, M. S., Venkatesh, K., Sakkara, S., & Nagananda, G. S. (2021). Alkali treated 3D chitosan scaffolds with enhanced strength and stability. *Journal of Polymers and the Environment*, 29, 3302-3310.
- Rowe, R. C. (2009). *Handbook of pharmaceutical excipients* (6th ed.). London: Apha, (Php) Pharmaceutical Press, C
- Sacco, P., Borgogna, M., Travan, A., Marsich, E., Paoletti, S., Asaro, F., ... & Donati, I. (2014). Polysaccharide-based networks from homogeneous chitosan-tripolyphosphate hydrogels: Synthesis and characterization. *Biomacromolecules*, 15(9), 3396-3405
- Saghazadeh, S., Rinoldi, C., Schot, M., Kashaf, S. S., Sharifi, F., Jalilian, E., ... & Khademhosseini, A. (2018). Drug delivery systems and materials for wound healing applications. *Advanced drug delivery reviews*, 127, 138-166
- Sakiyama T, Chu CH, Fujii T, and Yano T. (1993). Preparation of a Polyelectrolyte Complex Gel and its pH-Dependent Swelling Behavior. *J Appl Polym Sci*, 50(11):2021–2025.
- Saputra, D. (2023). Tinjauan Komprehensif tentang Luka Bakar: Klasifikasi, Komplikasi dan Penanganan. *Scientific Journal*, 2(5), 197-208
- Sharma, S., & Tiwari, S. (2020). A review on biomacromolecular hydrogel classification and its applications. *International journal of biological macromolecules*, 162, 737-747
- Shi, C., Wang, C., Liu, H., Li, Q., Li, R., Zhang, Y., ... & Wang, J. (2020). Selection of appropriate wound dressing for various wounds. *Frontiers in bioengineering and biotechnology*, 8, 182
- Shoulders, M. D., & Raines, R. T. (2009). Collagen structure and stability. *Annual review of biochemistry*, 78(1), 929-958
- Sibilla, S., Godfrey, M., Brewer, S., Budh-Raja, A., & Genovese, L. (2015). An overview of the beneficial effects of hydrolysed collagen as a nutraceutical on skin properties: Scientific background and clinical studies. *The Open Nutraceuticals Journal*, 8(1)
- Silvestro, I., Francolini, I., Di Lisio, V., Martinelli, A., Pietrelli, L., Scotto d'Abusco, A., ... & Piozzi, A. (2020). Preparation and characterization of TPP-chitosan crosslinked scaffolds for tissue engineering. *Materials*, 13(16), 3577

- Sim, P., Strudwick, X. L., Song, Y., Cowin, A. J., & Garg, S. (2022). Influence of acidic pH on wound healing in vivo: a novel perspective for wound treatment. *International journal of molecular sciences*, 23(21), 13655
- Slutz, S. (2023, October 12). *Can Biodegradable Hydrogels Help Conserve Water in Farming?*. Diakses melalui https://www.sciencebuddies.org/science-fair-projects/project_ideas/AgTech_p013/agricultural-technology/water-conservation-hydrogels pada 23 September 2024
- Sood, A., Granick, M. S., & Tomaselli, N. L. (2014). Wound dressings and comparative effectiveness data. *Advances in wound care*, 3(8), 511-529
- Stoica, A. E., Chircov, C., & Grumezescu, A. M. (2020). Hydrogel Dressings for the Treatment of Burn Wounds: An Up-To-Date Overview. *Materials (Basel, Switzerland)*, 13(12), 2853. <https://doi.org/10.3390/ma13122853>
- Sukpaitha, T., Chirachanchai, S., Pimkhaokham, A., & Ampornaramveth, R. S. (2021). Chitosan-based scaffold for mineralized tissues regeneration. *Marine Drugs*, 19(10), 551
- Surowiecka, A., Strużyna, J., Winiarska, A., & Korzeniowski, T. (2022). Hydrogels in burn wound management—A review. *Gels*, 8(2), 122
- Tenorová, K., Masteiková, R., Pavloková, S., Kostelanská, K., Bernatoniene, J., & Vetchý, D. (2022). Formulation and Evaluation of Novel Film Wound Dressing Based on Collagen/Microfibrillated Carboxymethylcellulose Blend. *Pharmaceutics*, 14(4), 782. <https://doi.org/10.3390/pharmaceutics14040782>
- Thirupathi, K., Raorane, C. J., Ramkumar, V., Ulagesan, S., Santhamoorthy, M., Raj, V., ... & Kim, S. C. (2022). Update on chitosan-based hydrogels: Preparation, characterization, and its antimicrobial and antibiofilm applications. *Gels*, 9(1), 35
- Tian, B., & Liu, J. (2023). Smart stimuli-responsive chitosan hydrogel for drug delivery: A review. *International Journal of Biological Macromolecules*, 235, 123902
- Tronci, G. (2019). The application of collagen in advanced wound dressings. In *Advanced Textiles for Wound Care* (pp. 363-389). Woodhead Publishing
- Troy, E., Tilbury, M. A., Power, A. M., & Wall, J. G. (2021). Nature-based biomaterials and their application in biomedicine. *Polymers*, 13(19), 3321
- Tsang, S. T. J., Simpson, A. H. R. W., Li, B., Moriarty, T. F., Webster, T., & King, M. (2020). Racing for the surface: pathogenesis of implant infection and advanced antimicrobial strategies
- Tucker, J., & Lai, V. (2024). Mechanical Characterization of a Tunable 3-D Collagen-Hyaluronic Acid Hydrogel for Use in Cell Culture. *Recent Progress in Materials*, 6(4), 1-13.
- Ujang, Z., Rashid, A. H. A., Suboh, S. K., Halim, A. S., & Lim, C. K. (2014). Physical properties and biocompatibility of oligochitosan membrane film as wound dressing. *Journal of Applied Biomaterials & Functional Materials*, 12(3), 155–162. <https://doi.org/10.5301/JABFM.5000190>
- Ullah, F., Javed, F., Khan, A. N., Kudus, M. H. A., Jamila, N., Minhaz, A., & Akil, H. M. (2019). Synthesis and surface modification of chitosan built

- nanohydrogel with antiviral and antimicrobial agent for controlled drug delivery. *Biointerface Res. Appl. Chem*, 9, 4439-4445
- Valero, C., Amaveda, H., Mora, M., & García-Aznar, J. M. (2018). Combined experimental and computational characterization of crosslinked collagen-based hydrogels. *PLoS One*, 13(4), e0195820.
- Wang, Y., Beekman, J., Hew, J., Jackson, S., Issler-Fisher, A. C., Parungao, R., ... & Maitz, P. K. (2018). Burn injury: challenges and advances in burn wound healing, infection, pain and scarring. *Advanced drug delivery reviews*, 123, 3-17
- Waresindo, W. X., Luthfianti, H. R., Priyanto, A., Hapidin, D. A., Edikresnha, D., Aimon, A. H., ... & Khairurrijal, K. (2023). Freeze–thaw hydrogel fabrication method: Basic principles, synthesis parameters, properties, and biomedical applications. *Materials Research Express*, 10(2), 024003
- Wasiak, J., Cleland, H., Campbell, F., & Spinks, A. (2013). Dressings for superficial and partial thickness burns. *Cochrane Database of Systematic Reviews*, (3)
- Webster, J., Stankiewicz, M., Scuffham, P., Chaboyer, W. P., & Sherriff, K. L. (2011). Negative pressure wound therapy for skin grafts and surgical wounds healing by primary intention (Protocol). *Cochrane Database of Systematic Reviews*, (8)
- Weir D, Brindle T. (2015). Wound dressings. In: Hamm R, editor. Atlas of wound care. New York: McGraw-Hill. p. 337–78
- Weller, C., and Team, V. (2019). “Interactive dressings and their role in moist wound management,” in *Advanced Textiles for Wound Care*, 2nd ed. Ed. S. Rajendran (United Kingdom: Woodhead Publishing Limited), 105–134
- World Health Organization. (2018). Burns. *WHO*. *Diakses melalui <https://www.who.int/en/news-room/fact-sheets/detail/burns>* pada 20 September 2024
- Xhaufflaire-Uhoda, E., Paquet, P., & Piérard, G. E. (2007). Dew point effect of cooled hydrogel pads on human stratum corneum biosurface. *Dermatology*, 216(1), 37-39
- Yamamoto, T., Iwase, H., King, T. W., Hara, H., & Cooper, D. K. (2018). Skin xenotransplantation: Historical review and clinical potential. *Burns*, 44(7), 1738-1749
- Yao, Y., Zhang, A., Yuan, C., Chen, X., & Liu, Y. (2021). Recent trends on burn wound care: Hydrogel dressings and scaffolds. *Biomaterials science*, 9(13), 4523-4540
- Zhang, X., Xu, S., Shen, L., & Li, G. (2020). Factors affecting thermal stability of collagen from the aspects of extraction, processing and modification. *Journal of Leather Science and Engineering*, 2, 1-29.
- Zhang, Y., Wang, Y., Li, Y., Yang, Y., Jin, M., Lin, X., Zhuang, Z., Guo, K., Zhang, T., & Tan, W. (2023). Application of Collagen-Based Hydrogel in Skin Wound Healing. *Gels*, 9(3). <https://doi.org/10.3390/gels9030185>
- Zhao, L., Zhou, Y., Zhang, J., Liang, H., Chen, X., & Tan, H. (2023). Natural Polymer-Based Hydrogels: From Polymer to Biomedical Applications.

Pharmaceutics, 15(10),
<https://doi.org/10.3390/pharmaceutics15102514>

2514.