

DAFTAR PUSTAKA

- Airin, C. M., Sofyan, M. S., Hardyta, G., Putri, K., & Astuti, P. (2024). Edu- Ecotourism Concept of Equine Cortisol Metabolites and Tri/Tetra- Iodothyronine Ratio. *Advances in Animal and Veterinary Sciences*, *12*(6), 527–534. <https://doi.org/10.17582/journal.aavs/2024/12.6.1174.1181>
- Amini, D. S., Putri, D. H., & Wahyuni, I. (2023). Perbandingan Metode Enzyme Linked Immunosorbent Assay (ELISA). *In Prosiding Seminar Nasional Biologi*, *3*(2), 1185–1191
- Amjad, R., Ruby, T., Ali, K., Asad, M., Imtiaz, A., Masood, S., Saeed, M. Q., Arshad, M., Talib, S., Alvi, Q. A., Khan, A., & Sharif, M. M. (2024). Exploring the effects of noise pollution on physiology and ptilochronology of birds. *PLOS ONE*, *19*(6), e0305091. <https://doi.org/10.1371/journal.pone.0305091>
- Anonim. (2024). *JIH Jogja Jadi Satu-satunya Rumah Sakit yang Punya Mini Zoo*. Kumparan. <https://kumparan.com/tugujogja/jih-jogja-jadi-satu-satunya-rumah-sakit-yang-punya-mini-zoo-23Xan27sCWf/full> (diakses pada 22 April 2025)
- Armario, A., Castellanos, J. M., & Balasch, J. (1984). Effect of Acute and Chronic Psychogenic Stress on Corticoadrenal and Pituitary-Thyroid Hormones in Male Rats. *Hormone Research*, *20*(4), 241–245. <https://doi.org/10.1159/000180003>
- Aydin, S. (2015). A short history, principles, and types of ELISA, and our laboratory experience with peptide/protein analyses using ELISA. *Peptides*, *72*, 4–15. <https://doi.org/10.1016/j.peptides.2015.04.012>
- Behringer, V., & Deschner, T. (2017). Non-invasive monitoring of physiological markers in primates. *Hormones and Behavior*, *91*, 3–18. <https://doi.org/10.1016/j.yhbeh.2017.02.001>
- Bertin, A., Beraud, A., Lansade, L., Blache, M. C., Diot, A., Mulot, B., & Arnould, C. (2018). Facial display and blushing: Means of visual communication in blue-and-yellow macaws (Ara Ararauna)? *PLoS ONE*, *13*(8), 1–12. <https://doi.org/10.1371/journal.pone.0201762>
- Bertin, A., Mulot, B., Nowak, R., Blache, M. C., Love, S., Arnold, M., Pinateau, A., Arnould, C., & Lansade, L. (2023). Captive Blue-and-yellow macaws (Ara ararauna) show facial indicators of positive affect when reunited with their caregiver. *Behavioural Processes*, *206*, 1–7. <https://doi.org/10.1016/j.beproc.2023.104833>
- Brightsmith, D., & Bravo, A. (2006). Ecology and management of nesting blue-and-yellow macaws (Ara ararauna) in Mauritia palm swamps. *Biodiversity and Conservation*, *15*(13), 4271–4287. <https://doi.org/10.1007/s10531-005-3579-x>

- Carrara, L. A., Zuquim Antas, P. D. T., Yabe, R. D. S., Ubaid, F. K., Júnior, S. B. D. O., & Ferreira, L. P. (2020). Seasonal movements of Blue-and-yellow Macaw (*Ara ararauna*) in the northern Pantanal floodplains, Brazil. *Wilson Journal of Ornithology*, *131*(4), 725–734. <https://doi.org/10.1676/1559-4491-131.4.725>
- Carvalho-Roel, C. F., & Marçal, J. O. (2021). Assessing the relative impacts of roadkill and nest poaching on the population viability of the blue-and-yellow macaw, *ara ararauna* (Aves: Psittaciformes), in a Brazilian national park. *Diversity*, *13*(12). <https://doi.org/10.3390/d13120652>
- Chmurska-gasowska, M., Sowińska, N., Pałka, S., Kmiecik, M., Lenarczyk-knapik, J., & Migdał, Ł. (2021). Non-invasive measurement of thyroid hormones in domestic rabbits. *Animals*, *11*(5), 1–9. <https://doi.org/10.3390/ani11051194>
- Citterio, C. E., Targovnik, H. M., & Arvan, P. (2019). The role of thyroglobulin in thyroid hormonogenesis. *Nature Reviews Endocrinology*, *15*(6), 323–338. <https://doi.org/10.1038/s41574-019-0184-8>
- Cizza, G., Brady, L. S., Esclapes, M., Blackman, M. R., Gold, P. W., & Chrousos, G. P. (1996). Age and Gender Influence Basal and Stress-Modulated Hypothalamic-Pituitary-Thyroidal Function in Fischer 344/N Rats. *Neuroendocrinology*, *64*(6), 440–448. <https://doi.org/10.1159/000127150>
- Cristóbal-Azkarate, J., Maréchal, L., Semple, S., Majolo, B., & MacLarnon, A. (2016). Metabolic strategies in wild male Barbary macaques: evidence from faecal measurement of thyroid hormone. *Biology Letters*, *12*(4), 1–4. <https://doi.org/10.1098/rsbl.2016.0168>
- de Almeida, A. C., Palme, R., & Moreira, N. (2018). How environmental enrichment affects behavioral and glucocorticoid responses in captive blue-and-yellow macaws (*Ara ararauna*). *Applied Animal Behaviour Science*, *201*, 125–135. <https://doi.org/10.1016/j.applanim.2017.12.019>
- Decuypere, E., Van As, P., Van Der Geyten, S., & Darras, V. M. (2005). Thyroid hormone availability and activity in avian species: A review. *Domestic Animal Endocrinology*, *29*(1), 63–77. <https://doi.org/10.1016/j.domaniend.2005.02.028>
- Fusani, L. (2010). Field Techniques in Hormones and Behavior. In *Encyclopedia of Animal Behavior* (pp. 704–709). Elsevier. <https://doi.org/10.1016/B978-0-08-045337-8.00238-2>
- Gesquiere, L. R., Pugh, M., Alberts, S. C., & Markham, A. C. (2018). Estimation of energetic condition in wild baboons using fecal thyroid hormone determination. *General and Comparative Endocrinology*, *260*, 9–17. <https://doi.org/10.1016/j.ygcen.2018.02.004>
- Gholib, G., Jannah, P. T. M., Wahyuni, S., Rahmi, E., Hanafiah, M., & Adam, M. (2021). Non-invasive measurement of cortisol metabolites in feces as an

indicator of stress and its relationship with the number and arrival frequency of visitors in captive sambar deer (*Cervus unicolor*). *Journal of Physics: Conference Series*, 1882(1), 1-6. <https://doi.org/10.1088/1742-6596/1882/1/012095>

Gilannejad, N., Silva, T., Martínez-Rodríguez, G., & Yúfera, M. (2019). Effect of feeding time and frequency on gut transit and feed digestibility in two fish species with different feeding behaviours, gilthead seabream and Senegalese sole. *Aquaculture*, 513, 1-13. <https://doi.org/10.1016/j.aquaculture.2019.734438>

Gobush, K. S., Booth, R. K., & Wasser, S. K. (2014). Validation and application of noninvasive glucocorticoid and thyroid hormone measures in free-ranging Hawaiian monk seals. *General and Comparative Endocrinology*, 195, 174–182. <https://doi.org/10.1016/j.ygcen.2013.10.020>

Grundej, L. L., Wolf, T. E., Brandes, F., Schütte, K., Freise, F., Siebert, U., Touma, C., & Pees, M. (2024). Validation of Fecal Glucocorticoid Metabolites as Non-Invasive Markers for Monitoring Stress in Common Buzzards (*Buteo buteo*). *Animals*, 14(8), 1-18. <https://doi.org/10.3390/ani14081234>

Hamid, N. H. A., Mohd Nadzir, M. N. H., Omar, J., Annavi, G., Wan Jaafar, W. N. F., & Salleh, A. (2022). Non-Invasive Measurement of Progesterone and Cortisol Metabolites in the Faeces of Captive Female *Rusa unicolor* at Zoo Negara, Malaysia and Its Reproductive and Stress Behaviour. *Pertanika Journal of Science and Technology*, 30(2), 1583–1599. <https://doi.org/10.47836/pjst.30.2.40>

Hayward, L. S., Bowles, A. E., Ha, J. C., & Wasser, S. K. (2011). Impacts of acute and long-term vehicle exposure on physiology and reproductive success of the northern spotted owl. *Ecosphere*, 2(6), 1–20. <https://doi.org/10.1890/ES10-00199.1>

Helmreich, D. L., Crouch, M., Dorr, N. P., & Parfitt, D. B. (2006). Peripheral triiodothyronine (T3) levels during escapable and inescapable footshock. *Physiology and Behavior*, 87(1), 114–119. <https://doi.org/10.1016/j.physbeh.2005.09.010>

Helmreich, D. L., & Tylee, D. (2011). Thyroid hormone regulation by stress and behavioral differences in adult male rats. *Hormones and Behavior*, 60(3), 284–291. <https://doi.org/10.1016/j.yhbeh.2011.06.003>

Hosseini, S., Vázquez-Villegas, P., Rito-Palomares, M., & Martinez-Chapa, S. O. (2018). Advantages, Disadvantages and Modifications of Conventional ELISA. In: *Enzyme-linked Immunosorbent Assay (ELISA): From A to Z. In SpringerBriefs in Applied Sciences and Technology* (Issue 9789811067655). <http://link.springer.com/10.1007/978-981-10-6766-2>

Hu, X., Wei, Y., Huang, S., Liu, G., Wang, Y., Hu, D., & Liu, S. (2018). Effects of breeding center, age and parasite burden on fecal triiodothyronine levels in

forest musk deer. *PLoS ONE*, 13(10).
<https://doi.org/10.1371/journal.pone.0205080>

Hunt, K. E., Innis, C. J., Merigo, C., & Rolland, R. M. (2016). Endocrine responses to diverse stressors of capture, entanglement and stranding in leatherback turtles (*Dermochelys coriacea*). *Conservation Physiology*, 4(1), 1–12.
<https://doi.org/10.1093/conphys/cow022>

Jordan, R., & Moore, M. (2015). *A Guide To a Guide To Macaws as Pet and Aviary Birds*. Australia: ABK Publications.

Keech, A. L., Rosen, D. A. S., Booth, R. K., Trites, A. W., & Wasser, S. K. (2010). Fecal triiodothyronine and thyroxine concentrations change in response to thyroid stimulation in Steller sea lions (*Eumetopias jubatus*). *General and Comparative Endocrinology*, 166(1), 180–185.
<https://doi.org/10.1016/j.ygcen.2009.11.014>

Klein, B. G. (2013). *Cunningham's Textbook of Veterinary Physiology* (5th ed.). Missouri: Elsevier.

Koutsos, E. A., Matsonms, K. D., & Klasingms, K. C. (2001). Nutrition of Birds in the Order Psittaciformes: A Review Nutrition of Birds in the Order Psittaciformes: A Review. *Journal of Avian Medicine and Surgery*, 15(4), 257–275.
[https://doi.org/http://dx.doi.org/10.1647/1082-6742\(2001\)015\[0257:NOBITO\]2.0.CO;2](https://doi.org/http://dx.doi.org/10.1647/1082-6742(2001)015[0257:NOBITO]2.0.CO;2)

LaDue, C. A., Hunt, K. E., Kiso, W. K., & Freeman, E. W. (2023). Hormonal variation and temporal dynamics of musth in Asian elephants (*Elephas maximus*) are associated with age, body condition and the social environment. *Conservation Physiology*, 11(1), 1–22.
<https://doi.org/10.1093/conphys/coad019>

Langer, P., Földes, O., Kvetňanský, R., Čulman, J., Torda, T., & Daher, F. (2009). Pituitary-Thyroid Function during Acute Immobilization Stress in Rats. *Experimental and Clinical Endocrinology & Diabetes*, 82(04), 51–60.
<https://doi.org/10.1055/s-0029-1210255>

Larsen, M. J., Sherwen, S. L., & Rault, J. L. (2014). Number of nearby visitors and noise level affect vigilance in captive koalas. *Applied Animal Behaviour Science*, 154, 76–82. <https://doi.org/10.1016/j.applanim.2014.02.005>

Leko, M. B., Gunjača, I., Pleić, N., & Zemunik, T. (2021). Environmental factors affecting thyroid-stimulating hormone and thyroid hormone levels. *International Journal of Molecular Sciences*, 22(12), 1–62.
<https://doi.org/10.3390/ijms22126521>

Lemos, L. S., Olsen, A., Smith, A., Chandler, T. E., Larson, S., Hunt, K., & Torres, L. G. (2020). Assessment of fecal steroid and thyroid hormone metabolites in eastern North Pacific gray whales. *Conservation Physiology*, 8(1), 1–19.
<https://doi.org/10.1093/conphys/coaa110>

- Ma, L., Zhang, J., Chen, H. T., Zhou, J. H., Ding, Y. Z., & Liu, Y. S. (2011). An overview on ELISA techniques for FMD. *Virology Journal*, 8, 1–9. <https://doi.org/10.1186/1743-422X-8-419>
- Ma, Z., Liu, Z., Deng, Y., Bai, X., Zhou, W., & Zhang, C. (2025). Free thyroid hormone: Methods and standardization. *Clinica Chimica Acta*, 565(1), 1-11. <https://doi.org/10.1016/j.cca.2024.119944>
- Massari, C. H. de A. L., Silva, A. F., Magalhães, H. I. R., Silva, D. R. S., Sasahara, T. H. de C., & Miglino, M. A. (2020). Comparative anatomy of blue-and-yellow Macaw (*Ara ararauna*) and Toco Toucan (*ramphastos toco*) beaks using macroscopic analysis and computerized tomography. *International Journal of Morphology*, 38(6), 1591–1596. <https://doi.org/10.4067/S0717-95022020000601591>
- Menna, L. F., Santaniello, A., Todisco, M., Amato, A., Borrelli, L., Scandurra, C., & Fioretti, A. (2019). The human-animal relationship as the focus of animal-assisted interventions: A one health approach. *International Journal of Environmental Research and Public Health*, 16(19), 1–10. <https://doi.org/10.3390/ijerph16193660>
- Merryman, J. I., & Buckles, E. L. (1998). The avian thyroid gland. Part two: A review of function and pathophysiology. *Journal of Avian Medicine and Surgery*, 12(4), 238–242. <https://www.jstor.org/stable/30135178>
- Miglioli, A., & Vasconcellos, A. da S. (2021). Can behavioural management improve behaviour and reproduction in captive blue-and-yellow macaws (*Ara ararauna*)? *Applied Animal Behaviour Science*, 241, 1-7. <https://doi.org/10.1016/j.applanim.2021.105386>
- Mondol, S., Booth, R. K., & Wasser, S. K. (2020). Fecal stress, nutrition and reproductive hormones for monitoring environmental impacts on tigers (*Panthera tigris*). *Conservation Physiology*, 8(1), 1-15. <https://doi.org/10.1093/conphys/coz091>
- Nachar, N. (2008). The Mann-Whitney U: A Test for Assessing Whether Two Independent Samples Come from the Same Distribution. *Tutorials in Quantitative Methods for Psychology*, 4(1), 13–20. <https://doi.org/10.20982/tqmp.04.1.p013>
- Nugraha, T. P., Purwantara, B., Supriatna, I., Agil, M., & Semiadi, G. (2016). Gambaran umum kajian profil hormon steroid menggunakan metode non-invasif dari sampel feses. *Jurnal Zoo Indonesia*, 25(1), 33–50.
- Oehler, D. A., Boodoo, D., Blair, B., Kuchinski, K., Campbell, M., Lutchmedial, G., Ramsubage, S., Maruska, E. J., & Malowski, S. (2001). Translocation of Blue and Gold Macaw *Ara ararauna* into its historical range on Trinidad. *Bird Conservation International*, 11(2), 129–141. <https://doi.org/10.1017/S0959270901000211>

- Ozella, L., Anfossi, L., Di Nardo, F., & Pessani, D. (2015). Non-invasive monitoring of adrenocortical activity in captive African Penguin (*Spheniscus demersus*) by measuring faecal glucocorticoid metabolites. *General and Comparative Endocrinology*, 224, 104–112. <https://doi.org/10.1016/j.ygcen.2015.06.014>
- Pandey, R. P., Himanshu, Gunjan, Mukherjee, R., & Chang, C.-M. (2024). The Role of Animal-Assisted Therapy in Enhancing Patients' Well-Being: Systematic Study of the Qualitative and Quantitative Evidence. *JMIRx Med*, 5, 1-14. <https://doi.org/10.2196/51787>
- Pasciu, V., Nieddu, M., Baralla, E., Muzzeddu, M., Porcu, C., Sotgiu, F. D., & Berlinguer, F. (2022). Non-invasive Assay for Measurement of Fecal Triiodothyronine (T3) Metabolite Levels in European Mouflon (*Ovis aries musimon*). *Frontiers in Veterinary Science*, 9(May), 3–8. <https://doi.org/10.3389/fvets.2022.851794>
- Pasciu, V., Nieddu, M., Sotgiu, F. D., Baralla, E., & Berlinguer, F. (2024). Fecal thyroid hormone metabolites in wild ungulates: a mini-review. *Frontiers in Veterinary Science*, 11(May), 1–6. <https://doi.org/10.3389/fvets.2024.1407479>
- Petrie, A., & Watson, P. (2013). *Statistic for Veterinary and Animal Science*. UK: Willey-Blackwell.
- Philippe, J., & Dibner, C. (2015). Thyroid circadian timing: Roles in physiology and thyroid malignancies. *Journal of Biological Rhythms*, 30(2), 76–83. <https://doi.org/10.1177/0748730414557634>
- Pifarré, M., Valdez, R., González-Rebeles, C., Vázquez, C., Romano, M., & Galindo, F. (2012). The effect of zoo visitors on the behaviour and faecal cortisol of the Mexican wolf (*Canis lupus baileyi*). *Applied Animal Behaviour Science*, 136(1), 57–62. <https://doi.org/10.1016/j.applanim.2011.11.015>
- Pranty, B., Feinstein, D., & Lee, K. (2010). Natural History of Blue-and-yellow Macaws (*Ara ararauna*) in Miami-Dade County, Florida. *Florida Field Naturalist*, 38(2), 55–62. <https://digitalcommons.usf.edu/ffn/vol38/iss2/2>
- Premjeet, S., Deepika, G., Sudeep, B., Sonam, J., Sahil, K., Devashish, R., & Sunil, K. (2011). Enzyme-Linked Immuno-Sorbent Assay (ELISA), basics and its application: A comprehensive review. *Journal of Pharmacy Research*, 4(12), 4581–4583.
- Pritchard, C. E., Palme, R., & Langkilde, T. (2020). Glucocorticoid and triiodothyronine concentrations do not correlate with behavior in vicuñas (*Vicugna vicugna*). *General and Comparative Endocrinology*, 286, 1-8. <https://doi.org/10.1016/j.ygcen.2019.113299>
- Rain, K., Yee, C. L., Anggoro, D., Indarjulianto, S., Astuti, P., & Airin, C. M. (2022). Faecal Triiodothyronine Hormone Levels in Female Iguana during

Weekday and Weekend in In Situ Conservation. *BIO Web of Conferences*, 49, 3–5. <https://doi.org/10.1051/bioconf/20224901012>

Rajagopal, T., Archunan, G., & Sekar, M. (2011). Impact of zoo visitors on the fecal cortisol levels and behavior of an endangered species: Indian blackbuck (*Antelope Cervicapra L.*). *Journal of Applied Animal Welfare Science*, 14(1), 18–32. <https://doi.org/10.1080/10888705.2011.527598>

Razali, M. N., & Wah, B. Y. (2011). Power comparisons of Shapiro-Wilk, Kolmogorov-Smirnov, Lilliefors and Anderson-Darling tests. *Journal of Statistical Modeling and Analytics*, 2(1), 13–14.

Rickyawan, N., & Maulidina, H. (2023). Crop Reconstruction Surgery on Blue and Gold Macaws (*Ara Ararauna*) with Recurrent Crop Fistula. *Jurnal Sain Veteriner*, 41(3), 371–377. <https://doi.org/10.22146/jsv.76285>

Ritchie, M. (2014). Neuroanatomy and Physiology of the Avian Hypothalamic/Pituitary Axis. *Veterinary Clinics of North America: Exotic Animal Practice*, 17(1), 13–22. <https://doi.org/10.1016/j.cvex.2013.09.005>

Rodríguez, A. B., Terrón, M. P., Durán, J., Ortega, E., & Barriga, C. (2001). Physiological concentrations of melatonin and corticosterone affect phagocytosis and oxidative metabolism of ring dove heterophils. *Journal of Pineal Research*, 31(1), 31–38. <https://doi.org/10.1034/j.1600-079X.2001.310105.x>

Santos, A. A., & Ragusa-Netto, J. (2014). Plantas alimentares exploradas pela Arara Canindé (*Ara ararauna*, Linnaeus 1758) em uma área urbana do Brasil Central. *Brazilian Journal of Biology*, 74(2), 429–437. <https://doi.org/10.1590/1519-6984.27312>

Santosa, B. (2020). *Teknik Elisa: Metode Elisa Untuk Pengukuran Protein Metallothionein Pada Daun Padi Ir Bagendit*. Unimus Press.

Sarwono, J. (2017). *Mengenal Prosedur-Prosedur Populer dalam SPSS 23*. PT Elex Media Komputindo.

Scanes, C. G., & Dridi, S. (2022). *Sturkie's Avian Physiology* (7th ed.). UK: Elsevier Inc.

Schaebts, F. S., Wolf, T. E., Behringer, V., & Deschner, T. (2016). Fecal thyroid hormones allow for the noninvasive monitoring of energy intake in capuchin monkeys. *Journal of Endocrinology*, 231(1), 1–10. <https://doi.org/10.1530/JOE-16-0152>

Schilling, A. K., Mazzamuto, M. V., & Romeo, C. (2022). A Review of Non-Invasive Sampling in Wildlife Disease and Health Research: What's New? *Animals*, 12(13), 1–24. <https://doi.org/10.3390/ani12131719>

Scott, K., Heistermann, M., Cant, M. A., & Vitikainen, E. I. K. (2017). Group size and visitor numbers predict faecal glucocorticoid concentrations in zoo

- meerks. *Royal Society Open Science*, 4(4), 1-11.
<https://doi.org/10.1098/rsos.161017>
- Servatius, R. J., Natelson, B. H., Moldow, R., Pogach, L., Brennan, F. X., & Ottenweller, J. E. (2000). Persistent neuroendocrine changes in multiple hormonal axes after a single or repeated stressor exposures. *Stress*, 3(4), 263–274. <https://doi.org/10.3109/10253890009001132>
- Sherwen, S. L., Harvey, T. J., Magrath, M. J. L., Butler, K. L., Fanson, K. V., & Hemsworth, P. H. (2015). Effects of visual contact with zoo visitors on black-capped capuchin welfare. *Applied Animal Behaviour Science*, 167, 65–73. <https://doi.org/10.1016/j.applanim.2015.03.004>
- Sherwen, S. L., & Hemsworth, P. H. (2019). The visitor effect on zoo animals: Implications and opportunities for zoo animal welfare. *Animals*, 9(6), 1–27. <https://doi.org/10.3390/ani9060366>
- Solikhah, & Amyati. (2022). *Biostatistik Sebuah Aplikasi SPSS dalam Bidang Kesehatan dan Kedokteran*. Jejak Pustaka.
- Sugiyono. (2007). *Statistik Untuk Penelitian*. CV Alfabeta.
- Szewczyk, D., Fiega, J., Michalska, M., Żurek, U., Lubaszka, Z., & Sikorska, E. (2023). Therapeutic Role of Animals: A Comprehensive Literature Review on the Prevalent Forms and Species in Animal-Assisted Interventions. *Journal of Education, Health and Sport*, 45(1), 215–235. <https://doi.org/10.12775/jehs.2023.45.01.015>
- Thompson, L. M., Coulter, B. M., & VanPutte, C. L. (2024). Validation of a triiodothyronine (T3) ELISA for mouse fecal samples. *Physiological Reports*, 12(21), 1–12. <https://doi.org/10.14814/phy2.70115>
- Turakulov, Y. K., Burikhanov, R. B., Patkhitdinov, P. P., & Myslitskaya, A. I. (1994). Influence of immobilization stress on the level of secretion of thyroid hormones. *Neuroscience and Behavioral Physiology*, 24(6), 462–464. <https://doi.org/10.1007/BF02360166>
- van Haasteren, G. A. C., Linkels, E., van Toor, H., Rondeel, J. M. M., Themmen, A. P. N., de Jong, F. H., Valentijn, K., Vaudry, H., Bauer, K., Visser, T. J., & de Greef, W. J. (1995). prothyrotrophin-releasing hormone (proTRH) mRNA and the hypothalamic release of proTRH-derived peptides : role of the adrenal gland. *Journal of Endocrinology*, 145, 143–153. <https://doi.org/10.1677/joe.0.1450143>
- Wang, Q., Shi, J., Shen, X., & Zhao, T. (2021). Characteristics and patterns of international trade in CITES-listed live birds in China from 2010 to 2019. *Global Ecology and Conservation*, 30, 1-10. <https://doi.org/10.1016/j.gecco.2021.e01786>
- Wasser, S. K., Cristóbal-Azkarate, J., Booth, R. K., Hayward, L., Hunt, K., Ayres, K., Vynne, C., Gobush, K., Canales-Espinosa, D., & Rodríguez-Luna, E.

- (2010). Non-invasive measurement of thyroid hormone in feces of a diverse array of avian and mammalian species. *General and Comparative Endocrinology*, 168(1), 1–7. <https://doi.org/10.1016/j.ygcen.2010.04.004>
- Wehrle, B. A., & German, D. P. (2023). Reptilian digestive efficiency: Past, present, and future. *Comparative Biochemistry and Physiology -Part A: Molecular and Integrative Physiology*, 277(March 2022). <https://doi.org/10.1016/j.cbpa.2023.111369>
- Wood, W. (1998). Interactions among environmental enrichment, viewing crowds, and zoo chimpanzees (*Pan troglodytes*). *Zoo Biology*, 17(3), 211–230. [https://doi.org/10.1002/\(SICI\)1098-2361\(1998\)17:3<211::AID-ZOO5>3.0.CO;2-C](https://doi.org/10.1002/(SICI)1098-2361(1998)17:3<211::AID-ZOO5>3.0.CO;2-C)
- Yesica, R., Kusumarini, S., Giarli, D. U., Wulandari, E., Dewi, F. W. K., Nabila, I., Firsty, N., Purba, O., Sari, S. T. P., Pramensti, T. L., Armanto, T. Y., & Puspita, Y. Y. (2020). Case Report Infestasi *Psitocobrossus* sp pada Macaw (*Ara macao*). *Media Kedokteran Hewan*, 31(1), 11–22. <https://doi.org/10.20473/mkh.v31i1.2020.11-22>