

DAFTAR PUSTAKA

- Abdurrasyid, Z., Astawan, M., Lioe, H.N. and Wresdiyati, T. (2023). *Evaluation Of Hypoglycaemic Potency In Tempe With Soybean Germination Process And Extended Fermentation Time*, Food Research, 7, pp. 217–227. Available at: [https://doi.org/10.26656/fr.2017.7\(S1\).32](https://doi.org/10.26656/fr.2017.7(S1).32).
- Aboudeya, H.M., Shaker, S.A. and Salama, M. (2022). *Effect Of Short-Term High Fat Diet On Resistin Levels And Expression Of Autophagy-Related Genes In The Cartilage Of Male Rats*, Scientific Reports, 12(1), p. 15313. Available at: <https://doi.org/10.1038/S41598-022-19481-1>.
- Adnan, M.L., Pramaningtyas, M.D., Islamiana, D. and Sudarto, H.A. (2022). *Hyperlipidemia Diet Reduces Superoxide Dismutase Inhibition Rate In The Brain Organ Of Rattus Norvegicus*, Mutiara Medika: Jurnal Kedokteran dan Kesehatan, 22(1), pp. 14–19. Available at: <https://doi.org/10.18196/mmjkk.v22i1.8167>.
- Adeva-Andany, M.M., González-Lucán, M., Fernández-Fernández, C., Carneiro-Freire, N., Seco-Filgueira, M. and Pedre-Piñeiro, A.M. (2019). *Effect of diet composition on insulin sensitivity in humans*, Clinical Nutrition ESPEN, 33, pp. 29–38. Available at: <https://doi.org/10.1016/j.clnesp.2019.05.014>.
- Ahmed, B., Sultana, R. and Greene, M.W. (2021). *Adipose tissue and insulin resistance in obese*, Biomedicine and Pharmacotherapy, 137(January), p. 111315. Available at: <https://doi.org/10.1016/j.biopha.2021.111315>.
- Ali, M., Hassan, M., Ansari, Siddique Akber, Alkahtani, H.M., Al-Rasheed, L.S. and Ansari, Shoeb Anwar (2024). *Quercetin And Kaempferol As Multi-Targeting Antidiabetic Agents Against Mouse Model Of Chemically Induced Type 2 Diabetes*, Pharmaceuticals 2024, Vol. 17, Page 757, 17(6), p. 757. Available at: <https://doi.org/10.3390/PH17060757>.
- Amanat, S., Ashkar, F., Eftekhari, M.H., Tanideh, N., Doaei, S., Gholamalizadeh, M., Koohpeyma, F. and Mokhtari, M. (2021). *The effect of genistein on insulin resistance, inflammatory factors, lipid profile, and histopathologic indices in rats with polycystic ovary syndrome*, Clinical and Experimental Reproductive Medicine, 48(3). Available at: <https://doi.org/10.5653/cerm.2020.04231>.

- Andayanie, W.R. (2016). *Pengembangan produksi kedelai sebagai upaya kemandirian pangan di Indonesia*. Jakarta: Mitra Wacana Media.
- Antunes, L.C., Elkfury, J.L., Jornada, M.N., Foletto, K.C. and Bertoluci, M.C. (2016). *Validation of HOMA-IR in a model of insulin-resistance induced by a high-fat diet in Wistar rats*, Archives of Endocrinology and Metabolism, 60(2). Available at: <https://doi.org/10.1590/2359-3997000000169>.
- Anzano, A., Ammar, M., Papaiani, M., Grauso, L., Sabbah, M., Capparelli, R. and Lanzotti, V. (2021). *Moringa oleifera lam.: A phytochemical and pharmacological overview*, Horticulturae. Available at: <https://doi.org/10.3390/horticulturae7100409>.
- Aprina, S.F., Dalilah, E., Lubis, L.S., Syahfitri, A.I., Rahmayanti, S. and Fevria, R. (2024). Food Fortification Efforts for Nutrition Needs, *Microbiotech*, 84(1), pp. 60–71.
- Apriyanto, M. (2022). *Pengetahuan Dasar Bahan Pangan*. Serang: CV. AA Rizky.
- Arepally, D., Reddy, R.S., Goswami, T.K. and Datta, A.K. (2020). *Biscuit baking: A review*, Lwt, 131, p. 109726. Available at: <https://doi.org/10.1016/j.lwt.2020.109726>.
- Ariestiningsih, A.D., Cempaka, A.R., Kusumastuty, I., Cahyaningrum, A., Setiawati, S., Arintya, D., Azmi, U., Salwa, P., Malahayati, H., Wibowo, R.A. and Handayani, D. (2024). *Moringa Leaf Powder Improves Lipid Profiles And Aortic Thickness In Wistar Rats Model Of Prediabetes Mellitus*, Amerta Nutrition, 8(2), pp. 278–289. Available at: <https://doi.org/10.20473/amnt.v8i2.2024.278-289>.
- Arifin, W.N. and Zahiruddin, W.M. (2017). *Sample Size Calculation in Animal Studies Using Resource Equation Approach*, The Malaysian Journal of Medical Sciences: MJMS, 24(5), p. 101. Available at: <https://doi.org/10.21315/MJMS2017.24.5.11>.
- Arjunan, S., Thangaiyan, R. and Balaraman, D. (2023). *Biochanin A, a soy isoflavone, diminishes insulin resistance by modulating insulin-signalling pathway in high-fat diet-induced diabetic mice: Biochanin A diminishes insulin resistance in diabetic mice*, Archives of Physiology and Biochemistry, 129(2), pp. 316–322. Available at: <https://doi.org/10.1080/13813455.2020.1820525>.

- Badan Pusat Statistik (2024). *Rata-Rata Konsumsi per Kapita Seminggu Beberapa Macam Bahan Makanan Penting, 2007-2024*. Jakarta: Badan Pusat Statistik. Available at: <https://www.bps.go.id/id/statistics-table/1/OTUwIzE=/rata-rata-konsumsi-per-kapita-seminggu-beberapa-macam-bahan-makanan-penting--2007-2023.html>.
- Badan Standardisasi Nasional (2022). *SNI 2973:2022 Biskuit*. Jakarta: Badan Standardisasi Nasional
- Bao, Y., Xiao, J., Weng, Z., Lu, X., Shen, X. and Wang, F. (2020). *A phenolic glycoside from Moringa oleifera Lam. improves the carbohydrate and lipid metabolisms through AMPK in db/db mice*, Food Chemistry, 311. Available at: <https://doi.org/10.1016/j.foodchem.2019.125948>.
- Bhattacharya, S., Juyal, R., Hossain, M.M. and Singh, A. (2020). *Non-communicable diseases viewed as 'collateral damage' of our decisions: Fixing accountabilities and finding slolutions in primary care settings*, Journal of Family Medicine and Primary Care, 9(5), p. 2176. Available at: https://doi.org/10.4103/JFMPC.JFMPC_202_20.
- Blasi, E., Rossi, E.S., Pietrangeli, R., Nasso, M., Cicatiello, C., Palombieri, S. and Sestili, F. (2024). *Functional Biscuits, a Healthy Addition to Your Coffee Break—Evaluating Consumer Acceptability and Willingness to Pay*, Foods 2024, Vol. 13, Page 1731, 13(11), p. 1731. Available at: <https://doi.org/10.3390/FOODS13111731>.
- BPOM RI. (2022). *Peraturan Badan Pengawas Obat dan Makanan Nomor 10 Tahun 2022 tentang Pedoman Uji Toksisitas Praklinik Secara In Vivo*. Jakarta: Badan Pengawas Obat dan Makanan
- Bule, M., Abdurahman, A., Nikfar, S., Abdollahi, M. and Amini, M. (2019). *Antidiabetic Effect Of Quercetin: A Systematic Review And Meta-Analysis Of Animal Studies*, Food and Chemical Toxicology, 125, pp. 494–502. Available at: <https://doi.org/10.1016/J.FCT.2019.01.037>.
- Butler, M.J., Muscat, S.M., Caetano-Silva, M.E., Shrestha, A., Olmo, B.M.G., Mackey-Alfonso, S.E., Massa, N., Alvarez, B.D., Blackwell, J.A., Bettles, M.N., DeMarsh, J.W., McCusker, R.H., Allen, J.M. and Barrientos, R.M. (2025). *Obesity-Associated Memory Impairment And Neuroinflammation Precede Widespread Peripheral Perturbations In Aged Rats*, Immunity and

Ageing , 22(1), pp. 1–21. Available at: <https://doi.org/10.1186/S12979-024-00496-3/FIGURES/14>.

Calabrese, E.J., Dhawan, G., Kapoor, R., Agathokleous, E. and Calabrese, V. (2023). *Rhodiola Rosea And Salidroside Commonly Induce Hormesis, With Particular Focus On Longevity And Neuroprotection*, Chemico-Biological Interactions, 380, p. 110540. Available at: <https://doi.org/10.1016/J.CBI.2023.110540>.

Calabrese, E.J., Pressman, P., Hayes, A.W., Baldwin, L., Agathokleous, E., Kapoor, H., Dhawan, G., Kapoor, R. and Calabrese, V. (2025). *Kaempferol, A Widely Ingested Dietary Flavonoid And Supplement, Enhances Biological Performance Via Hormesis, Especially For Ageing-Related Processes*, Mechanisms of Ageing and Development, 225, p. 112065. Available at: <https://doi.org/10.1016/J.MAD.2025.112065>.

Caroline, O.B., Ebuehi, O.A.T., Cecilia, O.A. and Kayode, O.A. (2021). *Effect Of Allium Sativum Extract In Combination -With Orlistat On Insulin Resistance And Disrupted Metabolic Hormones In High Fat Diet Induced Obese Rats*, Scientific African, 14, p. e00994. Available at: <https://doi.org/10.1016/J.SCIAF.2021.E00994>.

Chandrasekaran, P. and Weiskirchen, R. (2024). *Cellular and Molecular Mechanisms of Insulin Resistance*, Current Tissue Microenvironment Reports, 5(3). Available at: <https://doi.org/10.1007/s43152-024-00056-3>.

Charan, J., Kaur, R., Bhardwaj, P., Singh, K., Ambwani, S.R. and Misra, S. (2021). *Sample Size Calculation in Clinical Trial and Animal Studies*, Animals of the National Academy of Medical Sciences (India), 57(2). Available at: <https://doi.org/10.18502/ijdo.v16i1.15241>.

Chilunga, F.P., Meeks, K.A.C., Henneman, P., Agyemang, C., Doumatey, A.P., Rotimi, C.N. and Adeyemo, A.A. (2022). *An epigenome-wide association study of insulin resistance in African Americans*, Clinical Epigenetics, 14(1), pp. 1–12. Available at: <https://doi.org/10.1186/s13148-022-01309-4>.

Clark, J.L., Taylor, C.G. and Zahradka, P. (2018). *Rebelling against the (insulin) resistance: A review of the proposed insulin-sensitizing actions of soybeans, chickpeas, and their bioactive compounds*, Nutrients. Available at: <https://doi.org/10.3390/nu10040434>.

- Colby, L.A., Nowland, M.H. and Kennedy, L.H. (2020). *Clinical Laboratory Animal Medicine: An Introduction Fifth Edition*. fifth edit. Hoboken, NJ: Willey-Blackwell.
- Cut indriputri and Reza Maulana (2022). *Pengaruh Pemberian Diet Tinggi Lemak Terhadap Profil Lipid Dan Gula Darah Puasa Serum Tikus Putih (Rattus Norvegicus) Galur Wistar*, Higiene, 8(3). Available at: <https://journal3.uin-alauddin.ac.id/index.php/higiene/article/view/35819/16838> (Accessed: 13 May 2025).
- Czech, M.P. (2017). *Insulin Action And Resistance In Obesity And Type 2 Diabetes*, Nature Medicine 2017 23:7, 23(7), pp. 804–814. Available at: <https://doi.org/10.1038/nm.4350>.
- Davidson, I. (2019). *The Biscuits, in Biscuit*, cookies and Cracker Production, pp. 1–12. Available at: <https://doi.org/10.1016/b978-0-12-815579-0.00001-5>.
- Devaraj, A. and Mahalingam, G. (2021). *Bioactive Molecules from Medicinal Plants as Functional Foods (Biscuits) for the Benefit of Human Health as Antidiabetic Potential*, in Bioactive Compounds in Nutraceutical and Functional Food for Good Human Health. Available at: <https://doi.org/10.5772/intechopen.93352>.
- Dewi, L., Lestari, L.A., Astiningrum, A.N., Fadhillah, V. and Amala, N. (2020). *The Alleviation Effect of Combination of Tempeh and Red Ginger Flour towards Insulin Sensitivity in High-Fat Diet Rats*, Journal of Food and Nutrition Research, 8(1). Available at: <https://doi.org/10.12691/jfnr-8-1-3>.
- Dimitriadis, G.D., Maratou, E., Kountouri, A., Board, M. and Lambadiari, V. (2021). *Regulation of postabsorptive and postprandial glucose metabolism by insulin-dependent and insulin-independent mechanisms: An integrative approach*, Nutrients. Available at: <https://doi.org/10.3390/nu13010159>.
- Djuric, Z. (2023). *Dietary Approaches For Normalizing Dysbiosis Induced By High-Fat, Obesogenic Diets*, Current opinion in clinical nutrition and metabolic care, 26(3), p. 293. Available at: <https://doi.org/10.1097/MCO.0000000000000917>.
- Dukariya, G., Shah, S., Singh, G. and Kumar, A. (2020). *Soybean and Its Products : Nutritional and Health Benefits*, Journal of Nutritional Science and Healthy Diet, 1(2), pp. 22–29.

- Duranti, G., Maldini, M., Crognale, D., Sabatini, S., Corana, F., Horner, K. and Ceci, R. (2021). *Moringa oleifera leaf extract influences oxidative metabolism in C2C12 myotubes through SIRT1-PPAR α pathway*, *Phytomedicine Plus*, 1(1). Available at: <https://doi.org/10.1016/j.phyplu.2020.100014>.
- Elkanawati, R. Y., Sumiwi, S. A., & Levita, J. (2024). *Impact of Lipids on Insulin Resistance: Insights from Human and Animal Studies*. *Drug Design, Development and Therapy*, 18, 3337. <https://doi.org/10.2147/DDDT.S468147>
- Elmesilhy, S.M. and Arafa, S.G. (2024). *Moringa Potential Mechanisms To Control Hyperglycemia In Type 2 Diabetic Rats Induced By Hfd And Low-Dose Of Stz*, *Egypt Research Journal Specific Education Research Journal Specific Education Research Journal Specific Education Research Journal Specific Education [Preprint]*, (87).
- El-Shehawi, A.M., Alkafafy, M., El-Shazly, S., Sayed, S., Farouk, S., Alotaibi, S., Madkour, D.A., Khalifa, H.K. and Ahmed, M.M. (2021). *Moringa oleifera leaves ethanolic extract ameliorates high fat diet-induced obesity in rats*, *Journal of King Saud University - Science*, 33(6). Available at: <https://doi.org/10.1016/j.jksus.2021.101552>.
- Ezzat, S.M., El Bishbishy, M.H., Aborehab, N.M., Salama, M.M., Hasheesh, A., Motaal, A.A., Rashad, H. and Metwally, F.M. (2020). *Upregulation Of MC4R And PPAR- α Expression Mediates The Anti-Obesity Activity Of Moringa Oleifera Lam. In High-Fat Diet-Induced Obesity In Rats*, *Journal of Ethnopharmacology*, 251, p. 112541. Available at: <https://doi.org/10.1016/J.JEP.2020.112541>.
- Fabio, L. and Jusni, J. (2022). *Potential Antihyperlipidemia Effect of Lactoferrin in Hyperlipidemia-Induced Male Sprague–Dawley Rats*, *Makara Journal of Health Research*, 26(3). Available at: <https://doi.org/10.7454/msk.v26i3.1387>.
- Ferreira, R.D.S., Mendonça, L.A.B.M., Dos Santos, C., Hiane, P.A., Matias, R., Franco, O.L., de Oliveira, A.K.M., Do Nascimento, V.A., Pott, A., Carvalho, C.M.E. and Guimarães, R. de C.A. (2021). *Do Bioactive Food Compound With Avena Sativa L., Linum Usitatissimum L. And Glycine Max L. Supplementation With Moringa Oleifera Lam. Have A Role Against Nutritional Disorders? An Overview Of The In Vitro And In Vivo Evidence*,

- Nutrients 2021, Vol. 13, Page 2294, 13(7), p. 2294. Available at: <https://doi.org/10.3390/NU13072294>.
- Fasipe, O.J., Ayoade, O.G. and Enikuomelin, A.C. (2020). *Severity Grade Assessment Classifications for Both Insulin Resistance Syndrome and Status of Pancreatic Beta Cell Function in Clinical Practice Using Homeostasis Model Assessment Method Indices*, Canadian Journal of Diabetes, 44(7). Available at: <https://doi.org/10.1016/j.jcjd.2020.02.003>.
- Freeman, A.M. and Pennings, N. (2021). *Insulin Resistance - StatPearls - NCBI Bookshelf*, StatPearls Publishing, *Treasure Island (FL)* [Preprint].
- Fujiana, F., Pondaag, V.T., Afra, A., Evy, F. and Fadly, D. (2021). *Potensi Pangan Fermentasi Tempe Dalam Mengatasi Kejadian Stunting di Indonesia*, Poltekita: Jurnal Ilmu Kesehatan, 15(2), pp. 20–26. Available at: <https://doi.org/10.33860/jik.v15i2.481>.
- Gan, M., Shen, L., Wang, S., Guo, Z., Zheng, T., Tan, Y., Fan, Y., Liu, L., Chen, L., Jiang, A., Li, X., Zhang, S. and Zhu, L. (2020). *Genistein Inhibits High Fat Diet-Induced Obesity Through MiR-222 By Targeting BTG2 And Adipor1*, Food & Function, 11(3), pp. 2418–2426. Available at: <https://doi.org/10.1039/C9FO00861F>.
- Gan, M., Chen, X., Chen, Z., Chen, L., Zhang, S., Zhao, Y., Niu, L., Li, X., Shen, L. and Zhu, L. (2022). *Genistein Alleviates High-Fat Diet-Induced Obesity By Inhibiting The Process Of Gluconeogenesis In Mice*, Nutrients, 14(8), p. 1551. Available at: <https://doi.org/10.3390/NU14081551/S1>.
- Gellman, M.D. (2013). *Encyclopedia of Behavioral Medicine, Reference Reviews*. Available at: <https://doi.org/10.1108/rr-05-2013-0108>.
- Ghasemi, A., Jeddi, S. and Kashfi, K. (2021). The Laboratory Rat: Age And Body Weight Matter, *EXCLI Journal*, 20, pp. 1431–1445. Available at: <https://doi.org/10.17179/EXCLI2021-4072>.
- Gileta, A.F., Fitzpatrick, C.J., Chitre, A.S., St. Pierre, C.L., Joyce, E. V., Maguire, R.J., McLeod, A.M., Gonzales, N.M., Williams, A.E., Morrow, J.D., Robinson, T.E., Flagel, S.B. and Palmer, A.A. (2022). Genetic characterization of outbred Sprague Dawley rats and utility for genome-wide association studies, *PLoS Genetics*, 18(5). Available at: <https://doi.org/10.1371/journal.pgen.1010234>.

- Goh, L.P.W., Sani, S.A., Sabullah, M.K. and Gansau, J.A. (2022). *The Prevalence of Insulin Resistance in Malaysia and Indonesia: An Updated Systematic Review and Meta-Analysis*, *Medicina*, 58(6), p. 826. Available at: <https://doi.org/10.3390/MEDICINA58060826>.
- Gunawan, S., Aulia, A. and Soetikno, V. (2021). *Development of rat metabolic syndrome models: A review*. *Veterinary world*, 14(7), pp.1774.
- Gómez-Zorita, S., González-Arceo, M., Fernández-Quintela, A., Eseberri, I., Trepiana, J. and Portillo, M.P. (2020). *Scientific Evidence Supporting the Beneficial Effects of Isoflavones on Human Health*, *Nutrients*, 12(12), p. 3853. Available at: <https://doi.org/10.3390/NU12123853>.
- Hajnal, A. and Kovacs, P. (2022). *Short-Term High-Fat Diet Consumption Increases Body Weight And Body Adiposity And Alters Brain Stem Taste Information Processing In Rats*, *Chemical Senses*, 47, pp. 1–9. Available at: <https://doi.org/10.1093/CHEMSE/BJAC020>.
- Hassan, R.M., El-Shafei, A.A. and Youakim, M.F. (2023). *Moringa Oleifera Versus Simvastatin On Liver Steatosis In An Adult Male Rat Model Of High Fat Diet; Histological And Immunohistochemical Study*, *Egyptian Journal of Histology*, 46(1), pp. 163–177. Available at: <https://doi.org/10.21608/EJH.2021.92918.1550>.
- Hidayat, R. and Patricia Wulandari (2021). *Anatomy and Physiology of Animal Model Rats in Biomedical Research*, *Biomedical Journal of Indonesia*, 7(2). Available at: <https://doi.org/10.32539/bji.v7i2.287>.
- Hidayaturrahmah, Budi Santoso, H., Aulia Rahmi, R. and Kartikasari, D. (2020). *Blood glucose level of white rats (Rattus norvegicus) after giving catfish biscuit (angasius hypothalmus)*, *BIO Web of Conferences*, 20. Available at: <https://doi.org/10.1051/bioconf/20202004005>.
- Hosea, K., Hosea, K., Kartodarsono, S., Arifin and Sumardi (2022). *Pengaruh Pemberian Produk Olahan Kacang Kedelai Terhadap Glukosa Darah Puasa Dan Resistansi Insulin Pada Model Tikus Diabetes Melitus*, *MEDICINUS*, 35(3), pp. 11–16. Available at: <https://doi.org/10.56951/medicinus.v35i3.102>.
- Huang, L., Zheng, T., Hui, H. and Xie, G. (2022). *Soybean Isoflavones Modulate Gut Microbiota To Benefit The Health Weight And Metabolism*, *Frontiers in*

- Cellular and Infection Microbiology, 12, p. 1004765. Available at: <https://doi.org/10.3389/FCIMB.2022.1004765/BIBTEX>.
- Huang, Y.C., Wu, B.H., Chu, Y.L., Chang, W.C. and Wu, M.C. (2018). *Effects of tempeh fermentation with lactobacillus plantarum and rhizopus oligosporus on streptozotocin-induced type II diabetes mellitus in rats*, Nutrients, 10(9). Available at: <https://doi.org/10.3390/nu10091143>.
- Islam, Z., Islam, S.M.R., Hossen, F., Mahtab-UI-Islam, K., Hasan, M.R. and Karim, R. (2021). *Moringa oleifera is a Prominent Source of Nutrients with Potential Health Benefits*, International Journal of Food Science. Available at: <https://doi.org/10.1155/2021/6627265>.
- Jahdkaran, M. and Sistanizad, M. (2025). *From Lipids To Glucose: Investigating The Role Of Dyslipidemia In The Risk Of Insulin Resistance*, The Journal of Steroid Biochemistry and Molecular Biology, 250, p. 106744. Available at: <https://doi.org/10.1016/J.JSBMB.2025.106744>.
- Jamal, A., Brettle, H., Jamil, D.A., Tran, V., Diep, H., Bobik, A., van der Poel, C., Vinh, A., Drummond, G.R., Thomas, C.J., Jelinic, M. and Al-Aubaidy, H.A. (2024). *Reduced Insulin Resistance And Oxidative Stress In A Mouse Model Of Metabolic Syndrome Following Twelve Weeks Of Citrus Bioflavonoid Hesperidin Supplementation: A Dose–Response Study*, Biomolecules, 14(6), p. 637. Available at: <https://doi.org/10.3390/BIOM14060637/S1>.
- Jani, S., Da Eira, D., Hadday, I., Bikopoulos, G., Mohasses, A., de Pinho, R.A. and Ceddia, R.B. (2021). *Distinct mechanisms involving diacylglycerol, ceramides, and inflammation underlie insulin resistance in oxidative and glycolytic muscles from high fat-fed rats*, Scientific Reports, 11(1). Available at: <https://doi.org/10.1038/s41598-021-98819-7>.
- Jayachandran, M. and Xu, B. (2019). *An insight into the health benefits of fermented soy products*, Food Chemistry, 271. Available at: <https://doi.org/10.1016/j.foodchem.2018.07.158>.
- Ji, A., Chen, W., Liu, C., Zhang, T., Shi, R., Wang, X., Xu, H. and Li, D. (2023). *Soy protein compared with whey protein ameliorates insulin resistance by regulating lipid metabolism, AMPK/mTOR pathway and gut microbiota in high-fat diet-fed mice*, Food & Function, 14(12), pp. 5752–5767. Available at: <https://doi.org/10.1039/D3FO01093G>.

- Jiang, J., Zhang, G., Yu, M., Gu, J., Zheng, Y., Sun, J. and Ding, S. (2022). *Quercetin Improves The Adipose Inflammatory Response And Insulin Signaling To Reduce ‘Real-World’ Particulate Matter-Induced Insulin Resistance*, Environmental Science and Pollution Research, 29(2), pp. 2146–2157. Available at: <https://doi.org/10.1007/S11356-021-15829-8/FIGURES/6>.
- Jiménez-Maldonado, A., García-Suárez, P.C., Rentería, I., Moncada-Jiménez, J. and Plaisance, E.P. (2020). *Impact of high-intensity interval training and sprint interval training on peripheral markers of glycemic control in metabolic syndrome and type 2 diabetes*, Biochimica et Biophysica Acta - Molecular Basis of Disease. Available at: <https://doi.org/10.1016/j.bbadis.2020.165820>.
- Kementerian Kesehatan RI (2018). *Tabel Komposisi Pangan Indoensia 2017*. Jakarta: Kementerian Kesehatan Republik Indonesia. Available at: <https://www.panganku.org/id-ID/beranda>.
- Kim, I.S., Yang, W.S. and Kim, C.H. (2021). *Beneficial Effects of Soybean-Derived Bioactive Peptides*, International Journal of Molecular Sciences, 22(16). Available at: <https://doi.org/10.3390/antiox10071064>.
- Kim, J. (2021). *Insulin Resistance and Cardiometabolic Syndrome*, CardioMetabolic Syndrome Journal, 1(1). Available at: <https://doi.org/10.51789/cmsj.2021.1.e9>.
- Kridawati, A., Rahradjo, T.B.W. and Hogervorst, E. (2019). The Effect of Tempe Flour on Blood Sugar in Elderly, *Healthy and Active Ageing* [Preprint].
- Krzymien, J. and Ladyzynski, P. (2024). *Insulin resistance: Risk factors, diagnostic approaches and mathematical models for clinical practice, epidemiological studies, and beyond*, Biocybernetics and Biomedical Engineering. Available at: <https://doi.org/10.1016/j.bbe.2023.12.004>.
- Kurnia, N.P., Bachtiar, A. and Asmara, K. (2023). Potensi produk ekspor keripik tempe di pasar global, *Ilmiah Wahana Pendidikan*, 9(21), pp. 460–466.
- Lee, S.H., Park, S.Y. and Choi, C.S. (2022). *Insulin Resistance: From Mechanisms to Therapeutic Strategies*, Diabetes and Metabolism Journal. Available at: <https://doi.org/10.4093/DMJ.2021.0280>.
- Lestari, N. (2021). *Pengaruh Pemberian Tempe Modifikasi Dengan Penambahan Air Rendaman Gaplek Terhadap Sensitivitas Insulin Dan Kapasitas Sekresi*

Insulin Pada Model Hewan Coba Yang Diinduksi Diabetes Melitus.

Universitas Gadjah Mada

- Lestari, L.A., Susetyowati, Rachmawati, A.I., Rachmadanty, A.S.S. and Sholikhati, A.S. (2024). *Organoleptic profile of high protein and dietary fibre biscuits based on soybean flour, tempeh flour, and Moringa leaf powder*, Potravinarstvo Slovak Journal of Food Sciences, 18, pp. 654–665. Available at: <https://doi.org/10.5219/1955>.
- Li, J., Yang, G., Zhang, Q., Liu, Z., Jiang, X. and Xin, Y. (2023). *Function of Akkermansia muciniphila in type 2 diabetes and related diseases*, Frontiers in Microbiology. Available at: <https://doi.org/10.3389/fmicb.2023.1172400>.
- Li, L., Ma, L., Wen, Y., Xie, J., Yan, L., Ji, A., Zeng, Y., Tian, Y. and Sheng, J. (2022). *Crude Polysaccharide Extracted From Moringa oleifera Leaves Prevents Obesity in Association With Modulating Gut Microbiota in High-Fat Diet-Fed Mice*, *Frontiers in Nutrition*, 9. Available at: <https://doi.org/10.3389/fnut.2022.861588>.
- Li, X., Yong, J., Zhao, B., Zhu, Y., Luo, J., Sheng, J. and Tian, Y. (2025). *Hypoglycemic Effect Of Dietary Fibers From Moringa Oleifera Leaves: In Vitro And In Vivo Studies*, Food Research International, 209, p. 116196. Available at: <https://doi.org/10.1016/J.FOODRES.2025.116196>.
- Logo, N.J.B., Zubaidah, S. and Kuswanto, H. (2018). *Karakteristik Morfologi Polong Beberapa Genotipe Kedelai (Glycine max L.Merill)*, Prosiding Seminar Nasional Hayati V 2017 [Preprint].
- Lu, Y., Zhao, A., Wu, Y., Zhao, Y. and Yang, X. (2019). *Soybean Soluble Polysaccharides Enhance Bioavailability Of Genistein And Its Prevention Against Obesity And Metabolic Syndrome Of Mice With Chronic High Fat Consumption*, Food & Function, 10(7), pp. 4153–4165. Available at: <https://doi.org/10.1039/C8FO02379D>.
- Mahendra, D.A., Rahayu, W. and Barokah, U. (2022). *Analisis Faktor-Faktor Yang Memengaruhi Konsumsi Tempe Oleh Rumah Tangga Di Kota Surakarta*, Agrista, 10(1), pp. 145–164.
- Mahfuz, S. and Piao, X.S. (2019). *Application of moringa(Moringa oleifera) as natural feed supplement in poultry diets*, Animals. Available at: <https://doi.org/10.3390/ani9070431>.

- Małkowska, P. (2024). *Positive Effects of Physical Activity on Insulin Signaling*, Current Issues in Molecular Biology 2024, Vol. 46, Pages 5467-5487, 46(6), pp. 5467–5487. Available at: <https://doi.org/10.3390/CIMB46060327>.
- Mao, H., Wang, W., Xiang, X., Li, Y., Zhao, J., Huang, Y., Di, S., Zhuo, Q. and Nie, H. (2023). *Analysis Of Metabolite Distribution In Rat Liver Of High-Fat Model By Mass Spectrometry Imaging*, Metabolites, 13(3), p. 411. Available at: <https://doi.org/10.3390/METABO13030411/S1>.
- Mardhiati, I., Astawan, M. and Indrasti, D. (2025). *Tempe As A Control For Diabetes Mellitus: Consumer Perceptions And Feasibility*, BIO Web of Conferences, 171. Available at: <https://doi.org/10.1051/bioconf/202517102005>.
- Marques, C., Meireles, M., Norberto, S., Leite, J., Freitas, J., Pestana, D., Faria, A. and Calhau, C. (2016). *High-Fat Diet-Induced Obesity Rat Model: A Comparison Between Wistar And Sprague-dawley Rat*, Adipocyte, 5(1), pp. 11–21. Available at: <https://doi.org/10.1080/21623945.2015.1061723>
- Martins, F.O. and Conde, S. V. (2022). *Impact of Diet Composition on Insulin Resistance*, Nutrients, 14(18). Available at: <https://doi.org/10.3390/nu14183716>.
- Maulana, H. and Ridwan, A. (2021). *High-Fat Diets-Induced Metabolic Disorders To Study Molecular Mechanism Of Hyperlipidemia In Rats*, Journal of Biological Science, Technology and Management, 3(2), pp. 38–50. Available at: <https://doi.org/10.5614/3bio.2021.3.2.5>.
- Meiliawati Yoshari, R., Nur Aini, A., Prangdimurti, E., Wresdiyati, T., Made Astawan, dan, Bogor, P., Anatomi, D., dan Farmasi, F., Kedokteran Hewan, F. and Pertanian Bogor, I. (2019). *Pengaruh Konsumsi Tempe Dari Kedelai Germinasi Dan Non-Germinasi Terhadap Profil Darah Tikus Diabetes*, JURNAL PANGAN, 28(2), pp. 135–144. Available at: <https://doi.org/10.33964/JP.V28I2.439>.
- Melmed, S., Polonsky, K.S., Larsen, P.R. and Kronenberg, H.M. (2015). *Williams Textbook of Endocrinology*. 13th edn. Philadelphia: Elsevier.
- Messina, M., Duncan, A., Messina, V., Lynch, H., Kiel, J. and Erdman, J.W. (2022). *The health effects of soy: A reference guide for health professionals*, Frontiers in Nutrition, 9, p. 970364. Available at: <https://doi.org/10.3389/FNUT.2022.970364>.

- Miao, R., Fang, X., Wei, J., Wu, H., Wang, X. and Tian, J. (2022). *Akt: A Potential Drug Target For Metabolic Syndrome*, *Frontiers in Physiology*, 13, p. 822333. Available at: <https://doi.org/10.3389/FPHYS.2022.822333/XML/NLM>.
- Miftakhul Jannah, W.D., Farmawati, A., Hastuti, P., Prasetyastuti, P., Nisa, U. and Ysrafil, Y. (2024). *Tempeh-Based Supplement Decreases Blood Glucose Levels Through Inhibiting RAGE And NF- κ B Activity In Type 2 Diabetes Mellitus Mice Model*, *Journal of Health Science and Medical Research*, 42(5), p. e20241056. Available at: <https://doi.org/10.31584/jhsmr.20241056>.
- Miller, R. (2016). *Biscuits, Cookies and Crackers: Nature of the Products*. 1st edn, *Encyclopedia of Food and Health*. 1st edn. Elsevier Ltd. Available at: <https://doi.org/10.1016/B978-0-12-384947-2.00075-1>.
- Mo, Z., Zhan, M., Yang, X., Xie, P., Xiao, J., Cao, Y., Xiao, H. and Song, M. (2024). *Fermented Dietary Fiber From Soy Sauce Residue Exerts Antidiabetic Effects Through Regulating The PI3K/AKT Signaling Pathway And Gut Microbiota-SCFAs-GPRs Axis In Type 2 Diabetic Mellitus Mice*, *International Journal of Biological Macromolecules*, 270, p. 132251. Available at: <https://doi.org/10.1016/J.IJBIOMAC.2024.132251>.
- Mohamed, M.A., Ahmed, M.A. and El Sayed, R.A. (2019). *Molecular effects of Moringa leaf extract on insulin resistance and reproductive function in hyperinsulinemic male rats*, *Journal of Diabetes and Metabolic Disorders*, 18(2). Available at: <https://doi.org/10.1007/s40200-019-00454-7>.
- Mosser, R.E., Maulis, M.F., Moullé, V.S., Dunn, J.C., Carboneau, B.A., Arasi, K., Pappan, K., Poitout, V. and Gannon, M. (2015). *High-Fat Diet-Induced β -Cell Proliferation Occurs Prior To Insulin Resistance In C57Bl/6J Male Mice*, *American Journal of Physiology - Endocrinology and Metabolism*, 308(7), pp. E573–E582. Available at: <https://doi.org/10.1152/AJPENDO.00460.2014/ASSET/IMAGES/ZH10071573230008.JPEG>.
- M.Y. Ali, M.I. Khalil, F.N. Jahan, M.B. Hossain and A.K. Samanta (2022). *Moringa Oleifera: A Review On Nutritional Attributes, Therapeutic Applications And Value-Added Product Generation*, *SAARC J. Agric.*, 20(2), pp. 1–15. Available at:

<https://www.cabidigitallibrary.org/doi/pdf/10.5555/20230016134>

(Accessed: 14 May 2025).

de Moura e Dias, M., dos Reis, S.A., da Conceição, L.L., Sedyama, C.M.N. de O., Pereira, S.S., de Oliveira, L.L., Gouveia Peluzio, M. do C., Martinez, J.A. and Milagro, F.I. (2021). *Diet-Induced Obesity In Animal Models: Points To Consider And Influence On Metabolic Markers*, *Diabetology & Metabolic Syndrome*, 13(1), p. 32. Available at: <https://doi.org/10.1186/S13098-021-00647-2>.

Nadhifah, E.I. (2020). *Pengaruh Proporsi Tepung Garut Dan Tepung Beras Merah Terhadap Kesukaan Sifat Organoleptik Biskuit Durian*, *e-Jurnal Tata Boga*, 9(2), pp. 736–744.

Nagaoka, S., Takeuchi, A. and Banno, A. (2021). *Plant-Derived Peptides Improving Lipid And Glucose Metabolism*, *Peptides*, 142, p. 170577. Available at: <https://doi.org/10.1016/J.PEPTIDES.2021.170577>.

Nian, F., Wu, L., Xia, Q., Tian, P., Ding, C. and Lu, X. (2023). *Akkermansia muciniphila and Bifidobacterium bifidum Prevent NAFLD by Regulating FXR Expression and Gut Microbiota*, *Journal of Clinical and Translational Hepatology*, 11(4). Available at: <https://doi.org/10.14218/JCTH.2022.00415>. *Noncommunicable diseases* (no date).

Noor, S., Tajik, O. and Golzar, J. (2022). *Simple Random Sampling*, *International Journal of Education & Language Studies*, 1(2), pp. 78–82. Available at: <https://doi.org/10.4324/9780203128640-6>.

Novia, D., Sugiarto, S. and Dewi, Y.L., (2021). *Pengaruh Dosis Dan Lama Pemberian Ekstrak Daun Asam Jawa (Tamarindus Indica Linn) Terhadap Homa-B Pada Tikus Model Diabetes Mellitus Tipe 2 The effect of Tamarind Leaf (Tamarindus indica linn) Extract on Homa-β in Rats with Type 2 Diabetes Mellitus Model*. *Media Gizi Indonesia*, 16(3), p.267.

Noubiap, J.J., Nansseu, J.R., Lontchi-Yimagou, E., Nkeck, J.R., Nyaga, U.F., Ngouo, A.T., Tounouga, D.N., Tianyi, F.L., Foka, A.J., Ndoadoumgué, A.L. and Bigna, J.J. (2022). *Global, regional, and country estimates of metabolic syndrome burden in children and adolescents in 2020: a systematic review and modelling analysis*, *The Lancet Child and Adolescent Health*, 6(3), pp. 158–170. Available at: [https://doi.org/10.1016/S2352-4642\(21\)00374-6](https://doi.org/10.1016/S2352-4642(21)00374-6).

- Nugraheni, K., Putriningtyas, N.D., Fernando, G.S.N. and Bintari, S.H. (2023). *The Improvement Of Lipid Profiles And Glucose Resistance Of Hypercholesterolemic Rats Using Tempeh Flour Based-Yoghurt Complemented With Red Pitaya Peel Extract*, Biosaintifika, 15(3), pp. 314–325. Available at: <https://doi.org/10.15294/biosaintifika.v15i3.47414>.
- Nugraheni, K. and Bintari, S.H. (2017). *Aktivitas Antidislipidemia Tepung Tempe Dan Susu Kedelai Pada Profil Lipid Tikus Diabetes Yang Diinduksi Streptozotocin*, Jurnal Gizi dan Dietetik Indonesia (Indonesian Journal of Nutrition and Dietetics), 4(3), pp. 147–153. Available at: <https://ejournal.almaata.ac.id/index.php/IJND/article/view/367> (Accessed: 15 May 2025).
- Othman, A.I., Amer, M.A., Basos, A.S. and El-Missiry, M.A. (2019). *Moringa oleifera leaf extract ameliorated high-fat diet-induced obesity, oxidative stress and disrupted metabolic hormones*, Clinical Phytoscience, 5(1). Available at: <https://doi.org/10.1186/s40816-019-0140-0>.
- Otto, G.M., Franklin, C.L. and Clifford, C.B. (2015). Chapter 4 - Biology and Diseases of Rats, in *Laboratory Animal Medicine: Third Edition*. Available at: <https://doi.org/10.1016/B978-0-12-409527-4.00004-3>.
- Paikra, B.K., Dhongade, H.K.J. and Gidwani, B. (2017). *Phytochemistry and pharmacology of Moringa oleifera Lam*, Journal of Pharmacopuncture. Available at: <https://doi.org/10.3831/kpi.2017.20.022>.
- Pareek, Ashutosh, Pant, M., Gupta, M.M., Kashania, P., Ratan, Y., Jain, V., Pareek, Aushi and Chuturgoon, A.A. (2023). *Moringa oleifera: An Updated Comprehensive Review of Its Pharmacological Activities, Ethnomedicinal, Phytopharmaceutical Formulation, Clinical, Phytochemical, and Toxicological Aspects*, International Journal of Molecular Sciences. Available at: <https://doi.org/10.3390/ijms24032098>.
- Park, S., Lee, J.J., Shin, H.W., Jung, S. and Ha, J.H. (2021). *Effect of soybean and soybean koji on obesity and dyslipidemia in rats fed a high-fat diet: a comparative study*. International Journal of Environmental Research and Public Health, 18(11), pp.6032.
- Persatuan Endokronologi Indonesia (2021). *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021*, PB PERKENI. Jakarta. Available at: www.ginasthma.org.

- Petersen, M.C. and Shulman, G.I. (2018). *Mechanisms of insulin action and insulin resistance*, Physiological Reviews. Available at: <https://doi.org/10.1152/physrev.00063.2017>.
- Pham, N.H.T., Joglekar, M. V., Wong, W.K.M., Nassif, N.T., Simpson, A.M. and Hardikar, A.A. (2024). *Short-Chain Fatty Acids And Insulin Sensitivity: A Systematic Review And Meta-Analysis*, Nutrition Reviews, 82(2), pp. 193–209. Available at: <https://doi.org/10.1093/NUTRIT/NUAD042>.
- Pontjosudargo, F.A., Priyadi, H., Sovia, E., Halima, L.S. and Septiadi, E. (2021). *The Effect Of Fat Composition To Liver Enzymes, Cholesterol, Triglyceride And Liver MDA Levels In Wistar Strain Rats Which Is Induced By High Fat Diet*, Proceedings of the 12th Annual Scientific Meeting, Medical Faculty, Universitas Jenderal Achmad Yani, International Symposium on 'Emergency Preparedness and Disaster Response during COVID 19 Pandemic' (ASMC 2021), 37, pp. 213–216. Available at: <https://doi.org/10.2991/AHSR.K.210723.050>.
- Pramesti, R. and Widyastuti, N. (2014). *Pengaruh Pemberian Jus Daun Ubi Jalar (Ipomoea Batatas (L.) Lam) Terhadap Kadar Trigliserida Tikus Wistar Jantan (Rattus Norvegicus) Yang Diberi Pakan Tinggi Lemak*, Journal of Nutrition College, 3(4), pp. 838–847. Available at: <https://doi.org/10.14710/jnc.v3i4.6889>.
- Prasad, M., Rajagopal, P., Devarajan, N., Veeraraghavan, V.P., Palanisamy, C.P., Cui, B., Patil, S. and Jayaraman, S. (2022). *A Comprehensive Review On High -Fat Diet-Induced Diabetes Mellitus: An Epigenetic View*, The Journal of Nutritional Biochemistry, 107, p. 109037. Available at: <https://doi.org/10.1016/J.JNUTBIO.2022.109037>.
- Prasetyastuti (2018). *The Role Of Isoflavon In Reducing Blood Glucose Levels*, Journal of the Medical Sciences (Berkala Ilmu Kedokteran), 50(4), pp. 483–492. Available at: <https://doi.org/10.19106/JMEDSCIE/005004201814>.
- Qin, P., Wang, T. and Luo, Y. (2022). *A review on plant-based proteins from soybean: Health benefits and soy product development*, Journal of Agriculture and Food Research, 7. Available at: <https://doi.org/10.1016/j.jafr.2021.100265>.

- Rahadiyanti, A. and Mulyati, T. (2017). *Efek Tempe Kedelai Terhadap Penurunan Kadar Glukosa Darah Pada Prediabetes*, Darussalam Nutrition Journal, 1(2), p. 19. Available at: <https://doi.org/10.21111/dnj.v1i2.1346>.
- Raygor, V., Abbasi, F., Lazzeroni, L.C., Kim, S., Ingelsson, E., Reaven, G.M. and Knowles, J.W. (2019). *Impact of race/ethnicity on insulin resistance and hypertriglyceridaemia*, Diabetes and Vascular Disease Research, 16(2). Available at: <https://doi.org/10.1177/1479164118813890>.
- Rodríguez-Correa, E., González-Pérez, I., Clavel-Pérez, P.I., Contreras-Vargas, Y. and Carvajal, K. (2020). *Biochemical And Nutritional Overview Of Diet-Induced Metabolic Syndrome Models In Rats: What Is The Best Choice?*, Nutrition and Diabetes, 10(1), pp. 1–15. Available at: [https://doi.org/10.1038/S41387-020-0127-](https://doi.org/10.1038/S41387-020-0127-4)
4;SUBJMETA=308,45,631,692;KWRD=BIOCHEMISTRY,MEDICAL+RESEARCH.
- Romulo, A. and Surya, R. (2021). *Tempe: A traditional fermented food of Indonesia and its health benefits*, International Journal of Gastronomy and Food Science. Available at: <https://doi.org/10.1016/j.ijgfs.2021.100413>.
- Rubio-Ruiz, M.E., Guarner-Lans, V., Cano-Martínez, A., Díaz-Díaz, E., Manzano-Pech, L., Gamas-Magaña, A., Castrejón-Tellez, V., Tapia-Cortina, C. and Pérez-Torres, I. (2019). *Resveratrol And Quercetin Administration Improves Antioxidant DEFENSES And Reduces Fatty Liver In Metabolic Syndrome Rats*, Molecules 2019, Vol. 24, Page 1297, 24(7), p. 1297. Available at: <https://doi.org/10.3390/MOLECULES24071297>.
- Ruppert, P.M.M. (2020). *Regulatory mechanisms of fasting*. Wageningen University. Available at: <https://doi.org/10.18174/527117>.
- Russo, B., Picconi, F., Malandrucchio, I. and Frontoni, S. (2019). *Flavonoids And Insulin-Resistance: From Molecular Evidences To Clinical Trials*, International Journal of Molecular Sciences 2019, Vol. 20, Page 2061, 20(9), p. 2061. Available at: <https://doi.org/10.3390/IJMS20092061>.
- Sadiya, A., Jakapure, V. and Kumar, V. (2023). *Ethnic Variability in Glucose and Insulin Response to Rice Among Healthy Overweight Adults: A Randomized Cross-Over Study*, Diabetes, Metabolic Syndrome and Obesity, 16(March), pp. 993–1002. Available at: <https://doi.org/10.2147/DMSO.S404212>.

- Sah, S.P., Singh, B., Choudhary, S. and Kumar, A. (2016). *Animal Models Of Insulin Resistance: A Review*, Pharmacological Reports, 68(6), pp. 1165–1177. Available at: <https://doi.org/10.1016/j.pharep.2016.07.010>.
- Saklayen, M.G. (2018). *The Global Epidemic of the Metabolic Syndrome*, Current Hypertension Reports, 20(2). Available at: <https://doi.org/10.1007/S11906-018-0812-Z>.
- Sanvictores, T., Casale, J. and Huecker, M.R. (2021). *Physiology, Fasting, StatPearls*.
- Sarnyai, F., Donkó, M.B., Mátyási, J., Górnagy, Z., Marczi, I., Simon-Szabó, L., Zámbo, V., Somogyi, A., Csizmadia, T., Löw, P., Szelényi, P., Kereszturi, É., Tóth, B. and Csala, M. (2019). *Cellular Toxicity Of Dietary Trans Fatty Acids And Its Correlation With Ceramide And Diglyceride Accumulation*, Food and Chemical Toxicology, 124, pp. 324–335. Available at: <https://doi.org/10.1016/J.FCT.2018.12.022>.
- Sasaki, N., Ueno, Y. and Higashi, Y. (2024). *Indicators of insulin resistance in clinical practice*, Hypertension Research [Preprint]. Available at: <https://doi.org/10.1038/s41440-023-01566-7>.
- Setyani, W., Murwanti, R., Sulaiman, T. and Hertiani, T. (2023). *Flavonoid From Moringa Oleifera Leaves Revisited: A Review Article On In Vitro, In Vivo, And In Silico Studies Of Antidiabetic Insulin-Resistant Activity*, Journal of Advanced Pharmaceutical Technology and Research, 14(4), pp. 283–288. Available at: https://doi.org/10.4103/JAPTR.JAPTR_290_23.
- Setyawati, A.R., Anjani, G., Mahati, E., Afifah, D.N., Syauqy, A., Astawan, M. and Rahmawati, I.S. (2024). *The Effect of Sacha Inchi Tempe on Blood Glucose, HOMA-IR, and TNF-α in Rats with Metabolic Syndrome*, Jurnal Gizi dan Pangan, 19(2), pp. 97–106. Available at: <https://doi.org/10.25182/jgp.2024.19.2.97-106>.
- Sharma, M., Chan, H.K., Lavilla, C.A., Uy, M.M., Froemming, G.R.A. and Okechukwu, P.N. (2023). *Induction Of A Single Dose Of Streptozotocin (50 Mg) In Rat Model Causes Insulin Resistance With Type 2 Diabetes Mellitus*, Fundamental and Clinical Pharmacology, 37(4), pp. 769–778. Available at: <https://doi.org/10.1111/FCP.12892>.

- Sharma, V.R., Matta, S.T., Haymond, M.W. and Chung, S.T. (2021). *Measuring Insulin Resistance in Humans*, *Hormone Research in Paediatrics*, 93(11–12), pp. 577–588. Available at: <https://doi.org/10.1159/000515462>.
- Smith, J.R., Bolton, E.R. and Dwinell, M.R. (2019). *The Rat: A Model Used in Biomedical Research, Methods in Molecular Biology*. Available at: https://doi.org/10.1007/978-1-4939-9581-3_1.
- Smolensky, I., Zajac-Bakri, K., Mallien, A.S., Gass, P., Guzman, R. and Inta, D. (2024). *Effects Of Single Housing On Behavior, Corticosterone Level And Body Weight In Male And Female Mice*, *Laboratory Animal Research*, 40(1), pp. 1–12. Available at: <https://doi.org/10.1186/S42826-024-00221-7/TABLES/2>.
- Sokolowska, E. and Blachnio-Zabielska, A. (2019). *The Role Of Ceramides In Insulin Resistance*, *Frontiers in Endocrinology*. Available at: <https://doi.org/10.3389/fendo.2019.00577>.
- Stephanie, Ratih, N.K., Soka, S. and Suwanto, A. (2017). *Effect of Tempeh Supplementation on the Profiles of Human Intestinal Immune System and Gut Microbiota*, *Microbiology Indonesia*, 11(1), pp. 11–17. Available at: <https://doi.org/10.5454/mi.11.1.2>.
- Stephanie, Kartawidjajaputra, F., Silo, W., Yogiara, Y. and Suwanto, A. (2019). *Tempeh Consumption Enhanced Beneficial Bacteria In The Human Gut*, *Food Research*, 3(1), pp. 57–63. Available at: [https://doi.org/10.26656/fr.2017.3\(1\).230](https://doi.org/10.26656/fr.2017.3(1).230).
- Swarup, S., Ahmed, I., Grigorova, Y. and Zeltser, R. (2024). *Metabolic Syndrome, StatPearls* [Preprint]. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK459248/> (Accessed: 16 September 2024).
- Takahashi, M., Imai, T., Yamada, T., Muramae, N., Yoshimura, K., Mitomo, Y., Bando, H., Sugawara, K., Asahara, S.I., Hirota, Y., Tamori, Y., Takahashi, Y. and Ogawa, W. (2024). *Effects of soy or whey protein on weight reduction in patients with obesity: An exploratory, three-arm, placebo-controlled, double-blind, randomized clinical trial*, *Clinical Nutrition Open Science*, 55, pp. 223–233. Available at: <https://doi.org/10.1016/J.NUTOS.2024.04.005>.

- Tamam, B. (2022). *Tempe: Pangan Lokal Unggul (Superfood) Khasanah Budaya Bangsa*, Indonesian Red Crescent Humanitarian Journal, 1(1), pp. 41–48. Available at: <https://doi.org/10.56744/irchum.v1i1.14>.
- Tan, S.T., Tan, S.S. and Tan, C.X. (2023). *Soy protein, bioactive peptides, and isoflavones: A review of their safety and health benefits*, PharmaNutrition. Available at: <https://doi.org/10.1016/j.phanu.2023.100352>.
- Tang, C., Wang, Y., Xu, Z., Chen, D., Xu, J., Yang, D., Zhang, L., Liu, J. and Kan, J. (2024). *The relationships between high-fat diet and metabolic syndrome: Potential mechanisms*, Food Bioscience, 59(March), p. 104261. Available at: <https://doi.org/10.1016/j.fbio.2024.104261>.
- Temple, N.J. (2022). *A rational definition for functional foods: A perspective*, Frontiers in Nutrition, 9. Available at: <https://doi.org/10.3389/FNUT.2022.957516>.
- Teoh, S.Q., Chin, N.L., Chong, C.W., Ripen, A.M., How, S. and Lim, J.J.L. (2024). *A Review On Health Benefits And Processing Of Tempeh With Outlines On Its Functional Microbes*, Future Foods, 9. Available at: <https://doi.org/10.1016/j.fufo.2024.100330>.
- Udomkasemsab, A. and Prangthip, P. (2019). *High fat diet for induced dyslipidemia and cardiac pathological alterations in Wistar rats compared to Sprague Dawley rats*, Clinica e Investigacion en Arteriosclerosis, 31(2). Available at: <https://doi.org/10.1016/j.arteri.2018.09.004>.
- USDA (no date). *Taxon: Moringa oleifera*. Available at: <https://acir.aphis.usda.gov/s/cird-taxon/a0ut0000002iNhgAAE/moringa-oleifera> (Accessed: 26 December 2024).
- Vigneshwar, R., Arivuchelvan, A., Mekala, P. and Imayarasi, K. (2021). *Sex-Specific Reference Intervals For Wistar Albino Rats: Hematology And Clinical Biochemistry*, Indian Journal of Animal Health, 60(1), pp. 58–65. Available at: <https://doi.org/10.36062/ijah.60.1.2021.58-65>.
- Viviandhari, D., Prastiwi, R., Puspitasari, E.F. and Perdianti, P. (2020). *Activity of Ethanol Fraction of Luffa Acutangula (L.) Roxb. on Cholesterol Reduction in Dyslipidemic Hamster*, Jurnal Jamu Indonesia, 5(2), pp. 45–55. Available at: <https://doi.org/10.29244/jji.v5i2.171>.
- Wali, J.A., Jarzebska, N., Raubenheimer, D., Simpson, S.J., Rodionov, R.N. and O'sullivan, J.F. (2020). *Cardio-Metabolic Effects Of High-Fat Diets And*

- Their Underlying Mechanisms—A Narrative Review*, *Nutrients*. Available at: <https://doi.org/10.3390/nu12051505>
- Wang, B., Yu, H., He, Y., Wen, L., Gu, J., Wang, X., Miao, X., Qiu, G. and Wang, H. (2021). *Effect Of Soybean Insoluble Dietary Fiber On Prevention Of Obesity In High-Fat Diet Fed Mice: Via Regulation Of The Gut Microbiota*, *Food and Function*, 12(17), pp. 7923–7937. Available at: <https://doi.org/10.1039/D1FO00078K>.
- Wang, M., Gao, X.J., Zhao, W.W., Zhao, W.J., Jiang, C.H., Huang, F., Kou, J.P., Liu, B.L. and Liu, K. (2013). *Opposite Effects Of Genistein On The Regulation Of Insulin-Mediated Glucose Homeostasis In Adipose Tissue*, *British Journal of Pharmacology*, 170(2), pp. 328–340. Available at: <https://doi.org/10.1111/BPH.12276>;PAGE:STRING:ARTICLE/CHAPTER.
- Wang, T., Wu, Q. and Zhao, T. (2020). *Preventive Effects Of Kaempferol On High-Fat Diet-Induced Obesity Complications In C57BL/6 Mice*, *BioMed Research International*, 2020(1), p. 4532482. Available at: <https://doi.org/10.1155/2020/4532482>.
- Wang, X., Song, R., Clinchamps, M. and Dutheil, F. (2023). *New Insights into High-Fat Diet with Chronic Diseases*, *Nutrients*. Available at: <https://doi.org/10.3390/nu15184031>.
- Wang, X., Zhou, Q. Le, Yang, Y., Wei, Y.L., Wei, W., Bi, H.X., Li, D. and Jiang, S.L. (2020). *Protein-Enriched Fiber Vegan Meal Promote Satiety And Suppress Food Intake In Rats*, *Food Science & Nutrition*, 8(6), pp. 2780–2788. Available at: <https://doi.org/10.1002/FSN3.1570>.
- Wang, Y. and Wang, J. (2020). *Modelling and prediction of global non-communicable diseases*, *BMC Public Health*, 20(1), pp. 1–13. Available at: <https://doi.org/10.1186/S12889-020-08890-4>;TABLES/4.
- Warmink, K., Rios, J.L., van Valkengoed, D.R., Korthagen, N.M. and Weinans, H. (2021). *Sprague dawley rats develop more joint damage compared to wistar-han rats in a high fat-high sucrose groove model of osteoarthritis*, *Osteoarthritis and Cartilage*, 29. Available at: <https://doi.org/10.1016/j.joca.2021.02.194>.
- Wati, D.P. (2024). *Prinsip Dasar Tikus sebagai Model Penelitian*, *USU Press*. Medan: USU press.

- Wong, S.K., Chin, K.Y., Suhaimi, F.H., Fairus, A. and Ima-Nirwana, S. (2016). *Animal models of metabolic syndrome: a review*, Nutrition and Metabolism. Available at: <https://doi.org/10.1186/s12986-016-0123-9>.
- Wu, Y., Zhao, R., Li, M., Li, H., Chen, Z. and Zhao, Y. (2022). *Novel Soybean Peptide Iglycin Ameliorates Insulin Resistance Of High-Fat Diet Fed C57BL/6J Mice And Differentiated 3T3L1 Adipocytes With Improvement Of Insulin Signaling And Mitochondrial Function*, Food Science and Human Wellness, 11(6), pp. 1565–1572. Available at: <https://doi.org/10.1016/J.FSHW.2022.06.014>.
- Yang, W., Jiang, W. and Guo, S. (2023). *Regulation of Macronutrients in Insulin Resistance and Glucose Homeostasis during Type 2 Diabetes Mellitus*, Nutrients. Available at: <https://doi.org/10.3390/nu15214671>.
- Yoshari, R.M., Astawan, M., Prangdimurti, E. and Wresdiyati, T. (2023). *The Production Process Of Tempe Protein Isolate From Germinated Soybeans And Its Potential As An Antidiabetic*, Food Research, 7, pp. 71–79. Available at: [https://doi.org/10.26656/fr.2017.7\(S1\).23](https://doi.org/10.26656/fr.2017.7(S1).23).
- Zeitler, P.S. and Nadeau, K.J. (2020). *Insulin Resistance Childhood Precursors of Adult Disease*, Contemporary Endocrinology.
- Zhang, X.Y., Guo, C.C., Yu, Y.X., Xie, L. and Chang, C.Q. (2020). *[Establishment Of High-Fat Diet-Induced Obesity And Insulin Resistance Model In Rats].*, Journal of Peking University. Health Sciences, 52(3), pp. 557–563. Available at: <https://doi.org/10.19723/J.ISSN.1671-167X.2020.03.024>.
- Zhao, X., An, X., Yang, C., Sun, W., Ji, H. and Lian, F. (2023). The crucial role and mechanism of insulin resistance in metabolic disease, *Frontiers in Endocrinology*. Available at: <https://doi.org/10.3389/fendo.2023.1149239>.