

DAFTAR PUSTAKA

- Abdelhafiz, A.H., Peters, S. & Sinclair, A.J. (2021) 'Low glycaemic state increases risk of frailty and functional decline in older people with type 2 diabetes mellitus – Evidence from a systematic review', *Diabetes Research and Clinical Practice*, 181, p. 109085. Available at: <https://doi.org/10.1016/j.diabres.2021.109085>.
- Abdu Hussen, A. (2022) 'High-Performance Liquid Chromatography (HPLC): A review', *Annals of Advances in Chemistry*, 6(1), pp. 010–020. Available at: <https://doi.org/10.29328/journal.aac.1001026>.
- Aguayo, G.A. *et al.* (2019) 'Prospective association among diabetes diagnosis, HbA1c, glycemia, and frailty trajectories in an elderly population', *Diabetes Care*, 42(10), pp. 1903–1911. Available at: <https://doi.org/10.2337/dc19-0497>.
- Alexander, S.E., Pollock, A.C. & Lamon, S. (2022) 'The effect of sex hormones on skeletal muscle adaptation in females', *European Journal of Sport Science*, 22(7), pp. 1035–1045. Available at: <https://doi.org/10.1080/17461391.2021.1921854>.
- Allen, J., Ramsden, M. & Nisar, S. (2024) 'Skeletal muscle structure, function and pathology', *Orthopaedics and Trauma*, 38(3), pp. 137–144. Available at: <https://doi.org/10.1016/j.mporth.2024.03.004>.
- Amarya, S., Singh, K. & Sabharwal, M. (2018) 'Ageing Process and Physiological Changes', *Gerontology*, pp. 3–24. Available at: <https://doi.org/10.5772/intechopen.76249>.
- American Diabetes Association (2010) 'Diagnosis and classification of diabetes

mellitus', *Diabetes Care*, 33(SUPPL. 1). Available at:
<https://doi.org/10.2337/dc10-S062>.

de Andrade, F.L.J.P. *et al.* (2019) 'Frailty among institutionalized older people: a cross-sectional study in Natal (Brazil)', *Journal of Frailty, Sarcopenia and Falls*, 04(02), pp. 51–60. Available at: <https://doi.org/10.22540/jfsf-04-051>.

Angulo, J., El Assar, M. & Rodríguez-Mañas, L. (2016) 'Frailty and sarcopenia as the basis for the phenotypic manifestation of chronic diseases in older adults', *Molecular Aspects of Medicine*, 50, pp. 1–32. Available at: <https://doi.org/10.1016/j.mam.2016.06.001>.

Ansharullah, M.R. *et al.* (2024) 'Hubungan Indeks Massa Tubuh dengan Frailty Pada Lansia di PPRSLU Budi Sejahtera Banjarbaru', *Homeostasis*, 7, pp. 103–112.

Arjuna, T. *et al.* (2017) 'A cross-sectional study of nutrient intake and health status among older adults in Yogyakarta Indonesia', *Nutrients*, 9(11). Available at: <https://doi.org/10.3390/nu9111240>.

Bingöl Diedhiou, A. & André, H. (2021) 'A Study Determining the Functional Fitness and Physical Activity Level and Assessing Correlation between IPAQ and SFT in Elderly People', *Spor Bilimleri Dergisi*, 32(4), pp. 207–219. Available at: <https://doi.org/10.17644/sbd.994523>.

Blaum, C.S. *et al.* (2009) 'Is hyperglycemia associated with frailty status in older women?: Clinical investigations', *Journal of the American Geriatrics Society*, 57(5), pp. 840–847. Available at: <https://doi.org/10.1111/j.1532-5415.2009.02196.x>.

Borkent, J. *et al.* (2023) 'Too low protein and energy intake in nursing homes

residents', *Nutrition*, 110, p. 112005. Available at:
<https://doi.org/10.1016/j.nut.2023.112005>.

Bouchard, D.R., Héroux, M. & Janssen, I. (2011) 'Association between muscle mass, leg strength, and fat mass with physical function in older adults: Influence of age and sex', *Journal of Aging and Health*, 23(2), pp. 313–328. Available at: <https://doi.org/10.1177/0898264310388562>.

BPS (2023) *Statistik Penduduk Lanjut Usia 2023*. Badan Pusat Statistik.

Buckinx, F. *et al.* (2015) 'Burden of frailty in the elderly population: Perspectives for a public health challenge', *Archives of Public Health*, 73(1), pp. 1–7. Available at: <https://doi.org/10.1186/s13690-015-0068-x>.

Cesari, M. *et al.* (2006) 'Frailty syndrome and skeletal muscle: Results from the Invecchiare in Chianti study', *American Journal of Clinical Nutrition*, 83(5), pp. 1142–1148. Available at: <https://doi.org/10.1093/ajcn/83.5.1142>.

Cesari, M. *et al.* (2014) 'The frailty phenotype and the frailty index: Different instruments for different purposes', *Age and Ageing*, 43(1), pp. 10–12. Available at: <https://doi.org/10.1093/ageing/aft160>.

Chen, X., Mao, G. & Leng, S.X. (2014) 'Frailty syndrome: An overview', *Clinical Interventions in Aging*, 9, pp. 433–441.

Clegg, A. *et al.* (2013) 'Frailty in elderly people', *The Lancet*, 381(9868), pp. 752–762. Available at: [https://doi.org/10.1016/S0140-6736\(12\)62167-9](https://doi.org/10.1016/S0140-6736(12)62167-9).

Collard, R.M. *et al.* (2012) 'Prevalence of frailty in community-dwelling older persons: A systematic review', *Journal of the American Geriatrics Society*, 60(8), pp. 1487–1492. Available at: <https://doi.org/10.1111/j.1532-5415.2012.04054.x>.



- Corpas, E. (2020) *Endocrinology of Aging: Clinical Aspects in Diagrams and Images, Endocrinology of Aging: Clinical Aspects in Diagrams and Images*. Available at: <https://doi.org/10.1016/C2018-0-04819-7>.
- Corral-Pérez, J. *et al.* (2023) 'Risk and Protective Factors for Frailty in Pre-Frail and Frail Older Adults', *International Journal of Environmental Research and Public Health*, 20(4). Available at: <https://doi.org/10.3390/ijerph20043123>.
- Cruz-Jentoft, A.J. *et al.* (2020) 'Nutritional strategies for maintaining muscle mass and strength from middle age to later life: A narrative review', *Maturitas*, 132(June 2019), pp. 57–64. Available at: <https://doi.org/10.1016/j.maturitas.2019.11.007>.
- Cruz-Jentoft, A.J. & Michel, J.P. (2013) 'Sarcopenia: A useful paradigm for physical frailty', *European Geriatric Medicine*, 4(2), pp. 102–105. Available at: <https://doi.org/10.1016/j.eurger.2013.02.009>.
- Cruz-Jentoft, A.J. & Sayer, A.A. (2019) 'Sarcopenia', *The Lancet*, 393(10191), pp. 2636–2646. Available at: [https://doi.org/10.1016/S0140-6736\(19\)31138-9](https://doi.org/10.1016/S0140-6736(19)31138-9).
- Deutz, N.E.P. *et al.* (2019) 'The Underappreciated Role of Low Muscle Mass in the Management of Malnutrition', *Journal of the American Medical Directors Association*, 20(1), pp. 22–27. Available at: <https://doi.org/10.1016/j.jamda.2018.11.021>.
- Dodds, R.A. & Aihie Sayer, A.B. (2016) 'Sarcopenia and frailty: new challenges for clinical practice', *Clinical Medicine*, 16(5), pp. 455–463.
- Dybicz, S.B. *et al.* (2011) 'Prevalence of diabetes and the burden of comorbid conditions among elderly nursing home residents', *American Journal Geriatric Pharmacotherapy*, 9(4), pp. 212–223. Available at:



<https://doi.org/10.1016/j.amjopharm.2011.05.001>.

Fang, H.S.A. *et al.* (2022) 'The effect of oral diabetes medications on glycated haemoglobin (HbA1c) in Asians in primary care: a retrospective cohort real-world data study', *BMC Medicine*, 20(1), pp. 1–12. Available at: <https://doi.org/10.1186/s12916-021-02221-z>.

Farapti, F. *et al.* (2022) 'the Urgency To Identify Low Muscle Mass Among Elderly: Community Service in Nursing Home', *Jurnal Pengabdian Masyarakat Dalam Kesehatan*, 4(1), pp. 1–8. Available at: <https://doi.org/10.20473/jpmk.v4i1.30417>.

Farapti, F. *et al.* (2024) 'Food Waste Assessment to Evaluate Adequacy Intake among Elderly and to Apply Quality Control of Food Service Management in Nursing Home', *Amerta Nutrition*, 8(3), pp. 416–423. Available at: <https://doi.org/10.20473/amnt.v8i3.2024.416-423>.

Fried, L.P. *et al.* (2001) 'Frailty in older adults: Evidence for a phenotype', *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, 56(3), pp. 146–157. Available at: <https://doi.org/10.1093/gerona/56.3.m146>.

Fried, L.P. *et al.* (2004) 'Untangling the Concepts of Disability, Frailty, and Comorbidity: Implications for Improved Targeting and Care', *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, 59(3), pp. 255–263. Available at: <https://doi.org/10.1093/gerona/59.3.m255>.

Gülsen, Ş. *et al.* (2023) 'the Effect of Age and Gender on HbA1c Levels in Adults Without Diabetes Mellitus', *Journal of Medical Biochemistry*, 42(4), pp. 714–721. Available at: <https://doi.org/10.5937/jomb0-44190>.

Holtermann, A. *et al.* (2018) 'The physical activity paradox: Six reasons why

occupational physical activity (OPA) does not confer the cardiovascular health benefits that leisure time physical activity does', *British Journal of Sports Medicine*, 52(3), pp. 149–150. Available at: <https://doi.org/10.1136/bjsports-2017-097965>.

Hua, N. *et al.* (2022) 'Nutritional Status and Sarcopenia in Nursing Home Residents: A Cross-Sectional Study', *International Journal of Environmental Research and Public Health*, 19(24). Available at: <https://doi.org/10.3390/ijerph192417013>.

Huang, S.H. *et al.* (2021) 'Hemoglobin A1c levels associated with age and gender in taiwanese adults without prior diagnosis with diabetes', *International Journal of Environmental Research and Public Health*, 18(7), pp. 1–8. Available at: <https://doi.org/10.3390/ijerph18073390>.

Huisinigh-Scheetz, M. *et al.* (2018) 'The Relationship between Physical Activity and Frailty among U.S. Older Adults Based on Hourly Accelerometry Data', *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, 73(5), pp. 622–629. Available at: <https://doi.org/10.1093/gerona/glx208>.

Jayanama, K. *et al.* (2022) 'Relationship of body mass index with frailty and all-cause mortality among middle-aged and older adults', *BMC Medicine*, 20(1), pp. 1–12. Available at: <https://doi.org/10.1186/s12916-022-02596-7>.

Jyv korpi, S.K. *et al.* (2022) 'Relationship between frailty, nutrition, body composition, quality of life, and gender in institutionalized older people', *Aging Clinical and Experimental Research*, 34(6), pp. 1357–1363. Available at: <https://doi.org/10.1007/s40520-022-02077-0>.



- Kalyani, R.R. *et al.* (2012) 'Hyperglycemia and incidence of frailty and lower extremity mobility limitations in older women', *Journal of the American Geriatrics Society*, 60(9), pp. 1701–1707. Available at: <https://doi.org/10.1111/j.1532-5415.2012.04099.x>.
- Kedlian, V.R. *et al.* (2024) 'Human skeletal muscle aging atlas', *Nature Aging*, 4(5), pp. 727–744. Available at: <https://doi.org/10.1038/s43587-024-00613-3>.
- Kementerian Kesehatan RI (2014) *Peraturan Menteri Kesehatan Nomor 41 Tahun 2014 tentang Pedoman Gizi Seimbang*.
- Kementerian Sosial RI (2012) *Permensos RI Nomor 19 tahun 2012 Tentang Pedoman Pelayanan Sosial Lanjut Usia, Kemensos RI*.
- Khanna, D. *et al.* (2022) 'Body Mass Index (BMI): A Screening Tool Analysis', *Cureus*, 14(1994), pp. 1–6. Available at: <https://doi.org/10.7759/cureus.22119>.
- Kim, B. *et al.* (2024) 'The Physical Activity Paradox in Low Muscle Mass in Middle-Aged and Older Adults', *American Journal of Preventive Medicine* [Preprint]. Available at: <https://doi.org/10.1016/j.amepre.2024.10.015>.
- Kim, S. & Won, C.W. (2022) 'Sex-different changes of body composition in aging: a systemic review', *Archives of Gerontology and Geriatrics*, 102(April), p. 104711. Available at: <https://doi.org/10.1016/j.archger.2022.104711>.
- Kojima, G. (2015) 'Prevalence of Frailty in Nursing Homes: A Systematic Review and Meta-Analysis', *Journal of the American Medical Directors Association*, 16(11), pp. 940–945. Available at: <https://doi.org/10.1016/j.jamda.2015.06.025>.
- Kojima, G., Liljas, A.E.M. & Iliffe, S. (2019) 'Frailty syndrome: Implications and

- challenges for health care policy', *Risk Management and Healthcare Policy*, 12, pp. 23–30. Available at: <https://doi.org/10.2147/RMHP.S168750>.
- Kurniawan, L.B. (2024) 'HbA1c As Diabetes Mellitus Biomarker and Its Methods Evolution', *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 30(2), pp. 191–196. Available at: <https://doi.org/10.24293/ijcpml.v30i2.2191>.
- Lavriša, Ž. *et al.* (2024) 'Nutrition among nursing home residents: results from the NutriCare study', *Frontiers in Nutrition*, 11(November), pp. 1–11. Available at: <https://doi.org/10.3389/fnut.2024.1423658>.
- Liu, W. *et al.* (2020) 'Physical frailty and its associated factors among elderly nursing home residents in China', *BMC Geriatrics*, 20(1), pp. 1–9. Available at: <https://doi.org/10.1186/s12877-020-01695-5>.
- Luhkito, K., Christyaningsih, J. & Sasongkowati, R. (2024) 'HbA1c Levels On High Performance Liquid Chromatography (HPLC) And Fluorescence Immunoassay (FIA) Methods', in *7th Proceeding International Conference on Health Polytechnic Ministry of Health Surabaya*, pp. 373–379.
- Maltais, A. *et al.* (2018) 'Trunk muscle quality assessed by computed tomography: Association with adiposity indices and glucose tolerance in men', *Metabolism: Clinical and Experimental*, 85, pp. 205–212. Available at: <https://doi.org/10.1016/j.metabol.2018.04.003>.
- Meerkerk, C.D.A. *et al.* (2022) 'Low skeletal muscle mass predicts frailty in elderly head and neck cancer patients', *European Archives of Oto-Rhino-Laryngology*, 279(2), pp. 967–977. Available at: <https://doi.org/10.1007/s00405-021-06835-0>.
- Minematsu, A. *et al.* (2018) 'Association between muscle strength and physical

- performance in japanese elderly: The fujiwara-kyo study', *Journal of Clinical Gerontology and Geriatrics*, 9(2), pp. 44–51. Available at: <https://doi.org/10.24816/jcgg.2018.v9i2.03>.
- Morley, J.E. *et al.* (2013) 'Frailty consensus: A call to action', *Journal of the American Medical Directors Association*, 14(6), pp. 392–397. Available at: <https://doi.org/10.1016/j.jamda.2013.03.022>.
- Morley, J.E., Malmstrom, T.K. & Miller, D.K. (2012) 'A simple frailty questionnaire (FRAIL) predicts outcomes in middle aged african americans', *Journal of Nutrition, Health and Aging*, 16(7), pp. 601–608. Available at: <https://doi.org/10.1007/s12603-012-0084-2>.
- Mukund, K. & Subramaniam, S. (2020) 'Skeletal muscle: A review of molecular structure and function, in health and disease', *Wiley Interdisciplinary Reviews: Systems Biology and Medicine*, 12(1), pp. 1–46. Available at: <https://doi.org/10.1002/wsbm.1462>.
- Nishikawa, H. *et al.* (2021) 'Sarcopenia, frailty and type 2 diabetes mellitus (Review)', *Molecular Medicine Reports*, 24(6), pp. 1–8. Available at: <https://doi.org/10.3892/mmr.2021.12494>.
- Noto, S. (2023) 'Perspectives on Aging and Quality of Life', *Healthcare (Switzerland)*, 11(15). Available at: <https://doi.org/10.3390/healthcare11152131>.
- O'Connell, M.L., Coppinger, T. & McCarthy, A.L. (2020) 'The role of nutrition and physical activity in frailty: A review', *Clinical Nutrition ESPEN*, 35, pp. 1–11. Available at: <https://doi.org/10.1016/j.clnesp.2019.11.003>.
- Pengpid, S. & Peltzer, K. (2020) 'Prevalence and associated factors of frailty in

community-dwelling older adults in Indonesia, 2014–2015’, *International Journal of Environmental Research and Public Health*, 17(1). Available at: <https://doi.org/10.3390/ijerph17010010>.

Pradana, A.A. *et al.* (2023) ‘Prevalence of frailty in Indonesia: a systematic review and meta-analysis’, *BMC Geriatrics*, 23(1), pp. 1–14. Available at: <https://doi.org/10.1186/s12877-023-04468-y>.

Preston, J. & Biddell, B. (2021) ‘The physiology of ageing and how these changes affect older people’, *Medicine (United Kingdom)*, 49(1), pp. 1–5. Available at: <https://doi.org/10.1016/j.mpmed.2020.10.011>.

Punthakee, Z., Goldenberg, R. & Katz, P. (2018) ‘Definition, Classification and Diagnosis of Diabetes, Prediabetes and Metabolic Syndrome’, *Canadian Journal of Diabetes*, 42, pp. S10–S15. Available at: <https://doi.org/10.1016/j.jcjd.2017.10.003>.

Reinders, I., Visser, M. & Schaap, L. (2017) ‘Body weight and body composition in old age and their relationship with frailty’, *Current Opinion in Clinical Nutrition and Metabolic Care*, 20(1), pp. 11–15. Available at: <https://doi.org/10.1097/MCO.0000000000000332>.

Riviati, N. & Indra, B. (2023) ‘Relationship between muscle mass and muscle strength with physical performance in older adults: A systematic review’, *SAGE Open Medicine*, 11. Available at: <https://doi.org/10.1177/20503121231214650>.

Rockwood, K. *et al.* (2005) ‘A global clinical measure of fitness and frailty in elderly people’, *CMAJ. Canadian Medical Association Journal*, 173(5), pp. 489–495. Available at: <https://doi.org/10.1503/cmaj.050051>.



- Roth, J. *et al.* (2016) 'HbA1c and Age in Non-Diabetic Subjects: An Ignored Association?', *Experimental and Clinical Endocrinology and Diabetes*, 124(10), pp. 637–642. Available at: <https://doi.org/10.1055/s-0042-105440>.
- Rothman, K.J. (2008) 'BMI-related errors in the measurement of obesity', *International Journal of Obesity*, 32, pp. S56–S59. Available at: <https://doi.org/10.1038/ijo.2008.87>.
- Ruze, R. *et al.* (2023) 'Obesity and type 2 diabetes mellitus: connections in epidemiology, pathogenesis, and treatments', *Frontiers in Endocrinology*, 14(April), pp. 1–23. Available at: <https://doi.org/10.3389/fendo.2023.1161521>.
- Sagala, D., Nainggolan, R.N.H. & Sinurat, S. (2024) 'Comparison of HbA1c Levels in Normal-Weight and Obese Type 2 Diabetes Mellitus Patients at Dr . Pirmgadi General Hospital , Medan , North Sumatra , Indonesia', 09, pp. 506–512.
- Saghafi-Asl, M. & Vaghef-Mehrabany, E. (2017) 'Comprehensive comparison of malnutrition and its associated factors between nursing home and community dwelling elderly: A case-control study from Northwestern Iran', *Clinical Nutrition ESPEN*, 21, pp. 51–58. Available at: <https://doi.org/10.1016/j.clnesp.2017.05.005>.
- Segaux, L. *et al.* (2021) 'Several frailty parameters highly prevalent in middle age (50–65) are independent predictors of adverse events', *Scientific Reports*, 11(1), pp. 1–10. Available at: <https://doi.org/10.1038/s41598-021-88410-5>.
- Selvin, E. *et al.* (2010) 'Glycated Hemoglobin, Diabetes, and Cardiovascular Risk in Nondiabetic Adults', *New England Journal of Medicine*, 362(9), pp. 800–

811. Available at: <https://doi.org/10.1056/nejmoa0908359>.

Serrano, M.D. *et al.* (2017) 'The impact of biological frailty syndrome on quality of life of nursing home residents', *Applied Nursing Research*, 35, pp. 112–117.

Available at: <https://doi.org/10.1016/j.apnr.2017.02.025>.

Silva E Farias, I.P. *et al.* (2020) 'Physical and psychological states interfere with health-related quality of life of institutionalized elderly: A cross-sectional study', *BMC Geriatrics*, 20(1), pp. 1–10. Available at:

<https://doi.org/10.1186/s12877-020-01791-6>.

Singh, B. *et al.* (2023) 'A step in the right direction: exploring the effects of aerobic exercise on HbA1c reduction', *The Egyptian Journal of Internal Medicine*, 35(1), pp. 4–9. Available at: <https://doi.org/10.1186/s43162-023-00247-8>.

Tanaka, M. *et al.* (2020) 'Low-attenuation muscle is a predictor of diabetes mellitus: A population-based cohort study', *Nutrition*, 74. Available at:

<https://doi.org/10.1016/j.nut.2020.110752>.

Toson, B. *et al.* (2024) 'Economic burden of frailty in older adults accessing community-based aged care services in Australia', *Geriatrics and Gerontology International*, pp. 939–947. Available at:

<https://doi.org/10.1111/ggi.14955>.

Volpato, S. & Zuliani, G. (2017) 'Metabolic and nutritional approach to older frail people', *Geriatric Care*, 3(3). Available at:

<https://doi.org/10.4081/gc.2017.7056>.

Walston, J. *et al.* (2006) 'Research agenda for frailty in older adults: Toward a better understanding of physiology and etiology: Summary from the American Geriatrics Society/National Institute on Aging research conference



on frailty in older adults', *Journal of the American Geriatrics Society*, 54(6), pp. 991–1001. Available at: <https://doi.org/10.1111/j.1532-5415.2006.00745.x>.

Wang, H., Huang, Y. & Zhao, Y. (2022) 'Efficacy of Exercise on Muscle Function and Physical Performance in Older Adults with Sarcopenia: An Updated Systematic Review and Meta-Analysis', *International Journal of Environmental Research and Public Health*, 19(13). Available at: <https://doi.org/10.3390/ijerph19138212>.

Wang, X., Hu, J. & Wu, D. (2022) 'Risk factors for frailty in older adults', *Medicine (United States)*, 101(34), p. E30169. Available at: <https://doi.org/10.1097/MD.00000000000030169>.

WHO (2024) *Ageing and Health*. Available at: <https://www.who.int/news-room/fact-sheets/detail/ageing-and-health> (Accessed: 11 February 2025).

Xu, L. *et al.* (2020) 'Association between body composition and frailty in elder inpatients', *Clinical Interventions in Aging*, 15, pp. 313–320. Available at: <https://doi.org/10.2147/CIA.S243211>.

Yanagita, I. *et al.* (2018) 'Low glycated hemoglobin level is associated with severity of frailty in Japanese elderly diabetes patients', *Journal of Diabetes Investigation*, 9(2), pp. 419–425. Available at: <https://doi.org/10.1111/jdi.12698>.

Yang, M. *et al.* (2022) 'Sarcopenic obesity is associated with frailty among community-dwelling older adults: findings from the WCHAT study', *BMC Geriatrics*, 22(1), pp. 1–8. Available at: <https://doi.org/10.1186/s12877-022-03617-z>.



- Yonehara, S. *et al.* (2015) 'Use of fructosyl peptide oxidase for HbA1c assay', *Journal of Diabetes Science and Technology*, 9(2), pp. 200–205. Available at: <https://doi.org/10.1177/1932296815569573>.
- Yuan, S. & Larsson, S.C. (2023) 'Epidemiology of sarcopenia: Prevalence, risk factors, and consequences', *Metabolism: Clinical and Experimental*, 144(March), p. 155533. Available at: <https://doi.org/10.1016/j.metabol.2023.155533>.
- Yun, H., Park, J. won & Kim, J.K. (2023) 'A Comparative Evaluation of HbA1c Measurement Methods and Their Implications for Diabetes Management', *Diagnostics*, 13(22). Available at: <https://doi.org/10.3390/diagnostics13223449>.
- Zaslavsky, O. *et al.* (2016) 'Glucose levels and risk of frailty', *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, 71(9), pp. 1223–1229. Available at: <https://doi.org/10.1093/gerona/glw024>.
- Zhao, X. *et al.* (2024) 'Associations of physical activity intensity, frequency, duration, and volume with the incidence of sarcopenia in middle-aged and older adults: a 4-year longitudinal study in China', *BMC Geriatrics*, 24(1), pp. 1–9. Available at: <https://doi.org/10.1186/s12877-024-04873-x>.