

REFERENCES

- Afaq, F., & Mukhtar, H. (2002). Photochemoprevention by botanical antioxidants. *Skin pharmacology and applied skin physiology*, 15(5), 297–306. <https://doi.org/10.1159/000064533>
- Alfian, R., & Susanti, H. (2012). Penetapan Kadar Fenolik total Ekstrak Metanol Kelopak Bunga Rosella Merah (*Hibiscus Sabdariffa* Linn) Dengan Variasi tempat tumbuh Secara Spektrofotometri. *Pharmaciana*, 2(1). <https://doi.org/10.12928/pharmaciana.v2i1.655>
- Aspari, P., D., Susanti, H., 2011, Perbandingan Kadar Fenolik Total Ekstrak Metanol Kelopak Merah dan Ungu Bunga Rosella (*Hibiscus sabdariffa* Linn) secara Spekrpfotometri Prosiding Seminar Nasional Home Care, Fakultas Farmasi dan Kesehatan Masyarakat UAD, Yogyakarta.
- Encyclopædia Britannica, inc. (n.d.). *Ground cherry*. Encyclopædia Britannica. <https://www.britannica.com/plant/Physalis>
- Caldwell, M. M., & Flint, S. D. (2015). Solar ultraviolet radiation and ozone layer change: Implications for crop plants. *ASA, CSSA, and SSSA Books*, 487–507. <https://doi.org/10.2134/1994>
- Chandra, S., Khan, S., Avula, B., Lata, H., Yang, M. H., ElSohly, M. A., & Khan, I. A. (2014). Assessment of total phenolic and flavonoid content, antioxidant properties, and yield of aeroponically and conventionally grown leafy vegetables and fruit crops: A comparative study. *Evidence-Based Complementary and Alternative Medicine*, 2014(1). <https://doi.org/10.1155/2014/253875>
- Cobaleda-Velasco, M., Alanis-Bañuelos, R. E., Almaraz-Abarca, N., Rojas-López, M., González-Valdez, L. S., Ávila-Reyes, J. A., & Rodrigo, S. (2017). Phenolic profiles and antioxidant properties of *Physalis angulata* L. as quality indicators. *Journal of Pharmacy & Pharmacognosy Research*, 5(1), 114–128. https://doi.org/10.56499/jppres16.167_5.2.114
- de Oliveira, A. M., Malunga, L. N., Perussello, C. A., Beta, T., & Ribani, R. H. (2020). Phenolic acids from fruits of *physalis angulata* L. in two stages of maturation. *South African Journal of Botany*, 131, 448–453. <https://doi.org/10.1016/j.sajb.2020.02.029>

- Del Valle, J. C., *et al.* (2020). UV Radiation Increases Phenolic Compound Protection But Decreases Reproduction in *Silene littorea*. *PLoS ONE*, 15(6). <https://doi.org/10.1371/journal.pone.0231611>
- Do, Q. D., Angkawijaya, A. E., Tran-Nguyen, P. L., Huynh, L. H., Soetaredjo, F. E., Ismadji, S., & Ju, Y.-H. (2014). Effect of extraction solvent on total phenol content, total flavonoid content, and antioxidant activity of *limnophila aromatica*. *Journal of Food and Drug Analysis*, 22(3), 296–302. <https://doi.org/10.1016/j.jfda.2013.11.001>
- D'Orazio, J., Jarrett, S., Amaro-Ortiz, A., & Scott, T. (2013). UV radiation and the skin. *International journal of molecular sciences*, 14(6), 12222–12248. <https://doi.org/10.3390/ijms140612222>
- Dutra, E. A., Oliveira, D. A., Kedor-Hackmann, E. R., & Santoro, M. I. (2004). Determination of sun protection factor (SPF) of sunscreens by ultraviolet spectrophotometry. *Revista Brasileira de Ciências Farmacêuticas*, 40(3), 381–385. <https://doi.org/10.1590/s1516-93322004000300014>
- Ebrahimzadeh, M. A., Enayatifard, R., Khalili, M., Ghaffarloo, M., Saeedi, M., & Yazdani Charati, J. (2014). Correlation between Sun Protection Factor and Antioxidant Activity, Phenol and Flavonoid Contents of some Medicinal Plants. *Iranian journal of pharmaceutical research : IJPR*, 13(3), 1041–1047.
- Faizin, M. A., & Purwanto, P. (2024). Sun Protection Factor (SPF) value and physical properties of purified gambier gel preparation. *Jurnal Farmasi Sains Dan Praktis*, 52–60. <https://doi.org/10.31603/pharmacy.v10i1.10208>
- Ghazi, S., (2022). Do The Phenolic Compound From Natural Products Can Protect The Skin From Ultraviolet Rays?. *Results in Chemistry*. Volume 4. <https://doi.org/10.1016/j.rechem.2022.100428>.
- Harbourne, J. B. (1984). *Phytochemical methods a guide to modern techniques of plant analysis*. Springer Netherlands.
- Harris, D. C., & Lucy, C. A. (2018). *Quantitative Chemical Analysis Ninth Edition*. WH Freeman.
- Harrison, G. I., & Young, A. R. (2002). Ultraviolet Radiation-Induced Erythema in Human Skin. *Methods*, 28(1), 14-19. doi:10.1016/s1046-2023(02)00205-0.
- Hu, S., Zhang, X., Chen, F., & Wang, M. (2017). Dietary polyphenols as photoprotective agents against UV radiation. *Journal of Functional Foods*, 30, 108–118. <https://doi.org/10.1016/j.jff.2017.01.009>
- Julianti, W. P., Ikrawan, Y., & Iwansyah, A. C. (2019). Pengaruh Jenis pelarut terhadap kandungan total fenolik, aktifitas Antioksidan Dan toksisitas

ekstrak buah Ciplukan (*Physalis angulata* L). *Jurnal Riset Teknologi Industri*, 13(1), 70. <https://doi.org/10.26578/jrti.v13i1.5032>

Kusumaningtyas, R., Laily, N., & Limandha, P. (2015). Potential of Ciplukan (*Physalis angulata* L.) as source of functional ingredient. *Procedia Chemistry*, 14, 367–372. <https://doi.org/10.1016/j.proche.2015.03.050>

Li, L., Chong, L., Huang, T., Ma, Y., Li, Y., & Ding, H. (2022a). Natural products and extracts from plants as natural UV filters for sunscreens: A Review. *Animal Models and Experimental Medicine*, 6(3), 183–195. <https://doi.org/10.1002/ame2.12295>

Lohvina, H., Sándor, M., & Wink, M. (2021). Effect of ethanol solvents on total phenolic content and antioxidant properties of seed extracts of fenugreek (*Trigonella foenum-Graecum* L.) varieties and determination of phenolic composition by HPLC-ESI-MS. *Diversity*, 14(1), 7. <https://doi.org/10.3390/d14010007>

Mahardani, O. T., & Yuanita, L. (2021). Efek metode Pengolahan Dan Penyimpanan Terhadap kadar Senyawa Fenolik Dan Aktivitas Antioksidan. *Unesa Journal of Chemistry*, 10(1), 64–78. <https://doi.org/10.26740/ujc.v10n1.p64-78>

Malta, L. G. & Liu, R. H. (2014). *Encyclopedia of Agriculture and Food Systems Second Edition*. Elsevier Inc.

Mikołajczak, N., Tańska, M., & Oгородowska, D. (2021). Phenolic compounds in plant oils: A review of composition, analytical methods, and effect on oxidative stability. *Trends in Food Science & Technology*, 113, 110–138. <https://doi.org/10.1016/j.tifs.2021.04.046>

Nunes, A. R., Vieira, Í. G. P., Queiroz, D. B., Leal, A. L. A. B., Maia Morais, S., Muniz, D. F., Calixto-Junior, J. T., & Coutinho, H. D. M. (2018). Use of Flavonoids and Cinnamates, the Main Photoprotectors with Natural Origin. *Advances in pharmacological sciences*, 2018, 5341487. <https://doi.org/10.1155/2018/5341487>

Nuranda, A., Saleh, C., & Yusuf, B. (2016). Potential of Ciplukan Plant as Natural Antioxidants. *Jurnal Atomik*, 1(1), 5-9.

Pojić, M., & Tiwari, B. K. (2022). *Industrial hemp: Food and Nutraceutical Applications*. Academic Press.

Purbowati, I. S., Syamsu, K., Warsiki, E., & Sri, H. (2016). Stabilitas Senyawa Fenolik Dalam EKSTRAK Dan Nanokapsul kelopak Bunga Rosella Pada berbagai variasi pH, Suhu Dan Waktu. *AGROINTEK*, 10(1), 31. <https://doi.org/10.21107/agrointek.v10i1.2023>

- Ratri, W. S., & Darini, M. T. (2016). Peluang Ekonomi Tanaman Ciplukan (*Physalis angulata* L.) Sebagai Abate Alami. *Science Tech: Jurnal Ilmu Pengetahuan Dan Teknologi*, 2(1), 128–135. <https://doi.org/10.30738/jst.v2i1.426>
- Ramayani, S. L. (2024b). Evaluation of the sun protection factor (SPF) test for Butterfly Pea Flower (*Clitoria Ternatea* L.) extract lip tint preparations. *Media Farmasi Indonesia*, 19(2), 91–97. <https://doi.org/10.53359/mfi.v19i2.231>
- Rodríguez De Luna, S. L., Ramírez-Garza, R. E., & Serna Saldívar, S. O. (2020). Environmentally Friendly Methods for Flavonoid Extraction from Plant Material: Impact of Their Operating Conditions on Yield and Antioxidant Properties. *TheScientificWorldJournal*, <https://doi.org/10.1155/2020/6792069>
- Saewan, N., & Jimtaisong, A. (2013). Photoprotection of Natural Flavonoid. *Journal of Applied Pharmaceutical Science*, 3(9), 129-141. 10.7324/JAPS.2013.3923
- Santoso, B. *et al.* (2022). Penetapan Kadar Flavonoid dan Uji Aktivitas Antioksidan Ekstrak Etanol 70%, Fraksi N-Heksana, Etil Asetat, dan Air dari Kubis Putih dan Kubis Ungu Menggunakan Metode Frap. *Cerdika: Jurnal Ilmiah Indonesia*, 2(9), 752-764. 10.36418/cerdika.v2i9.441
- Septiany, R.D. (2022). *Analisis Fitokimia dan Profil Kromatografi Lapis Tipis Ekstrak Etanol Daun Sirsak (Annona muricata L) Dengan Berbagai metode Pengengeringan Simplisia*. Diploma thesis, Politeknik Harapan Bersama
- Shirley, B. (1996). Flavonoid biosynthesis: “new” functions for an “old” pathway. *Trends in Plant Science*, 1(11), 377–382. [https://doi.org/10.1016/1360-1385\(96\)10040-6](https://doi.org/10.1016/1360-1385(96)10040-6)
- Skin Cancer Foundation. (2023). Ask the Expert: Does a High SPF Protect My Skin Better?
- Stevanato, R., Bertelle, M., & Fabris, S. (2014). Photoprotective characteristics of natural antioxidant polyphenols. *Regulatory Toxicology and Pharmacology*, 69(1), 71–77. <https://doi.org/10.1016/j.yrtph.2014.02.014>
- Subramanian, P., Anandharamakrishnan, C. (2023). Extraction of bioactive compounds. *Industrial Application of Functional Foods, Ingredients and Nutraceuticals*, 45–87. <https://doi.org/10.1016/B978-0-12-824312-1.00002-9>

- Susanty, S., & Bachmid, F. (2016). Perbandingan metode Ekstraksi Maserasi Dan Refluks Terhadap Kadar Fenolik Dari Ekstrak Tongkol Jagung (*Zea mays* L.). *JURNAL KONVERSI*, 5(2), 87. <https://doi.org/10.24853/konversi.5.2.87-92>
- Sutjiatmo, A. B., & Vikasari, S. N. (2021). *Ciplukan Untuk Kesehatan (Kajian Kualitas, Efikasi dan Keamanan)*. Deepublish.
- Wahdan, O. A., Aly Badr, S., Abdelfattah, M. S. (2019). Phytochemical Analysis, Antibacterial and Anticancer Activities of the *Physalis Peruviana* Calyces Growing in Egypt. *Food & Nutrition Journal*, 4(2), 197. DOI: 10.29011/2575-7091.100097
- Wahyuni, T. S., & Purwanto, K. K. (2020). Students' conceptual understanding on acid-base titration and its relationship with drawing skills on a titration curve. *Journal of Physics: Conference Series*, 1440(1), 012018. <https://doi.org/10.1088/1742-6596/1440/1/012018>
- Wirasti. (2019). Penetapan Kadar Fenolik Total, Flavonoid Total, dan Uji Aktivitas Antioksidan Ekstrak Daun Benalu Petai (*Scurrula atropurpurea* Dans.) Beserta Penapisan Fitokimia. *Journal of Pharmaceutical and Medical Science*, 4(1), 1-5.
- Yildirim, A. B. (2020a). Ultraviolet-B-induced changes on phenolic compounds, antioxidant capacity and HPLC profile of in vitro-grown plant materials in *Echium Orientale* L. *Industrial Crops and Products*, 153, 112584. <https://doi.org/10.1016/j.indcrop.2020.112584>
- Zulfisa, Z., Fika, R., Agusfina, M., Yonrizon, Y., & Muhsanah, A. (2023). Determination of total phenolic content of ethanol extract of broken bone twigs (*Euphorbia Tirucalli* Linn.) by Folin-Ciocalteu method spectrophotometrically. *Jurnal EduHealth*, 14(3), 1326–1331. <https://doi.org/10.54209/jurnaleduhealth.v14i3.2603>