

DAFTAR PUSTAKA

- Administrator. (2012, April 12). UGM kembangkan Gama Hip prosthesis, Implan tulang Orang Indonesia. Universitas Gadjah Mada.
<https://ugm.ac.id/id/berita/4164-ugm-kembangkan-gama-hip-prosthesis-implan-tulang-orang-indonesia/>
- Adminwebits (2022) Its lecturer creates Indonesian local hip bone *prosthesis*, ITS News. Available at: <https://www.its.ac.id/news/en/2022/08/03/its-lecturer-creates-indonesian-local-hip-bone-prosthesis/> (Accessed: 11 October 2024).
- AK Mishra, P Chalise, RP Singh and RK Shah Nepal, (2009), The proximal femur –a second look at rational of implant design, Nepal Medical College journal, vol. 11(4), p278-280
- Alafaghani, A., Qattawi, A., Alrawi, B., & Guzman, A. (2017). Experimental Optimization of Fused Deposition Modelling Processing Parameters: A Design-for-Manufacturing Approach. *Procedia Manufacturing*, 10, 791–803.
<https://doi.org/10.1016/j.promfg.2017.07.079>
- Aouadi, B., Ghannem, S., Fathallah, B. B., & Yallese, M. A. (2023). Additive manufacturing and *Investment casting* Comparison of Superalloys: Aerospace industry. In *Lecture notes in mechanical engineering* (pp. 125–131).
https://doi.org/10.1007/978-3-031-47784-3_16
- Arora, P. (2024). Design, Manufacturing and Development of Hybrid Manufacturing System for Rapid *Investment casting* by [Master of Science Thesis, University of Alberta]. https://era.library.ualberta.ca/items/0396498b-7bf0-431e-bd8e-730191a15825/view/5e93e1ca-ca06-4629-8437-bad9e59c7728/Arora_Piyush_202403_MSc.pdf
- ASTM International. (2016). Standard guide for metallurgical characterization of absorbable metallic materials for medical *prosthesis* (ASTM Standard F3160-16).
- Badanova, N., Perveen, A. and Talamona, D. (2022) ‘Concise review on Pattern making process in Rapid *Investment casting*: Technology, Materials & Numerical modelling aspect’, *Advances in Materials and Processing Technologies*, 8(sup2), pp. 966–978. Available at:
<https://doi.org/10.1080/2374068X.2021.1959113>.
- Bevilacqua, A., Corbo, M. R., & Sinigaglia, M. (2010). Design of experiments in food engineering. In *Engineering Aspects of Food Quality and Safety* (pp. 1–23). CRC Press.
- Bilgili, H. K., Aydin, M. S., Sahin, M., Sahin, S., Cetinel, S., & Kiziltas, G. (2024). Printed Functionally Graded PCL-HA Scaffolds with Multi-Scale Porosity. Under Review in *ACS Biomaterials Science and Engineering Journal*.
<https://doi.org/10.1021/acsomega.4c06820>
- Bobyn, J. D., Stackpool, G. J., Hacking, S. A., Tanzer, M., & Krygier, J. J. (1999). Characteristics of bone ingrowth and interface mechanics of a new porous

- tantalum biomaterial. *Journal of Bone and Joint Surgery - Series B*, 81(5), 907–914. <https://doi.org/10.1302/0301-620X.81B5.9283>
- Chen, Z., Yan, X., Yin, S., Liu, L., Liu, X., Zhao, G., Ma, W., Qi, W., Ren, Z., Liao, H., Liu, M., Cai, D., & Fang, H. (2020). Influence of the pore size and porosity of selective laser melted Ti6Al4V ELI porous scaffold on cell proliferation, osteogenesis and bone ingrowth. *Materials Science and Engineering C*, 106(February 2019), 110289. <https://doi.org/10.1016/j.msec.2019.110289>
- Cherkia, H., Kar, S., Singh, S. S., & Satpathy, A. (2020). Fused Deposition Modelling and Parametric Optimization of ABS-M30. *Lecture Notes in Mechanical Engineering*, 1–15. https://doi.org/10.1007/978-981-15-1307-7_1
- Equbal, A. *et al.* (2017) ‘Optimization of process parameters of FDM part for minimiizing its dimensional inaccuracy’, *International Journal of Mechanical and Production Engineering Research and Development*, 7(2), pp. 57–66.
- Erokhin, K. S., Naumov, S. A., & Ananikov, V. P. (2023). Analysis, classification and remediation of defects in material extrusion 3D *printing*. *Russian Chemical Reviews*, 92(11), RCR5103. <https://doi.org/10.59761/rcr5103>
- Fedorov, K., Ravindran, C., & Fayazbakhsh, K. (2022). Effects of process parameters on friability and surface quality in the rapid investment casting process. *The International Journal of Advanced Manufacturing Technology*, 125(1–2), 731–742. <https://doi.org/10.1007/s00170-022-10777-0>
- Galetto, M., Verna, E. and Genta, G. (2021) ‘Effect of process parameters on parts quality and process efficiency of fused deposition modeling’, *Computers and Industrial Engineering*, 156(February 2020), p. 107238. Available at: <https://doi.org/10.1016/j.cie.2021.107238>.
- Gao, G., Xu, F. and Xu, J. (2022) ‘Parametric Optimization of FDM Process for Improving Mechanical Strengths Using Taguchi Method and Response surface method: A Comparative Investigation’, *Machines*, 10(9). Available at: <https://doi.org/10.3390/machines10090750>.
- Garg, A., Bhattacharya, A. and Batish, A. (2016) ‘On Surface Finish and Dimensional Accuracy of FDM Parts after Cold Vapor Treatment’, *Materials and Manufacturing Processes*, 31(4), pp. 522–529. Available at: <https://doi.org/10.1080/10426914.2015.1070425>.
- Gendviliene, I., Simoliunas, E., Rekstyte, S., Malinauskas, M., Zaleckas, L., Jegelevicius, D., Bukelskiene, V., & Rutkunas, V. (2020). Assessment of the morphology and dimensional accuracy of 3D printed PLA and PLA/HAP scaffolds. *Journal of the Mechanical Behavior of Biomedical Materials*, 104(July 2019), 103616. <https://doi.org/10.1016/j.jmbbm.2020.103616>
- Glover, P. (2001). Chapter 5: Porosity. *Formation Evaluation M.Sc. Course Notes*, V(xiii), 43–53.
- Gorana, F., Kumar Sahu, K. and Kumar Modi, Y. (2023) ‘Parameter optimization for dimensional accuracy of Fused Deposition Modelling parts’, *Materials Today: Proceedings*, 78, pp. 640–646. Available at:

- <https://doi.org/10.1016/j.matpr.2022.12.068>.
- Guan, Y., Sun, X., Jin, L., Guo, X. li, Zhang, Z. min, Shui, G. yan, & Ma, L. bo. (2021). Development of 3D *printing* entity slicing *sofftware*. China Foundry, 18(6), 587–592. <https://doi.org/10.1007/s41230-021-1090-y>
- Gupta, A. K., Krishnanand, & Taufik, M. (2021). The effect of process parameters in material extrusion processes on the part surface quality: A review. Materials Today: Proceedings, 50(August), 1234–1242. <https://doi.org/10.1016/j.matpr.2021.08.110>
- Hadiyat, M. A. (2012). Response surface dan taguchi : Sebuah alternatif atau kompetisi dalam optimasi secara praktis. Prosiding Seminar Nasional Industrialisasi Madura, 134–139.
- Innmann, M., Spier, K., Streit, M., Aldinger, P., Bruckner, T., Gotterbarm., and Merle, C. 2018, Comparative Analysis of the Reconstruction of Individual Hip Anatomy Using 3 Different Cementless Stem Designs in Patients with Primary Hip Osteoarthritis, The Journal of Arthroplasty, vol. 33, pp. 1126-1132.
- Jackson, B., Fouladi, K., & Eslami, B. (2022). Multi-Parameter Optimization of 3D *Printing* Condition for Enhanced Quality and Strength. Polymers, 14(8). <https://doi.org/10.3390/polym14081586>
- Jamari, J., Ammarullah, M. I., Santoso, G., Sugiharto, S., Supriyono, T., Prakoso, A. T., Basri, H., & van der Heide, E. (2022). Computational Contact Pressure Prediction of CoCrMo, SS 316L and Ti6Al4V Femoral Head against UHMWPE Acetabular Cup under Gait Cycle. Journal of Functional Biomaterials, 13(2). <https://doi.org/10.3390/jfb13020064>
- Jiang, J., Stringer, J., & Xu, X. (2019). *Support* optimization for flat features via path planning in additive manufacturing. 3D *Printing* and Additive Manufacturing, 6(3), 151–159. <https://doi.org/10.1089/3dp.2017.0124>
- Kale, A. V. (2007). MEASUREMENT OF OVALITY IN PIPE INTRODUCED DUE TO BENDING. 276–279.
- Kanishka, K. and Acherjee, B. (2023) ‘Revolutionizing manufacturing: A comprehensive overview of additive manufacturing processes, materials, developments, and challenges’, Journal of Manufacturing Processes, 107(September), pp. 574–619. Available at: <https://doi.org/10.1016/j.jmapro.2023.10.024>.
- Karageorgiou, V., & Kaplan, D. (2005). Porosity of 3D biomaterial scaffolds and osteogenesis. Biomaterials, 26(27), 5474–5491. <https://doi.org/10.1016/j.biomaterials.2005.02.002>
- Kasim, M.S. *et al.* (2019) ‘Multi-response optimization of process parameter in Fused Deposition Modelling by response surface methodology’, International Journal of Recent Technology and Engineering, 8(3), pp. 327–338. Available at: <https://doi.org/10.35940/ijrte.C4152.098319>.
- Kasperek, M. F., Jungwirth-Weinberger, A., Pattabiraman, K., Loucas, M., Hulmani, D., Muellner, M., Scheidl, T., Haider, O., & Muellner, T. (2025). High

- Accuracy of Restoration of the Individual Hip Anatomy Using Custom-Made Prostheses in Total Hip Arthroplasty. *Journal of Clinical Medicine*, 14(6), 1–12. <https://doi.org/10.3390/jcm14062115>
- Khan, M. T. H. (2023). Feasibility and sustainability evaluation of 3D printed Fused Deposition Modeling patterns for *investment casting* (Master's thesis, Aalto University)
- Krishnanand, Soni, S. and Taufik, M. (2020) 'Design and assembly of fused filament fabrication (FFF) 3D printers', *Materials Today: Proceedings*, 46(August), pp. 5233–5241. Available at: <https://doi.org/10.1016/j.matpr.2020.08.627>.
- Krishniah, D., Sarbatly, R., & Nithyanandam, R. (2012). Application of response surface methodology (RSM) in the optimization of drying process: A review. *Drying Technology*, 30(2), 177–188. <https://doi.org/10.1080/07373937.2011.606319>
- Kumar, L. J., Pandey, P. M., & Wimpenny, D. I. (2018). 3D *printing* and additive manufacturing technologies. In Springer eBooks. <https://doi.org/10.1007/978-981-13-0305-0>
- Kumar, P., Singh, R. and Ahuja, I.P.S. (2015) 'Investigations on dimensional accuracy of the components prepared by hybrid *investment casting*', *Journal of Manufacturing Processes*, 20, pp. 525–533. Available at: <https://doi.org/10.1016/j.jmapro.2015.07.008>.
- Malhotra, R. (2017). *Mastering orthopedic techniques: Revision hip arthroplasty*. Jaypee Brothers Medical Publishers.
- Maskery, I., Sturm, L., Aremu, A. O., Panesar, A., Williams, C. B., Tuck, C. J., Wildman, R. D., Ashcroft, I. A., & Hague, R. J. M. (2018). Insights into the mechanical properties of several triply periodic minimal surface lattice structures made by polymer additive manufacturing. *Polymer*, 152, 62–71. <https://doi.org/10.1016/j.polymer.2017.11.049>
- Mendricky, R. and Fris, D. (2020) 'Analysis of the accuracy and the surface roughness of fdm/fff technology and optimisation of process parameters', *Tehnicki Vjesnik*, 27(4), pp. 1166–1173. Available at: <https://doi.org/10.17559/TV-20190320142210>.
- Mobarak, M.H. *et al.* (2023) 'Recent advances of additive manufacturing in *prosthesis* fabrication – A review', *Applied Surface Science Advances*, 18(September), p. 100462. Available at: <https://doi.org/10.1016/j.apsadv.2023.100462>.
- Mohamed, O. A., Masood, S. H., & Bhowmik, J. L. (2016). Optimization of fused deposition modeling process parameters for dimensional accuracy using I-optimality criterion. *Measurement: Journal of the International Measurement Confederation*, 81, 174–196. <https://doi.org/10.1016/j.measurement.2015.12.011>
- Montgomery, D. C. (2013). *Design and analysis of experiments* (8th ed.). John Wiley & Sons
- Mukhangaliyeva, A. *et al.* (2023) 'Optimization of Dimensional Accuracy and

- Surface Roughness of Fused Filament Fabrication Printed Hip prosthesis', 2023 14th International Conference on Mechanical and Aerospace Engineering, ICMAE 2023, pp. 75–82. Available at: <https://doi.org/10.1109/ICMAE59650.2023.10424531>.
- Mustiko, P.L. and Pristianto, A. (2021) 'Program Exercise Therapy dan Edukasi pada Pasien Post Hip Arthroplasty di Ruang Rawat Inap RS Ortopedi Prof. Dr. R. Soeharso: A Case Report', *Physio Journal*, 1(2), pp. 29–37. Available at: <https://doi.org/10.30787/phyjou.v1i2.799>.
- Myers, D., Abdel-Wahab, A., Hafeez, F., Kovacev, N., & Essa, K. (2022). Optimisation of the additive manufacturing parameters of polylactic acid (PLA) cellular structures for biomedical applications. *Journal of the Mechanical Behavior of Biomedical Materials*, 136(September), 105447. <https://doi.org/10.1016/j.jmbbm.2022.105447>
- Myers, R. H., Montgomery, D. C., & Anderson-Cook, C. M. (2016). *Response surface methodology: Process and product optimization using designed experiments* (4th ed.). John Wiley & Sons.
- Najaa, S. N., Jaapar, M. H., & Muhamad, K. F. b. (2022). Investigation of the effect of print parameter on dimensional accuracy for fused deposition modelling (FDM) 3D printer. *Universiti Malaysia Pahang*.
- Nguyen, T. T., Van Tran, T., & Dao, S. H. (2024). A study on the Ability to Fabricate Mold Using 3D *Printing* Technology and Evaluate the Surface Roughness of Products in *Investment casting*. *Journal of Machine Engineering*. <https://doi.org/10.36897/jme/189942>
- Palaniyappan, S., Veeman, D., Narain Kumar, S., Surendhar, G. J., & Natrayan, L. (2023). Effect of *printing* characteristics for the incorporation of hexagonal-shaped lattice structure on the PLA polymeric material. *Journal of Thermoplastic Composite Materials*, 36(5), 2009–2030. <https://doi.org/10.1177/08927057221089832>
- Purba, G.H.T., 2025, *Optimasi Parameter Desain Hip Prosthesis Berpori untuk Mendapatkan Tegangan von Mises Maksimal dan Berat Minimal*, Skripsi, Departemen Teknik Mesin dan Industri, Universitas Gadjah Mada.
- Rayna, T. and Striukova, L. (2016) 'From rapid prototyping to home fabrication: How 3D *printing* is changing business model innovation', *Technological Forecasting and Social Change*, 102, pp. 214–224. Available at: <https://doi.org/10.1016/j.techfore.2015.07.023>.
- Ripetskiy, A. V., Khotina, G.K. and Arkhipova, O. V. (2023) 'The role of additive manufacturing in the *investment casting* process', *E3S Web of Conferences*, 413. Available at: <https://doi.org/10.1051/e3sconf/202341304015>.
- Said, M. S., Ghani, J. A., Kassim, M. S., Tomadi, S. H., Hassan, C., Haron, C., & Kedah, K. (2013). Comparison between Taguchi Method and Response Surface Methodology (RSM) In Optimizing Machining Condition Department of Mechanical & Materials Engineering , Faculty of Engineering and Built Environment ,. International Conference on Robust Quality

- Engineering, 60–64. <https://core.ac.uk/download/pdf/235641908.pdf>
- Singh, R., Singh, T., & Prakash, C. (2021). Additive manufacturing for investment casting: A review. *Materials Today: Proceedings*, 46, 3126–3132.
- Štěpán, R., Krutiš, V., Jelínek, R., & Petřík, M. (2024). Optimization of 3D printed patterns for the hybrid investment casting technology. *Archives of Foundry Engineering*. <https://doi.org/10.24425/afe.2024.151311>
- Tontowi, A.E. (2016a). *Desain Produk Inovatif & Inkubasi Bisnis Kompetitif*. Yogyakarta: Gadjah Mada University Press.
- Tontowi, A.E. (2016b). *Desain Produk Inovatif & Inkubasi Bisnis Kompetitif*. Yogyakarta: Gadjah Mada University Press.
- Tontowi, A. E., Ramdani, L., Erdizon, R. V., & Baroroh, D. K. (2017). Optimization of 3D-printer process parameters for improving quality of polylactic acid printed part. *International Journal of Engineering and Technology*, 9(2), 589–600.
- Varacallo, M., Luo, T. D., & Johanson, N. A. (2021). Total hip arthroplasty techniques. *StatPearls*. <https://europepmc.org/abstract/MED/29939641>
- Veza, I. (2023). Response surface methodology (RSM) for optimizing engine performance and emissions fueled with biodiesel: Review of RSM for sustainability energy transition. *Results in Engineering*, 18, 101213. <https://doi.org/10.1016/j.rineng.2023.101213>
- Vrancken, B., Thijs, L., Kruth, J., & Van Humbeeck, J. (2014). Microstructure and mechanical properties of a novel β titanium metallic composite by selective laser melting. *Acta Materialia*, 68, 150–158. <https://doi.org/10.1016/j.actamat.2014.01.018>
- Wang, R., Ni, S., Ma, L., & Li, M. (2022). Porous construction and surface modification of titanium-based materials for osteogenesis: A review. *Frontiers in Bioengineering and Biotechnology*, 10(August), 1–19. <https://doi.org/10.3389/fbioe.2022.973297>
- Wang, Y., Zhang, X., & Li, J. (2020). Effect of *printing* orientation on surface quality and dimensional accuracy in FDM 3D *printing*. *Materials*, 13(1), 9. <https://doi.org/10.3390/ma13010009>
- Wang, Z., Zhang, M., Liu, Z., Wang, Y., Dong, W., Zhao, S., & Sun, D. (2022). Biomimetic design strategy of complex porous structure based on 3D *printing* Ti-6Al-4V scaffolds for enhanced osseointegration. *Materials and Design*, 218, 110721. <https://doi.org/10.1016/j.matdes.2022.110721>
- Zardari, N. H., Ahmed, K., Shirazi, S. M., & Yusop, Z. B. (2014). Weighting Methods and their Effects on Multi-Criteria Decision Making Model Outcomes in Water Resources Management. In *SpringerBriefs in water science and technology*. <https://doi.org/10.1007/978-3-319-12586-2>
- Zhang, X., Chen, C., & Wang, Y. (2018). Optimization design of *support* structure based on 3D *printing* technology. *Journal of Manufacturing and Materials Processing*, 2(4), 64. <https://doi.org/10.3390/jmmp2040064>