

DAFTAR PUSTAKA

- Abernethy, A.P., Wheeler, J.L. & Zafar, S.Y. (2010) Management of gastrointestinal symptoms in advanced cancer patients: The rapid learning cancer clinic model. *Current opinion in supportive and palliative care*, 4(1), pp.36-45.
- Aduse-Poku, L., Karanth, S.D., Wheeler, M., Yang, D., Washington, C., Hong, Y.R., Manini, T.M., Fabregas, J.C., Cheng, T.Y.D. & Braithwaite, D., (2023) Associations of total body fat mass and skeletal muscle index with all-cause and cancer-specific mortality in cancer survivors. *Cancers*, 15(4), p.1081.
- Akbarali, H.I., Muchhala, K.H., Jessup, D.K. & Cheatham, S. (2022) Chemotherapy induced gastrointestinal toxicities. *Advances in cancer research*, 155, pp.131-166.
- Amjad, M.T., Chidharla, A. & Kasi, A. (2023) *Cancer Chemotherapy*. In: StatPearls, StatPearls Publishing, Treasure Island.
- Arends, J. (2024) Malnutrition in cancer patients: causes, consequences and treatment options. *European Journal of Surgical Oncology*, 50(5), p.107074.
- Aversa, Z., Costelli, P. & Muscaritoli, M. (2017) Cancer-induced muscle wasting: latest findings in prevention and treatment. *Therapeutic advances in medical oncology*, 9(5), pp.369-382.
- Azman, M., Teo, D.S., Yunus, M.R.M. & Yean, K.T., (2021) Mid-Upper Arm Circumference vs. Quadriceps Muscle Layer Thickness as a Surrogate Measure of Fat Free Mass Index for GLIM Criteria Assessment among Head and Neck Cancer Patients. *International Journal of Gerontology*, 15(3).
- Bari, A., Sultana, N., Mehreen, S., Sadaqat, N., Imran, I. & Javed, R. (2020) Patterns of maternal nutritional status based on mid upper arm circumference. *Pakistan Journal of Medical Sciences*, 36(3), p.382.

- Bidani, S., Priya, R.P., Vijayarajan, V. & Prasath, V.B. (2020) Automatic body mass index detection using correlation of face visual cues. *Technology and Health Care*, 28(1), pp.107-112.
- Bisht, R. (2024) *What is Purposive Sampling? Methods, Techniques, and Examples*. Researcher.life. [Internet] Available at: <https://researcher.life/blog/article/what-is-purposive-sampling-methods-techniques-and-examples/>
- Bossi, P., De Luca, R., Ciani, O., D'Angelo, E. & Caccialanza, R. (2022) Malnutrition management in oncology: An expert view on controversial issues and future perspectives. *Frontiers in oncology*, 12, p.910770.
- Bradshaw, P.T. (2024) Body composition and cancer survival: a narrative review. *British Journal of Cancer*, 130(2), pp.176-183.
- Brown, J.S., Amend, S.R., Austin, R.H., Gatenby, R.A., Hammarlund, E.U. & Pienta, K.J., (2023) Updating the definition of cancer. *Molecular Cancer Research*, 21(11), pp.1142-1147.
- Caballero, B., Finglas, P. & Toldrá, F. (2015) *Encyclopedia of food and health*. Academic Press.
- Cederholm, T., Jensen, G.L., Correia, M.I.T.D., Gonzalez, M.C., Fukushima, R., Higashiguchi, T., Baptista, G., Barazzoni, R., Blaauw, R., Coats, A.J.S. & Crivelli, A.N. (2019) GLIM criteria for the diagnosis of malnutrition—a consensus report from the global clinical nutrition community. *Clinical Nutrition*, 38(1) p.1-9
- Cereda, E., Pedrazzoli, P., Lobascio, F., Masi, S., Crotti, S., Klersy, C., Turri, A., Stobäus, N., Tank, M., Franz, K. & Cutti, S., (2021) The prognostic impact of BIA-derived fat-free mass index in patients with cancer. *Clinical Nutrition*, 40(6), pp.3901-3907.

Chemotherapy A Guide for Patients and Their Families (2020) National University

Cancer Institute, Singapore. [Internet] Available at:

<https://www.ncis.com.sg/Cancer-Information/Documents/Pages/Patient-Education-Brochures/Chemotherapy%20Guide%20%28English%29%203.pdf>

Darmawan, A.R.F. & Adriani, M. (2019) Status Gizi, Asupan energi dan zat gizi makro pasien kanker yang menjalani kemoterapi di Rumkital Dr. Ramelan Surabaya. *Amerta Nutrition*, 3(3), pp.149-157

Department of Health & Human Services (2013) *Cancer and malnutrition*, Better

Health Channel. Available at:

<https://www.betterhealth.vic.gov.au/health/conditionsandtreatments/cancer-and-malnutrition#symptoms-of-malnutrition-in-cancer> (Accessed: 05 December 2024).

Diarrhea and Cancer Treatment (2024) National Cancer Institute. Available at:

<https://www.cancer.gov/about-cancer/treatment/side-effects/diarrhea>
(Accessed: 04 December 2024).

Ding, H., Dou, S., Ling, Y., Zhu, G., Wang, Q., Wu, Y. & Qian, Y., (2018) Longitudinal body composition changes and the importance of fat-free mass index in locally advanced nasopharyngeal carcinoma patients undergoing concurrent chemoradiotherapy. *Integrative cancer therapies*, 17(4), pp.1125-1131.

Di Fiore, F. & Van Cutsem, E. (2009) Acute and long-term gastrointestinal consequences of chemotherapy. *Best Practice & Research Clinical Gastroenterology*, 23(1), pp.113-124.

Doherty, K. (2024) *Global Cancer Statistics Report Provides Insights into Cancer*

Incidence and Mortality. Onclive. Available at:

<https://www.onclive.com/view/global-cancer-statistics-report-provides-insights-into-cancer-incidence-and-mortality> (Accessed: 06 Januari 2025).

Ergüney Okumuş, F.E. (2020) *Anorexia Nervosa*. Weight Management.

IntechOpen. Available at: <http://dx.doi.org/10.5772/intechopen.91278>.

Fanzani, A., Conraads, V.M., Penna, F. & Martinet, W. (2012) Molecular and cellular mechanisms of skeletal muscle atrophy: an update. *Journal of cachexia, sarcopenia and muscle*, 3, pp.163-179.

Gammone, M.A., Ficoneri, C. & D'Orazio, N. (2019) Assessment of body composition in oncologic patients: experimental survey on the role of bioimpedentiometric analysis. *Journal of Electrical Bioimpedance*, 10(1), pp.90-95.

Gustafson, C.M., Cimiotti, J.P., Vong, G., Hertzberg, V. & Song, M.K. (2025) Age Classifications of Young Adults With Chronic Illness: A Scoping Review. *In Nursing Forum*, 2025(1)

Hager, K.K. (2016) Management of weight loss in people with cancer. *Journal of the advanced practitioner in oncology*, 7(3), p.336.

Han, Y., Wu, Z., Chen, Y., Kan, Y., Geng, M., Xu, N., Qian, H., Wang, H.F. & Niu, M. (2019) Factors associated with appendicular skeletal muscle mass among male Chinese patients with stable chronic obstructive pulmonary disease: A hospital-based cross-sectional study. *Medicine*, 98(40), p.e17361.

Hardiano, R., Huda, N., & Jumaini, J. (2015) Gambaran indeks massa tubuh pada pasien kanker yang menjalani kemoterapi (Doctoral dissertation, Riau University).

Ho, C.Y., Ibrahim, Z., Zaid, Z.A. & Yusop, N.B.M. (2021) Clinical malnutrition predictive model among gynecologic cancer patients prior to elective operation: A cross-sectional study. *Clinical Nutrition*, 40(6), pp.4373-4379.

How does chemo work?: Types of chemotherapy (2019) American Cancer Society.

[Internet] Available at: <https://www.cancer.org/cancer/managing-cancer/treatment-types/chemotherapy/how-chemotherapy-drugs-work.html>

(Accessed: 04 December 2024).

Hu, F.J., Liu, H., Liu, X.L., Jia, S.L., Hou, L.S., Xia, X. & Dong, B.R., (2021) Mid-upper arm circumference as an alternative screening instrument to appendicular skeletal muscle mass index for diagnosing sarcopenia. *Clinical interventions in aging*, pp.1095-1104.

Hull, H.R., Thornton, J., Wang, J., Pierson, R.N., Kaleem, Z., Pi-Sunyer, X., Heymsfield, S., Albu, J., Fernandez, J.R., Vanitallie, T.B. & Gallagher, D. (2011) Fat-free mass index: changes and race/ethnic differences in adulthood. *International journal of obesity*, 35(1), pp.121-127.

Jatoi, A. & Loprinzi, C. (2016) *Pathogenesis, clinical features, and assessment of cancer cachexia*. UpToDate. Available at: <https://www.uptodate.com/contents/pathogenesis-clinical-features-and-assessment-of-cancer-cachexia>

Ji, W., Liu, X., Liu, P., He, Y., Zhao, Y., Zheng, K., Cui, J. & Li, W. (2023) The efficacy of fat-free mass index and appendicular skeletal muscle mass index in cancer malnutrition: a propensity score match analysis. *Frontiers in Nutrition*, 10, p.1172610.

Jih, J., Mukherjea, A., Vittinghoff, E., Nguyen, T.T., Tsoh, J.Y., Fukuoka, Y., Bender, M.S., Tseng, W. & Kanaya, A.M. (2014) Using appropriate body mass index cut points for overweight and obesity among Asian Americans. *Preventive medicine*, 65, pp.1-6.

Jung, E.H., Hiratsuka, Y., Suh, S.Y., Won, S.H., Choi, S.E., Kang, B., Lee, S.W., Kim, Y.J., Suh, K.J., Kim, J.W. & Kim, S.H. (2022) Association between mid-

upper arm circumference and functional status in patients with advanced cancer. *Clinical Nutrition Open Science*, 45, pp.72-79.

Kawakami, R., Tanisawa, K., Ito, T., Usui, C., Miyachi, M., Torii, S., Midorikawa, T., Ishii, K., Muraoka, I., Suzuki, K. & Sakamoto, S. (2022) Fat-free mass index as a surrogate marker of appendicular skeletal muscle mass index for low muscle mass screening in sarcopenia. *Journal of the American Medical Directors Association*, 23(12), pp.1955-1961.

Kemkes RI (2024) Rencana Kanker Nasional 2024-2034. Kementerian Kesehatan Republik Indonesia.

Khaira, F., Witjaksono, F. & Andayani, D.E. (2021) A diagnostic test for malnutrition in adults: mid-upper arm circumference towards body mass index: A literature review. *World Nutrition Journal*, 4(2), pp.94-99.

Khaira, F., (2022) Uji Diagnostik Malnutrisi Menggunakan Lingkar Lengan Atas pada Pasien Kanker di RSUPN Cipto Mangunkusumo. Tesis. Universitas Indonesia.

Kubo, M., Yasui-Yamada, S., Hayashi, H., Kitao, M., Wada, K., Yamanaka, A., Ohmae, N., Matsuoka, M., Kamimura, S., Shimada, A. & Kitamura, Y., (2023) Development and validation of equations for predicting appendicular skeletal muscle mass in male patients with head and neck cancer and normal hydration status. *Nutrition*, 116, p.112184.

Kubrak, C. & Jensen, L. (2007) Malnutrition in acute care patients: a narrative review. *International journal of nursing studies*, 44(6), pp.1036-1054.

Lapornik, N., Avramovič Brumen, B., Plavc, G., Strojjan, P. & Rotovnik Kozjek, N., (2023) Influence of fat-free mass index on the survival of patients with head and neck cancer. *European Archives of Oto-Rhino-Laryngology*, 280(4), pp.1909-1917.

- Lee, S., Lee, D.H., Lee, J.H., Shin, S.J., Lee, H.S., Park, E.J., Baik, S.H., Lee, K.Y. & Kang, J., (2022) Association of body mass index with survival in Asian patients with colorectal cancer. *Cancer Research and Treatment: Official Journal of Korean Cancer Association*, 54(3), pp.860-872.
- Li, Z., Shen, G., Shi, M., Zheng, Y., Guan, Y., Xin, Y., Wang, M., Zhao, F., Ren, D. & Zhao, J., (2023) Association between high body mass index and prognosis of patients with early-stage breast cancer: A systematic review and meta-analysis. *Cancer Pathogenesis and Therapy*, 1(03), pp.205-215.
- Luo, S., Chen, X., Hou, L., Yue, J., Liu, X., Xia, X., Dong, B. & Cao, L., (2023) The accuracy of body mass index and calf circumference values when assessing sarcopenia in a multi-ethnic cohort of middle-aged and older adults: West China health and aging trend study results. *Heliyon*, 9(4).
- Maeda, K., Ishida, Y., Nonogaki, T. & Mori, N. (2020) Reference body mass index values and the prevalence of malnutrition according to the Global Leadership Initiative on Malnutrition criteria. *Clinical nutrition*, 39(1), pp.180-184.
- Mareschal, J., Achamrah, N., Norman, K. & Genton, L. (2019) Clinical value of muscle mass assessment in clinical conditions associated with malnutrition. *Journal of clinical medicine*, 8(7), p.1040.
- Marshall, K.M., Loeliger, J., Nolte, L., Kelaart, A. & Kiss, N.K. (2019) Prevalence of malnutrition and impact on clinical outcomes in cancer services: A comparison of two time points. *Clinical nutrition*, 38(2), pp.644-651.
- McCully, K. & Extance, A. (2024) Malnutrition incidence in individuals with body-mass index > 25 kg/m² on admission to intensive care. *Journal of the Intensive Care Society*, 25(1), pp.107-108.
- Nishioka, S., Kawano, M., Nishioka, E., Okazaki, A., Takagi, M., Matsushita, T., Tanaka, Y., Taketani, Y. & Onizuka, S. (2024) Concurrent and predictive validity of the Global Leadership Initiative on Malnutrition criteria for adult

- patients in convalescent rehabilitation wards. *Clinical Nutrition ESPEN*, 64, pp.57-65.
- Nuttall, F.Q. (2015) Body mass index: obesity, BMI, and health: a critical review. *Nutrition today*, 50(3), pp.117-128.
- O'Reilly, M., Mellotte, G., Ryan, B. & O'Connor, A. (2020) Gastrointestinal side effects of cancer treatments. *Therapeutic Advances in Chronic Disease*, 11, p.2040622320970354.
- Popovici, D., Stanisav, C., Saftescu, S., Negru, S., Dragomir, R., Ciurescu, D. & Diaconescu, R., 2023. Exploring the influence of age, gender and body mass index on colorectal cancer location. *Medicina*, 59(8), p.1399.
- Pin, F., Couch, M.E. & Bonetto, A. (2018) Preservation of muscle mass as a strategy to reduce the toxic effects of cancer chemotherapy on body composition. *Current opinion in supportive and palliative care*, 12(4), pp.420-426.
- Rauw, G.M., Laihad, B.J., & Affandi, B. (2016) Gynecology Cancer in Relationship with Obesity. *Indonesian Journal of Obstetrics and Gynecology*, pp.23-30.
- Reber, E., Schönerberger, K.A., Vasiloglou, M.F. & Stanga, Z. (2021) Nutritional risk screening in cancer patients: the first step toward better clinical outcome. *Frontiers in Nutrition*, 8, p.603936.
- Recalde, M., Davila-Batista, V., Díaz, Y., Leitzmann, M., Romieu, I., Freisling, H. & Duarte-Salles, T. (2021) Body mass index and waist circumference in relation to the risk of 26 types of cancer: a prospective cohort study of 3.5 million adults in Spain. *BMC medicine*, 19, pp.1-14.
- Ren, S., Huang, S., Chen, M., Zhu, T., Li, Q. & Chen, X., (2022) Association between the mid-upper arm circumference (MUAC) and calf circumference (CC) screening indicators of sarcopenia with the risk of pneumonia in stable patients diagnosed with schizophrenia. *Frontiers in Psychiatry*, 13, p.931933.

- Selvaraj, K., Jayalakshmy, R., Yousuf, A., Singh, A.K., Ramaswamy, G. & Palanivel, C., (2017) Can mid-upper arm circumference and calf circumference be the proxy measures to detect undernutrition among elderly? Findings of a community-based survey in rural Puducherry, India. *Journal of family medicine and primary care*, 6(2), pp.356-359.
- Sedlmeier, A.M., Baumeister, S.E., Weber, A., Fischer, B., Thorand, B., Ittermann, T., Dörr, M., Felix, S.B., Völzke, H., Peters, A. & Leitzmann, M.F. (2021) Relation of body fat mass and fat-free mass to total mortality: results from 7 prospective cohort studies. *The American journal of clinical nutrition*, 113(3), pp.639-646.
- Shifraw, T., Selling, K., Worku, A., Berhane, H.Y., Ekström, E.C. & Berhane, Y. (2021) Mid-upper arm circumference for identifying adult overweight in large-scale population-based surveys: empirical evaluation using data of the EAT Addis study, Ethiopia. *BMJ open*, 11(12), p.e049602.
- Susetyowati, S., Kurniasari, F.N., Sholikhati, A.S., Hardianti, M. & Ekaputra, E. (2024) Assessment of nutritional status in patients with head and neck cancer before radiotherapy: A single-center, cross-sectional study. *Medeniyet Medical Journal*, 39(1), p.24.
- Sweatt, K., Garvey, W.T. & Martins, C., (2024) Strengths and Limitations of BMI in the Diagnosis of Obesity: What is the Path Forward?. *Current Obesity Reports*, 13(3), pp.584-595.
- Takimoto, M., Yasui-Yamada, S., Nasu, N., Kagiya, N., Aotani, N., Kurokawa, Y., Tani-Suzuki, Y., Kashihara, H., Saito, Y., Nishi, M. & Shimada, M. (2022) Development and validation of cutoff value for reduced muscle mass for GLIM criteria in patients with gastrointestinal and hepatobiliary–pancreatic cancers. *Nutrients*, 14(5), p.943.

- Tanaka, K.I., Morisato, Y., Nakajima, H., Kanasaki, K., Sugimoto, T. & Kanazawa, I. (2021) Which Is a Better Skeletal Muscle Mass Index for the Evaluation of Physical Abilities: The Present Height or Maximum Height?. *Internal Medicine*, 60(8), pp.1191-1196.
- Trabulo, C., Gramaça, J., Fernandes, I., Gameiro-dos-Santos, R., Pina, I., & Ravasco, P. (2021) Body composition and the cancer patient. *Clinical Nutrition ESPEN*, 46, S778
- Trijayanti, E. & Probosari, E. (2016) Hubungan asupan makan dan status gizi pada pasien kanker serviks post kemoterapi. *Jurnal Kedokteran Diponegoro (Diponegoro Medical Journal)*, 5(4), pp.751-760.
- Trujillo, E.B., Kadakia, K.C., Thomson, C., Zhang, F.F., Livinski, A., Pollard, K., Mattox, T., Tucker, A., Williams, V., Walsh, D. & Clinton, S. (2024) Malnutrition risk screening in adult oncology outpatients: An ASPEN systematic review and clinical recommendations. *Journal of Parenteral and Enteral Nutrition*, 48(8), pp.874-894.
- Uranga, J.A., Nurgali, K. & Abalo, R. (2023) *Gastrointestinal Side Effects of Anticancer Therapy*. In *Handbook of Cancer and Immunology* (pp. 1-36). Cham: Springer International Publishing.
- What Is Cancer? (2021) National Cancer Institute. Available at: [https://www.cancer.gov/about-cancer/understanding/what-is-cancer#:~:text=Pittsburgh%20Cancer%20Institute-,The%20Definition%20of%20Cancer,up%20of%20trillions%20of%20cells.\(A](https://www.cancer.gov/about-cancer/understanding/what-is-cancer#:~:text=Pittsburgh%20Cancer%20Institute-,The%20Definition%20of%20Cancer,up%20of%20trillions%20of%20cells.(A) ccessed: 06 January 2025).
- Widiyono, S., Setiyarini, S. & Effendy, C., 2017. Tingkat Depresi pada Pasien Kanker di RSUP Dr. Sardjito, Yogyakarta, dan RSUD Prof. Dr. Margono Soekarjo, Purwokerto: Pilot Study. *Indonesian Journal of Cancer*, 11(4), pp.171-177.

Won, S.H., Hiratsuka, Y., Suh, S.Y., Bae, H., Choi, S.E., Kim, Y.J., Kang, B., Lee, S.W., Suh, K.J., Kim, J.W. & Kim, S.H. (2023) Mid-upper arm circumference as an Indicator of Quality of Life of patients with Advanced Cancer. *Journal of Palliative Care*, 38(1), pp.24-29.

World Health Organization (2023) *Disease-related malnutrition: a time for action*. In Disease-related malnutrition: a time for action.

Yeh, K.Y., Ling, H.H., Ng, S.H., Wang, C.H., Chang, P.H., Chou, W.C., Chen, F.P. & Lin, Y.C., (2021) Role of the appendicular skeletal muscle index for predicting the recurrence-free survival of head and neck cancer. *Diagnostics*, 11(2), p.309.

Zhang, X., Zhang, Q., Feng, L.J., Zhang, K.P., Tang, M., Song, M.M., Ruan, G.T., Zhang, X.W., Li, W., Zhou, F.X. & Cong, M.H., (2021) The application of fat-free mass index for survival prediction in cancer patients with normal and high body mass index. *Frontiers in Nutrition*, 8, p.714051.

Zhuang, C.L., Zhang, F.M., Xu, H.X., Weng, M., Yao, Y., Zhou, F.X., Li, Z.N., Guo, Z.Q., Li, T., Li, W. & Shi, H.P. (2022) Reference values of low body mass index, mid-upper arm circumference, and calf circumference in cancer patients: a nationwide multicenter observational study. *Nutrition*, 99, p.111688.