UNIVERSITAS
GADJAH MADA
Gambaran Terapi dan Evaluasi Luaran Klinis pada Pasien Nyeri Neuropati Diabetik di Instalasi Rawat Jalan Rumah Sakit PKU Muhammadiyah Yogyakarta
Nona Adelia Talitha Supriyanta, Prof. Dr. apt. Zullies Ikawati
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abosrea, M., Elmasry, H., & Oraby, M. (2020). Gender differences in Diabetic Peripheral Neuropathy. *Egyptian Journal of Medical Research*, *1*(1), 55–64. https://doi.org/10.21608/ejmr.2020.89059

Al-Nimer, M., Ali, F., & Al-Ani, F. (2011). Dyslipidemia as a contributory factor in etiopathogenesis of diabetic neuropathy. *Indian Journal of Endocrinology and Metabolism*, *15*(2), 110. https://doi.org/10.4103/2230-8210.81940

Alleman, C. J. M., Westerhout, K. Y., Hensen, M., Chambers, C., Stoker, M., Long, S., & van Nooten, F. E. (2015). Humanistic and economic burden of painful diabetic peripheral neuropathy in Europe: A review of the literature. *Diabetes Research and Clinical Practice*, *109*(2), 215–225. https://doi.org/10.1016/j.diabres.2015.04.031

Amelia, R., Wahyuni, A. S., & Yunanda, Y. (2019). Diabetic neuropathy among type 2 diabetes mellitus patients at amplas primary health care in Medan city. *Open Access Macedonian Journal of Medical Sciences*, *7*(20), 3400–3403. https://doi.org/10.3889/oamjms.2019.433

American Academy of Neurology. (2011). *AAN summary of evidence-based guidelines for clinicians: treatment of painful diabetic neuropathy.* https://doi.org/10.1212/WNL.0b013e3182166ebe

Anonim. (2014). *Avinza (morphine sulfate) extended-release capsules.* Pfizer.com. https://labeling.pfizer.com/ShowLabeling.aspx?id=876

Anonim. (2015a). *Tegretol (carbamazepine) chewable tablets*.

Anonim. (2015b). *Oxycontin (oxycodone hydrochloride) extended-release tablets.*

Anonim. (2015c). *Lidoderm (lidocaine patch 5%).*

Anonim. (2017). *Amitriptyline Hydrochloride Tablets.*

Anonim. (2020). *Lyrica (pregabalin) capsules*. Pfizer.com. https://labeling.pfizer.com/showlabeling.aspx?id=561

Anonim. (2021). *Neurontin (gabepentin) capsules*. Pfizer.com. https://labeling.pfizer.com/ShowLabeling.aspx?id=630

Anonim. (2022). *EFFEXOR XR (venlafaxine extended-release) capsules*. Pfizer.com. https://labeling.pfizer.com/showlabeling.aspx?id=100

Anonim. (2023). *Cymbalta (duloxetine delayed-release capsules).*

Anonim. (2024). *Trileptal (oxcarbazepine) film-coated tablets.*

Åström, M., Thet Lwin, Z. M., Teni, F. S., Burström, K., & Berg, J. (2023). Use of the visual analogue scale for health state valuation: a scoping review. *Quality of Life Research*, *32*(10), 2719–2729. https://doi.org/10.1007/s11136-023-03411-3

Athanasakis, K., Petrakis, I., Karampli, E., Vitsou, E., Lyras, L., & Kyriopoulos, J. (2013). Pregabalin versus gabapentin in the management of peripheral

UNIVERSITAS
GADJAH MADA
Gambaran Terapi dan Evaluasi Luaran Klinis pada Pasien Nyeri Neuropati Diabetik di Instalasi Rawat Jalan Rumah Sakit PKU Muhammadiyah Yogyakarta
Nona Adelia Talitha Supriyanta, Prof. Dr. apt. Zullies Ikawati
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

neuropathic pain associated with post-herpetic neuralgia and diabetic neuropathy: a cost effectiveness analysis for the Greek healthcare setting. *BMC Neurology*, *13*(1). https://doi.org/10.1186/1471-2377-13-56

Atisook, R., Euasobhon, P., Saengsanon, A., & Jensen, M. P. (2021). Validity and utility of four pain intensity measures for use in international research. *Journal of Pain Research*, *14*, 1129–1139. https://doi.org/10.2147/JPR.S303305

Backonja, M. (1998). Gabapentin for the Symptomatic Treatment of Painful Neuropathy in Patients With Diabetes MellitusA Randomized Controlled Trial. *JAMA*, *280*(21), 1831. https://doi.org/10.1001/jama.280.21.1831

Baderca, F., Timar, B., Popescu, S., Simu, M., Diaconu, L., Velea, I., & TIMAR, R. (2016). Age as an independent factor for the development of neuropathy in diabetic patients. *Clinical Interventions in Aging*, 313. https://doi.org/10.2147/cia.s97295

Bahri, S. L., Darmaningrat, C. I. A. A., Putra, I. W. M., Adzuba, K. K., Paramita, L. K. D. L., Alfarisi, M. D., & Iramayanto, T. (2023). Complications of diabetes mellitus: A review. *Green Medical Journal*, *5*(3), 128–136.

Bansal, D., Gudala, K., Muthyala, H., Esam, H. P., Nayakallu, R., & Bhansali, A. (2014). Prevalence and risk factors of development of peripheral diabetic neuropathy in type 2 diabetes mellitus in a tertiary care setting. *Journal of Diabetes Investigation*, *5*(6), 714–721. https://doi.org/10.1111/jdi.12223

Barbano, R. L., Herrmann, D. N., Hart-Gouleau, S., Pennella-Vaughan, J., Lodewick, P. A., & Dworkin, R. H. (2004). Effectiveness, tolerability, and impact on quality of life of the 5% lidocaine patch in diabetic polyneuropathy. *Archives of Neurology*, *61*(6), 914–918. https://doi.org/10.1001/archneur.61.6.914

Baron, Ralf, dkk. "Neuropathic Pain: Diagnosis, Pathophysiological Mechanisms, and Treatment." *The Lancet Neurology*, vol. 9, no. 8, Aug. 2010, pp. 807–819, https://doi.org/10.1016/s1474-4422(10)70143-5.

Berlyna Mey Anggraini, & Okti Sri Purwanti. (2024). The Relationship Between Body Mass Index and Diabetic Neuropathy in Patients With Diabetes Mellitus at the Regional General Hospital dr.Soehadi Prijonegoro Sragen District. *Contagion*, *6*(1), 453–453. https://doi.org/10.30829/contagion.v6i1.19460

Bhuanaputra, M. F., Tursina, A., & Kharisma, Y. (2020). Combination of Gabapentin and Vitamin B12 Compared with Gabapentin Monotherapy on Pain Improvement of Diabetic Neuropathy Patients. *Global Medical & Health Communication (GMHC)*, *8*(1). https://doi.org/10.29313/gmhc.v8i1.3676

Boulton, A. J. M. (2005). Management of diabetic peripheral neuropathy. *Clinical*

UNIVERSITAS
GADJAH MADA
Gambaran Terapi dan Evaluasi Luaran Klinis pada Pasien Nyeri Neuropati Diabetik di Instalasi Rawat Jalan Rumah Sakit PKU Muhammadiyah Yogyakarta
Nona Adelia Talitha Supriyanta, Prof. Dr. apt. Zullies Ikawati
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Diabetes, *23*(1), 9–15. https://doi.org/10.2337/diaclin.23.1.9

Breivik, H., Borchgrevink, P. C., Allen, S. M., Rosseland, L. A., Romundstad, L., Breivik Hals, E. K., Kvarstein, G., & Stubhaug, A. (2008). Assessment of Pain. *British Journal of Anaesthesia*, *101*(1), 17–24. https://doi.org/10.1093/bja/aen103

Calabrese, D., Giatti, S., Romano, S., Porretta-Serapiglia, C., Bianchi, R., Milanese, M., Bonanno, G., Caruso, D., Viviani, B., Fabrizio Gardoni, Luis Miguel Garcia-Segura, & Roberto Cosimo Melcangi. (2014). Diabetic neuropathic pain: a role for testosterone metabolites. *Journal of Endocrinology*, *221*(1), 1–13. https://doi.org/10.1530/joe-13-0541

Cardinez, N., Lovblom, L. E., Orszag, A., Bril, V., Cherney, D. Z., & Perkins, B. A. (2019). Sex differences in neuropathy & neuropathic pain: A brief report from the Phase 2 Canadian Study of Longevity in Type 1 Diabetes. *Journal of Diabetes and Its Complications*, *33*(12), 107397. https://doi.org/10.1016/j.jdiacomp.2019.06.002

Cohen, K., Shinkazh, N., Frank, J., Israel, I., & Fellner, C. (2015). Pharmacological Treatment of Diabetic Peripheral Nueropathy. *P&T*, *40*(6), 327–288. https://doi.org/10.3969/j.issn.1672-8467.2016.05.018

Cooper, T. E., Chen, J., Wiffen, P. J., Derry, S., Carr, D. B., Aldington, D., Cole, P., & Moore, R. A. (2017). Morphine for Chronic Neuropatic Pain in Adults (Review). *Cochrane Database of Systematic Reviews*, *2017*(5). https://doi.org/10.1002/14651858.CD007938.pub4

Correll, D. J. (2011). The Measurement of Pain: Objectifying the Subjective. *Pain Management, Second Edition*, 191–201. https://doi.org/10.1016/B978-1-4377-0721-2.00022-2

Crasto, W., Patel, V., Davies, M. J., & Khunti, K. (2021). Prevention of Microvascular Complications of Diabetes. *Endocrinology and Metabolism Clinics of North America*, *50*(3), 431–455. https://doi.org/10.1016/j.ecl.2021.05.005

Dahlan, M. (2014). *Statistik untuk kedokteran dan kesehatan* (6th ed.).

Dalton, J. A., & McNaull, F. R. N. (1998). *A call for standardizing the clinical rating of pain intensity using a 0 to 10 rating scale*. *21*(1).

Decroli, E. (2013). *Pathogenesis of Diabetic Neuropathy*. *74*, 223–228.

Dirga, D., Nugroho, A. E., & Pramantara, D. P. (2019). Faktor-Faktor yang Memengaruhi Clinical Outcome Nyeri pada Pasien Diabetes Neuropati di Poliklinik Penyakit Dalam RSUD Kota Yogyakarta. *Jurnal Kefarmasian Indonesia*, *9*, 106–113. https://doi.org/10.22435/jki.v9i2.388

Duehmke, R. M., Derry, S., Wiffen, P. J., Bell, R. F., Aldington, D., & Moore, R. A. (2017). Tramadol for neuropathic pain in adults. *Cochrane Database of Systematic Reviews*. https://doi.org/10.1002/14651858.cd003726.pub4

UNIVERSITAS
GADJAH MADA
Gambaran Terapi dan Evaluasi Luaran Klinis pada Pasien Nyeri Neuropati Diabetik di Instalasi Rawat Jalan Rumah Sakit PKU Muhammadiyah Yogyakarta
Nona Adelia Talitha Supriyanta, Prof. Dr. apt. Zullies Ikawati
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Eltrikanawati, T. (2021). Science Midwifery The Relationship Of The Duration Of Type 2 Diabetes Mellitus With Peripheral Neuropathy. *Science Midwifery*, *10*(1).

Endo Pharmaceuticals. (2015). *LIDODERM □ (Lidocaine Patch 5%)*.

Euasobhon, P., Atisook, R., Bumrungchatudom, K., Zinboonyahgoon, N., Saisavoey, N., & Jensen, M. P. (2022). Reliability and responsivity of pain intensity scales in individuals with chronic pain. *Pain*, *163*(12), E1184–E1191. https://doi.org/10.1097/j.pain.0000000000002692

Failla, M. D., Beach, P., Atalla, S., Dietrich, M. S., Bruehl, S., Cowan, R. L., & Monroe, T. B. (2023). Gender Differences in Pain Threshold, Unpleasantness, and Descending Pain Modulatory Activation Across the Adult Life Span: A Cross Sectional Study. *The Journal of Pain*, *25*(4). https://doi.org/10.1016/j.jpain.2023.10.027

Faqotunnuriyah, F. (2021). Faktor Risiko Neuropati Diabetik pada Penderita Diabetes Melitus Tipe 2. *Kesmas Indonesia*, *13*(1), 64–76. https://doi.org/10.20884/1.ki.2021.13.1.3227

FDA. (2020). *Prescribing information for Depacon (valproate sodium)*.

Feldman, E. L., Callaghan, B. C., Pop-Busui, R., Zochodne, D. W., Wright, D. E., Bennett, D. L., Bril, V., Russell, J. W., & Viswanathan, V. (2019). Diabetic neuropathy. *Nature Reviews Disease Primers*, *5*(1). https://doi.org/10.1038/s41572-019-0092-1

Finnerup, Nanna Brix, et al. "Neuropathic Pain: From Mechanisms to Treatment." *Physiological Reviews*, vol. 101, no. 1, 1 Jan. 2021, pp. 259–301, https://doi.org/10.1152/physrev.00045.2019.

Fowler, M. J. (2011). Microvascular and Macrovascular Complications of Diabetes. *Clinical Diabetes*, *29*(3), 116–122. https://doi.org/10.2337/diaclin.29.3.116

Freeman, R., Raskin, P., Hewitt, D. J., Vorsanger, G. J., Jordan, D. M., Xiang, J., & Rosenthal, N. R. (2007). Randomized study of tramadol/acetaminophen versus placebo in painful diabetic peripheral neuropathy. *Current Medical Research and Opinion*, *23*(1), 147–161. https://doi.org/10.1185/030079906X162674

Fujita, Y., Fukushima, M., Suzuki, H., Taniguchi, A., Nakai, Y., Akira Kuroe, Yasuda, K., Hosokawa, M., Yamada, Y., Inagaki, N., & Seino, Y. (2008). Short-term intensive glycemic control improves vibratory sensation in type 2 diabetes. *Diabetes Research and Clinical Practice*, *80*(1), e16–e19. https://doi.org/10.1016/j.diabres.2007.12.011

Gavini, C. K., Bookout, A. L., Bonomo, R., Gautron, L., Lee, S., & Mansuy-Aubert, V. (2018). Liver X Receptors Protect Dorsal Root Ganglia from Obesity-Induced Endoplasmic Reticulum Stress and Mechanical

UNIVERSITAS
GADJAH MADA
Gambaran Terapi dan Evaluasi Luaran Klinis pada Pasien Nyeri Neuropati Diabetik di Instalasi Rawat Jalan Rumah Sakit PKU Muhammadiyah Yogyakarta
Nona Adelia Talitha Supriyanta, Prof. Dr. apt. Zullies Ikawati
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Allodynia. *Cell Reports*, *25*(2), 271-277.e4. https://doi.org/10.1016/j.celrep.2018.09.046

Gill, D., Derry, S., Wiffen, P. J., & Moore, R. A. (2011). Valproic acid and sodium valproate for neuropathic pain and fibromyalgia in adults. *Cochrane Database of Systematic Reviews*, *2011*(10). https://doi.org/10.1002/14651858.CD009183.pub2

Goyal, R., Singhal, M., & Jialal, I. (2024). *Type 2 diabetes*. StatPearls [Internet]. https://doi.org/10.1016/B978-0-12-801238-3.95795-7

Hamed, E., & Monem, M. A. (2018). A Review of Diabetic Peripheral Neuropathy Management given Recent Guidelines Updates. *Archives of General Internal Medicine*, *02*(04), 1–5. https://doi.org/10.4066/2591-7951.1000060

Hanna, M., O'Brien, C., & Wilson, M. C. (2008). Prolonged-release oxycodone enhances the effects of existing gabapentin therapy in painful diabetic neuropathy patients. *European Journal of Pain*, *12*(6), 804–813. https://doi.org/10.1016/j.ejpain.2007.12.010

Harati, Y., Gooch, C., Swenson, M., Edelman, S., Greene, D., Raskin, P., Donofrio, P., Cornblath, D., Sachdeo, R., Siu, C. O., & Kamin, M. (1998). Double-blind randomized trial of tramadol for the treatment of the pain of diabetic neuropathy. *Neurology*, *50*(6), 1842–1846. https://doi.org/10.1212/wnl.50.6.1842

Harsa, I. M. S., Andiani, A., Sulistiawati, S., Herawati, L., Hidayati, H. B., & Kuntaman, K. (2024). Comparative Study of Paracetamol vs Paracetamol Plus Acupressure for Pain Relief in Diabetic Neuropathy Patients. *Pharmacognosy Journal*, *16*(3), 602–605. https://doi.org/10.5530/pj.2024.16.94

Heller, G. Z., Manuguerra, M., & Chow, R. (2016). How to analyze the Visual Analogue Scale: Myths, truths and clinical relevance. *Scandinavian Journal of Pain*, *13*, 67–75. https://doi.org/10.1016/j.sjpain.2016.06.012

Hicks, C. L., Von Baeyer, C. L., Spafford, P. A., Van Korlaar, I., & Goodenough, B. (2001). The Faces Pain Scale - Revised: Toward a common metric in pediatric pain measurement. *Pain*, *93*(2), 173–183. https://doi.org/10.1016/S0304-3959(01)00314-1

Hollingshead, J., Dhumke, R., & Cornblath, D. R. (2006). Tramadol for Neuropathic Pain. *The Cochrane Database of Systematic Reviews*, *3*.

Hozumi, J., Sumitani, M., Matsubayashi, Y., Abe, H., Oshima, Y., Chikuda, H., Takeshita, K., & Yamada, Y. (2016). Relationship between Neuropathic Pain and Obesity. *Pain Research and Management*, *2016*, 1–6. https://doi.org/10.1155/2016/2487924

Huang, D., Refaat, M., Mohammedi, K., Jayyousi, A., Al Suwaidi, J., & Abi

UNIVERSITAS
GADJAH MADA
Gambaran Terapi dan Evaluasi Luaran Klinis pada Pasien Nyeri Neuropati Diabetik di Instalasi Rawat Jalan Rumah Sakit PKU Muhammadiyah Yogyakarta
Nona Adelia Talitha Supriyanta, Prof. Dr. apt. Zullies Ikawati
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Khalil, C. (2017). Macrovascular Complications in Patients with Diabetes and Prediabetes. *BioMed Research International*, *2017*. https://doi.org/10.1155/2017/7839101

IDF. (2021). Diabetes Report 2000 — 2045. In *International Diabetes Federation*.

International Diabetes Federation. (2024). *About diabetes*. International Diabetes Federation. https://doi.org/10.1097/00017285-199701000-00009

Julyana Medeiros Dantas, Mariana, Alves, L., Batista, S., Caroline Serafim Dagostin, & Daniel Campinho Schachter. (2023). Monotherapy Versus Combination Therapy in the Treatment of Painful Diabetic Neuropathy: A Systematic Review and Meta-analysis. *Clinical Drug Investigation*, *43*(12), 905–914. https://doi.org/10.1007/s40261-023-01318-y

Juster-Switlyk, K., & Smith, A. G. (2016). Updates in Diabetic Peripheral Neuropathy. *F1000Research*, *5*(0), 1–7. https://doi.org/10.12688/f1000research.7898.1

Kaewput, W., Thongprayoon, C., Rangsin, R., Jindarat, S., Narindrarangkura, P., Bathini, T., Mao, M. A., & Cheungpasitporn, W. (2020). The Association between Serum Uric Acid and Peripheral Neuropathy in Patients with Type 2 Diabetes Mellitus: A Multicenter Nationwide CrossSectional Study. *Korean Journal of Family Medicine*, *41*(3), 189–194. https://doi.org/10.4082/kjfm.18.0205

Kamel, S. R., Hamdy, M., Abo Omar, H. A. S., Kamal, A., Ali, L. H., & Abd Elkarim, A. H. (2015). Clinical Diagnosis of Distal Diabetic Polyneuropathy Using Neurological Examination Scores: correlation with nerve conduction studies. *Egyptian Rheumatology and Rehabilitation*, *42*(3), 128–136. https://doi.org/10.4103/1110-161x.163945

Karedath, J., Batool, S., Arshad, A., Khalique, S., Raja, S., Lal, B., Anirudh Chunchu, V., & Hirani, S. (2022). The Impact of Vitamin B12 Supplementation on Clinical Outcomes in Patients With Diabetic Neuropathy: A Meta-Analysis of Randomized Controlled Trials. *Cureus*. https://doi.org/10.7759/cureus.31783

Kaur, H., Hota, D., Bhansali, A., Dutta, P., Bansal, D., & Chakrabarti, A. (2011). A comparative evaluation of amitriptyline and duloxetine in painful diabetic neuropathy: A randomized, double-blind, cross-over clinical trial. *Diabetes Care*, *34*(4), 818–822. https://doi.org/10.2337/dc10-1793

Kemenkes BKPK. (2023). *Survei Kesehatan Indonesia (SKI) 2023 Dalam Angka*. Kementerian Kesehatan Republik Indonesia.

Kemenkes RI. (2014). *Situasi dan Analisis Diabetes*. Pusat Data Dan Informasi Kementerian Kesehatan Republik Indonesia.

Kemenkes RI. (2016). Diabetes Fakta dan Angka. In *Kementrian Kesehatan Republik Indonesia*. Kementerian Kesehatan Republik Indonesia.

UNIVERSITAS
GADJAH MADA
Gambaran Terapi dan Evaluasi Luaran Klinis pada Pasien Nyeri Neuropati Diabetik di Instalasi Rawat Jalan Rumah Sakit PKU Muhammadiyah Yogyakarta
Nona Adelia Talitha Supriyanta, Prof. Dr. apt. Zullies Ikawati
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Kemenkes RI. (2023). Keputusan Menteri Kesehatan Republik Indonesia Nomor Hk.01.07/Menkes/2197/2023 Tentang Formularium Nasional. 1–219

Kementerian Kesehatan RI. (2020). *Pedoman Nasional Pelayanan Kedokteran Tata Laksana Diabetes Melitus Tipe 2 Dewasa*.

Kementerian Kesehatan RI. (2024). *Penyakit Diabetes Melitus*. Kementerian Kesehatan RI.

Kharroubi, A. T., & Darwish, H. M. (2015). Diabetes Mellitus: The Epidemic of The Century. *World Journal of Diabetes*, *6*(6), 850–867. https://doi.org/10.4239/wjd.v6.i6.850

Kimura, S., & Kontani, H. (2009a). Demonstration of antiallodynic effects of the cyclooxygenase-2 inhibitor meloxicam on established diabetic neuropathic pain in mice. *Journal of Pharmacological Sciences*, *110*(2), 213–217. https://doi.org/10.1254/jphs.09006sc

Kochar, D. K., Rawat, N., Agrawal, R. P., Vyas, A., Beniwal, R., Kochar, S. K., & Garg, P. (2004). Sodium valproate for painful diabetic neuropathy: A randomized double-blind placebo-controlled study. *QJM: An International Journal of Medicine*, *97*(1), 33–38. https://doi.org/10.1093/qjmed/hch007

Krebs, E. E., Carey, T. S., & Weinberger, M. (2007). Accuracy of the pain numeric rating scale as a screening test in primary care. *Journal of General Internal Medicine*, *22*(10), 1453–1458. https://doi.org/10.1007/s11606-007-0321-2

Kulkantrakorn, K., Lorsuwansiri, C., & Meesawatsom, P. (2013). 0.025% Capsaicin Gel for the Treatment of Painful Diabetic Neuropathy: A Randomized, Double-Blind, Crossover, Placebo-Controlled Trial. *Pain Practice*, *13*(6), 497–503. https://doi.org/10.1111/papr.12013

Labib MY Bima, M., Rahmayani, F., & Mutiara, H. (2023). Diagnostik, Faktor Risiko, dan Tatalaksana Neuropati Diabetik. *Diagnosis, Faktor Risiko, Dan Tatalaksana Medula* |, *13*(April), 59.

Landrum, O., Marcondes, L., Egharevba, T., & Gritsenko, K. (2023). Painful diabetic peripheral neuropathy of the feet: integrating prescription-strength capsaicin into office procedures. *Pain Management*, *13*(10), 613–626. https://doi.org/10.2217/pmt-2023-0028

Lesser, H., Sharma, U., LaMoreaux, L., & Poole, R. M. (2004). Pregabalin relieves symptoms of painful diabetic neuropathy: A randomized controlled trial. *Neurology*, *63*(11), 2104–2110. https://doi.org/10.1212/01.WNL.0000145767.36287.A1

Lindsay, T. J., Rodgers, B. C., Savath, V., & Hettinger, K. (2010). Treating diabetic peripheral neuropathic pain. *American Family Physician*, *82*(2), 151–158.

Liu, X., Xu, Y., An, M., & Zeng, Q. (2019). The risk factors for diabetic peripheral neuropathy: A meta-analysis. *PLoS ONE*, *14*(2), 1–16.

UNIVERSITAS
GADJAH MADA
Gambaran Terapi dan Evaluasi Luaran Klinis pada Pasien Nyeri Neuropati Diabetik di Instalasi Rawat Jalan Rumah Sakit PKU Muhammadiyah Yogyakarta
Nona Adelia Talitha Supriyanta, Prof. Dr. apt. Zullies Ikawati
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1371/journal.pone.0212574

Lu, Y., Xing, P., Cai, X., Luo, D., Li, R., Lloyd, C., Sartorius, N., & Li, M. (2020a). Prevalence and Risk Factors for Diabetic Peripheral Neuropathy in Type 2 Diabetic Patients From 14 Countries: Estimates of the INTERPRET-DD Study. *Frontiers in Public Health*, *8*. https://doi.org/10.3389/fpubh.2020.534372

Lucier, J., & Mathias, P. M. (2024). *Type 1 Diabetes*. StatPearls [Internet]. https://doi.org/10.1016/B978-0-7020-8165-1.00071-X

Mardastuti, Y., Asmedi, A., & Gofir, A. (2016). Diabetic Neuropathy Symptom-Indonesian version and Diabetic Neuropathy Examination-Indonesian version as score diagnostic. *Berkala Neurosains*, *15*, 55–65.

Meijer, J. W. G., Bosma, E., Lefrandt, J. D., Links, T. P., Smit, A. J., Stewart, R. E., Van Der Hoeven, J. H., & Hoogenberg, K. (2003). Clinical diagnosis of diabetic polyneuropathy with the diabetic neuropathy symptom and diabetic nueropathy examination scores. *Diabetes Care*, *26*(3), 697–701. https://doi.org/10.2337/diacare.26.3.697

Mildawati, N., Diani, A., Wahid, P., Ilmuukeperawatan, & Fakultasukedokteran. (2019). *HUBUNGAN USIA, JENIS KELAMIN DAN LAMA MENDERITA DIABETES DENGAN KEJADIAN NEUROPATI PERIFER DIABETIK (Relationship Between Age, Gender and Duration Of Diabetes Patients With The Incidence Of Diabetic Peripheral Neuropathy)*.

Miranda, H. F., Sierralta, F., Aranda, N., Poblete, P., Noriega, V., & Prieto, J. C. (2018). Synergism between gabapentin-tramadol in experimental diabetic neuropathic pain. *Fundamental & Clinical Pharmacology*, *32*(6), 581–588. https://doi.org/10.1111/fcp.12400

Miró, J., Huguet, A., Nieto, R., Paredes, S., & Baos, J. (2005). Evaluation of reliability, validity, and preference for a pain intensity scale for use with the elderly. *Journal of Pain*, *6*(11), 727–735. https://doi.org/10.1016/j.jpain.2005.06.005

Moore, R. A., Chi, C. C., Wiffen, P. J., Derry, S., & Rice, A. S. C. (2015). Oral nonsteroidal anti-inflammatory drugs for neuropathic pain. *Cochrane Database of Systematic Reviews*, *2015*(10). https://doi.org/10.1002/14651858.CD010902.pub2

Moore, R. A., Wiffen, P. J., Derry, S., & Rice, A. S. C. (2014). Gabapentin for chronic neuropathic pain and fibromyalgia in adults. *Cochrane Database of Systematic Reviews*, *2017*(3). https://doi.org/10.1002/14651858.CD007938.pub3

Moosaie, F., Ghaemi, F., Mechanick, J. I., Shadnoush, M., Firouzabadi, F. D., Kermanchi, J., Poopak, A., Esteghamati, S., Forouzanfar, R., Abhari, S. M.

UNIVERSITAS
GADJAH MADA
Gambaran Terapi dan Evaluasi Luaran Klinis pada Pasien Nyeri Neuropati Diabetik di Instalasi Rawat Jalan Rumah Sakit PKU Muhammadiyah Yogyakarta
Nona Adelia Talitha Supriyanta, Prof. Dr. apt. Zullies Ikawati
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

F., Mansournia, M. A., Khosravi, A., Gholami, E., Nakhjavani, M., & Esteghamati, A. (2022). Obesity and Diabetic Complications: A Study from the Nationwide Diabetes Report of the National Program for Prevention and Control of Diabetes (NPPCD-2021) Implications for Action on Multiple Scales. *Primary Care Diabetes*, *16*(3), 422–429. https://doi.org/10.1016/j.pcd.2022.03.009

Morgan, J., Magwood, K., Smith, J., Jenkins, M. R., McGregor, A. J., & Quesnelle, K. M. (2024). Sex and gender differences in pain perception and management in clinical settings. *All Life*, *17*(1). https://doi.org/10.1080/26895293.2024.2367421

Naqvi, I. H., Talib, A., Akhter, S. T., Abdi, S. R., Rizvi, S. N. Z., & Ubaid, M. (2018). Peripheral Neuropathy and Vasculopathy; Frequency and Associated Risk Factors in Newly Diagnosed Treatment Naive Type 2 Diabetes. *Open Journal of Endocrine and Metabolic Diseases*, *08*(05), 125–136. https://doi.org/10.4236/ojemd.2018.85013

National Diabetes Information Clearinghouse. (2013). Diabetic neuropathies : The nerve damage of diabetes. *National Diabetes Information Clearinghouse*, 1–7.

National Institute of Diabetes and Digestive and Kidney Diseases. (2024). *Proximal Neuropathy*. Department of Health and Human Services. https://www.niddk.nih.gov/health-information/diabetes/overview/preventing-problems/nerve-damage-diabetic-neuropathies/proximal-neuropathy

Niesters, M., Proto, P. L., Aarts, L., Sarton, E. Y., Drewes, A. M., & Dahan, A. (2014). Tapentadol potentiates descending pain inhibition in chronic pain patients with diabetic polyneuropathy. *British Journal of Anaesthesia*, *113*(1), 148–156. https://doi.org/10.1093/bja/aeu056

Ossipov, M. H., Jerussi, T. P., Ren, K., Sun, H., & Porreca, F. (2000). Differential effects of spinal (R)-ketoprofen and (S)-ketoprofen against signs of neuropathic pain and tonic nociception: evidence for a novel mechanism of action of (R)-ketoprofen against tactile allodynia. *Pain*, *87*(2), 193–199. https://doi.org/10.1016/s0304-3959(00)00280-3

Padilla, A., Descorbeth, M., Almeyda, A. L., Payne, K., & De Leon, M. (2011). Hyperglycemia magnifies Schwann cell dysfunction and cell death triggered by PA-induced lipotoxicity. *Brain Research*, *1370*, 64–79. https://doi.org/10.1016/j.brainres.2010.11.013

Pamungkas, R. A., & Usman, A. M. (2021). Panduan praktis screening resiko diabetes dan neuropathy. In *Panduan Praktis Screening Resiko Diabetes dan Neuropathy* (Vol. 1). KHD Producion.

Pangribowo, S. (2020). Tetap Produktif, Cegah, dan Atasi Diabetes Melitus. In *Kementerian Kesehatan RI*. Kementerian Kesehatan Republik Indonesia.

UNIVERSITAS
GADJAH MADA
Gambaran Terapi dan Evaluasi Luaran Klinis pada Pasien Nyeri Neuropati Diabetik di Instalasi Rawat Jalan Rumah Sakit PKU Muhammadiyah Yogyakarta
Nona Adelia Talitha Supriyanta, Prof. Dr. apt. Zullies Ikawati
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Pathak A, Sharma S, & Jensen M. (2018). The utility and validity of pain intensity rating scales for use in developing countries. *Pain Reports*, *3*, 1–8.

Pebrianti, S., Nugraha, B. A., & Shalahuddin, I. (2020). Manajemen nyeri neuropati pada pasien diabetes melitus tipe 2: Studi literatur. *Holistik Jurnal Kesehatan*, *14*(2), 276–282. https://doi.org/10.33024/hjk.v14i2.2828

Perhimpuanan Dokter Spesialis Saraf Indonesia. (2016). *Panduan Praktik Klinis Neurologi*.

Petropoulos, I. N., Ponirakis, G., Khan, A., Almuhannadi, H., Gad, H., & Malik, R. A. (2018). Diagnosing diabetic neuropathy: Something old, something new. *Diabetes and Metabolism Journal*, *42*(4), 255–269. https://doi.org/10.4093/dmj.2018.0056

Pickering, Gisèle, et al. "An Algorithm for Neuropathic Pain Management in Older People." *Drugs & Aging*, vol. 33, no. 8, Aug. 2016, pp. 575–583, https://doi.org/10.1007/s40266-016-0389-7. Accessed 10 Feb. 2020.

Pinzon, R., Pitaloca Fatimah, & Meliala, L. (2016). Skrining Polineuropati Diabetik dalam Praktik Klinik. *Jurnal Kedokteran Indonesia Medika*, *XII*(12), 654–657.

Quintanilla Rodriguez, B. S., Vadakekut, E. S., & Mahdy, H. (2023). *Gestational diabetes*. StatPearls [Internet]. https://www.ncbi.nlm.nih.gov/books/NBK545196/

Rahmi, A. S., Syafrita, Y., & Susanti, R. (2022). Hubungan Lama Menderita DM Tipe 2 Dengan Kejadian Neuropati Diabetik. *Jurnal JMJ*, *10*(1), 20–25.

Riskesdas. (2018). Riset Kesehatan Dasar. In *Riset Kesehatan Dasar*.

Rivani, S., Faizah, N., & Hasanudin, M. (2024). Evaluasi Penggunaan Terapi Obat Antinyeri pada Pasien Diabetik Neuropatik di Instalasi Rawat Jalan RSU Queen Latifa Kulon Progo Drug Use Evaluation of Pain Management in Diabetic Neurophaty Patients at Outpatient Installation of RSU Queen Latifa Kulon Progo. *Jurnal Farmasi Indonesia*, *2*(1).

Rodriguez, Tori. "Pain Management Challenges in Severely Obese Patients." *Clinical Pain Advisor*, 26 Jan. 2018, www.clinicalpainadvisor.com/features/pain-management-challenges-in-severely-obese-patients/?utm_source=chatgpt.com. Accessed 19 May 2025.

Saul, H., Deeney, B., Imison, C., & Tesfaye, S. (2023). Combination therapy for painful diabetic neuropathy is safe and effective. *BMJ*, p866. https://doi.org/10.1136/bmj.p866

Septy, D., Christanty, T., Pambudi, P., Nurikhwan, P., Dafif, M., Bakhriansyah, M., Program, S., Kedokteran, P., Sarjana, F., & Kedokteran. (2022). *LITERATURE REVIEW: PENGARUH PEMBERIAN MECOBALAMIN TERHADAP PERBAIKAN KLINIS PASIEN DENGAN NEUROPATI PERIFER*.

UNIVERSITAS
GADJAH MADA
Gambaran Terapi dan Evaluasi Luaran Klinis pada Pasien Nyeri Neuropati Diabetik di Instalasi Rawat Jalan Rumah Sakit PKU Muhammadiyah Yogyakarta
Nona Adelia Talitha Supriyanta, Prof. Dr. apt. Zullies Ikawati
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Sethi, Y., Uniyal, N., Vora, V., Agarwal, P., Murli, H., Joshi, A., Patel, N., Chopra, H., Hasabo, E. A., & Kaka, N. (2023). Hypertension the "Missed Modifiable Risk Factor" for Diabetic Neuropathy: a Systematic Review. *Current Problems in Cardiology*, *48*(4), 101581. https://doi.org/10.1016/j.cpcardiol.2022.101581

Setiawan, M. H., Komarudin, R., & Kholifah, D. N. (2022). Pengaruh Kepercayaan, Tampilan Dan Promosi Terhadap Keputusan Pemilihan Aplikasi Marketplace. *Jurnal Infortech*, *4*(2), 141.

Sharma, S., Palanchoke, J., Reed, D., & Haxby Abbott, J. (2017). Translation, cross-cultural adaptation and psychometric properties of the Nepali versions of numerical pain rating scale and global rating of change. *Health and Quality of Life Outcomes*, *15*(1), 1–11. https://doi.org/10.1186/s12955-017-0812-8

Shy, M. E., Frohman, E. M., So, Y. T., Arezzo, J. C., Cornblath, D. R., Giuliani, M. J., Kincaid, J. C., Ochoa, J. L. ., Parry, G. J., & Weimer, L. H. (2003). Quantitative sensory testing: Report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology [1] (multiple letters). *American Academy of Neurology*, *60*(6), 898–904. https://doi.org/10.1212/WNL.61.11.1628

Sihotang, H. (2023). Metode Penelitian Kuantitatif. In *Pusat Penerbitan dan Pencetakan Buku Perguruan Tinggi Universitas Kristen Indonesia Jakarta*.

Silviana, M., Tugasworo, D., & Belladonna, M. (2021). Efficacy of Vitamin B1, B6, and B12 Forte Therapy in Peripheral Neuropathy Patients. *Diponegoro International Medical Journal*, *2*(1), 14–19. https://doi.org/10.14710/dimj.v2i1.9549

Simpson, D. M., Robinson-Papp, J., Van, J., Stoker, M., Jacobs, H., Snijder, R. J., Schregardus, D. S., Long, S. K., Lambourg, B., & Katz, N. (2017). Capsaicin 8% Patch in Painful Diabetic Peripheral Neuropathy: A Randomized, Double-Blind, Placebo-Controlled Study. *Journal of Pain*, *18*(1), 42–53. https://doi.org/10.1016/j.jpain.2016.09.008

Smith, A. G., & Singleton, J. R. (2013). Obesity and hyperlipidemia are risk factors for early diabetic neuropathy. *Journal of Diabetes and Its Complications*, *27*(5), 436–442. https://doi.org/10.1016/j.jdiacomp.2013.04.003

Soegondo, S., Soewondo, P., & Subekti, I. (2009). *Penatalaksanaan Diabetes Melitus Terpadu*. Balai Penerbit FKUI.

Stecker, M. M., & Stevenson, M. (2017). Modulating peripheral nerve damage from hyperglycemia/anoxia. *Muscle & Nerve*, *55*(5), 735–740. https://doi.org/10.1002/mus.25401

Sugimoto, K., Yasujima, M., & Yagihashi, S. (2008). Role of advanced glycation

UNIVERSITAS
GADJAH MADA
Gambaran Terapi dan Evaluasi Luaran Klinis pada Pasien Nyeri Neuropati Diabetik di Instalasi Rawat Jalan Rumah Sakit PKU Muhammadiyah Yogyakarta
Nona Adelia Talitha Supriyanta, Prof. Dr. apt. Zullies Ikawati
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

end products in diabetic nephropathy. *Current Pharmaceutical Design*, *14*(10), 953–961. https://doi.org/10.2174/138161208784139774

Sugiyono. (2020). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Alfabeta.

Tandon, M., Singh, A., Saluja, V., Dhankhar, M., Pandey, C. K., & Jain, P. (2016). Validation of a new "objective pain score" vs. "Numeric rating scale" for the evaluation of acute pain: A comparative study. *Anesthesiology and Pain Medicine*, *6*(1), 4–8. https://doi.org/10.5812/aapm.32101

Tao, Y., Zhang, H. Y., MacGilchrist, C., Kirwan, E., & McIntosh, C. (2025). Prevalence and risk factors of painful diabetic neuropathy: A systematic review and meta-analysis. *Diabetes Research and Clinical Practice*, *222*, 112099. https://doi.org/10.1016/j.diabres.2025.112099

Tjandrawinata, R. R. (2016). Patogenesis Diabetes Tipe 2 : Resistensi Insulin dan Defisiensi Insulin. *Dexa Laboratories of Biomolecular Sciences (DLBS)*, 1–4.

Troels Staehelin Jensen. (2023). The pathogenesis of painful diabetic neuropathy and clinical presentation. *Diabetes Research and Clinical Practice*, *206*, 110753–110753. https://doi.org/10.1016/j.diabres.2023.110753

van Beek, M., Geurts, J. W., Slangen, R., Schaper, N. C., Faber, C. G., Joosten, E. A., Dirksen, C. D., van Dongen, R. T., van Kuijk, S. M. J., & van Kleef, M. (2017). Severity of Neuropathy Is Associated With Long-term Spinal Cord Stimulation Outcome in Painful Diabetic Peripheral Neuropathy: Five-Year Follow-up of a Prospective Two-Center Clinical Trial. *Diabetes Care*, *41*(1), 32–38. https://doi.org/10.2337/dc17-0983

Velentgas, P., Dreyer, N. A., Nourjah, P., Smith, S. R., & Torchia, M. M. (2013). *Developing a Protocol for Observational Comparative Effectiveness Research: A User's Guide*. AHRQ Publication.

Verdú, E., Ceballos, D., Vilches, J. J., & Navarro, X. (2000). Influence of aging on peripheral nerve function and regeneration. *Journal of the Peripheral Nervous System: JPNS*, *5*(4), 191–208. https://doi.org/10.1046/j.1529-8027.2000.00026.x

Vinik, A. I., Park, T. S., Stansberry, K. B., & Pittenger, G. L. (2000). Diabetic neuropathies. *Diabetologia*, *43*(8), 957–973. https://doi.org/10.1007/s001250051477

Wandner, L. D., Scipio, C. D., Hirsh, A. T., Torres, C. A., & Robinson, M. E. (2012). The Perception of Pain in Others: How Gender, Race, and Age Influence Pain Expectations. *The Journal of Pain*, *13*(3), 220–227. https://doi.org/10.1016/j.jpain.2011.10.014

Widjaya, D. (2007). Diagnosis of Diabetic Neuropathy in Course and Workshop on Neurophysiology in Clinical Practice. *Kongres Nasional PERDOSSI Ke-6*, 20–39.

Wiffen, Philip J, et al. "Gabapentin for Chronic Neuropathic Pain in Adults."

UNIVERSITAS
GADJAH MADA
Gambaran Terapi dan Evaluasi Luaran Klinis pada Pasien Nyeri Neuropati Diabetik di Instalasi Rawat Jalan Rumah Sakit PKU Muhammadiyah Yogyakarta
Nona Adelia Talitha Supriyanta, Prof. Dr. apt. Zullies Ikawati
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Cochrane Database of Systematic Reviews, vol. 6, no. 6, 9 June 2017, https://doi.org/10.1002/14651858.cd007938.pub4.

Wiffen, P. J., Derry, S., Moore, R. A., & Rice, A. S. C. (2014). Carbamazepine for chronic neuropathic pain and fibromyalgia in adults. *Cochrane Database of Systematic Reviews*. https://doi.org/10.1002/14651858.CD007938.pub3

Wiffen, P. J., Knaggs, R., Derry, S., Cole, P., Phillips, T., & Moore, R. A. (2016). Paracetamol (acetaminophen) with or without codeine or dihydrocodeine for neuropathic pain in adults. *Cochrane Database of Systematic Reviews*. https://doi.org/10.1002/14651858.cd012227.pub2

Wilkinson, I. D., Teh, K., Francesa Heiberg-Gibbons, Awadh, M., Kelsall, A., Pallai Shillo, Sloan, G., Tesfaye, S., & Dinesh Selvarajah. (2020). Determinants of Treatment Response in Painful Diabetic Peripheral Neuropathy: A Combined Deep Sensory Phenotyping and Multimodal Brain MRI Study. *Diabetes*, *69*(8), 1804–1814. https://doi.org/10.2337/db20-0029

Williamson, A., & Hoggart, B. (2005). Pain: A review of three commonly used pain rating scales. *Journal of Clinical Nursing*, *14*(7), 798–804. https://doi.org/10.1111/j.1365-2702.2005.01121.x

Xu, Q., Pan, J., Yu, J., Liu, X., Liu, L., Zuo, X., Wu, P., Deng, H., Zhang, J., & Ji, A. (2013). Meta-analysis of methylcobalamin alone and in combination with lipoic acid in patients with diabetic peripheral neuropathy. *Diabetes Research and Clinical Practice*, *101*(2), 99–105. https://doi.org/10.1016/j.diabres.2013.03.033

Yagihashi, S., Yamagishi, S.-I., & Wada, R. (2007). Pathology and pathogenetic mechanisms of diabetic neuropathy: Correlation with clinical signs and symptoms. *Diabetes Research and Clinical Practice*, *77*(3), S184–S189. https://doi.org/10.1016/j.diabres.2007.01.054

Yavuz, D. G. (2022). Classification, risk factors, and clinical presentation diabetic neuropathy. In *Diabetic Neuropathy*. INC. https://doi.org/10.1016/B978-0-12-820669-0.00014-1

Yusuf, S., Okuwa, M., Irwan, M., Rassa, S., Laitung, B., Thalib, A., Kasim, S., Sanada, H., Nakatani, T., & Sugama, J. (2016). Prevalence and Risk Factor of Diabetic Foot Ulcers in a Regional Hospital, Eastern Indonesia. *Open Journal of Nursing*, *06*(01), 1–10. https://doi.org/10.4236/ojn.2016.61001

Zhou, M., Chen, N., He, L., Yang, M., Zhu, C., & Wu, F. (2017). Oxcarbazepine for neuropathic pain. *Cochrane Database of Systematic Review*.

Zhu, J., Hu, Z., Luo, Y., Liu, Y., Luo, W., Du, X., Luo, Z., Hu, J., & Peng, S. (2023). Diabetic peripheral neuropathy: pathogenetic mechanisms and treatment. *Frontiers in Endocrinology*, *14*(January), 1–17. https://doi.org/10.3389/fendo.2023.1265372

Zhulhajsyirah, Z., Wahyudin, E., & Tammas, J. (2018). Efektivitas Dan Efek

UNIVERSITAS
GADJAH MADA
Gambaran Terapi dan Evaluasi Luaran Klinis pada Pasien Nyeri Neuropati Diabetik di Instalasi Rawat Jalan Rumah Sakit PKU Muhammadiyah Yogyakarta
Nona Adelia Talitha Supriyanta, Prof. Dr. apt. Zullies Ikawati
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Samping Penggunaan Gabapentin Pada Pasien Neuropati Diabetik Di Rsup Dr. Wahidin Sudirohusodo Makassar. *Majalah Farmasi Dan Farmakologi*, *22*(2), 44–47. https://doi.org/10.20956/mff.v22i2.5699