

DAFTAR PUSTAKA

- Aikins, E.A., daCosta, O.O., Onyiaso, C.O. dan Isiekwa, M.C., 2012, Self-perception of malocclusion among nigerian adolescents using the aesthetic component of the IOTN, *Open Dent J*, 6:61-66.
- Amalia, R.N., Dianingati, R.S. dan Annisaa, E., 2022, Pengaruh jumlah responden terhadap hasil uji validitas dan reliabilitas kuesioner pengetahuan dan perilaku swamedikasi, *Generics*, 2(1): 9-15.
- Ardani, I.G.A., Dinata, F.C. dan Triwardhani, A., 2020, The importance of the occlusal plane in predicting better facial soft tissue in class II malocclusion in ethnic Javanese, *Eur J Dent*, 14: 429-434.
- Ardani, I.G.A.W., Nugraha, A.P., Vitamamy, D.G., Gautama, S., Alida, Rahmawati, D., Hariati, I.V.D., Caesar, A.D.O., Aufa, H.R., Sugitto, M.R. dan Hassan, R., 2023, Correlation of malocclusion with facial profile in Javanese population: A cephalometric analysis, *JIDMR*, 16(2): 756-765.
- Arifin, R., Herwanda, dan Stefani, C.R., 2018, Hubungan penilaian persepsi estetika oral dengan keadaan maloklusi menggunakan oral subjective index scale (OASIS) dan dental aesthetic index (DAI): Studi pada remaja usia 16-17 tahun di SMAN Kota Banda Aceh, *Cakradonya Dent J*, 10(1): 10-17.
- Azkia, R., Dwiarmoko, S., Hadnyanawati, H., 2021, Analisis faktor yang berhubungan dengan pemilihan operator perawatan ortodonti cekat pada remaja di SMAN 2 Bondowoso, *JPK Unej*, 9(3): 172-181.
- Badrudin, S., Halim, P. dan Wulandari, F.T., 2024, *Pengantar Sosiologi*, Zahir Publishing, Yogyakarta, hal. 229-236.
- Basir, N.S.D., Tsalatsa, S.L. dan Kresna, M.T., 2022, Persepsi wanita dalam menentukan standar kecantikan di tiktok dan instagram, *SNIIS*, 1: 566-575.
- Brahmanta, A., 2016, *Sefalometri: Analisis Dasar*, CV Bintang, Surabaya, hal. 21-23.

- Budiaji, W., 2013, Skala pengukuran dan jumlah respon skala likert, *PENARIK*, 2(2): 125-131.
- Charan, J. dan Biswas, T., 2013, How to calculate sampel size for different study designs in medical research?, *IJPM*, 35(2): 121-126.
- Cruz, G.V., 2018, The impact of face skin tone on perceived facial attractiveness: A study realized with an innovative methodology, *J Soc Psychol*, 158(5): 580-590.
- Dewi, R.P., Sukardi, dan Fansyuri, M., 2020, Perkembangan social budaya suku jawa di desa kapasan tegalrejo bk x kecamatan belitung kabupaten ogan komering ulu timur sebagai sumber pembelajaran Sejarah di SMA Muhammadiyah 2 Karang Tengah, *Kalpataru*, 6(2): 102-108.
- Downs, W.B., 1948, Variations in facial relationships: Their significance in treatment and prognosis, *Am. J. Orthodontics*, 34(10): 812-840.
- El-Bokle, D. dan Abbas, N.H., 2020, A novel method for the treatment of class II malocclusion, *AJO-DO*, 158(4): 599-611.
- Eslami, N., Omidkhoda, M., Shafee, H. dan Mozhdehifard, M., 2016, Comparison of esthetics perception and satisfaction of facial profile among male adolescents and adults with different profiles, *J Orthod Sci*, 5(2): 47-51.
- George, A.M., Felicita, A.S., Tania, S.D.M. dan Priyadharsini, J.V., 2022, Systematic review on the genetic factors associated with skeletal class II malocclusion, *Indian J Dent Res*, 32(3): 399-406.
- Ghorbanyjavadpour, F. dan Rakhshan, V., 2019, Factors associated with the beauty of soft-tissue profile, *AJO-DO*, 155(6): 832-843.
- Golshah, A., Serenjaneh, A.M. dan Imani, M.M., 2020, Smile attractiveness of Persian women after orthodontic treatment, *AJO-DO*, 158(1): 75-83.
- Graber, L.W., Vanarsdall, R.L., Vig, K.W.L. dan Huang, G.J., 2017, *Orthodontics: Current principles and techniques, 6th Edition*, Elsevier, Missouri, hal. 210, 248-251.
- Gulo, W., 2002, *Metodologi Penelitian*, Gramedia Widiasarana Indonesia, Jakarta, hal. 83-88.

- Guo, R., Tian, Y., Li, X., Li, W., He, D. dan Sun, Y., 2023, Facial profile evaluation and prediction of skeletal class II patients during camouflage extraction treatment: A pilot study, *BMC: Head & Face Medicine*, 19(51): 1-11.
- Gupta, S., Tandon, P., Singh, G.P. dan Shastri, D., 2022, Comparative assessment of cephalometric with its analogous photographic variables, *Natl J Maxillofac Surg*, 13(1): 99-107.
- Hanifah, W., Laviana, A. dan Zenab, Y., 2022, Nilai facial index berdasarkan klasifikasi maloklusi angle pada sub ras deutro melayu, *Padjajaran Journal of Dental Researchers and Students*, 6(2): 104-110.
- Harapan, N. dan Melisa, 2013, Hubungan sudut interinsisal dengan profil jaringan lunak wajah menurut analisis holdaway pada mahasiswa fkg USU ras campuran proto dan deutro-melayu, *Dentika*, 17(4): 314-318.
- Huang, Y., Xu, Y., Liu, F., Fan, J., Li, M. dan Lei, Y., 2021, Perceptions of orthodontists, laypersons, and patients regarding buccal corridors and facial type, *AJO-DO*, 161(1): 92-102.
- Hulu, V.T. dan Kurniawan, R., 2021, *Memahami dengan mudah statistika nonparametrik bidang kesehatan: Penerapan software SPSS dan STATCAL, Edisi Pertama*, KENCANA, Jakarta, hal. 39-40.
- Hutomo, L.C., Prasetya, M.A., Purbasari, I.G.A.K.I. dan Budiman, M., 2023, Persepsi, kesadaran, dan praktik mempertahankan oral hygiene selama penggunaan ortodontik cekat pada mahasiswa fakultas kedokteran, *e-Gigi*, 11(2): 276-285.
- Istikhomah, N., Rohaetin, S. dan Barbara, B., 2024, Pengaruh pembelajaran ekonomi terhadap minat berinvestasi siswa SMA negeri 1 pangkalan bun: Analisis regresi linear, *JEM*, 5(1): 18-25.
- Khoury, K.E., Ghoubril, J., Kassis, A. dan Khoury, E., 2023, Factors influencing the perception of profile beauty in Class III dental compensation: A comparative cross-sectional study according to three categories of assessors, *Int Orthod*, 21(3): 1-18.

- Kiekens, R.M.A., Maltha, J.C., van-Hof, M.A., Straatman, H. dan Jagtman, A.M.K., 2008, Panel perception of change in facial aesthetics following orthodontic treatment in adolescents, *Eur J Orthod*, 30(2): 141-146.
- Kokich, V.O., Kokich, V.G. dan Kiyak, H.A., 2006, Perceptions of dental professionals and laypersons to altered dental esthetics: Asymmetric and symmetric situations, *AJO-DO*, 130(2): 141-151.
- Kreichati, S., Kassis, A., Aboujaoude, R.F. dan Aki, R., 2023, Influence of orthodontic bracket prescription on smile attractiveness in patients with different sagittal skeletal patterns: A 3-dimensional cross-sectional study, *Am J Orthod Dentofacial Orthop*, 165(4): 434-446.
- Kurniawan, I.D.G.A., Magdalena, R. dan Susatio, E., 2015, Pengaruh golden ratio pada proporsi wajah terhadap persepsi estetika wajah, *e-Proceeding of Engineering*, 2(2): 1-7.
- Laguhi, V.A., Anindita, P.S. dan Gunawan, P.N., 2014, Gambaran maloklusi dengan menggunakan hmar pada pasien di rumah sakit gigi dan mulut universitas sam ratulangi Manado, *Jurnal e-GiGi*, 2(2): 1-7.
- Leavy, P., 2017, *Research Design: Quantitative, Qualitative, Mixed Methods, Arts-Based, and Community-Based Participatory Research Approaches*, The Guilford Press, New York, hal. 101, 104-106.
- Londono, J., Ghasmi, S., Lawand, G., Mirzaei, F., Akbari, F. dan Dashti, M., 2022, Assessment of the golden proportion in nature facial esthetics: A systematic review, *J Prosthet Dent*, 22: 1-7.
- Mawardi, 2019, Rambu - rambu penyusunan skala sikap model likert untuk mengukur sikap siswa, *Jurnal Pendidikan dan Kebudayaan*, 9(3): 292-304.
- Mitchell, L, 2013, *An Introduction to Orthodontics, 4th Edition*, Oxford University Press, United Kingdom, hal. 114, 124, 128, 135.
- Morgan, G.A., Barrett, K.C., Leech, N.L. dan Gloeckner, G.W., 2020, *IBM SPSS for Introductory Statistics: Use and Interpretation, 6th Ed*, Routledge: Taylor & Francis, New York, hal. 186-187.

- Mortada, A.A., Burhan, A.S., Hajeer, M.Y., Nawaya, F.R. dan Sahtout, G.F., 2023, Do the most attractive faces of patients with class II division I malocclusion differ from those with the least attractive faces in terms of angular and proportional measurements assessed on frontal and lateral photographs?, *Cureus*, 15(1): 1-14.
- Muhammed, F.K., Abdullah, A.O. dan Liu Y., 2019, Morphology, incidence of bridging, dimensions of sella turcica, and cephalometric standards in three different racial groups, *J Craniofac Surg*, 30(7): 2076-2081.
- Muharib, S.I.B., Alomar, R.K., Alolaiq, R.A., Alfadhel, A.A. dan Salamah, F.S., 2021, indicators and references of facial profile and aesthetics, *Dent Oral Sci*, 3(2): 1-8.
- Mulkhairul, I., Mardiaty, E., Laviana, A. dan Evangelina, I.A., 2024, Analisis fotometri frontal dan profil wajah pasien maloklusi skeletal kelas II Divisi 1 sebelum dan setelah perawatan ortodonti kompromi (Metode Proffit dan Steiner): Studi deskriptif, *Padjajaran Journal of Dental Researchers and Students*, 8(1): 98-104.
- Muttaqin, Z. dan Oeripto, A., 2015, Changes of transverse and sagittal dimension using frankel 1B appliance (Case report), *Majalah Ortodontik: Edisi Kedua*, 15(2): 43-47.
- Nainggolan, H.J., Prihandini, I.W.S. dan Soehardono, D., 2014, Perbandingan perubahan kecembungan wajah antara jaringan keras dan lunak pada perawatan maloklusi angle klas II divisi 1, *Jurnal Kedokteran Gigi UGM*, 5(2): 105-111.
- Nanda, R., 2015, *Esthetics and Biomechanics in Orthodontics, 2nd Edition*, Elsevier Saunders, Missouri, hal. 1-2, 54.
- Nurhaswinda, Zulkifli, A., Gusniati, J., Zulefni, M.S., Afendi, R.A., Asni, W. dan Fitriani, Y., 2025, Tutorial uji normalitas dan uji homogenitas dengan menggunakan aplikasi SPSS, *Jurnal Cahaya Nusantara*, 1(2): 55-68.
- Pakpahan, E.L. dan Amelia, P., 2022, Perilaku pemilihan kebersihan mulut pengguna ortodonti cekat (penelitian pada murid kelas 12 SMA Santa

- Laurensia Tangerang), *Jurnal Ilmiah dan Teknologi Kedokteran Gigi FKG UPDM*, 18(1): 38-42.
- Pithon, M.M., Santos, C.R., Santos, N.L., Lima, S.O.A.S., Coqueiro, R.S. dan Santos, R.L., 2016, Impact of malocclusion on affective/romantic relationships among young adults, *Angle Orthod*, 86(4): 638-543.
- Prameswari, R.T., 2020, Pengaruh perbandingan sosial terhadap ketidakpuasan tubuh pada remaja akhir perempuan (studi tentang physical appearance), *Cognicia*, 8(1): 90-101.
- Pranatawijaya, V.H., Widiatry, Priskila, R. dan Putra, P.B.A.A., 2019, Pengembangan aplikasi kuesioner survei berbasis web menggunakan skala likert dan gutman, *JSI*, 5(2): 128-137.
- Premkumar, S., 2015, *Textbook of Orthodontics*, Reed Elsevier India, New Delhi, hal. 4, 150-151, 154, 157, 160.
- Proffit, W.R., Fields, H.W., Larson, B.E. dan Saver, D.M., 2019, *Contemporary Orthodontics, 6th Edition*, Elsevier, Philadelphia, hal. 150-154, 156-159.
- Puspitasari, Y., Arifin, N.F. dan Lestari, A., 2024, Hubungan penilaian persepsi estetika oral dan profil wajah berdasarkan Oral Aesthetic Subjective Index Scale (OASIS) dan analisis jaringan lunak Steiner, *Sinnun Maxillofacial Journal*, 6(1): 48-55.
- Raked, T., 2019, *Orthodontics for Dental Hygienists and Dental Therapists*, John Wiley & Sons, Hoboken, hal. 153-157, 235.
- Rosita, E., Hidayat, W. dan Yuliani, W., 2021, Uji validitas dan reliabilitas kuesioner perilaku prososial, *Jurnal Mahasiswa IKIP Siliwangi*, 4(4): 279-284.
- Rousseau, M. dan Retrouvey, J.M., 2022, Machine learning in orthodontics: Automated facial analysis of vertical dimension for increased precision and efficiency, *AJO-DOs*, 161(3): 445-450.
- Saghiri, M.A., Eid, J., Tang, C.K., Freag, P., 2021, Factors influencing different types of malocclusion and arch form – A review, *J Stomatol Oral Maxillofac Surg*, 122: 185-191.

- Salgado, J.J.R., 2022, Design of open code software to downs and steiner lateral cephalometric analysis with tracing landmarks, *Digital*, 2(2): 120-142.
- Santoso, S., 2010, *Statistik Nonparametrik*, PT Elex Media Komputindo, Jakarta, hal. 117-124.
- Santrock, J.W., 2011, *Life Span: Development perkembangan masa hidup*, Penerbit Erlangga, Jakarta, hal. 18-21.
- Sarwono, S.W., 2016, *Psikologi Remaja, Edisi Revisi*, Rajawali Press, Jakarta, hal. 30-31.
- Shell, T.L. dan Woods, M.G., 2003, Perception of facial esthetics: A comparison of similar class II cases treated with attempted growth modification of later orthognathic surgery, *Angle Orthod*, 73(4): 365-373.
- Silva, L.D., Sjafei, A. dan Ardani, I.G.A.W., 2015, Lower anterior facial height changes in the treatment of crowded and protruded class I malocclusion with extraction of four first premolars (research), *Majalah Ortodontik: Edisi Kedua*, 15(2): 40-42.
- Sivakumar, A., Nalabothu, P., Thanh, H.N. dan Antonarakis, G.S., 2021, A comparison of craniofacial characteristics between two different adult populations with class II malocclusion – A cross sectional retrospective study, *Biology*, 10(438): 1-9.
- Suphatheerawatr, T. dan Chamnannidiadha, N., 2019, Esthetic perception of facial profile contour in patients with different facial profiles, *JWFO*, 8:112-117.
- Suwandi, E., Imansyah, H.F. dan Dasril, H., 2019, Analisis tingkat kepuasan menggunakan skala likert pada layanan speedy yang bermigrasi ke indihome, *J3EIT*, 7(1): 1-11.
- Wichelhaus, A. dan Eichenberg, T., 2018, *Orthodontic Therapy: Fundamentals Treatment Concepts*, George Thieme Verlag, New York, hal. 254-256, 262, 334, 370, 372.
- Widiyanto, M.A., 2013, *Statistika Terapan: Konsep & Aplikasi SPSS dalam Penelitian Bidang Pendidikan, Psikologi & Ilmu Sosial Lainnya*, PT Elex Media Komputindo, Jakarta, hal. 3.

- Wijaya, M.F., Aldilawati, S., Novawaty, E., Puspitasari, Y., Abdi, M. dan Nurlaili, 2023, Hubungan tingkat pengetahuan perawatan ortodonti menurut islam dengan persepsi perawatan ortodonti pada mahasiswa angkatan 2021 FKG UMI, *Sinnun Maxillofacial Journal*, 5(1): 8-15.
- Wulandari, N.P.P., Hutomo, L.C. dan Vembriati, N., 2020, Hubungan antara persepsi maloklusi dengan psikososial remaja di SMA negeri 1 Denpasar, Bali - Indonesia, *BDJ*, 4(2): 74-78.
- Yin, L., Jiang, M., Chen, W., Smales, R.J., Wang, Q. dan Tang, L., 2014, Differences in facial profile and dental esthetic perceptions between young adult and orthodontists, *AJO-DO*, 145(6): 750-756.
- Zhang, Y., Zeng, X., Cui, X., Liao, Y. dan Lin, X., 2025, Facial profile esthetics and its correlation with cephalometric measurements in class II patients before and after functional orthodontic treatment: perception of orthodontists and laypersons, *JOCPD*, 49(1): 47-59.