

REFERENCES

- Babaki, M. K. Z., Soleimanpour, S., and Rezaee, S. A. (2017). Antigen 85 complex as a powerful Mycobacterium tuberculosis immunogene: Biology, immune-pathogenicity, applications in diagnosis, and vaccine design. *Microbial pathogenesis*, 112, 20-29.
- Brune, K.D., Leneghan, D.B., Brian, I.J., Ishizuka, A.S., Bachmann, M.F., Draper, S.J., Biswas, S. and Howarth, M. (2016). Plug-and-Display: decoration of Virus-Like Particles via isopeptide bonds for modular immunization. *Scientific reports*, 6(1), p.19234.
- Chen, X., Zaro, J. L., and Shen, W. C. (2013). Fusion protein linkers: property, design and functionality. *Advanced drug delivery reviews*, 65(10), 1357–1369. <https://doi.org/10.1016/j.addr.2012.09.039>
- Dhawan, M., Saied, A. A., and Sharma, M. (2023). Virus-like particles (VLPs)-based vaccines against COVID-19: Where do we stand amid the ongoing evolution of SARS-CoV-2?. *Health Sciences Review*, 100127.
- Dorhoi, A., and Kaufmann, S. H. (2014). Tumor necrosis factor alpha in mycobacterial infection. *Seminars in immunology*, 26(3), 203–209. <https://doi.org/10.1016/j.smim.2014.04.003>
- Doytchinova, I. A., and Flower, D. R. (2007). VaxiJen: a server for prediction of protective antigens, tumour antigens and subunit vaccines. *BMC bioinformatics*, 8, 1-7.
- Dos Santos, P.C.P., Messina, N.L., de Oliveira, R.D., da Silva, P.V., Puga, M.A.M., Dalcolmo, M., Dos Santos, G., de Lacerda, M.V.G., Jardim, B.A., e Val, F.F.D.A. and Curtis, N. (2024). Effect of BCG vaccination against Mycobacterium tuberculosis infection in adult Brazilian health-care workers: a nested clinical trial. *The Lancet Infectious Diseases*, 24(6), 594-601.
- Dvorak, P., Chrast, L., Nikel, P.I., Fedr, R., Soucek, K., Sedlackova, M., Chaloupkova, R., de Lorenzo, V., Prokop, Z. and Damborsky, J. (2015). Exacerbation of substrate toxicity by IPTG in Escherichia coli BL21 (DE3) carrying a synthetic metabolic pathway. *Microbial cell factories*, 14, pp.1-15.

- Elkington, P. T., Ugarte-Gil, C. A., and Friedland, J. S. (2011). Matrix metalloproteinases in tuberculosis. *The European respiratory journal*, 38(2), 456–464. <https://doi.org/10.1183/09031936.00015411>
- Ernst, J. D., Cornelius, A., and Bolz, M. (2019). Dynamics of Mycobacterium tuberculosis Ag85B Revealed by a Sensitive Enzyme-Linked Immunosorbent Assay. *mBio*, 10(2), e00611-19. <https://doi.org/10.1128/mBio.00611-19>
- Gasteiger, E., Hoogland, C., Gattiker, A., Duvaud, S. E., Wilkins, M. R., Appel, R. D., and Bairoch, A. (2005). Protein identification and analysis tools on the ExPASy server. *The proteomics protocols handbook*, 571-607.
- Gedeon, T., and Bokes, P. (2012). Delayed protein synthesis reduces the correlation between mRNA and protein fluctuations. *Biophysical journal*, 103(3), 377-385.
- Gengenbacher, M., and Kaufmann, S. H. E. (2012). Mycobacterium tuberculosis: success through dormancy. *FEMS Microbiology Reviews*, 36(3), 514–532. <https://doi.org/10.1111/j.1574-6976.2012.00331.x>
- Gruber, A. R., Lorenz, R., Bernhart, S. H., Neuböck, R., and Hofacker, I. L. (2008). The vienna RNA websuite. *Nucleic acids research*, 36(suppl_2), W70-W74.
- Gupta, R., Arora, K., Roy, S. S., Joseph, A., Rastogi, R., Arora, N. M., and Kundu, P. K. (2023). Platforms, advances, and technical challenges in virus-like particles-based vaccines. *Frontiers in immunology*, 14, 1123805. <https://doi.org/10.3389/fimmu.2023.1123805>
- Gupta, S., Kapoor, P., Chaudhary, K., Gautam, A., Kumar, R., Open Source Drug Discovery Consortium, and Raghava, G. P. (2013). *In silico* approach for predicting toxicity of peptides and proteins. *PloS one*, 8(9), e73957. <https://doi.org/10.1371/journal.pone.0073957>
- Harper, S., and Speicher, D. W. (2010). Purification of Proteins Fused to Glutathione S-Transferase. *Protein Chromatography*, 259–280. doi:10.1007/978-1-60761-913-0_14
- Hecht, A., Glasgow, J., Jaschke, P. R., Bawazer, L. A., Munson, M. S., Cochran, J. R., Endy, D., and Salit, M. (2017). Measurements of translation

initiation from all 64 codons in *E. coli*. *Nucleic acids research*, 45(7), 3615–3626.

Hervas-Stubbs, S., Majlessi, L., Simsova, M., Morova, J., Rojas, M. J., Nouzé, C., Brodin, P., Sebo, P., and Leclerc, C. (2006). High frequency of CD4+ T cells specific for the TB10.4 protein correlates with protection against *Mycobacterium tuberculosis* infection. *Infection and immunity*, 74(6), 3396–3407. <https://doi.org/10.1128/IAI.02086-05>

Huang, Z., Zhang, C., Wu, X., Su, N., and Xing, X. (2012). *Sheng wu gong cheng xue bao = Chinese journal of biotechnology*, 28(4), 393–409.

Iskandar, D., Suwantika, A. A., Pradipta, I. S., Postma, M. J., and van Boven, J. F. (2023). Clinical and economic burden of drug-susceptible tuberculosis in Indonesia: national trends 2017–19. *The Lancet Global Health*, 11(1), e117-e125.

Jan, S., Fratzke, A. P., Felgner, J., Hernandez-Davies, J. E., Liang, L., Nakajima, R., Jasinskas, A., Supnet, M., Jain, A., Felgner, P. L., Davies, D. H., and Gregory, A. E. (2023). Multivalent vaccines demonstrate immunogenicity and protect against *Coxiella burnetii* aerosol challenge. *Frontiers in immunology*, 14, 1192821. <https://doi.org/10.3389/fimmu.2023.1192821>

Jeong, H., Kim, H. J., and Lee, S. J. (2015). Complete genome sequence of *Escherichia coli* strain BL21. *Genome announcements*, 3(2), 10-1128.

Karig, D. K., Iyer, S., Simpson, M. L., and Doktycz, M. J. (2012). Expression optimization and synthetic gene networks in cell-free systems. *Nucleic acids research*, 40(8), 3763–3774. <https://doi.org/10.1093/nar/gkr1191>

Kim, H.J., Lee, J.H., Lee, K.B., Shin, J.W., Kwon, M.A., Lee, S., Jeong, E.M., Cho, S.Y. and Kim, I.G. (2021). Transglutaminase 2 crosslinks the glutathione S-transferase tag, impeding protein–protein interactions of the fused protein. *Experimental and molecular medicine*, 53(1), pp.115-124.

Lentini, R., Forlin, M., Martini, L., Del Bianco, C., Spencer, A. C., Torino, D., and Mansy, S. S. (2013). Fluorescent proteins and *in vitro* genetic

- organization for cell-free synthetic biology. *ACS synthetic biology*, 2(9), 482–489. <https://doi.org/10.1021/sb400003y>
- Li, Z., and Rinas, U. (2020). Recombinant protein production associated growth inhibition results mainly from transcription and not from translation. *Microbial cell factories*, 19(1), 83. <https://doi.org/10.1186/s12934-020-01343-y>
- Machlaurin, A., Dolk, F. C. K., Setiawan, D., van der Werf, T. S., and Postma, M. J. (2020). Cost-Effectiveness Analysis of BCG Vaccination against Tuberculosis in Indonesia: A Model-Based Study. *Vaccines*, 8(4), 707.
- Marshall O. J. (2004). PerlPrimer: cross-platform, graphical primer design for standard, bisulphite and real-time PCR. *Bioinformatics (Oxford, England)*, 20(15), 2471–2472. <https://doi.org/10.1093/bioinformatics/bth254>
- Martin, G., Brosch, R., and Simeone, R. (2017). The Macrophage: A Disputed Fortress in the Battle against *Mycobacterium tuberculosis*. *Frontiers in microbiology*, 8, 2284. <https://doi.org/10.3389/fmicb.2017.02284>
- Morozov, V., Rodrigues, C. H., and Ascher, D. B. (2023). CSM-Toxin: A Web-Server for Predicting Protein Toxicity. *Pharmaceutics*, 15(2), 431.
- Mustoe, A. M., Corley, M., Laederach, A., and Weeks, K. M. (2018). Messenger RNA Structure Regulates Translation Initiation: A Mechanism Exploited from Bacteria to Humans. *Biochemistry*, 57(26), 3537–3539. <https://doi.org/10.1021/acs.biochem.8b00395>
- Nguyen, M. N., Krutz, N. L., Limviphuvadh, V., Lopata, A. L., Gerberick, G. F., and Maurer-Stroh, S. (2022). AllerCatPro 2.0: a web server for predicting protein allergenicity potential. *Nucleic Acids Research*, 50(W1), W36–W43.
- Owczarzy, R., Tataurov, A. V., Wu, Y., Manthey, J. A., McQuisten, K. A., Almabrazi, H. G., Pedersen, K. F., Lin, Y., Garretson, J., McEntaggart, N. O., Sailor, C. A., Dawson, R. B., and Peek, A. S. (2008). IDT SciTools: a suite for analysis and design of nucleic acid oligomers. *Nucleic acids research*, 36(Web Server issue), W163–W169. <https://doi.org/10.1093/nar/gkn198>

- Panda, S., and Chandra, G. (2012). Physicochemical characterization and functional analysis of some snake venom toxin proteins and related non-toxin proteins of other chordates. *Bioinformation*, 8(18), 891–896. <https://doi.org/10.6026/97320630008891>
- Queval, C. J., Brosch, R., and Simeone, R. (2017). The Macrophage: A Disputed Fortress in the Battle against *Mycobacterium tuberculosis*. *Frontiers in microbiology*, 8, 2284. <https://doi.org/10.3389/fmicb.2017.02284>
- Qu, M., Zhou, X., and Li, H. (2021). BCG vaccination strategies against tuberculosis: updates and perspectives. *Human vaccines and immunotherapeutics*, 17(12), 5284–5295. <https://doi.org/10.1080/21645515.2021.2007711>
- Ratelade, J., Miot, M. C., Johnson, E., Betton, J. M., Mazodier, P., and Benaroudj, N. (2009). Production of recombinant proteins in the lon-deficient BL21 (DE3) strain of *Escherichia coli* in the absence of the DnaK chaperone. *Applied and Environmental Microbiology*, 75(11), 3803–3807.
- Rosano, G. L., and Ceccarelli, E. A. (2014). Recombinant protein expression in *Escherichia coli*: advances and challenges. *Frontiers in microbiology*, 5, 172.
- Roots, C. T., Lukasiewicz, A., and Barrick, J. E. (2021). OSTIR: open source translation initiation rate prediction. *Journal of open source software*, 6(64), 3362. <https://doi.org/10.21105/joss.03362>
- Salis, A., and Monduzzi, M. (2016). Not only pH. Specific buffer effects in biological systems. *Current Opinion in Colloid and Interface Science*, 23, 1–9. <https://doi.org/10.1016/J.COCIS.2016.04.004>
- Salis, H. M., Mirsky, E. A., and Voigt, C. A. (2009). Automated design of synthetic ribosome binding sites to control protein expression. *Nature biotechnology*, 27(10), 946–950.
- Scopes, R. K. (2013). *Protein purification: principles and practice*. Springer Science and Business Media.
- Shi, S., Yu, L., Sun, D., Liu, J., and Hickey, A. J. (2010). Rational design of multiple TB antigens TB10. 4 and TB10. 4-Ag85B as subunit vaccine

candidates against Mycobacterium tuberculosis. *Pharmaceutical research*, 27, 224-234.

Silaban, S., Gaffar, S., Simorangkir, M., Maksum, I. P., and Subroto, T. (2018, December). Effect of IPTG concentration on recombinant human prethrombin-2 expression in Escherichia coli BL21 (DE3) ArcticExpress. In IOP Conference Series: Earth and Environmental Science (Vol. 217, No. 1, p. 012039). *IOP Publishing*.

Sigma-Aldrich. (2010). *OligoArchitect™ Glossary of Parameters*. Sigma-Aldrich Co. Retrieved from [\[https://www.sigmaaldrich.com/deepweb/assets/sigmaaldrich/marketing/global/documents/200/845/oligo-architect-glossary-br3011en-mk.pdf?srsId=AfmBOopivz-UrdCYYtr3aCifhP-JaN4Ic9Kg_mzxn9MP4TZ8EPxnCFr-\]](https://www.sigmaaldrich.com/deepweb/assets/sigmaaldrich/marketing/global/documents/200/845/oligo-architect-glossary-br3011en-mk.pdf?srsId=AfmBOopivz-UrdCYYtr3aCifhP-JaN4Ic9Kg_mzxn9MP4TZ8EPxnCFr-).

Smith, M. T., Hawes, A. K., and Bundy, B. C. (2013). Reengineering viruses and virus-like particles through chemical functionalization strategies. *Current opinion in biotechnology*, 24(4), 620-626.

Susmiarsih, T. P. (2018). *Kajian DNA rekombinan pada vaksin DNA dan vaksin subunit protein*. Jakarta: Majalah Kesehatan Pharma Medika.

Thermo Fisher Scientific. (2018). *Power Blotter System user guide* (Rev. B.0, Pub. No. MAN0017053, p. 18). Thermo Fisher Scientific Inc.

Trotta, E. (2014). On the normalization of the minimum free energy of RNAs by sequence length. *PloS one*, 9(11), e113380.

Van Rosmalen, M., Krom, M., and Merks, M. (2017). Tuning the flexibility of glycine-serine linkers to allow rational design of multidomain proteins. *Biochemistry*, 56(50), 6565–6574.

Victor, M. P., Acharya, D., Begum, T., and Ghosh, T. C. (2019). The optimization of mRNA expression level by its intrinsic properties—insights from codon usage pattern and structural stability of mRNA. *Genomics*, 111(6), 1292–1297.

Wei, H., Fang, M., Wan, M., Wang, H., Zhang, P., Hu, X., ... and Wang, L. (2014). Influence of hydrophilic amino acids and GC-content on expression of recombinant proteins used in vaccines against foot-and-

mouth disease virus in Escherichia coli. *Biotechnology letters*, 36, 723-729.

WHO. (2015). *The end TB strategy: Global strategy and targets for tuberculosis prevention, care and control after 2015* (WHO/HTM/TB/2015.19).

World Health Organization.

Yang, J.D., Mott, D., Sutiwisesak, R., Lu, Y.J., Raso, F., Stowell, B., Babunovic, G.H., Lee, J., Carpenter, S.M., Way, S.S. and Fortune, S.M. (2018). Mycobacterium tuberculosis-specific CD4⁺ and CD8⁺ T cells differ in their capacity to recognize infected macrophages. *PLoS pathogens*, 14(5), p.e1007060.

Yin, J., Bao, L., Tian, H., Gao, X., and Yao, W. (2015). Quantitative relationship between the mRNA secondary structure of translational initiation region and the expression level of heterologous protein in Escherichia coli. *Journal of Industrial Microbiology and Biotechnology*, 43, 97-102. <https://doi.org/10.1007/s10295-015-1699-1>.

Zakeri, B., Fierer, J. O., Celik, E., Chittock, E. C., Schwarz-Linek, U., Moy, V. T., and Howarth, M. (2012). Peptide tag forming a rapid covalent bond to a protein, through engineering a bacterial adhesin. *Proceedings of the National Academy of Sciences*, 109(12), E690-E697.

Zhou, K., Zhou, L., Lim, Q., Zou, R., Stephanopoulos, G., and Too, H. P. (2011). Novel reference genes for quantifying transcriptional responses of Escherichia coli to protein overexpression by quantitative PCR. *BMC molecular biology*, 12, 18. <https://doi.org/10.1186/1471-2199-12-18>

Zumla, A., Chakaya, J., Centis, R., D'Ambrosio, L., Mwaba, P., Bates, M., Kapata, N., Nyirenda, T., Chanda, D., Mfinanga, S. and Hoelscher, M. (2015). Tuberculosis treatment and management—an update on treatment regimens, trials, new drugs, and adjunct therapies. *The Lancet Respiratory Medicine*, 3(3), pp.220-234.