

DAFTAR PUSTAKA

- Abdel-Rahman, M. A., Tashiro, Y., & Sonomoto, K. (2013). Recent advances in lactic acid production by microbial fermentation processes. *Biotechnology advances*, 31(6), 877-902.
- Abed, S. M., Wei, W., Ali, A. H., Korma, S. A., Mousa, A. H., Hassan, H. M., ... & Wang, X. (2018). Synthesis of structured lipids enriched with medium-chain fatty acids via solvent-free acidolysis of microbial oil catalyzed by *Rhizomucor miehei* lipase. *Lwt*, 93, 306-315.
- Angelini, P., Flores, G.A., Cusumano, G., Venanzoni, R., Pellegrino, R.M., Zengin, G., Di Simone, S.C., Menghini, L. and Ferrante, C., 2023. Bioactivity and metabolomic profile of extracts derived from mycelial solid cultures of *Hypsizygus marmoreus*. *Microorganisms*, 11(10), p.2552.
- Anumudu, C. K., Miri, T., & Onyeaka, H. (2024). Multifunctional Applications of Lactic Acid Bacteria: Enhancing Safety, Quality, and Nutritional Value in Foods and Fermented Beverages. *Foods*, 13(23), 3714.
- AOAC (Association of Official Analytical Chemists), 2005. *Official methods of analysis*, 18th ed. AOAC, Arlington, VA, USA.
- Ayar-Sümer, E. N., Verheust, Y., Özçelik, B., & Raes, K. (2024). Impact of Lactic Acid Bacteria Fermentation Based on Biotransformation of Phenolic Compounds and Antioxidant Capacity of Mushrooms. *Foods* (Basel, Switzerland), 13(11), 1616. <https://doi.org/10.3390/foods13111616>.
- Bamisi, O. E., Ogidi, C. O., & Akinyele, B. J. (2024). Antimicrobial metabolites from Probiotics, *Pleurotus ostreatus* and their co-cultures against foodborne pathogens isolated from ready-to-eat foods. *Annals of Microbiology*, 74(1), 31.
- Barros, L., Cruz, T., Baptista, P., Estevinho, L.M. and Ferreira, I.C. (2008). Wild and commercial mushrooms as source of nutrients and nutraceuticals. *Food and Chemical Toxicology*, 46(8), pp.2742-2747.
- Barros, R. F., Cutrim, C. S., Costa, M. P. D., Conte Junior, C. A., & Cortez, M. A. S. (2019). Lactose hydrolysis and organic acids production in yogurt prepared with different onset temperatures of enzymatic action and fermentation. *Ciência Animal Brasileira*, 20, e43549.
- Bauer, A. W., Kirby, W. M. M., Sherris, J. C., & Turck, M. (1966). Antibiotic susceptibility testing by a standardized single disk method. *American Journal of Clinical Pathology*, 45(4), 493-496.
- Borges, A., Ferreira, C., Saavedra, M. J., & Simões, M. (2013). Antibacterial activity and mode of action of ferulic and gallic acids against pathogenic bacteria. *Microbial drug resistance*, 19(4), 256-265.
- Brand-Williams, W., Cuvelier, M. E., & Berset, C. L. W. T. (1995). Use of a free radical method to evaluate antioxidant activity. *LWT-Food science and Technology*, 28(1), 25-30.

- Caplice, E. and Fitzgerald, G.F. (1999). Food fermentations: role of microorganisms in food production and preservation. *International journal of food microbiology*, 50(1-2), pp.131-149.
- Capozzi, V., Fragasso, M., Romaniello, R., Berbegal, C., Russo, P., & Spano, G. (2017). Spontaneous food fermentations and potential risks for human health. *Fermentation*, 3(4), 49.
- Chang, H. C. (2018). Healthy and safe Korean traditional fermented foods: kimchi and chongkukjang. *Journal of Ethnic Foods*, 5(3), 161-166.
- Chowdhury, M.M.H., Kubra, K. and Ahmed, S.R., 2015. Screening of antimicrobial, antioxidant properties and bioactive compounds of some edible mushrooms cultivated in Bangladesh. *Annals of clinical microbiology and antimicrobials*, 14, pp.1-6.
- Cooper-Bribiesca, B., Navarro-Ocaña, A., Díaz-Ruiz, G., Aguilar-Osorio, G., Rodríguez-Sanoja, R. and Wachter, C., 2018. Lactic acid fermentation of arabinoxylan from nejayote by *Streptococcus infantarius* ssp. *infantarius* 25124 isolated from pozol. *Frontiers in Microbiology*, 9, p.400902.
- Cowan, M. M. (1999). Plant products as antimicrobial agents. *Clinical Microbiology Reviews*, 12(4), 564-582.
- Cushnie, T. P., & Lamb, A. J. (2011). Recent advances in understanding the antibacterial properties of flavonoids. *International Journal of Antimicrobial Agents*, 38(2), 99-107.
- De Roos, J., & De Vuyst, L. (2019). Microbial acidification, alcoholization, and aroma production during spontaneous lambic beer production. *Journal of the Science of Food and Agriculture*, 99(1), 25-38.
- Degrain, A., Manhivi, V., Remize, F., Garcia, C., & Sivakumar, D. (2020). Effect of lactic acid fermentation on color, phenolic compounds and antioxidant activity in African nightshade. *Microorganisms*, 8(9), 1324.
- Dey, T. B., & Kuhad, R. C. (2014). Enhanced production and extraction of phenolic compounds from wheat by solid-state fermentation with *Rhizopus oryzae* RCK2012. *Biotechnology Reports*, 4, 120-127.
- Di Cagno, R., Coda, R., De Angelis, M., & Gobbetti, M. (2013). Exploitation of vegetables and fruits through lactic acid fermentation. *Food Microbiology*, 33(1), 1–10. <https://doi.org/10.1016/j.fm.2012.09.003>.
- Đorđević, T. M., Šiler-Marinković, S. S., & Dimitrijević-Branković, S. I. (2010). Effect of fermentation on antioxidant properties of some cereals and pseudo cereals. *Food chemistry*, 119(3), 957-963.
- D'Souza, R. N., Grimbs, A., Grimbs, S., Behrends, B., Corno, M., Ullrich, M. S., & Kuhnert, N. (2018). Degradation of cocoa proteins into oligopeptides during spontaneous fermentation of cocoa beans. *Food Research International*, 109, 506-516.

- Elkhateeb, W. A., Daba, G. M., Thomas, P. W., & Wen, T. C. (2019). Medicinal mushrooms as a new source of natural therapeutic bioactive compounds. *Egyptian Pharmaceutical Journal*, 18(2), 88-101.
- Evans, W. C. (2009). *Trease and Evans' Pharmacognosy* (16th ed.). Saunders/Elsevier.
- Fan, D., Liu, X., Ren, Y., Bai, S., Li, Y., Luo, Z., ... & Zeng, W. (2023). Functional insights to the development of bioactive material for combating bacterial infections. *Frontiers in Bioengineering and Biotechnology*, 11, 1186637.
- Filannino, P., Bai, Y., Di Cagno, R., Gobbetti, M., & Gänzle, M. G. (2015). Metabolism of phenolic compounds by *Lactobacillus* spp. during fermentation of cherry juice and broccoli puree. *Food microbiology*, 46, 272–279. <https://doi.org/10.1016/j.fm.2014.08.018>
- Furi, M. and Octaviani, M., 2024. Penentuan Kadar Total Fenolik Dan Flavonoid Ekstrak Etanol Dan Fraksi Daun Terap (*Artocarpus Odoratissimus* Blanco). *Jurnal Penelitian Farmasi Indonesia*, 13(1), pp.57-64.
- Gänzle, M. G. (2015). Lactic metabolism revisited: Metabolism of lactic acid bacteria in food fermentations and food spoilage. *Current Opinion in Food Science*, 2, 106-117.
- Gebreyohannes, G., Sbhatu, D. B., Nyerere, A. K., & Gebrehiwot, A. G. (2024). Biofilm-Inhibitory Activity of Wild Mushroom Extracts against Pathogenic Bacteria. *Evidence-based complementary and alternative medicine : eCAM*, 2024, 7011982. <https://doi.org/10.1155/2024/7011982>
- Gervais, P., & Molin, P. (2003). The role of water in solid-state fermentation. *Biochemical Engineering Journal*, 13(2-3), 85-101.
- Granato, D., Shahidi, F., Wrolstad, R., Kilmartin, P., Melton, L. D., Hidalgo, F. J., ... & Finglas, P. (2018). Antioxidant activity, total phenolics and flavonoids contents: Should we ban in vitro screening methods?. *Food chemistry*, 264, 471-475.
- Gursoy, N., Sarikurkcu, C., Tepe, B. and Halil Solak, M., 2010. Evaluation of antioxidant activities of 3 edible mushrooms: *Ramaria flava* (Schaeff: Fr.) Quéll., *Rhizopogon roseolus* (Corda), TM Fries., and *Russula delica* Fr. *Food Science and Biotechnology*, 19, pp.691-696.
- Hamers, V., Huguet, C., Bourjot, M., & Urbain, A. (2021). Antibacterial compounds from mushrooms: a lead to fight ESKAPEE pathogenic bacteria?. *Planta Medica*, 87(05), 351-367.
- Heleno, S. A., Ferreira, R. C., Antonio, A. L., Queiroz, M. J. R., Barros, L., & Ferreira, I. C. (2015). Nutritional value, bioactive compounds and antioxidant properties of three edible mushrooms from Poland. *Food bioscience*, 11, 48-55.
- Huang, C., Wu, H., Liu, Z. J., Cai, J., Lou, W. Y., & Zong, M. H. (2012). Effect of organic acids on the growth and lipid accumulation of oleaginous yeast *Trichosporon fermentans*. *Biotechnology for biofuels*, 5, 1-12

- Hur, S. J., Lee, S. Y., Kim, Y. C., Choi, I., & Kim, G. B. (2014). Effect of fermentation on the antioxidant activity in plant-based foods. *Food chemistry*, 160, 346-356.
- iNaturalist (n.d.) *Hypsizygus* sp. Tersedia pada: <https://www.inaturalist.org/taxa/499736-Hypsizygus-tessulatus> (Diakses pada: [17 April 2024]).
- iNaturalist (n.d.) *Lactobacillus bulgaricus*. Tersedia pada: <https://www.inaturalist.org/taxa/205934-Lactobacillus-delbrueckii-bulgaricus> (Diakses pada: [28 Maret 2025]).
- Ivanova, S., Todorova, V., Dyankov, S., & Ivanov, K. (2022). High-Performance Thin-Layer Chromatography (HPTLC) method for identification of meloxicam and piroxicam. *Processes*, 10(2), 394.
- Jabłońska-Ryś, E., Sławińska, A., Skrzypczak, K., & Goral, K. (2022). Dynamics of changes in pH and the contents of free sugars, organic acids and LAB in button mushrooms during controlled lactic fermentation. *Foods*, 11(11), 1553.
- Jayaraman, S., Yadav, B., Dalal, R. C., Naorem, A., Sinha, N. K., Rao, C. S., ... & Rao, A. S. (2024). Mushroom farming: A review Focusing on soil health, nutritional security and environmental sustainability. *Farming System*, 2(3), 100098.
- Joshi, V. K., Sharma, S., & Rana, N. S. (2006). Production, purification, stability and efficacy of bacteriocin from isolates of natural lactic acid fermentation of vegetables. *Food technology and Biotechnology*, 44(3), 435-439.
- Kantachote, D., Charernjiratrakul, W., & Umsakul, K. (2008). Antibacterial activities of fermented plant beverages collected in southern Thailand. *Journal of Biological Sciences*, 8(8), 1280-1288.
- Koll, K., Reich, E., Blatter, A., & Veit, M. (2003). Validation of standardized high-performance thin-layer chromatographic methods for quality control and stability testing of herbals. *Journal of AOAC International*, 86(5), 909-915.
- Kumar, K., Mehra, R., Guiné, R. P. F., Lima, M. J., Kumar, N., Kaushik, R., Ahmed, N., Yadav, A. N., & Kumar, H. (2021). Edible Mushrooms: A Comprehensive Review on Bioactive Compounds with Health Benefits and Processing Aspects. *Foods (Basel, Switzerland)*, 10(12), 2996. <https://doi.org/10.3390/foods10122996>.
- Lai, P., Xiao, Z., Li, Y., Tang, B., Wu, L., Weng, M., ... & Chen, J. (2023). Grey correlation analysis of drying characteristics and quality of *Hypsizygus marmoreus* (crab-flavoured mushroom) by-products. *Molecules*, 28(21), 7394.
- Leroy, F. and De Vuyst, L. (2004). Lactic acid bacteria as functional starter cultures for the food fermentation industry. *Trends in Food Science & Technology*, 15(2), pp.67-78.

- Liu, M., Lan, Y., Tian, C., Zhu, Y., Liu, H., Wang, W., Liu, W., Zhang, J. and Jia, L., 2018. The characterization, renoprotection and antioxidation of enzymatic and acidic exopolysaccharides from *Hypsizygus marmoreus*. *Scientific Reports*, 8(1), p.2048.
- Liu, Y., Xie, X.-X., Ibrahim, S. A., Khaskheli, S. G., Yang, H., Wang, Y.-F., & Huang, W. (2016). Characterization of *Lactobacillus pentosus* as a starter culture for the fermentation of edible oyster mushrooms (*Pleurotus* spp.). *LWT - Food Science and Technology*, 68, 21–26.
- Mabry, T., Markham, K., & Thomas, M. (1970). *The systematic identification of flavonoids* (1st ed.). Springer Berlin, Heidelberg
- Malbaša, R. V., Lončar, E. S., & Kolarov, L. A. (2004). TLC analysis of some phenolic compounds in Kombucha beverage. *Acta periodica technologica*, (35), 199-205.
- Marston, A. (2011). Thin-layer chromatography with biological detection in phytochemistry. *Journal of Chromatography A*, 1218(19), 2676-2683.
- Mathur, H., Beresford, T. P., & Cotter, P. D. (2020). Health benefits of lactic acid bacteria (LAB) fermentates. *Nutrients*, 12(6), 1679.
- Mercenier, A., Pavan, S. & Pot, B. (2003) *Curr. Pharm. Des.* 9, 175–191.
- Michlmayr, H., & Kneifel, W. (2014). β -Glucosidase activities of lactic acid bacteria: Mechanisms, impact on fermented food and human health. *FEMS Microbiology Letters*, 352(1), 1–10.
- Miszczak, I., Tańska, M., Rejmer, W., Konopka, I.Z., & Zielińska, M. (2024). Spontaneous Fermentation of Beetroot – Effect of Fermentation Time and Temperature and Slice Thickness on Leaven Quality. *Polish Journal of Food and Nutrition Sciences*.
- Modrzyński, J. J., Christensen, J. H., & Brandt, K. K. (2019). Evaluation of dimethyl sulfoxide (DMSO) as a co-solvent for toxicity testing of hydrophobic organic compounds. *Ecotoxicology (London, England)*, 28(9), 1136–1141. <https://doi.org/10.1007/s10646-019-02107-0>
- Mohapatra, D., Tripathi, M. K., Deshpande, S., & Sadvatha, R. H. (2017). Sorghum fermentation for nutritional improvement. *Advances in Food Science and Engineering*, 175-195. <http://dx.doi.org/10.22606/afse.2017.14005>
- Molyneux, P. (2004). The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Journal of Science and Technology*, 26(2), 211-219.
- Moore, B. A., Jevons, S., & Brammer, K. W. (1979). Peptidoglycan transpeptidase inhibition in *Pseudomonas aeruginosa* and *Escherichia coli* by Penicillins and Cephalosporins. *Antimicrobial agents and chemotherapy*, 15(4), 513–517. <https://doi.org/10.1128/AAC.15.4.513>
- Mori K, Kobayash C, Tomita T, Inatomi S, Ikeda M. Antiatherosclerotic effect of the edible mushrooms *Pleurotus eryngii* (Eringi), *Grifola frondosa*

- (Maitake), and *Hypsizygus marmoreus* (Bunashimeji) in apolipoprotein E-deficient mice. *Nutr Res* 2008;28:335-42.
- Moussa, A. Y., Fayez, S., Xiao, H., & Xu, B. (2022). New insights into antimicrobial and antibiofilm effects of edible mushrooms. *Food research international (Ottawa, Ont.)*, 162(Pt A), 111982. <https://doi.org/10.1016/j.foodres.2022.111982>
- Moussa, Z., Judeh, Z. M., & Ahmed, S. A. (2019). Nonenzymatic exogenous and endogenous antioxidants. *Free radical medicine and biology*, 1, 11-22.
- Mozaheb, N., Rasouli, P., Kaur, M., Van Der Smissen, P., Larrouy-Maumus, G., & Mingeot-Leclercq, M. P. (2023). A Mildly Acidic Environment Alters *Pseudomonas aeruginosa* Virulence and Causes Remodeling of the Bacterial Surface. *Microbiology spectrum*, 11(4), e0483222.
- Mudau, M., Ramashia, S. E., & Mashau, M. E. (2022). Mineral content, functional, thermo-pasting, and microstructural properties of spontaneously fermented finger millet flours. *Foods*, 11(16), 2474.
- Mudoor Soorsh, M., Willing, B. P., & Bourrie, B. C. (2023). Opportunities and challenges of understanding community assembly in spontaneous food fermentation. *Foods*, 12(3), 673
- Mulyadi, M., Wuryanti, W., & Sarjono, P. R. (2017). Konsentrasi hambat minimum (KHM) kadar sampel alang-alang (*Imperata cylindrica*) dalam etanol melalui metode difusi cakram. *Jurnal Kimia Sains dan Aplikasi*, 20(3), 130–135.
- Naseer, Q.A., Xue, X., Wang, X., Dang, S., Din, S.U. and Jamil, J. (2021). Synthesis of silver nanoparticles using *Lactobacillus bulgaricus* and assessment of their antibacterial potential. *Brazilian Journal of Biology*, 82, p.e232434.
- Naveed, M., Hejazi, V., Abbas, M., Kamboh, A. A., Khan, G. J., Shumzaid, M., ... & XiaoHui, Z. (2018). Chlorogenic acid (CGA): A pharmacological review and call for further research. *Biomedicine & pharmacotherapy*, 97, 67-74.
- Nkhata, S. G., Ayua, E., Kamau, E. H., & Shingiro, J. B. (2018). Fermentation and germination improve nutritional value of cereals and legumes through activation of endogenous enzymes. *Food science & nutrition*, 6(8), 2446-2458.
- Nowacka, N., Nowak, R., Drozd, M., Olech, M., Los, R., & Malm, A. (2014). Analysis of phenolic constituents, antiradical and antimicrobial activity of edible mushrooms growing wild in Poland. *LWT-Food Science and Technology*, 59(2), 689-694.4
- Ogidi, C.O. and Agbaje, R.B. (2021). Evaluation of nutrient contents, antioxidant and antimicrobial activities of two edible mushrooms fermented with *Lactobacillus fermentum*. *CURRENT APPLIED SCIENCE AND TECHNOLOGY*, pp.255-270.

- Oliveira, A. S., Weinberg, Z. G., Ogunade, I. M., Cervantes, A. A., Arriola, K. G., Jiang, Y., ... & Adesogan, A. T. (2017). Meta-analysis of effects of inoculation with homofermentative and facultative heterofermentative lactic acid bacteria on silage fermentation, aerobic stability, and the performance of dairy cows. *Journal of Dairy Science*, *100*(6), 4587-4603.
- Prior, R. L., Wu, X., & Schaich, K. (2005). Standardized methods for determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of Agricultural and Food Chemistry*, *53*(10), 4290-4302.
- Pyo, Y. H., Lee, T. C., & Lee, Y. C. (2005). Enrichment of bioactive isoflavones in soymilk fermented with β -glucosidase-producing lactic acid bacteria. *Food Research International*, *38*(5), 551-559.
- Raal, A., Meos, A., Hinrikus, T., Heinämäki, J., Romäne, E., Gudienė, V., Koshovyi, O., ... & Nguyen, H. T. (2020). Dragendorff's reagent: Historical perspectives and current status of a versatile reagent introduced over 150 years ago at the University of Dorpat, Tartu, Estonia. *Die Pharmazie - An International Journal of Pharmaceutical Sciences*, *75*(7), 299-306
- Ratledge, C. (2004). Fatty acid biosynthesis in microorganisms. *Advances in Microbial Physiology*, *48*, 185-234.
- Reddy, G., Altaf, M. D., Naveena, B. J., Venkateshwar, M., & Kumar, E. V. (2008). Amylolytic bacterial lactic acid fermentation—a review. *Biotechnology advances*, *26*(1), 22-34
- Rhee, S.K. and Pack, M.Y. (1980). Effect of environmental pH on fermentation balance of *Lactobacillus bulgaricus*. *Journal of Bacteriology*, *144*(1), pp.217221.
- RIZAL, S., KUSTYAWATI, M. E., Suharyono, A. S., & SUYARTO, V. A. (2022). Changes of nutritional composition of tempeh during fermentation with the addition of *Saccharomyces cerevisiae*. *Biodiversitas Journal of Biological Diversity*, *23*(3).
- Rosyidah, E., Meryandini, A., & Sunarti, T. C. (2013). The use of lactic acid bacteria and cellulolytic bacteria to improve the chemical properties of corn flour. *Makara Journal of Science*, *17*(3), 1.
- Royse, D. J., Baars, J., & Tan, Q. (2017). Current overview of mushroom production in the world. *Edible and medicinal mushrooms: technology and applications*, 5-13.
- Sanjukta, S., & Rai, A. K. (2016). Production of bioactive peptides during soybean fermentation and their potential health benefits. *Trends in Food Science & Technology*, *50*, 1-10. <https://doi.org/10.1016/j.tifs.2016.01.017>
- Santosa, D., & Haresmita, P. P. (2015). Antioxidant Activity Determination *Garcinia dulcis* (Roxb.) Kurz, *Blumea mollis* (D. Don) Merr., *Siegesbeckia orientalis* L., and *Salvia riparia* HBK Which Collected from Taman Nasional Gunung Merapi Using DPPH (2, 2-Diphenyl-1-Pikril-Hidrazil) and Thin Layer. *Majalah Obat Tradisional*, *20*(1), 28-36.

- Savijoki, K., Ingmer, H., & Varmanen, P. (2006). Proteolytic systems of lactic acid bacteria. *Applied microbiology and biotechnology*, 71, 394-406.
- Shah, S. R., Ukaegbu, C. I., Hamid, H. A., & Alara, O. R. (2018). Evaluation of antioxidant and antibacterial activities of the stems of *Flammulina velutipes* and *Hypsizygus tessellatus* (white and brown var.) extracted with different solvents. *Journal of Food Measurement and Characterization*, 12, 1947-1961.
- Sharma, P., Dwivedi, S., & Singh, G. (2020). Role of antioxidant in health and disease: A review. *Journal of Advanced Research in Medical Science & Technology*, 7(2), 1-11.
- Skrzypczak, K., Gustaw, K., Jabłońska-Ryś, E., Sławińska, A., Gustaw, W., & Winiarczyk, S. (2020). Spontaneously fermented fruiting bodies of *Agaricus bisporus* as a valuable source of new isolates of lactic acid bacteria with functional potential. *Foods*, 9(11), 1631.
- Sodoyer, R. (2004). Expression systems for the production of recombinant pharmaceuticals. *BioDrugs*, 18(1), pp.51-62.
- Šušković, J., Kos, B., Beganović, J., Leboš Pavunc, A., Habjanič, K., & Matošić, S. (2010). Antimicrobial activity—the most important property of probiotic and starter lactic acid bacteria. *Food technology and biotechnology*, 48(3), 296-307.
- Tamime, A. Y., & Robinson, R. K. (2007). *Tamime and Robinson's yoghurt: science and technology*. Elsevier.
- Tsai, S.Y., Huang, E.W. and Chen, Z.Y., 2019. Nutritional qualities and antioxidant properties of *Hypsizygus marmoreus* as affected by light source on cultivation. *Journal of Advanced Agricultural Technologies Vol*, 6(1).
- Van De Guchte, M., Penaud, S., Grimaldi, C., Barbe, V., Bryson, K., Nicolas, P., Robert, C., Oztas, S., Mangenot, S., Couloux, A. and Loux, V. (2006). The complete genome sequence of *Lactobacillus bulgaricus* reveals extensive and ongoing reductive evolution. *Proceedings of the National Academy of Sciences*, 103(24), pp.9274-9279.
- Vasilchenko, A. S., & Rogozhin, E. A. (2019). Sub-inhibitory effects of antimicrobial peptides. *Frontiers in microbiology*, 10, 1160
- Virtanen, T., Pihlanto, A., Akkanen, S., & Korhonen, H. (2007). Development of antioxidant activity in milk whey during fermentation with lactic acid bacteria. *Journal of applied microbiology*, 102(1), 106-115.
- Wang, Y., Han, J., Wang, D., Gao, F., Zhang, K., Tian, J., & Jin, Y. (2022). Research update on the impact of lactic acid bacteria on the substance metabolism, flavor, and quality characteristics of fermented meat products. *Foods*, 11(14), 2090.
- Widyastuti, Y. and Febrisiantosa, A. (2014). The role of lactic acid bacteria in milk fermentation. *Food and Nutrition Sciences*, 2014.

- Wong, F.C., Chai, T.T., Tan, S.L. and Yong, A.L. (2013). Evaluation of bioactivities and phenolic content of selected edible mushrooms in Malaysia. *Tropical Journal of Pharmaceutical Research*, 12(6), pp.1011-1016.
- Wulandari, L. 2011. Kromatografi Lapis Tipis. Jember: PT Taman Kampus Presindo.
- Yan, M. Q., Feng, J., Liu, Y. F., Hu, D. M., & Zhang, J. S. (2023). Functional components from the liquid fermentation of edible and medicinal Fungi and their food applications in China. *Foods*, 12(10), 2086.
- Yao, J. D., & Moellering Jr, R. C. (2011). Antibacterial agents. *Manual of clinical microbiology*, 1041-1081.
- Yin, X., Salemi, M. R., Phinney, B. S., Gotcheva, V., Angelov, A., & Marco, M. L. (2017). Proteomes of *Lactobacillus delbrueckii* subsp. *bulgaricus* LBB. B5 Incubated in Milk at Optimal and Low Temperatures. *MSystems*, 2(5), 10-1128.
- Yu, T., Zhou, Y. J., Huang, M., Liu, Q., Pereira, R., David, F., & Nielsen, J. (2018). Reprogramming yeast metabolism from alcoholic fermentation to lipogenesis. *Cell*, 174(6), 1549-1558.
- Zhang, G. E., Meredith, T. C., & Kahne, D. (2013). On the essentiality of lipopolysaccharide to Gram-negative bacteria. *Current opinion in microbiology*, 16(6), 779-785.