

DAFTAR PUSTAKA

- Ador, K., Gobilik, J. and Benedick, S. 2023. Phylogenetic and morphological characteristics reveal cryptic speciation in stingless bees, *Tetragonula laeviceps* Smith 1857 (Hymenoptera; Meliponinae). *Insects*. 14: 438.
- Ali, J.R. and Heaney, L.R. 2021. *Wallace's Line, Wallacea, and Associated Divides and Areas: History of a Tortuous Tangle of Ideas and Labels*. *Biological Reviews*. 96: 922–942.
- Alves, A., Sendoya, S.F. and Rech, A.R. 2018. Fortress with sticky moats: The functional role of small particles around *Tetragonisca angustula* Latreille (Apidae: Hymenoptera) nest entrance. *Sociobiology*. 65: 330-332. DOI: 10.13102/sociobiology.v65i2.1272
- Anaktototy, Y., Priawandiputra, W., Sayusti, T., Lamerlabel, J.S. dan Raffiudin, R. 2021. Morfologi dan variasi morfometrik stingless bees di Kepulauan Maluku, Indonesia. *Jurnal Entomologi Indonesia*. 18: 10-10. DOI: 10.5994/jei.18.1.10
- Anthony, N.M., Johnson-Bawe, M., Jeffery, K., Clifford, S.L., Abernethy, K.A., Tutin, C.E., Lahm, S.A., White, L.J., Utley, J.F., Wickings, E.J. and Bruford, M.W. 2007. The role of Pleistocene refugia and rivers in shaping gorilla genetic diversity in central Africa. *Proceedings of the National Academy of Sciences*. 104: 20432-20436. DOI: 10.1073/pnas.070481610
- Aprilyanto, V. dan Sembiring, L. 2016. *Filogenetika Molekuler: Teori dan Aplikasi*. Innosain, Yogyakarta.
- Arung, E.T., Ramadhan, R., Khairunnisa, B., Amen, Y., Matsumoto, M., Nagata, M. and Shimizu, K. 2021. Cytotoxicity effect of honey, bee pollen, and propolis from seven stingless bees in some cancer cell lines. *Saudi Journal of Biological Sciences*. 28: 7182-7189. DOI: 10.1016/j.sjbs.2021.08.017
- Ascher, J.S., Soh, Z.W.W., Ho, B.M., Lee, R.Y.Y., Leong, A.Q.E., Chui, S.X. and Soh, E.J.Y. 2019. Bees of the Bukit Timah Nature Reserve and vicinity. *Gardens Bulletin Singapore*. 71: 245-271. DOI: 10.26492/GBS71(SUPPL.1).2019-09
- Atmowidi, T., Prawasti, T.S., Rianti, P., Prasojo, F.A. and Pradipta, N.B. 2022. Stingless bees pollination increases fruit formation of strawberry (*Fragaria x annanassa* Duch) and melon (*Cucumis melo* L.). *Tropical Life Sciences Research*. 33: 43. DOI: 10.21315/tlsr2022.32.1.3
- Azizi, M.G., Priawandiputra, W. and Raffiudin, R. 2020. Morphological identification of stingless bees from Belitung. *IOP Conference Series Earth & Environmental Science*. 457: 012011. DOI: 10.1088/1755-1315/457/1/012011
- Basari, N., Ramli, S.N. and Khairi, N.A.S. 2018. Food reward and distance influence the foraging pattern of stingless bees, *Heterotrigona itama*. *Insects*. 9: 138. DOI: 10.3390/insects9040138
- Bookhout, T.A. 1996. *Research and Management Techniques For Wildlife And Habitats*. Allen Press Inc, Kansas (US).

- Bookstein, F.L. 1991. *Morphometric Tools for Landmarks Data: Geometry and Biology*. Cambridge Press, Cambridge (AU).
- Bouga, M. and Hajitna, F. 2005. Genetic variability in Greek honey bee (*Apis mellifera* L.) populations using geometric morphometrics analysis. Di dalam: Gruev, B, Nikolova, M, Donev, A. *Proceedings of the Balkan scientific conference of biology*. 19-21.
- Bratman, E.Z. 2020. Saving the other bees: The resurgence of stingless beeskeeping in the Zona Maya. *Conservation and Society*. 18: 387-398.
- Brosi, B.J. 2009. The complex responses of social stingless bees (Apidae: Meliponini) to tropical deforestation. *Forest Ecology and Management*. 258: 1830-1837.
- Cameron, P. 1908. On some Bornean species of *Trigona* (Apidae). *The Entomologist*. 41: 192–195.
- Campbell, P., Schneider, C.J., Adnan, A.M., Zubaid, A. and Kunz, T.H. 2006. Comparative population structure of *Cynopterus* fruit bats in peninsular Malaysia and southern Thailand. *Molecular Ecology*. 15: 29-47. DOI: 10.1111/j.1365-294X.2005.02769.x
- Cannon, C.H., Morley, R.J. and Bush, A.B.G. 2009. The current refugial rainforests of Sundaland are unrepresentative of their biogeographic past and highly vulnerable to disturbance. Di dalam: Robert May, Editor. *Proceedings of the National Academy of Sciences*. 106: 11188-11193. DOI: 10.1073/pnas.080986510
- Chinh, T.X., Sommeijer, M.J., Boot, W.J. and Michener, C.D. 2005. Nest and colony characteristics of three stingless bees species in Vietnam with the first description of the nest of *Lisotrigona carpenteri* (Hymenoptera: Apidae: Meliponini). *Journal of the Kansas Entomological Society*. 78: 363-372. DOI: 10.2317/0409.14.1
- Choudhuri, S. 2014. *Bioinformatics for beginners: Genes, genomes, molecular evolution, databases and analytical tools*. Elsevier, London UK.
- Cockerell, T.D.A. 1911. The bees of the Solomon Islands. *Proceedings of the Linnean Society of New South Wales*. 36: 160–178.
- Cockerell, T.D.A. 1918. Descriptions and records of bees.—LXXX. *Annals and Magazine of Natural History*. 9: 384–390. DOI: 10.1080/00222931808652881
- Cockerell, T.D.A. 1919a. Descriptions and records of bees.—LXXVII. *Annals and Magazine of Natural History*. 3: 118–125. DOI: 10.1080/00222931908673805
- Cockerell, T.D.A. 1919b. Descriptions and records of bees.—LXXXV. *Annals and Magazine of Natural History*. 2: 240–250. DOI: 10.1080/00222931908678818
- Cockerell, T.D.A. 1919c. The social bees of the Philippine Islands. *Philippine Journal of Science*. 14: 77–81.
- Cockerell, T.D.A. 1929a. Bees from the Australian region. *American Museum Novitates*. 346: 1–18.
- Cockerell, T.D.A. 1929b. Descriptions and records of bees.—CXXVII. *Annals and Magazine of Natural History*. 4: 132–141.

- Cockerell, T.D.A. 1929c. Bees in the Queensland Museum. *Memoirs of the Queensland Museum*. 9: 298–323.
- Cohet, Y., Voudibio, J. and David, J.R. 1980. Thermal tolerance and geographic distribution: A comparison of cosmopolitan and tropical endemic *Drosophila* species. *Journal of Thermal Biology*. 5: 69-74. DOI: 10.1016/0306-4565(80)90002-9
- Cortopassi-Laurino, M., Imperatriz-Fonseca, V.L., Roubik, D.W., Dollin, A., Heard, T., Aguilar, I., Venturieri, V.C., Eardley, C. and Nogueira-Neto, P. 2006. Global meliponiculture: challenges and opportunities. *Apidologie*. 37: 275-292. DOI: 10.1051/apido:2006027
- Coyne, J.A. and Orr, H.A. 2004. *Speciation*. Sinauer Associates, Sunderland.
- Darriba, D., Taboada, G.L. and Doallo, R.D.P. 2012. jModelTest 2: more models, new heuristics and parallel computing. *Nature Methods*. 9: 772.
- DeWalt, R.E. 2011. DNA barcoding: a taxonomic point of view. The North American Benthological Society. *Journal of the North American Benthological Society*. 30: 174-181.
- Djakaria, S.A., Batubara, I. and Raffiudin, R. 2020. Antioxidant and antibacterial activity of selected Indonesian honey against bacteria of acne. *Jurnal Kimia Sains dan Aplikasi*. 23: 267-275. DOI: 10.14710/jksa.25.3.267-275
- Dollin, A.E.L., Dollin, J. and Sakagami, S.F. 1997. Australian stingless bees of the genus *Trigona* (Hymenoptera: Apidae). *Invertebrate Taxonomy*. 11: 861-896. DOI: 10.1071/IT96020
- Dwivedi, B. and Gadagkar, S.R. 2014. Phylogenetic inference under varying proportions of indel-induced alignment gaps. *BMC Evolutionary Biology*. 9: 1-18. DOI: 10.1186/1471-2148-9-211
- Efin, A., Atmowidi, T. and Prawasti, T.S. 2019. Morphological characteristics and morphometric of stingless bees (Apidae: Hymenoptera) from Banten Province, Indonesia. *Biodiversitas Journal of Biological Diversity*. 20.
- Eltz, T., Brühl, C.A., Imiyabir, Z. and Linsenmair, K.E. 2003. Nesting and nest trees of stingless bees (Apidae: Meliponini) in Lowland Dipterocarp Forests in Sabah, Malaysia, with implications for forest management. *Elsevier*. 172: 301-313. DOI: 10.1016/S0378-1127(01)00792-7
- Emil, M.F.P., Priawandiputra, W., Kahono, S., and Atmowidi, T. 2024. Diversity and nesting ecology of Indo-Malayan stingless bees (Hymenoptera: Apidae) in Aceh Province, Indonesia. *Biodiversitas*. 25: 3617-3627. DOI: 10.13057/biodiv/d251023
- Engel, M.S. 2000. A new interpretation of the oldest fossil bee. *American Museum Novitates*. 3296: 1-11. DOI: 10.1206/0003-0082
- Engel, M.S. 2001. A monograph of the Baltic amber bees and evolution of the Apoidea (Hymenoptera). *Bulletin of the American Museum of Natural History*. 259: 1-192. DOI: 10.1206/0003-0090
- Engel, M.S. 2017. A new species of *Heterotrigona* from the Houma (Hymenoptera: Apidae). *Journal of Melittology*. 73: 1–6. DOI: 10.17161/jom.v0i73.6673
- Engel, M.S., Rasmussen, C., Ayala, R. and De Oliveira, F.F. 2023. Stingless bees classification and biology (Hymenoptera, Apidae): A review, with an updated

- key to genera and subgenera. *ZooKeys*. 1172: 239. DOI: 10.3897/zookeys.1172.104944
- Engelking, L.R. and Engelking, L.R. 2015. *Chapter 13 – Nucleotides*. Textbook of Veterinary Physiological Chemistry.
- Ewens, W.J. 2013. *Genetic Variation*. pp. 290–291. In Maloy, S. and Hughes, K. (Eds). *Brenner's Encyclopedia of Genetics*, Second Edition. Academic Press, USA.
- Fadhilah, S.N., Budiarsa, I.M., Dhafir, F., Ramadhan, A. and Trianto, M. 2023. Morphology, morphometry, and nest structure of *Tetragonula biroi* (Hymenoptera: Meliponini) in Central Sulawesi. *Jurnal Biologi Tropis*. 23: 76-82. DOI: 10.29303/jbt.v23i3.4985
- Febrianti, F., Iskandar, A.M. dan Muflihati, M. 2020. Bentuk Pintu Masuk Sarang Trigona Spp Di Kawasan Hutan Mangrove Surya Perdana Mandiri Kelurahan Setapak Besar Singkawang Utara. *Jurnal Hutan Lestari*. 8.
- Francoy, T.M. 2009. Gender identification of five genera of stingless bees (Apidae, Meliponini) based on wing morphology. *Genetics and Molecular Research*. 8: 207-214.
- Frankham, R. 2005. Genetics and extinction. *Biological Conservation*. 126: 131-140. DOI: 10.1016/j.biocon.2005.05.002
- Free, J.B. 1982. *Bees and Mankind*. George Allen & Unwin, London.
- Friese, H. 1898. Die Trigona-Arten Australiens. *Természetráji Füzetek*. 21: 427–431.
- Friese, H. 1901. Neue Arten der Bienengattung *Trigona* Jur. (Hym.). *Zeitschrift für systematische Hymenopterologie und Dipterologie*. 1: 265–271.
- Friese, H. 1925. Neue neotropischen Bienenarten, zugleich II. Nachtrag zur Bienenfauna von Costa Rica (Hym.). *Sitzber Entomologische Zeitung*. 86: 1–11.
- Friese, H. 1933a. Neue Trigona-Arten von Borneo (Hym.). *Naturhistorisch-Medizinische Mandblatt*. 22: 45–46.
- Friese, H. 1933b. Eine neue Trigona von Sumatra (Hymenoptera, Apidae). *Naturhistorisch-Medizinische Mandblatt*. 22: 19–17.
- Gribodo, G. 1891. Contribuzioni imenotterologiche sopra alcune specie nuove o poco conosciute di imenotteri antófilí (Generi Ctenocerapes, Xylocopa, Centris, *Trigona* e Bombus). *Bollettino della Società Entomologica Italiana, Genova*. 23: 119–131.
- Gribodo, G. 1893. Note imenotterologiche. Nota II. Nuovi generi e nuove specie di imenotteri antófilí ed osservazioni alcune specie già conosciute. *Bollettino della Società Entomologica Italiana*. 26: 278–287.
- Gruchowski-Woitowicz, F.C., da Silva, C.I. and Ramalho, M. 2024. Influence of generalist stingless bees on the structure of mutualistic flower–pollinator networks in the tropics: Temporal variation. *Ecological Entomology*. 49: 338–356.
- Grüter, C. 2020. *Stingless bees: Biology, behavior, and evolution*. Springer.
- Guzman-Novoa, E., Eccles, L., Calvete, Y., McGowan, J., Kelly, P.G. and Correa-Benítez, A. 2010. *Varroa destructor* is the main culprit for the death and

- reduced populations of honey bee colonies in Ontario, Canada. *Apidologie*. 41: 443–450. DOI: 10.1051/apido/2009076
- Ha, J.C. and Campion, T.L. 2018. *Dog behavior: Modern Science and Our Canine Companions*. Academic Press, Massachusetts.
- Hall, R. 2012. Late Jurassic–Cenozoic reconstructions of the Indonesian region and the Indian Ocean. *Tectonophysics*. 570-571: 1-41. DOI: 10.1016/j.tecto.2012.04.021
- Hall, R. 2013. The palaeogeography of Sundaland and Wallacea since the Late Jurassic. *Journal of Limnology*. 72: 1-17. DOI: 10.4081/jlimnol.2013.s2.e1
- Hall, R. and Blundell, D. 1996. Tectonic evolution of Southeast Asia. *Geological Society*. 106: 153-184.
- Hamid, S.A., Salleh, M.S., Thevan, K. and Hashim, N.A. 2016. Distribution and morphometrical variations of stingless bees (Apidae: Meliponini) in urban and forest areas of Penang Island, Malaysia. *Journal of Tropical Resources and Sustainable Science*. 4: 1-5. DOI: 10.47253/jtrss.v4i1.586
- Hammer, O., Harper, D.A.T. and Ryan, P.D. 2001. PAST: Paleontological statistic software package for education and data analysis ver 4.09. *Paleontologia Electronica*. 4: 9.
- Hasan, P.A., Maulidyah, A.G. dan Baihaqi, A. 2020. Gambaran Umum *Trigona* spp. di Kabupaten Luwu Utara Provinsi Sulawesi Selatan. *Jurnal Matematika, Sains, dan Pembelajarannya*. 6: 121–124. DOI: 10.20506/saintekfv6i2.267
- Hasan, P.A., Suhri, A.G.M.I. and Putera, A.K.S. 2024. Perbandingan aktivitas harian dua spesies lebah tanpa sengat di Sulawesi Barat: Comparison of daily activities of two species stingless bees in West Sulawesi. *Jurnal Entomologi Indonesia*. 21: 41-53. DOI: 10.5994/jei.21.1.41
- Heard, T.A. 1999. The role of stingless bees in crop pollination. *Annual Review of Entomology*. 44: 183-206. DOI: 10.1146/annurev.ento.44.1.183
- Hebert, P.D.N., Cywinska, A., Ball, S.L. and deWaard, J.R. 2003. Biological identifications through DNA barcodes. *Proceedings of the Royal Society B: Biological Sciences*. 270: 313-321. DOI: 10.1098/rspb.2002.2218
- Herwina, H. 2021. West Sumatran Stingless bees (Hymenoptera: Apidae: Meliponini): What can be told from its local distribution. *Conf. Series Earth and Environmental Science*. 715: 012084. DOI: 10.1088/1755-1315/757/1/012084
- Herwina, H., Urrahmah, Z.S., Nurdin, J. and Janra, M.N. 2023. Diversity of stingless bees (Apidae: Meliponini) at vegetated habitats in Aul Tunganai Meliponiculture of Lubuk Minturun, Padang, West Sumatra. *IOP Conference Series: Earth and Environmental Science*. 1182: 012023. DOI: 10.1088/1755-1315/1182/1/012023
- Hikmah, N., Budiarsa, I.M., Dhafir, F., Bialangi, M.S. and Trianto, M. 2023. Characteristics morphology and morphometry *Lepidotrigona terminata* (Hymenoptera: Meliponini) in Central Sulawesi. *Jurnal Biologi Tropis*. 23: 515-520. DOI: 10.29303/jbt.v23i3.5005

- Hollocher, H. 2016. *Genetic variation in populations*. pp. 144-150. In Kliman, R. M. (Ed.). *Encyclopedia of Evolutionary Biology*. Elsevier, Academic Press, USA.
- Hung, K.L.J., Kingston, J.M., Albrecht, M., Holway, D.A. and Kohn, J.R. 2018. The worldwide importance of honey bees as pollinators in natural habitats. *Proceedings of the Royal Society B: Biological Sciences*. 285: 20172140. DOI: 10.1098/rspb.2017.2140
- Jaapar, M.F., Halim, M., Mispan, M.R., Jajuli, R., Saranum, M.M., Zainuddin, M. Y. and Ghani, A.I. 2016. The diversity and abundance of stingless bees (Hymenoptera: Meliponini) in Peninsular Malaysia. *Advances in Environmental Biology*. 10: 1-8.
- Jaffé, R., Pope, N., Carvalho, A.T., Maia, U.M., Blochtein, B., de Carvalho, C.A. L. and Imperatriz-Fonseca, V.L. 2015. Bees under threat: Conservation status and potential impact of habitat loss and climate change on pollination. *Biodiversity and Conservation*. 24: 391-413. DOI: 10.1080/00218839.2022.2095709
- Janczewski, D.N., Modi, W.S., Stephens, J.C. and O'Brien, S.J., 1995. Molecular evolution of mitochondrial 12S RNA and cytochrome b sequences in the pantherine lineage of Felidae. *Molecular Biology and Evolution*. 12: 690-707. DOI: 10.1093/oxfordjournals.molbev.a040232
- Kahono, S., Chantawannakul, P. and Engel, M.S. 2018. *Social bees and the current status of beekeeping in Indonesia*. In P. Chantawannakul, G. Williams & P. Neumann, eds. *Asian Beekeeping in the 21st Century*. Springer Verlag. 287-306. DOI: 10.1007/978-981-10-8222-1_13
- Kajobe, R. and Roubik, D.W. 2018. Nesting ecology of stingless bees in Africa. *Pot-pollen in stingless bees melittology*. 229-240.
- Karube, H., Futahashi, R., Sasamoto, A. and Kawashima, I. 2012. Taxonomic revision of Japanese odonate species, based on nuclear and mitochondrial gene genealogies and morphological comparison with allied species. *Part I. Tombo*. 54: 75-106.
- Kelly, N., Farisya, M.S.N., Kumara, T.K. and Marcela, P. 2014. Species diversity and external nest characteristics of stingless bees in meliponiculture. *Per J Tropical Agricultural Science*. 37: 293-298.
- Kerr, W.E. and Maule, V. 1964. Geographic distribution of stingless bees and its implications (Hymenoptera: Apidae). *Journal of the New York Entomological Society*. 72: 2-18.
- Kiatoko, N., Raina, S.K. and Van Langevelde, F. 2017. Impact of habitat degradation on species diversity and nest abundance of five African stingless bees species in a tropical rainforest of Kenya. *International Journal of Tropical Insect Science*. 37: 189-197.
- Kim, M.I., Wan, X., Kim, M.J., Jeong, H.C., Ahn, N.H., Kim, K.G. and Kim, I. 2010. Phylogenetic relationships of true butterflies (Lepidoptera: Papilionoidea) inferred from COI, 16S rRNA and EF-1 α sequences. *Molecules and Cells*. 30: 409-425. DOI: 10.1007/s10059-010-0141-9

- Klaskasikorn, A., Wongsiri, S., Deowanish, S. and Duangphakdee, O. 2005. New record of stingless bees (Meliponini: *Trigona*) in Thailand. *Tropical Natural History*. 5: 1-7. DOI: 10.58837/tnh.5.1.102885
- Kohner, S., Smith, B.H. and Johnson, R.A. 2020. Genetic diversity and adaptive potential of pollinators in fragmented landscapes. *Ecological Applications*. 30: e02192. DOI: 10.1186/s13012-020-01041-8
- Kohs, A.C., Biesmeijer, J.C. and Kleijn, D. 2020. Impact of introduced honey bees on wild pollinators and plant reproduction. *Journal of Applied Ecology*. 57: 476-485. DOI: 10.1098/rspb.2013.2440
- Korshunova, T., Picton, B., Furfaro, G., Mariottini, P., Pontes, M., Prkić, J., Fletcher, K., Malmberg, K., Lundin, K. and Martynov, A. 2019. Multilevel fine-scale diversity challenges the 'cryptic species' concept. *Scientific Reports*. 9: 1-23.
- Koulianos, S. and Schmid-Hempel, P. 2000. Phylogenetic relationships among bumble bees (*Bombus*, Latreille) inferred from mitochondrial cytochrome b and cytochrome oxidase I sequences. *Molecular Phylogenetics and Evolution*. 14: 335-341. DOI: 10.1006/mpev.1999.0621
- Kumar, M.S., Singh, A.J.A.R. and Alagumuthu, G. 2012. Traditional beeskeeping of stingless bees (*Trigona* sp.) by kani tribes of Western Ghats, Tamil Nadu, India. *Indian Journal of Traditional Knowledge*. 11: 342-345.
- Kustiawan, P.M., Okuyoshi, H., Kuse, Y., Izawa, H., Saito, Y., Tsuruma, K. and Shimazawa, M. 2017. Protective effects of Indonesian propolis against light-induced retinal damage. *International Journal of Toxicol Pharmacol Research*. 9: 163-170. DOI: 10.25258/ijtpr.v9i02.9054
- Kwapong, P., Aidoo, K., Combey, R. and Karikari, A. 2010. Stingless bees. Importance, Management and Utilisation. Unimax Macmillan LTD. Accra North, Ghana.
- Lavergne, S., and Molofsky, J. 2007. Increased genetic variation and evolutionary potential drive the success of an invasive grass. *Proc. Natl. Acad. Sci. USA*. 104: 3883-3888. DOI: 10.1073/pnas.0607324104
- Layek, U. and Karmakar, P. 2025. *Biology of the Indian Stingless bees: Tetragonula iridipennis* Smith. Cambridge Scholars Publishing.
- Leigh, J.W. and Bryant, D. 2015. POPART: full-feature software for haplotype network construction. *Methods in Ecology & Evolution*. 6: 1110-1116. DOI: 10.1111/2041-210X.12410
- Lele, S. 1991. Some comments on coordinate-free and scale-invariant methods in morphometrics. *American Journal of Physical Anthropology*. 85: 407-417. DOI: 10.1002/ajpa.1330850405
- Lohman, D. J., de Bruyn, M., Page, T., von Rintelen, K., Hall, R., Ng, P. K. and von Rintelen, T. 2011. Biogeography of the Indo-Australian archipelago. *Annual Review of Ecology, Evolution, and Systematics*. 42: 205-226.
- Lourino, M.C., Fonseca, V.L.I., Roubik, D.W., Dollin, A., Heard, T., Aguilar, I.B., Venturieri, G.C., Eardley, C. and Neto, P.N. 2006. Global meliponiculture: challenges and opportunities. *Apidologie*. 37: 1-18. DOI: 10.1051/apido:2006027

- Luo, A., Zhang, A., Ho, S.Y., Xu, W., Zhang, Y., Shi, W., Cameron, S.L. and Zhu, C. 2011. Potential efficacy of mitochondrial genes for animal DNA barcoding: a case study using eutherian mammals. *BMC genomics*. 12: 1-13. DOI: 10.1186/1471-2164-12-84
- Ma, Z., Ren, J. and Zhang, R. 2022. Identifying the genetic distance threshold for Entiminae (Coleoptera: Curculionidae) species delimitation via COI barcodes. *Insects*. 13: 261. DOI: 10.3390/insects13030261
- Macedo, C.R.D.C., Aquino, I.D.S., Borges, P.D.F., Barbosa, A.D.S. and Medeiros, G.R.D. 2020. Nesting behavior of stingless bees. *Ciência Animal Brasileira*. 21: e58736. DOI: 10.1590/1809-6891v21e-58736
- Maddison, W.P. and Maddison, D.R. 2018. Mesquite: a modular system for evolutionary analysis. *Ver 3.31*. <http://mesquiteproject.org>.
- Manivannan, Y., Abd Rahman, M.R., Tingga, R.C.T. and Khan, F.A.A.A. 2019. Genetic Diversity of the cave roosting dusky fruit bat, *Penthetor lucasi* from Sarawak. *Malaysian Applied Biology*. 48: 167-179.
- Maryanto, I., Maharadatunkamsi, A., Achmadi, A.S., Wiantoro, S., Sulistyadi, E., Yoneda, M., Suyanto, A., and Sugrdjito, J. 2019. *Checklist of the Mammals of Indonesia 3rd edition*. Bogor (ID). LIPI.
- Mayr, E. 1942. *Systematics and the origin of species, from the viewpoint of a zoologist*. Columbia University Press, New York.
- Mayr, E. 1963. *Animal Species and Evolution*. Belknap Press of Harvard University Press, Cambridge (US).
- Michener, C.D. 2000. *The Bees of the World First Edition*. The Johns Hopkins Univ. Pr., Maryland (US).
- Michener, C.D. 2007. Lisotrigona in Thailand, and the male of the genus (Hymenoptera: Apidae: Meliponini). *Journal of the Kansas Entomological Society*. 80: 130–135.
- Michener, C.D. 2007. *The Bees of The World. Second Edition*. The Johns Hopkins Univ. Pr., Baltimore (US).
- Michener, C.D. 2013. The Meliponini. In *Pot-honey: A legacy of stingless bees* (pp. 3–17). New York: Springer. DOI: 10.1007/978-1-4614-4960-7
- Mohd-Ridwan, A.R. and Abdullah, M.T. 2012. Population genetics of the cavedwelling dusky fruit bat, *Penthetor lucasi*, based on four populations in Malaysia. *Pertanika Journal of Tropical Agriculture Science*. 35: 459-484.
- Montero-Mendieta, S., Tan, K., Christmas, M.J., Olsson, A., Vilà, C., Wallberg, A. and Webster, M.T. 2019. The genomic basis of adaptation to high-altitude habitats in the eastern honey bee (*Apis cerana*). *Molecular Ecology*. 28: 746–760. DOI: 10.1111/mec.14986
- Moure, J.S. 1961. A preliminary supra-specific classification of the old world meliponine bees (Hymenoptera, Apidae). *Studia Entomologica*. 4: 181–242.
- Nagamitsu, T. and Inoue. 1998. Interspecific morphological variation in stingless bees (Hymenoptera: Apidae, Meliponinae) associated with floral shape and location in an Asian Tropical Rainforest. *Entomological Science*. 1: 189-194.
- Nazzi, F. 1992. Morphometric analysis of honey bees from an area of racial hybridization in northeastern Italy. *Apidologie*. 23: 89-96. DOI: 10.1051/apido:19920201

- Ndungu, N.N., Nkoba, K., Ciosi, M., Salifu, D., Nyansera, D., Masiga, D. and Raina, S.K. 2017. Identification of stingless bees (Hymenoptera: Apidae) in Kenya using morphometrics and DNA barcoding. *Journal of Apicultural Research*. 56: 1-13. DOI: 10.1080/00218839.2017.1327939
- Ndungu, N.N., Nkoba, K., Sole, L.C., Pirk, C.W.W., Abdullahi, A.Y., Raina, S.K. and Masiga, D.K. 2018. Resolving taxonomic ambiguity and cryptic speciation of *Hypotrigona* species through morphometrics and DNA barcoding. *Journal of Apicultural Research*. 57: 354-363. DOI: 10.1080/00218839.2018.1426348
- Nei, M. 1987. *Molecular Evolutionary Genetics*. Colombia University Press, New York.
- Octaviani, W., Sadapotto, A. and Nuraeni, S. 2020. Quality test comparison for *Wallacetrigona incisa* and *Tetragonula biroi* honey in Mappedeceng District, North Luwu Regency, South Sulawesi Province. *Advances in Environmental Biology*. 14: 1-9. DOI: 10.22587/aeb.2020.14.10.1
- Panga, L.P., Puguh, I. W., Umrawati, W. and Hafili, S.I. 2024. Performance of the *Trigona sapiens* honey agribusiness developed by communities around the Laiwoi KPH Forest Area in Amonggedo District, Konawe Regency, Southeast Sulawesi Province. *International Journal of Religion*. 5: 245-258. DOI: 10.61707/v4wsm483
- Pangestika, N.W., Atmowidi, T. and Kahono, S. 2018. Additional nest structures and natural enemies of stingless bees (Hymenoptera: Apidae: Meliponinae). *Jurnal Sumberdaya Hayati*. 4: 42-47. DOI: 10.29244/jsdh.4.2.42-47
- Paradis, E. 2018. Analysis of haplotype networks: The randomized minimum spanning tree method. *British Ecological Society*. 9: 1308-1317. DOI: 10.1111/2041-210X.12969
- Pavithra, P.N., Shankar, M.R. and Prakash, J. 2013. Nesting pattern preferences of stingless bees, *Trigona iridipennis* Smith (Hymenoptera: Apidae) in Jnanabharathi Campus, Karnataka, India. *International Research Journal of Biological Science*. 2: 44-50. DOI: 10.5555/20133095128
- Peakall, R. and Smouse P.E. 2012 GenAlEx 6.5: genetic analysis in Excel. Population genetic software for teaching and research-an update. *Bioinformatics*. 28: 2537-2539. DOI: 10.1111/j.1471-8286.2005.01155.x
- Pratami, D.K., Mun'im, A., Sundowo, A. and Sahlan, M. 2018. Phytochemical profile and antioxidant activity of propolis ethanolic extract from *Tetragonula* bee. *Pharmacogn*. 10: 128-135. DOI: 10.5530/pj.2018.1.23
- Priawandiputra, W., Azizi, M.G., Rismayanti, I., Djakaria, K.M., Wicaksono, A., Raffiudin, R., Atmowidi, T. dan Buchori, D. 2020. *Panduan budidaya lebah tanpa sengat (stingless bees) di desa perbatasan hutan, studi di Lubuk Bintialo dan Pangkalan Bulian, Sumatera Selatan*. ZSL Indonesia, Bogor.
- Purba, M.S., Lamerlabel, J.S. dan Patty, J.A. 2023. Karakter morfologi dan morfometrik lebah sosial (Aphidae) di Pertanian Organik Beema Honey Bogor. *Jurnal Pertanian Kepulauan*. 7: 97-103. DOI: 10.30598/jpk.2023.7.2.97

- Purwanto, H. and Trianto, M. 2021. Species description, morphometric measurement and molecular identification of stingless bees (Hymenoptera: Apidae: Meliponini) in meliponiculture management in West Java Province, Indonesia. *Serangga*. 26: 19–28.
- Purwanto, H., Soesilohadi, R.H. and Trianto, M. 2022. Stingless bees from meliponiculture in South Kalimantan, Indonesia. *Biodiversitas Journal of Biological Diversity*. 23. DOI: 10.13057/biodiv/d230309
- Putra, N.S., Watiniasih, N.L. dan Suartini, M. 2016. Jenis Lebah Trigona (Apidae: Meliponinae) pada Ketinggian Tempat Berbeda di Bali The Trigona Species (Apidae: Meliponinae) On Different Altitude In Bali. *Jurnal Simbiosi*. 4: 6–9.
- R Development Team. 2014. *R: A Language and Environmental for Statistical Computing Version 2.3.0*. Vienna (AT): R Foundation for Statistical Computing.
- Ramly, N.S., Sujanto, I.S.R., Huat, J.T.Y., Ghani, A.A., Alias, N. and Mohamed, S. 2021. Physicochemical properties and mineral elements in Honey from various species of Malaysian Stingless bees. *Bioscience Research*. 18: 34–44. DOI: 10.1016/j.jfca.2018.06.002
- Rasmussen, C. and Cameron, J.M.F. 2008. A molecular phylogeny and the evolution of nest architecture and behavior in *Trigona s.s.* (Hymenoptera: Apidae: Meliponini). *Apidologie*. 39: 102–118. DOI: 10.1051/apido:2007051
- Rasmussen, C. and Cameron, S.A. 2007. A molecular phylogeny of the old world Lebah tak bersengat (Hymenoptera: Apidae: Meliponini) and the non-monophyly of the large genus *Trigona*. *Systematic Entomology*. 32: 26–39. DOI: 10.1111/j.1365-3113.2006.00362.x
- Rasmussen, C. and Cameron, S.A. 2010. Global stingless bees phylogeny supports ancient divergence, vicariance, and long distance dispersal. *Biological Journal of the Linnean Society*. 99: 206–232. DOI: 10.1111/j.1095-8312.2009.01341.x
- Rasmussen, C. and Cameron, S.A. 2010. Global stingless bees phylogeny supports ancient divergence, vicariance, and long distance dispersal. *Biological Journal of the Linnean Society*. 99: 206–232. DOI: 10.1111/j.1095-8312.2009.01341.x
- Rasmussen, C., Thomas, J.C. and Engel, M.S. 2017. A new genus of Eastern Hemisphere stingless bees (Hymenoptera: Apidae), with a key to the supraspecific groups of Indomalayan and Australasian Meliponini. *American Museum Novitates*. 2017: 1–33. DOI: 10.1206/3888.1
- Reinhard-Jesajas, D., Atmowidi, T., Juliandi, B. and Kahono, S. 2023. The characteristics of stingless bees nests (Apidae: Meliponini) in the Cycloop Mountain Nature Reserve, Indonesia. *Revista de Biología Tropical*. 71. DOI: 10.15517/rev.biol.trop.v71i1.51166
- Repi, T., Biahimo, S.D.J., Yasin, I.A., Mokoginta, M.M., Ervandi, M., Mokoolang, S. and Gobel, Y.A. 2023. Agriculture system and bioresources utilization in villages around Bogani Nani Wartabone National Park: A case study of Ilomata village, Gorontalo. *IOP Conference Series: Earth and Environmental Science*. 1230: 012061. DOI: 10.1088/1755-1315/1230/1/012061

- Rivaldy, M.M., Kustiati, K., Rousdy, D.W. dan Priyandono, H. 2023. Karakter pintu masuk sarang kelulut (Apidae: Meliponinae) di Kawasan Konservasi Resort Belaban Taman Nasional Bukit Baka Bukit Raya Kalimantan Barat. *Jurnal Entomologi Indonesia*. 20: 67-87. DOI: 10.5994/jei.20.1.67
- Rohlf, F.J. 2004. *tpsSpln Version 1.20*. Department of Ecology and Evolution-State University of New York, Stony Brook (US).
- Rohlf, F.J. 2016a. *tpsDig2 Version 2.17*. Department of Ecology and Evolution-State University of New York, Stony Brook (US).
- Rohlf, F.J. 2016b. *tpsRelw Version 1.53*. Department of Ecology and Evolution-State University of New York, Stony Brook (US).
- Rohlf, F.J. and Slice, D. 1990. Extensions of the Procrustes method for the optimal superimposition of landmarks. *Systematic Zool.* 39: 40-59. DOI: 10.2307/2992207
- Roos, M., Kessler, P.J.A., Gradstein, S.R. and Baas, P. 2004. Species diversity and endemism of 5 major Malesian islands: diversity-area relationships. *Journal of Biogeogr.* 31: 1893-1908
- Rosli, F.N., Hazemi, M.H.F., Akbar, M.A., Basir, S., Kassim, H. and Bunawan, H. 2020. Stingless bees honey: Evaluating its antibacterial activity and bacterial diversity. *Insects*. 11: 500. DOI: 10.3390/insects11080500
- Roubik, D.W. 2006. Stingless bees nesting biology. *Apidologie*. 37: 124-143. DOI: 10.1051/apido:2006026
- Roubik, D.W. 2023. Stingless bees (Apidae: Apinae: Meliponini) ecology. *Annual Review of Entomology*. 68: 231-256.
- Rozas, J., Rerrer-Matta, A., Sanchez-DelBarrio, J.C., Guirao-Rico, S., Librado, P., Ramos-Onsins, S.E. and Sanchez-Gracia, A. 2017. DnaSP 6: DNA sequence polymorphism analysis of large data sets. *Molecular Biology and Evolution*. 13: 3299-3302. DOI: 10.1093/molbev/msx248
- Ruttner, F. 1987. *Biogeography and Taxonomy of Honeybees*. Springer-Verlag, Berlin (DE).
- Saitou, N. and Nei, M. 1987. The Neighbour joining method: a new method for reconstrusing phylogenetics trees. *Molecular Biology and Evolution*. 4: 406-425. DOI: 10.1093/oxfordjournals.molbev.a040454
- Sakagami, S.F. 1959. Stingless bees collected by Prof. S. Maehara from Singapore (Hymenoptera, Apidae). *Insecta Matsumurana*. 22: 119-121.
- Sakagami, S.F. 1975. Stingless bees (*excl. Tetragonula*) from the continental Southeast Asia in the collection of Bernice P. Bishop Museum, Honolulu (Hymenoptera, Apidae). *Journal of the Faculty of Science, Hokkaido University, Series VI Zoology*. 20: 49-76.
- Sakagami, S.F. 1978. *Tetragonula* stingless bees of the continental Asia and Sri Lanka (Hymenoptera, Apidae). *Journal of the Faculty of Science Hokkaido University Series VI Zoology*. 21: 165-247.
- Sakagami, S.F. 1982. Stingless bees. In *Social insects* (Vol. 2). New York: Academic Press. 361-423. DOI: 10.1016/B978-0-12-395529-4.50016-6
- Sakagami, S.F. and Inoue, T. 1985. Taxonomic notes on three bicolorous *Tetragonula* stingless bees in Southeast Asia. *Kontyû*. 53: 174-189.

- Sakagami, S.F. and Inoue, T. 1987. Stingless bees of the genus *Trigona* (subgenus *Trigonella*) with notes on the reduction of spatha in male genitalia of the subgenus *Tetragonula* (Hymenoptera, Apidae). *Kontyû*. 55: 610–627.
- Sakagami, S.F. and Inoue, T. 1989. Stingless bees of the Genus *Trigona* (Subgen. *Geniotrigona*) (Hymenoptera: Apidae), with description of *T. (G.) incisa* sp. nov. from Sulawesi. *Japanese Journal of Entomology*. 57: 605-620. DOI: 10.5555/19920231903
- Sakagami, S.F., Inoue, T. and Salmah, S. 1990. *Stingless bees of Central Sumatra*. Sakagami, S.F., Ohgushi, R., dan Roubik, D.W. Sapporo (JP): Hokkaido Univ. Pr. 125-137. DOI: 10.5555/19930233527
- Sakagami, S.F., Inoue, T., Yamane, S. and Salmah, S. 1983. Nest architecture and colony composition of the Sumatran stingless bees *Trigona (Tetragonula) laeviceps*. *Kontyû*. 51: 100-111. DOI: 10.5555/19840214544
- Salatnaya, H., Fuah, A.M., Engel, M.S., Sumantri, C., Widiatmaka, W. and Kahono, S. 2021. Diversity, nest preferences, and forage plants of stingless bees (Hymenoptera: Apidae: Meliponini) from West Halmahera, North Moluccas, Indonesia. *Jurnal Ilmu Ternak dan Veteriner*. 26: 167-178. DOI: 10.14334/jik.v26i2.27586
- Saleng, A., Syafrizal, S. dan Sari, Y.P. 2017. Uji aktivitas antibakteri ekstrak propolis lebah *Trigona incisa* terhadap bakteri *Klebsiella pneumonia* dan *Staphylococcus aureus*. *BIOPROSPEK: Jurnal Ilmiah Biologi*. 11: 42-48. DOI: 10.20885/jbp.vol11i1.126
- Samsudin, S.F., Mamat, M.R. and Hazmi, I.R. 2018. Taxonomic study on selected species of stingless bees (Hymenoptera: Apidae: Meliponini) in Peninsular Malaysia. *Serangga*. 23: 203-258.
- Saputra, S.H. and Nurlina, S. 2022. Chemical components, pollen and bioactivity of stingless honey bee kelulut (*Heterotrigona itama*) meliponiculture from Samarinda East Kalimantan. *IOP Conference Series: Earth and Environmental Science*. 989: 1–6. DOI: 10.1088/1755-1315/989/1/012004
- Sasaki, T., Kartavtsev, Y.P., Chiba, S.N., Uematsu, T., Sviridov, V.V. and Hanzawa, N. 2007. Genetic divergence and phylogenetic independence of Far Eastern species in subfamily Leuciscinae (Pisces: Cyprinidae) inferred from mitochondrial DNA analyses. *Genes & Genetic Systems*. 82: 329-340. DOI: 10.1266/ggs.82.329.
- Sayusti, T., Raffiudin, R., Atmowidi, T., Aisyah, C.N., Ludiro, F.R., Baher, R.A., and Purnobasuki, H. 2023. High genetic variations of the stingless bees *Tetragonula laeviceps* based on mitochondrial DNA of Cytochrome C Oxidase Subunit 1 (CO1) gene in Sumatra And Java, Indonesia. *Serangga*. 28: 295-311.
- Sayusti, T., Raffiudin, R., Kahono, S. and Nagir, T. 2021. Stingless bees (Hymenoptera: Apidae) in South and West Sulawesi, Indonesia: morphology, nest structure, and molecular characteristics. *Journal of Apicultural Research*. 60: 143-156. DOI: 10.1080/00218839.2020.1816272
- Schwarz, H.F. 1939. The Indo-Malayan species of *Trigona*. *Bulletin of the American Museum of Natural History*. 76: 83-141.

- Simpson, S.J., Sword, G.A. and Lo, N. 2011. Polyphenism in insect. *Current Biology*. 21: 738-749. DOI: 10.1016/j.cub.2011.06.006
- Siqueira, E.N.L., Bartelli, B.F., Nascimento, A.R.T. and Nogueira-Ferreira, F.H. 2012. Diversity and nesting substrates of stingless bees (Hymenoptera, Meliponina) in a forest remnant. *Psyche: A Journal of Entomology*. 1-9. DOI: 10.1155/2012/370895
- Slice, D.E. 2007. Geometric morphometrics. *Annual Review of Anthropology*. 36: 261-281. DOI: 10.1146/annurev.anthro.34.081804.120613
- Smith, D.R. 2012. Key to workers of Indo-Malayan stingless bees. *For use in the Stingless bees Workshop*. 1: 1-42.
- Smith, F. 1854. Catalogue of the hymenopterous insects in the collection of the British Museum. Part II, Apidae. *British Museum (Natural History) London*, p. 197. DOI: 10.5962/bhl.title.20858
- Smith, F. 1857. Catalogue of the hymenopterous insects collected at Sarawak, Borneo; Mount Ophir, Malacca; and at Singapore by A.R. Wallace. *Journal of the Proceedings of the Linnean Society Zoology*. 2: 42-88. DOI: 10.1111/j.1096-3642.1857.tb01759.x
- Smith, F. 1865. Descriptions of new species of hymenopterous insects from the islands of Sumatra, Sula, Gilolo, Salwatty, and New Guinea, collected by Mr. A.R. Wallace. *Journal of the Proceedings of the Linnean Society Zoology*. 8: 61-94. DOI: 10.1111/j.1096-3642.1865.tb02042.x
- Smith, F. 1878. List of Hymenoptera obtained by Mr. Ossian Limborg east of Maulmain, Tenasserim provinces, during the months of January, February, March, and April 1877, with descriptions of new species. *Journal of the Asiatic Society of Bengal (Physical Science)*. 47: 107-156. DOI: 10.1111/j.1469-7998.1878.tb01856.x
- Smith, H.L. and Barrett, S.C.H. 2019. Hybridization and genetic swamping of native pollinators by introduced species. *Biological Conservation*. 231: 176-184.
- Souza, B.A., Hingston, A.B. and Cunningham, S.A. 2018. Effects of habitat fragmentation on the genetic diversity of stingless bees. *Conservation Genetics*. 19: 849-860.
- Stearns, S.C. and Hoekstra, R.F. 2007. *Evolution: An introduction* (2nd ed.). Oxford University Press, Oxford.
- Suchard, M.A., Lemey, P., Baele, G., Ayres, D.L., Drummond, A.J. and Rambaut, A. 2018. Bayesian phylogenetic and phylodynamic data integration using BEAST 1.10. *Virus Evolution*. 4. DOI: 10.1093/ve/vey016
- Suderajat, A., Riyanto, R. and Mulawarman, M. 2021. The types of Trigona bee (Apidae: Meliponinae) in three different habitat in South Sumatra. *Jurnal Biologi Tropis*. 21: 206-212. DOI: 10.29303/jbt.v21i1.2461
- Suhri, A.G.M.I., Hashifah, F.N., and Soesilohadi, R.H. 2020. Pollen collected by stingless bees *Tetragonula sapiens* Cockerell (Apidae: Meliponini) in organic farm land. *AIP Conference Proceedings*. 2260: 020008.
- Suhri, A.G.M.I., Soesilohadi, R.H., Agus, A., Kahono, S., Putra, R.E., Raffiudin, R. and Purnobasuki, H. 2022. Nesting site and nest architecture of Wallacea

- endemic stingless bees species *Tetragonula cf. biroi* and *Wallacetrigona incisa* of Indonesia. *Serangga*. 27: 38-56.
- Suprianto, M.T., Alam, N. and Kirana, N.G.A.G.C. 2020. Karakter morfologi dan analisis daerah conserved gen elongation factor 1 α (EF1 α) pada *Leptobrachium* from Indonesia. *Metamorfosa: Journal of Biological Science*. 7: 30–39. DOI: 10.24843/metamorfosa.2020.v07.i02.p05
- Suriawanto, N., Atmowidi, T. and Kahono, S. 2017. Nesting sites characteristics of stingless bees (Hymenoptera: Apidae) in Central Sulawesi, Indonesia. *Journal of Insect Biodiversity*. 5: 1-9. DOI: 0.12976/jib/2017.5.10
- Syafrizal, Tarigan, D. and Yusuf, R. 2014. Biodiversity and habitat of *Trigona* at secondary tropical rain forest of Lempake education forest, Samarinda, Kalimantan Timur. *Jurnal Teknologi Pertanian*. 9: 34-38.
- Taki, H., Okochi, I., Okabe, K., Inoue, T., Goto, H., Matsumura, T. and Makino, S.I. 2013. Succession influences wild bees in a temperate forest landscape: the value of early successional stages in naturally regenerated and planted forests. *PloS one*. 8: e56678.
- Talaga, S., Leroy, C., Guidez, A., Dusfour, I., Girod, R., Dejean, A. and Murienne, J. 2017. DNA reference libraries of french guianese mosquitoes for barcoding and metabarcoding. *PloS one*. 12: e0176993. DOI: 10.1371/journal.pone.0176993
- Tamura, K., Stecher, G. and Kumar, S. 2021. MEGA11: Molecular evolutionary genetic analysis version 11. *Molecular Biology and Evolution*. 38: 3022-3027. DOI: 10.1093/molbev/msab120
- Taylor, R.W. and Turnbull, D.M. 2005. Mitochondrial DNA mutations in human disease. *Nature Reviews Genetics*. 6: 389-402. DOI: 10.1038/nrg1606
- Thummajitsakul, S., Klinbunga, S., Smith, D., and Sittipraneed, S. 2008. Genetic diversity and population structure of *Trigona pagdeni* Schwarz in Thailand. *Apidologie*. 39: 446-455. DOI: 10.1051/apido:2008026
- Tjong, D.H., Iskandar, D.T. dan Gusman, D. 2010. Hubungan filogenetik spesies *Limnonectes* (Ranidae: Amphibia) asal Sumatera Barat dan asal Asia Tenggara berdasarkan gen 16S rRNA. *MAKARA of Science Series*. 14: 79-87. DOI: 10.7454/mss.v14i1.463
- Trianto, M. 2020. Keanekaragaman Lebah Klanceng (Hymenoptera: Meliponini) di Provinsi D.I Yogyakarta. [Tesis]. Universitas Gadjah Mada, Yogyakarta.
- Trianto, M. and Purwanto, H. 2020. Morphological characteristics and morphometrics of stingless bees (Hymenoptera: Meliponini) in Yogyakarta, Indonesia. *Biodiversitas Journal of Biological Diversity*. 21: 2619-2628. DOI: 10.13057/biodiv/d210633
- Trianto, M. and Purwanto, H. 2020b. Molecular phylogeny of stingless bees in the special region of Yogyakarta revealed using partial 16S rRNA mitochondrial gene. *Buletin Peternakan*. 44: 186–193. DOI: 10.21059/buletinpeternak.v44i4.55539
- Trianto, M. and Purwanto, H. 2022. Diversity, abundance, and distribution patterns of stingless bees (Hymenoptera: Meliponini) in Yogyakarta, Indonesia. *Biodiversitas (Journal of Biological Diversity)*. 23: 695–702. DOI: 10.13057/biodiv/d230214
- Trianto, M. and Purwanto, H. 2022. Diversity,

- abundance, and distribution patterns of stingless bees (Hymenoptera: Meliponini) in Yogyakarta, Indonesia. *Biodiversitas Journal of Biological Diversity*. 23: 695-702. DOI: 10.13057/biodiv/d230214
- Trianto, M., Arisuryanti, T., Purwanto, H. and Ubaidillah, R. 2024. Taxonomic study on selected species of stingless bees (Hymenoptera: Apidae: Meliponini) in Sulawesi Island, Indonesia. *Biodiversitas Journal of Biological Diversity*. 25: 2290-2306. DOI: 10.13057/biodiv/d250547
- Tuksitha, L., Chen, Y.L.S., Chen, Y.L., Wong, K.Y. and Peng, C.C. 2018. Antioxidant and antibacterial capacity of stingless bees honey from Borneo (Sarawak). *Journal of Asia-Pacific Entomology*. 21: 563-570. DOI: 10.1016/j.aspen.2018.03.010
- Vijayakumar, K. and Jayaraj, R. 2013. Geometric morphometry analysis of three species of stingless bees in India. *International Journal of Life Sciences and Educational Research*. 1: 91- 95.
- Waugh, J. 2007. DNA barcoding in animal species: progress, potential and pitfalls. *BioEssays*. 29: 188-197. DOI: 10.1002/bies.20529
- Wayo, K., Sritongchuay, T., Chuttong, B., Attasopa, K. and Bumrungsri, S. 2020. Local and landscape compositions influence stingless bees communities and pollination networks in tropical mixed fruit orchards, Thailand. *Diversity*. 12: 482.
- Whitten A.J.,M. Mustafa, G.S. and Henderson. 1987. *The Ecology of Sulawesi*. Gadjah Mada University Press. Yogyakarta
- Wicaksono, A., Atmowidi, T. dan Priawandiputra, W. 2020. Keanekaragaman musuh alami koloni *Lepidotrigona terminata* Smith (Hymenoptera: Apidae: Meliponinae). *Jurnal Sumberdaya Hayati*. 6: 33-39. DOI: 10.29244/jsdh.6.2.33-39
- Wille, A. and Michener, C.D. 1973. The nest architecture of the stingless bees with special reference to those of Costa Rica. *Revista De Biologia Tropical*. 21: 1-278.
- Withaningsih, S., Diaz, F., Rozi, F. and Parikesit, P. 2023. Distribution and characteristics of two species of stingless bees hives (*Tetragonula* spp.) in the Rural Landscape of Sumedang Regency (Indonesia). *MDPI*. 15: 1018. DOI: 10.3390/d15091018
- Wongsa, K., Jeratthitikul, E., Poolprasert, P., Duangphakdee, O. and Rattanawanee, A. (2024). Genetic structure of the commercial stingless bees *Heterotrigona itama* (Apidae: Meliponini) in Thailand. *PloS one*. 19: e0312386. DOI: 10.1371/journal.pone.0312386
- Woodcock, B.A., Bullock, J.M., Shore, R.F., Heard, M.S., Pereira, M.G., Redhead, J. and Pywell, R.F. 2017. Country-specific effects of neonicotinoid pesticides on honey bees and wild bees. *Science*. 356.
- Wright, A.F. 2005. *Genetic variation: polymorphisms and mutations*. pp. 1-10. In *Encyclopedia of Life Science*. John Wiley & Sons, USA.
- Xu, J. 2005. The inheritance of organelle genes and genomes: patterns and mechanisms. *Genome*. 48: 951-958. DOI: 0.1139/g05-082
- Yudha, D.S., Pratama, M.Z.M. and Eprilurahman, R. 2019. Antlers characterization for identification of deer species (Family Cervidae) in Indonesia. *Journal*

- of Tropical Biodiversity and Biotechnology*. 4: 97-106. DOI: 10.22146/jtbb.45667
- Zelditch, L.M., Swiderski, D.L., Sheet, H.D. and Fink, W.L. 2004. *Geometric Morphometrics for Biologist: A primer*. Elsevier Academic Press.
- Zhang, H. and Bu, W. 2022. Exploring large-scale patterns of genetic variation in the COI gene among insecta: Implications for DNA barcoding and threshold-based species delimitation studies. *Insects*. 13: 425. DOI: 10.3390/insects13050425
- Zhang, L., Sun, K., Csorba, G., Hughes, A.C., Jin, L., Xiao, Y. and Feng, J. 2021. Complete mitochondrial genomes reveal robust phylogenetic signals and evidence of positive selection in horseshoe bats. *BMC Ecology and Evolution*. 21: 1-15.
- Zhang, Z., Cheng, Q. and Ge, Y. 2019. The complete mitochondrial genome of *Rhynchocypris oxycephalus* (Teleostei: Cyprinidae) and its phylogenetic implications. *Ecology and Evolution*. 9: 7819-7837. DOI: 10.1002/ece3.5369
- Zubaidah, A.H., Bahri, A.R.S., Sanusi, J. and Adam, N.A. 2017. Ultrastructure comparison of three stingless bees species of Borneo. *Malaysian Journal of Microscopy*. 13: 8-16.