

DAFTAR PUSTAKA

- Antonio, J., Candow, D.G., Forbes, S.C., Gualano, B., Jagim, A.R., Kreider, R.B., Rawson, E.S., Smith-Ryan, A.E., VanDusseldorp, T.A., Willoughby, D.S. and Ziegenfuss, T.N. (2021). Common Questions and Misconceptions about Creatine supplementation: What Does the Scientific Evidence Really show? *Journal of the International Society of Sports Nutrition*, [online] 18(1). oi:<https://doi.org/10.1186/s12970-021-00412-w>.
- Artero, A., Sáez Ramírez, T., Muresan, B.T., Ruiz-Berjaga, Y., Jiménez-Portilla, A. and Sánchez-Juan, C.J. (2023). The Effect of Fasting on Body Composition Assessment in Hospitalized Cancer Patients. *Nutrition and cancer*, [online] 75(8), pp.1610–1618. doi:<https://doi.org/10.1080/01635581.2023.2218039>.
- Ashtary-Larky, D., Bagheri, R., Ghanavati, M., Asbaghi, O., Wong, A., Stout, J.R. and Suzuki, K. (2022). Effects of beta-alanine supplementation on body composition: a GRADE-assessed systematic review and meta-analysis. *Journal of the International Society of Sports Nutrition*, [online] 19(1), pp.196–218. doi:<https://doi.org/10.1080/15502783.2022.2079384>.
- Baker, T.P., Candow, D.G. and Farthing, J.P. (2016). Effect of Preexercise Creatine Ingestion on Muscle Performance in Healthy Aging Males. *Journal of Strength and Conditioning Research*, 30(6), pp.1763–1766. doi:<https://doi.org/10.1519/jsc.0000000000001254>.
- Bemben, M.G., Witten, M.S., Carter, J.M., Eliot, K.A., Knehans, A.W. and Bemben, D.A. (2009). The effects of supplementation with creatine and protein on muscle strength following a traditional resistance training program in middle-aged and older men. *The journal of nutrition, health & aging*, [online] 14(2), pp.155–159. doi:<https://doi.org/10.1007/s12603-009-0124-8>.
- Benton, M.J., Spicher, J.M. and McCormick, S. (2021). Community-Based Survey Exploring Use of the Dietary Supplement Creatine by Adult Non-Athletes. *Nutrients*, 13(8), p.2529. doi:<https://doi.org/10.3390/nu13082529>.
- Blair, S. and Jacobs, D. (1985). *Physical Activity, Exercise, and Physical Fitness: Definitions and Distinctions for Health-Related Research*. [online] p.126. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1424733/pdf/pubhealthre-p00100-0016.pdf>.
- Bonilla, D.A., Kreider, R.B., Stout, J.R., Forero, D.A., Kerksick, C.M., Roberts, M.D. and Rawson, E.S. (2021). Metabolic Basis of Creatine in Health and Disease: A Bioinformatics-Assisted Review. *Nutrients*, 13(4), p.1238. doi:<https://doi.org/10.3390/nu13041238>.

- Bonora, M., Patergnani, S., Rimessi, A., De Marchi, E., Suski, J.M., Bononi, A., Giorgi, C., Marchi, S., Missiroli, S., Poletti, F., Wieckowski, M.R. and Pinton, P. (2012). ATP synthesis and storage. *Purinergic Signalling*, 8(3), pp.343–357. doi:<https://doi.org/10.1007/s11302-012-9305-8>.
- Brose, A., Parise, G. and Tarnopolsky, M.A. (2003). Creatine Supplementation Enhances Isometric Strength and Body Composition Improvements Following Strength Exercise Training in Older Adults. *The Journals of Gerontology: Series A*, [online] 58(1), pp.B11–B19. doi:<https://doi.org/10.1093/gerona/58.1.B11>.
- Buford, T.W., Kreider, R.B., Stout, J.R., Greenwood, M., Campbell, B., Spano, M., Ziegenfuss, T., Lopez, H., Landis, J. and Antonio, J. (2007). International Society of Sports Nutrition position stand: creatine supplementation and exercise. *Journal of the International Society of Sports Nutrition*, [online] 4(1), p.6. doi:<https://doi.org/10.1186/1550-2783-4-6>.
- Bui, S.T.A. (2008). *Protein and Creatine Supplementation Habits among University Students*. [online] etd.ohiolink.edu. Available at: <https://etd.ohiolink.edu>.
- Burke, R., Piñero, A., Coleman, M., Mohan, A., Sapuppo, M., Augustin, F., Aragon, A.A., Candow, D.G., Forbes, S.C., Swinton, P. and Schoenfeld, B.J. (2023). The Effects of Creatine Supplementation Combined with Resistance Training on Regional Measures of Muscle Hypertrophy: A Systematic Review with Meta-Analysis. *Nutrients*, [online] 15(9), p.2116. doi:<https://doi.org/10.3390/nu15092116>.
- Cabarkapa, D., Whetstone, J.M., Patterson, A.M., Mosier, E.M., Cabarkapa, D.V. and Fry, A.C. (2022). Relationship between Health-Related Physical Fitness Parameters and Functional Movement Screening Scores Acquired from a Three-Dimensional Markerless Motion Capture System. *International Journal of Environmental Research and Public Health*, 19(8), p.4551. doi:<https://doi.org/10.3390/ijerph19084551>.
- Calfee, R. (2006). Popular Ergogenic Drugs and Supplements in Young Athletes. *PEDIATRICS*, [online] 117(3), pp.e577–e589. doi:<https://doi.org/10.1542/peds.2005-1429>.
- Candow, D.G., Chilibeck, P.D., Burke, D.G., Mueller, K.D. and Lewis, J.D. (2011). Effect of Different Frequencies of Creatine Supplementation on Muscle Size and Strength in Young Adults. *Journal of Strength and Conditioning Research*, 25(7), pp.1831–1838. doi:<https://doi.org/10.1519/jsc.0b013e3181e7419a>.
- Candow, D.G., Forbes, S.C., Chilibeck, P.D., Cornish, S.M., Antonio, J. and Kreider, R.B. (2019). Variables Influencing the Effectiveness of Creatine

- Supplementation as a Therapeutic Intervention for Sarcopenia. *Frontiers in Nutrition*, 6. doi:<https://doi.org/10.3389/fnut.2019.00124>.
- Chang, P.-K., Chen, W.-L. and Wu, L.-W. (2018). Mid-arm muscle circumference: A significant factor of all-cause and cancer mortalities in individuals with elevated platelet-to-lymphocyte ratio. *PLOS ONE*, 13(12), p.e0208750. doi:<https://doi.org/10.1371/journal.pone.0208750>.
- Cooper, R., Naclerio, F., Allgrove, J. and Jimenez, A. (2012). Creatine supplementation with specific view to exercise/sports performance: an update. *Journal of the International Society of Sports Nutrition*, [online] 9(1). doi:<https://doi.org/10.1186/1550-2783-9-33>.
- Cribb, P.J., Williams, A.D. and Hayes, A. (2007). A Creatine-Protein-Carbohydrate Supplement Enhances Responses to Resistance Training. *Medicine & Science in Sports & Exercise*, [online] 39(11), pp.1960–1968. doi:<https://doi.org/10.1249/mss.0b013e31814fb52a>.
- Culbertson, J.Y., Kreider, R.B., Greenwood, M. and Cooke, M. (2010). Effects of Beta-Alanine on Muscle Carnosine and Exercise Performance: A Review of the Current Literature. *Nutrients*, [online] 2(1), pp.75–98. doi:<https://doi.org/10.3390/nu2010075>.
- de Souza e Silva, A., Pertille, A., Reis Barbosa, C.G., Aparecida de Oliveira Silva, J., de Jesus, D.V., Ribeiro, A.G.S.V., Baganha, R.J. and de Oliveira, J.J. (2019). Effects of Creatine Supplementation on Renal Function: A Systematic Review and Meta-Analysis. *Journal of Renal Nutrition*, [online] 29(6), pp.480–489. doi:<https://doi.org/10.1053/j.jrn.2019.05.004>.
- De, A., Mcanulty, S.R., Henrique, L., Cordeiro, G.R. and Souza-Junior, T.P. (2020). Effect of 16 Weeks of Strength Training and Creatine Supplementation on Strength and Cognition in Older Adults: A Pilot Study. *Journal of Exercise Physiology Online*, [online] 23(4), pp.88–94. Available at: https://www.researchgate.net/publication/343336466_Effect_of_16_Weeks_of_Strength_Training_and_Creatine_Supplementation_on_Strength_and_Cognition_in_Older_Adults_A_Pilot_Study.
- del Favero, S., Roschel, H., Artioli, G., Ugrinowitsch, C., Tricoli, V., Costa, A., Barroso, R., Negrelli, A.L., Otaduy, M.C., da Costa Leite, C., Lancha-Junior, A.H. and Gualano, B. (2011). Creatine but not betaine supplementation increases muscle phosphorylcreatine content and strength performance. *Amino Acids*, 42(6), pp.2299–2305. doi:<https://doi.org/10.1007/s00726-011-0972-5>.
- Desai, I., Pandit, A., Smith-Ryan, A.E., Simar, D., Candow, D.G., Kaakoush, N.O. and Hagstrom, A.D. (2025). The Effect of Creatine Supplementation on

- Lean Body Mass with and Without Resistance Training. *Nutrients*, [online] 17(6), pp.1081–1081. doi:<https://doi.org/10.3390/nu17061081>.
- Desiplia, R., Indra, E.N. and Puspaningtyas, D.E. (2018). Asupan energi, konsumsi suplemen, dan tingkat kebugaran pada atlet sepak bola semi-profesional. *Ilmu Gizi Indonesia*, 2(1), p.39. doi:<https://doi.org/10.35842/ilgi.v2i1.72>.
- Dinata, W.W., Susanto, N., Sari, A.P. and Bahtra, R. (2022). PENGARUH PEMBERIAN SUPLEMEN CREATINE MONOHYDRATE TERHADAP PENINGKATAN DAYA TAHAN ANAEROBIK ATLET BOLA BASKET. *Journal of Sport Science and Fitness*, [online] 8(1), pp.56–62. doi:<https://doi.org/10.15294/jssf.v8i1.58526>.
- Dover, S., Stephens, S., Schneiderman, J.E., Pullenayegum, E., Wells, G.D., Levy, D.M., Marcuz, J.-A., Whitney, K., Schulze, A., Tein, I. and Feldman, B.M. (2021). The Effect of Creatine Supplementation on Muscle Function in Childhood Myositis: A Randomized, Double-blind, Placebo-controlled Feasibility Study. *The Journal of Rheumatology*, [online] 48(3), pp.434–441. doi:<https://doi.org/10.3899/jrheum.191375>.
- Dunn, J. and Grider, M.H. (2020). *Physiology, Adenosine Triphosphate (ATP)*. [online] PubMed. Available at: [https://www.ncbi.nlm.nih.gov/books/NBK553175/#:~:text=Adenosine%20triphosphate%20\(ATP\)%20is%20the](https://www.ncbi.nlm.nih.gov/books/NBK553175/#:~:text=Adenosine%20triphosphate%20(ATP)%20is%20the).
- Ebrahimi-Mousavi, S., Hashemi, R., Bagheri, A., Ramin Heshmat, Ahmadreza Dorosty-Motlagh and Esmailzadeh, A. (2022). Association between dietary intake of branched-chain amino acids and sarcopenia and its components: a cross-sectional study. *Scientific Reports*, 12(1). doi:<https://doi.org/10.1038/s41598-022-07605-6>.
- Edmunds, J.W., Jayapalan, S., DiMarco, N.M., Saboorian, H. and Aukema, H.M. (2001). Creatine Supplementation Increases Renal Disease Progression in Han:SPRD-cy Rats. *American Journal of Kidney Diseases*, 37(1), pp.73–78. doi:<https://doi.org/10.1053/ajkd.2001.20590>.
- Fitranti, D.Y., Widyastuti, N., Noer, E.R., Rahadiyanti, A., Dieny, F.F., Purwanti, R., Sandi, D.K. and Destikasari, W. (2022). Muscle Dymorphism in Fitness Center Members: Its Affecting Factors and Impacts. *Kesmas: Jurnal Kesehatan Masyarakat Nasional*, 17(2). doi:<https://doi.org/10.21109/kesmas.v17i2.5705>.
- Forbes, S.C., Candow, D.G., Joao, Kennedy, M.D., Forbes, J.L., Machado, M., Bustillo, E., Gomez-Lopez, J., Zapata, A. and Antonio, J. (2023). Creatine supplementation and endurance performance: surges and sprints to win the race. *Journal of the International Society of Sports Nutrition*, 20(1). doi:<https://doi.org/10.1080/15502783.2023.2204071>.

- Fransen, J.C., Zuhl, M., Kerksick, C.M., Cole, N., Altobelli, S., Kuethe, D.O. and Schneider, S. (2015). Impact of creatine on muscle performance and phosphagen stores after immobilization. *European Journal of Applied Physiology*, 115(9), pp.1877–1886. doi:<https://doi.org/10.1007/s00421-015-3172-2>.
- Freitas, M.C., Cholewa, J., Panissa, V., Quizzini, G., de Oliveira, J.V., Figueiredo, C., Gobbo, L.A., Caperuto, E., Zanchi, N.E., Lira, F. and Rossi, F.E. (2019). Short-Time β -Alanine Supplementation on the Acute Strength Performance after High-Intensity Intermittent Exercise in Recreationally Trained Men. *Sports*, 7(5), p.108. doi:<https://doi.org/10.3390/sports7050108>.
- Gash, M.C. and Varacallo, M. (2018). *Physiology, Muscle Contraction*. [online] Nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK537140/>.
- Gounden, V. and Jialal, I. (2023). *Renal Function Tests*. [online] National Library of Medicine. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK507821/>.
- Green, A.L., Hultman, E., Macdonald, I.A., Sewell, D.A. and Greenhaff, P.L. (1996). Carbohydrate ingestion augments skeletal muscle creatine accumulation during creatine supplementation in humans. *American Journal of Physiology-Endocrinology and Metabolism*, 271(5), pp.E821–E826. doi:<https://doi.org/10.1152/ajpendo.1996.271.5.e821>.
- Gross, M., Boesch, C., Bolliger, C.S., Norman, B., Gustafsson, T., Hoppeler, H. and Vogt, M. (2013). Effects of beta-alanine supplementation and interval training on physiological determinants of severe exercise performance. *European Journal of Applied Physiology*, 114(2), pp.221–234. doi:<https://doi.org/10.1007/s00421-013-2767-8>.
- Guimarães-Ferreira, L. (2014). Role of the phosphocreatine system on energetic homeostasis in skeletal and cardiac muscles. *Einstein (São Paulo)*, [online] 12(1), pp.126–131. doi:<https://doi.org/10.1590/s1679-45082014rb2741>.
- Gusmaya, H.I., Sugiyanto, S. and Rachma, N. (2019). The Consumption of Ergogenic Supplements in Physical Fitness Training (Survey of Members of the Fitness Centers in Sleman District). *International Journal of Multicultural and Multireligious Understanding*, 6(2), p.311. doi:<https://doi.org/10.18415/ijmmu.v6i2.689>.
- Gutiérrez-Hellín, J., Coso, J.D., Franco-Andrés, A., Gamonales, J.M., Espada, M.C., González-García, J., López-Moreno, M. and Varillas-Delgado, D. (2024). Creatine Supplementation Beyond Athletics: Benefits of Different Types of Creatine for Women, Vegans, and Clinical Populations—A

Narrative Review. *Nutrients*, 17(1), pp.95–95.
doi:<https://doi.org/10.3390/nu17010095>.

Hall, M., Manetta, E. and Tupper, K. (2021). Creatine Supplementation: An Update. *Current Sports Medicine Reports*, 20(7), pp.338–344.
doi:<https://doi.org/10.1249/jsr.0000000000000863>.

Helms, E.R., Spence, A.-J., Sousa, C.A., Kreiger, J., Taylor, S.M., Oranchuk, D.J., Dieter, B.P. and Watkins, C.M. (2023). Effect of Small and Large Energy Surpluses on Strength, Muscle, and Skinfold Thickness in Resistance-Trained Individuals: A Parallel Groups Design. *Sports Medicine - Open*, 9(1). doi:<https://doi.org/10.1186/s40798-023-00651-y>.

Hoffman, J., Ratamess, N., Kang, J., Mangine, G., Faigenbaum, A. and Stout, J. (2006). Effect of Creatine and β -Alanine Supplementation on Performance and Endocrine Responses in Strength/Power Athletes. *International Journal of Sport Nutrition and Exercise Metabolism*, [online] 16(4), pp.430–446. doi:<https://doi.org/10.1123/ijsnem.16.4.430>.

Hu, F.-J., Liu, H., Liu, X.-L., Jia, S.-L., Hou, L.-S., Xia, X. and Dong, B.-R. (2021). Mid-Upper Arm Circumference as an Alternative Screening Instrument to Appendicular Skeletal Muscle Mass Index for Diagnosing Sarcopenia. *Clinical Interventions in Aging*, Volume 16, pp.1095–1104. doi:<https://doi.org/10.2147/cia.s311081>.

Huang, C.X., Tighiouart, H., Beddhu, S., Cheung, A.K., Dwyer, J.T., Eknoyan, G., Beck, G.J., Levey, A.S. and Sarnak, M.J. (2010). Both low muscle mass and low fat are associated with higher all-cause mortality in hemodialysis patients. *Kidney International*, 77(7), pp.624–629. doi:<https://doi.org/10.1038/ki.2009.524>.

Huang, Z., Li, S., Lu, F., Tian, K. and Peng, L. (2023). Current situation and factors influencing physical fitness among adolescents aged 12 ~ 15 in Shandong Province, China: A cross-sectional study. *Preventive medicine reports*, 36, pp.102460–102460. doi:<https://doi.org/10.1016/j.pmedr.2023.102460>.

Huda, M.A., Setijadi, A.R., Reviono, R., Raharjo, F. and Sutanto, Y.S. (2022). Combined Upper Limb Exercise and Creatine Monohydrate Supplementation Improved Musculoskeletal Function in NSCLC Patients. *Jurnal Respirologi Indonesia*, [online] 42(4), pp.257–267. Available at: <http://www.jurnalrespirologi.org/index.php/jri/article/view/310/pdf> [Accessed 13 Oct. 2023].

Hultman, E. and Greenhaff, P.L. (1991). Skeletal muscle energy metabolism and fatigue during intense exercise in man. *Science Progress*, [online] 75(298 Pt 3-4), pp.361–370. Available at:

[https://pubmed.ncbi.nlm.nih.gov/1842855/#:~:text=Adenosine%20triphosphate%20\(ATP\)%20is%20the](https://pubmed.ncbi.nlm.nih.gov/1842855/#:~:text=Adenosine%20triphosphate%20(ATP)%20is%20the).

- Hultman, E., Soderlund, K., Timmons, J.A., Cederblad, G. and Greenhaff, P.L. (1996). Muscle creatine loading in men. *Journal of Applied Physiology*, [online] 81(1), pp.232–237. doi:<https://doi.org/10.1152/jappl.1996.81.1.232>.
- Jacobs, I., Bleue, S. and Goodman, J. (1997). Creatine Ingestion Increases Anaerobic Capacity and Maximum Accumulated Oxygen Deficit. *Canadian Journal of Applied Physiology*, 22(3), pp.231–243. doi:<https://doi.org/10.1139/h97-015>.
- Jaffe, D., Hewitt, J., Cholewa, J., Bedard, A., Matthews, T., Thompson, B. and Headley, S. (2018). Influence of Sustained Beta-Alanine Supplementation on Body Composition and Physical Performance in College-aged Males Seeking Military Commission. *International Journal of Human Movement and Sports Sciences*, 6(1), pp.1–9. doi:<https://doi.org/10.13189/saj.2018.060101>.
- Jäger, R., Metzger, J., Lautmann, K., Shushakov, V., Purpura, M., Geiss, K.-R. and Maassen, N. (2008). The effects of creatine pyruvate and creatine citrate on performance during high intensity exercise. *Journal of the International Society of Sports Nutrition*, 5(1). doi:<https://doi.org/10.1186/1550-2783-5-4>.
- Jäger, R., Purpura, M., Shao, A., Inoue, T. and Kreider, R.B. (2011). Analysis of the efficacy, safety, and regulatory status of novel forms of creatine. *Amino Acids*, [online] 40(5), pp.1369–1383. doi:<https://doi.org/10.1007/s00726-011-0874-6>.
- Jagim, A.R., Camic, C.L. and Harty, P.S. (2019). Common Habits, Adverse Events, and Opinions Regarding Pre-Workout Supplement Use Among Regular Consumers. *Nutrients*, 11(4), p.855. doi:<https://doi.org/10.3390/nu11040855>.
- Joanisse, S., McKendry, J., Lim, C., Nunes, E.A., Stokes, T., Mcleod, J.C. and Phillips, S.M. (2021). Understanding the effects of nutrition and post-exercise nutrition on skeletal muscle protein turnover: Insights from stable isotope studies. *Clinical Nutrition Open Science*, 36, pp.56–77. doi:<https://doi.org/10.1016/j.nutos.2021.01.005>.
- Kasperczyk, T. (1990). Strength and strength endurance of muscle and body posture in children (In Polish, English Summary). *Antropomotoryka*, 3(91).
- Kaviani, M., Abassi, A. and Chilibeck, P.D. (2019). Creatine monohydrate supplementation during eight weeks of progressive resistance training

increases strength in as little as two weeks without reducing markers of muscle damage. *The Journal of Sports Medicine and Physical Fitness*, 59(4). doi:<https://doi.org/10.23736/s0022-4707.18.08406-2>.

Kreider, R.B. (2003). Effects of creatine supplementation on performance and training adaptations. *Molecular and Cellular Biochemistry*, [online] 244(1-2), pp.89–94. Available at: <https://pubmed.ncbi.nlm.nih.gov/12701815/>.

Kreider, R.B., Jäger, R. and Purpura, M. (2022). Bioavailability, Efficacy, Safety, and Regulatory Status of Creatine and Related Compounds: A Critical Review. *Nutrients*, 14(5), p.1035. doi:<https://doi.org/10.3390/nu14051035>.

Kreider, R.B., Kalman, D.S., Antonio, J., Ziegenfuss, T.N., Wildman, R., Collins, R., Candow, D.G., Kleiner, S.M., Almada, A.L. and Lopez, H.L. (2017). International Society of Sports Nutrition position stand: safety and efficacy of creatine supplementation in exercise, sport, and medicine. *Journal of the International Society of Sports Nutrition*, [online] 14(1). doi:<https://doi.org/10.1186/s12970-017-0173-z>.

Kreider, R.B. and Stout, J.R. (2021). Creatine in Health and Disease. *Nutrients*, 13(2), p.447. doi:<https://doi.org/10.3390/nu13020447>.

Kresta, J.Y., Oliver, J.M., Jagim, A.R., Fluckey, J., Riechman, S., Kelly, K., Meininger, C., Mertens-Talcott, S.U., Rasmussen, C. and Kreider, R.B. (2014). Effects of 28 days of beta-alanine and creatine supplementation on muscle carnosine, body composition and exercise performance in recreationally active females. *Journal of the International Society of Sports Nutrition*, 11(1). doi:<https://doi.org/10.1186/s12970-014-0055-6>.

Kwak, M., Succi, P.J., Benitez, B., Mitchinson, C., Samaan, M.A., Abel, M.G. and Bergstrom, H.C. (2024). Force and Neuromuscular Responses During a Handgrip Hold to Failure Anchored to a Moderate Perceptual Intensity in Males. *PubMed*, 24(2), pp.107–119.

LaBotz, M. and Smith, B.W. (1999). Creatine Supplement Use in an NCAA Division I Athletic Program. *Clinical Journal of Sport Medicine*, 9(3), pp.167–169. doi:<https://doi.org/10.1097/00042752-199907000-00009>.

Lee, S.H. and Gong, H.S. (2020). Measurement and Interpretation of Handgrip Strength for Research on Sarcopenia and Osteoporosis. *Journal of Bone Metabolism*, [online] 27(2), pp.85–96. doi:<https://doi.org/10.11005/jbm.2020.27.2.85>.

Lee, S.Y. (2021). Handgrip Strength: An Irreplaceable Indicator of Muscle Function. *Annals of Rehabilitation Medicine*, 45(3), pp.167–169. doi:<https://doi.org/10.5535/arm.21106>.

- Longobardi, I., Gualano, B., Seguro, A.C. and Roschel, H. (2023). Is It Time for a Requiem for Creatine Supplementation-Induced Kidney Failure? A Narrative Review. *Nutrients*, 15(6), p.1466. doi:<https://doi.org/10.3390/nu15061466>.
- Lugaresi, R., Leme, M., de Salles Painelli, V., Murai, I., Roschel, H., Sapienza, M., Lancha Junior, A. and Gualano, B. (2013). Does long-term creatine supplementation impair kidney function in resistance-trained individuals consuming a high-protein diet? *Journal of the International Society of Sports Nutrition*, [online] 10(1), p.26. doi:<https://doi.org/10.1186/1550-2783-10-26>.
- MAGANARIS, C.N. and MAUGHAN, R.J. (2002). Creatine supplementation enhances maximum voluntary isometric force and endurance capacity in resistance trained men. *Acta Physiologica Scandinavica*, 163(3), pp.279–287. doi:<https://doi.org/10.1046/j.1365-201x.1998.00395.x>.
- Manzano-Carrasco, S., Garcia-Unanue, J., Lopez-Fernandez, J., Hernandez-Martin, A., Sanchez-Sanchez, J., Gallardo, L. and Felipe, J.L. (2022). Differences in body composition and physical fitness parameters among prepubertal and pubertal children engaged in extracurricular sports: the active health study. *European Journal of Public Health*, 32(Supplement_1), pp.i67–i72. doi:<https://doi.org/10.1093/eurpub/ckac075>.
- Marini, A.C.B., Schincaglia, R.M., Candow, D.G. and Pimentel, G.D. (2024). Effect of Creatine Supplementation on Body Composition and Malnutrition-Inflammation Score in Hemodialysis Patients: An Exploratory 1-Year, Balanced, Double-Blind Design. *Nutrients*, [online] 16(5), p.615. doi:<https://doi.org/10.3390/nu16050615>.
- McMorris, T., Mielcarz, G., Harris, R.C., Swain, J.P. and Howard, A. (2007). Creatine Supplementation and Cognitive Performance in Elderly Individuals. *Aging, Neuropsychology, and Cognition*, 14(5), pp.517–528. doi:<https://doi.org/10.1080/13825580600788100>.
- Mills, S., Candow, D.G., Forbes, S.C., Neary, J.P., Ormsbee, M.J. and Antonio, J. (2020). Effects of Creatine Supplementation during Resistance Training Sessions in Physically Active Young Adults. *Nutrients*, 12(6), p.1880. doi:<https://doi.org/10.3390/nu12061880>.
- Miniaci, A. and Gupta, V. (2023). *Loading Dose*. [online] PubMed. Available at: <https://pubmed.ncbi.nlm.nih.gov/32491350/> [Accessed 23 Nov. 2023].
- Molanorouzi, K., Khoo, S. and Morris, T. (2015). Motives for adult participation in physical activity: type of activity, age, and gender. *BMC Public Health*, [online] 15(1). doi:<https://doi.org/10.1186/s12889-015-1429-7>.

- Nóbrega, S.R. and Libardi, C.A. (2016). Is Resistance Training to Muscular Failure Necessary? *Frontiers in Physiology*, 7(10). doi:<https://doi.org/10.3389/fphys.2016.00010>.
- Noori, N., Koppale, J.D., Kovesdy, C.P., Feroze, U., Sim, J.J., Murali, S.B., Luna, A., Gomez, M., Luna, C., Bross, R., Nissenson, A.R. and Kalantar-Zadeh, K. (2010). Mid-Arm Muscle Circumference and Quality of Life and Survival in Maintenance Hemodialysis Patients. *Clinical Journal of the American Society of Nephrology*, [online] 5(12), pp.2258–2268. doi:<https://doi.org/10.2215/cjn.02080310>.
- Nunes, J.P., Ribeiro, A.S., Schoenfeld, B.J., Tomeleri, C.M., Avelar, A., Trindade, M.C., Nabuco, H.C., Cavalcante, E.F., Junior, P.S., Fernandes, R.R., Carvalho, F.O. and Cyrino, E.S. (2017). Creatine supplementation elicits greater muscle hypertrophy in upper than lower limbs and trunk in resistance-trained men. *Nutrition and health*, [online] 23(4), pp.223–229. doi:<https://doi.org/10.1177/0260106017737013>.
- Ogobuiro, I. and Tuma, F. (2023). *Physiology, Renal*. [online] PubMed. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK538339/#:~:text=The%20renal%20system%20consists%20of>.
- Ostojic, S.M. and Forbes, S.C. (2021). Perspective: Creatine, a Conditionally Essential Nutrient: Building the Case. *Advances in Nutrition*, 13(1), pp.34–37. doi:<https://doi.org/10.1093/advances/nmab111>.
- Park, S., Chae, M., Park, H. and Park, K. (2021). Higher Branched-Chain Amino Acid Intake Is Associated with Handgrip Strength among Korean Older Adults. *Nutrients*, 13(5), p.1522. doi:<https://doi.org/10.3390/nu13051522>.
- Perim, P., Gobbi, N., Duarte, B., Oliveira, L.F. de, Costa, L.A.R., Sale, C., Gualano, B., Dolan, E. and Saunders, B. (2022). Beta-alanine did not improve high-intensity performance throughout simulated road cycling. *European Journal of Sport Science*, [online] 22(8), pp.1240–1249. doi:<https://doi.org/10.1080/17461391.2021.1940304>.
- Pitriani, P., Ray, H.R.R. and Darajat, J. (2020). The Effect of Creatine Supplement on the Kidney Function of Dragon Boat Athletes. *Jurnal Pendidikan Jasmani dan Olahraga*, 5(1). doi:<https://doi.org/10.17509/jpjo.v5i1.23181>.
- Pusat Bahasa (Indonesia) (2007). *Kamus besar bahasa Indonesia*. Jakarta: Balai Pustaka Pub.
- Ramadhan, M.R.B. and Fitriani, A. (2023). Relationship between Muscle Dysmorphia and Other Factors with Supplement Consumption among Selected Gym Members in Jakarta. *Indonesian Journal of Public Health*

Nutrition (IJPHN), [online] 4(1).
doi:<https://doi.org/10.7454/ijphn.v4i1.7405.g1777>.

- Ribeiro, A.S., Avelar, A., Kassiano, W., Nunes, J.P., Schoenfeld, B.J., Aguiar, A.F., Trindade, M.C.C., Silva, A.M., Sardinha, L.B. and Cyrino, E.S. (2020). Creatine Supplementation Does Not Influence the Ratio Between Intracellular Water and Skeletal Muscle Mass in Resistance-Trained Men. *International Journal of Sport Nutrition and Exercise Metabolism*, 30(6), pp.405–411. doi:<https://doi.org/10.1123/ijsnem.2020-0080>.
- Ribeiro, A.S., Nunes, J.P., Schoenfeld, B.J., Aguiar, A.F. and Cyrino, E.S. (2019). Effects of Different Dietary Energy Intake Following Resistance Training on Muscle Mass and Body Fat in Bodybuilders: A Pilot Study. *Journal of Human Kinetics*, 70(1), pp.125–134. doi:<https://doi.org/10.2478/hukin-2019-0038>.
- Riesberg, L.A., Weed, S.A., McDonald, T.L., Eckerson, J.M. and Drescher, K.M. (2016). Beyond muscles: The untapped potential of creatine. *International Immunopharmacology*, [online] 37, pp.31–42. doi:<https://doi.org/10.1016/j.intimp.2015.12.034>.
- Rodriguez, N., DiMarco, N. and Langley, S. (2009). Position of the American Dietetic Association, Dietitians of Canada, and the American College of Sports Medicine: Nutrition and Athletic Performance. *Journal of the American Dietetic Association*, 109(3), pp.509–527. doi:<https://doi.org/10.1016/j.jada.2009.01.005>.
- Rothenberg, E., Strandhagen, E., Samuelsson, J., Ahlner, F., Sterner, T.R., Skoog, I. and Lundberg, C.E. (2021). Relative Validity of a Short 15-Item Food Frequency Questionnaire Measuring Dietary Quality, by the Diet History Method. *ProQuest*, [online] 13(11), p.3754. doi:<https://doi.org/10.3390/nu13113754>.
- Ryan, A.S., Elahi, D. and Birren, J.E. (2007). Body: Composition, Weight, Height, and Build. In: *Encyclopedia of Gerontology (Second Edition)*. [online] New York: Elsevier, pp.177–186. doi:<https://doi.org/10.1016/B0123708702/00024X>.
- Santos Junior, E.R.T., de Salles, B.F., Dias, I., Ribeiro, A.S., Simão, R. and Willardson, J.M. (2021). Classification and Determination Model of Resistance Training Status. *Strength & Conditioning Journal*, Publish Ahead of Print. doi:<https://doi.org/10.1519/ssc.0000000000000627>.
- Sastroasmoro, S. and Ismael, S. (2011). *Dasar-dasar metodologi penelitian klinis*. 4th ed. Jakarta: Sagung Seto.

- Sener, U., Ucok, K., Ulasli, A.M., Genc, A., Karabacak, H., Coban, N.F., Simsek, H. and Cevik, H. (2013). Evaluation of health-related physical fitness parameters and association analysis with depression, anxiety, and quality of life in patients with fibromyalgia. *International Journal of Rheumatic Diseases*, 19(8), pp.763–772. doi:<https://doi.org/10.1111/1756-185x.12237>.
- Shahbaz, H. and Gupta, M. (2023). *Creatinine Clearance*. [online] PubMed. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK544228/>.
- Shakespear-Druery, J., De Cocker, K., Biddle, S.J.H. and Bennie, J. (2022). Muscle-Strengthening Exercise Questionnaire (MSEQ): an assessment of concurrent validity and test–retest reliability. *BMJ Open Sport & Exercise Medicine*, 8(1), p.e001225. doi:<https://doi.org/10.1136/bmjsem-2021-001225>.
- Staszkiwicz, R., Ruchlewicz, T. and Szopa, J. (2002). HANDGRIP STRENGTH AND SELECTED ENDURANCE VARIABLES. *JOURNAL OF HUMAN KINETICS*, [online] 7. Available at: https://johk.pl/wp-content/uploads/2023/02/04_sta.pdf.
- Steenge, G.R., Simpson, E.J. and Greenhaff, P.L. (2000). Protein- and carbohydrate-induced augmentation of whole body creatine retention in humans. *Journal of Applied Physiology*, 89(3), pp.1165–1171. doi:<https://doi.org/10.1152/jappl.2000.89.3.1165>.
- Syrotuik, D.G. and Bell, G.J. (2004). Acute Creatine Monohydrate Supplementation: A Descriptive Physiological Profile of Responders vs. Nonresponders. *Journal of Strength and Conditioning Research*, 18(3), pp.610–617. doi:<https://doi.org/10.1519/00124278-200408000-00039>.
- Taner, B., Aysim, O. and Abdulkadir, U. (2010). The Effects of the Recommended Dose of Creatine Monohydrate on Kidney Function. *Clinical Kidney Journal*, 4(1), pp.23–24. doi:<https://doi.org/10.1093/ndtplus/sfq177>.
- Taware, B., Bhutkar, M. and Surdi, A. (2013). A Profile of Fitness Parameters and Performance of Volleyball Players. *Journal of Krishna Institute of Medical Sciences University*, [online] 2(2). Available at: <https://www.jkimsu.com/jkimsu-vol2no2/jkimsu%20vol%20no%20july%20dec%202013%2048-59.pdf>.
- The International Health, Racquet & Sportsclub Association (2023). *The 2023 IHRSA Global Report*. [online] IHRSA. Available at: <https://www.ihrsa.org/publications/the-2023-ihrsa-global-report/#> [Accessed 10 Nov. 2023].

- Trosclair, D., Bellar, D., Judge, L.W., Smith, J., Mazerat, N. and Brignac, A. (2011). Hand-Grip Strength as a Predictor of Muscular Strength and Endurance. *Journal of Strength and Conditioning Research*, [online] 25, p.S99. doi:<https://doi.org/10.1097/01.jsc.0000395736.42557.bc>.
- USADA (2022). *Do Athletes Really Need Creatine Supplements? | U.S. Anti-Doping Agency (USADA)*. [online] U.S. Anti Doping Agency. Available at: <https://www.usada.org/spirit-of-sport/creatine-supplements/>.
- van Vliet, S., Beals, J., Martinez, I., Skinner, S. and Burd, N. (2018). Achieving Optimal Post-Exercise Muscle Protein Remodeling in Physically Active Adults through Whole Food Consumption. *Nutrients*, [online] 10(2), p.224. doi:<https://doi.org/10.3390/nu10020224>.
- Vincent, W.J., Loy, S.F., Urbanski, R.L. and Yaspelkis, B.B. (1999). Creatine Supplementation Differentially Affects Maximal Creatine Supplementation Differentially Affects Maximal Isometric Strength and Time to Fatigue in Large and Small Muscle Isometric Strength and Time to Fatigue in Large and Small Muscle Groups Groups Original Publication Citation Original Publication Citation Creatine Supplementation Differentially Affects Maximal Isometric Strength and Time to Fatigue in Large BYU ScholarsArchive Citation BYU ScholarsArchive Citation. *International Journal of Sports Nutrition*, [online] 9, pp.136–145. Available at: <https://scholarsarchive.byu.edu/cgi/viewcontent.cgi?article=1616&context=facpub> [Accessed 23 Mar. 2025].
- Volek, J.S., Ratamess, N.A., Rubin, M.R., Gomez, A.L., French, D.N., McGuigan, M.M., Scheett, T.P., Sharman, M.J., Hakkinen, K. and Kraemer, W.J. (2004). The effects of creatine supplementation on muscular performance and body composition responses to short-term resistance training overreaching. *European Journal of Applied Physiology*, 91(5-6), pp.628–637. doi:<https://doi.org/10.1007/s00421-003-1031-z>.
- Walter-Kroker, A., Kroker, A., Mattiucci-Guehlke, M. and Glaab, T. (2011). A practical guide to bioelectrical impedance analysis using the example of chronic obstructive pulmonary disease. *Nutrition Journal*, [online] 10(1). doi:<https://doi.org/10.1186/1475-2891-10-35>.
- Wang, Z., Qiu, B., Li, R., Han, Y., Petersen, C., Liu, S., Zhang, Y., Liu, C., Candow, D.G. and Del Coso, J. (2024). Effects of Creatine Supplementation and Resistance Training on Muscle Strength Gains in Adults < 50 Years of Age: A Systematic Review and Meta-Analysis. *Nutrients*, 16(21), p.3665. doi:<https://doi.org/10.3390/nu16213665>.

- Watanabe, A., Kato, N. and Kato, T. (2002). Effects of creatine on mental fatigue and cerebral hemoglobin oxygenation. *Neuroscience Research*, [online] 42(4), pp.279–285. doi:[https://doi.org/10.1016/s0168-0102\(02\)00007-x](https://doi.org/10.1016/s0168-0102(02)00007-x).
- Wax, B., Kerksick, C.M., Jagim, A.R., Mayo, J.J., Lyons, B.C. and Kreider, R.B. (2021). Creatine for Exercise and Sports Performance, with Recovery Considerations for Healthy Populations. *Nutrients*, 13(6), p.1915. doi:<https://doi.org/10.3390/nu13061915>.
- Westcott, W.L. (2012). Resistance training is medicine: Effects of strength training on health. *Current Sports Medicine Reports*, 11(4), pp.209–216. doi:<https://doi.org/10.1249/JSR.0b013e31825dabb8>.
- WHO (2011). *Waist Circumference and Waist-Hip Ratio*. [online] Available at: https://iris.who.int/bitstream/handle/10665/44583/9789241501491_eng.pdf?sequence=1.
- WHO (2020). *WHO guidelines on physical activity and sedentary behaviour*. [online] www.who.int. Available at: <https://www.who.int/publications/i/item/9789240015128>.
- Wilhelmina, M., Afriani, Y. and Yuliati, E. (2023). *Journal of Nutrition College*. [online] ejournal3.undip.ac.id. Available at: <http://ejournal3.undip.ac.id/index.php/jnc/>.
- Williamson, L. and New, D. (2014). How the use of creatine supplements can elevate serum creatinine in the absence of underlying kidney pathology. *BMJ Case Reports*, [online] 2014. doi:<https://doi.org/10.1136/bcr-2014-204754>.
- Wu, S.-H., Chen, K.-L., Hsu, C., Chen, H.-C., Chen, J.-Y., Yu, S.-Y. and Shiu, Y.-J. (2022). Creatine Supplementation for Muscle Growth: A Scoping Review of Randomized Clinical Trials from 2012 to 2021. *Nutrients*, [online] 14(6), p.1255. doi:<https://doi.org/10.3390/nu14061255>.
- Wyss, M. and Kaddurah-Daouk, R. (2000). Creatine and Creatinine Metabolism. *Physiological Reviews*, [online] 80(3), pp.1107–1213. doi:<https://doi.org/10.1152/physrev.2000.80.3.1107>.
- Zahabi, G., Hossieni, S. and Souteh, Z. (2020). The Effect of Whey Protein and Creatine Supplementation on the Physical Fitness Indicators, Velocity and Muscle Hypertrophy of Untrained Women during a Resistance-Training Period. *J Biochem Tech (2020) Special Issue*, [online] (1), pp.64–70. Available at: <https://jbiochemtech.com/storage/models/article/K4JFowVQnR9JWhdIBAVGQoNjkVqmC9RwJdla12SNsSrtCg03U16CD9LpLMf6/the-effect-of->

whey-protein-and-creatine-supplementation-on-the-physical-fitness-
indicators-velocit.pdf [Accessed 8 Nov. 2023].