UNIVERSITAS
GADJAH MADA
Identifikasi dan Prevalensi Ektoparasit Krustacea pada Ikan Koi (Cyprinus carpio, Linnaeus 1758) di Blitar
Muhammad Haritsun Fikri, Prof. Dr. Ir. Murwantoko, M. Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adzkiyah, S. N., and M. Umami. 2021. The effectiveness of addition of tapioca flour in artificial feed on the growth of koi carp (*Cyprinus rubrofuscus*). *Journal of Biological Science and Education*, *3*(2): 80-89.

Afriandini, W., dan N. Suwartiningsih. 2021. Prevalensi dan intensitas ektoparasit cacing jangkar (*Lernaea cyprinacea* L.) pada ikan koi (*Cyprinus carpio* L.) di Bantul koi farm D.I. Yogyakarta. Journal of Biotechnology and Natural Science, 1(1): 33-40.

Afrianto, E., E. Liviawaty, Z. Jamaris, dan Hendi. 2015. Penyakit Ikan. Penebar Swadaya. Jakarta.

Alsarakibi, M., H. Wadeh, and G. Li. 2013. Parasitism of *Argulus japonicus* in cultured and wild fish of Guangdong, China with new record of three hosts. Parasitology Research, 113(2): 769-775.

Amriana, D. K. Sari., Sriwulan, and H. Anshary. 2021. Prevalence of *Argulus indicus*, histopathology and hematological properties of infected wild fish in Lake Towuti, Indonesia. Biodiversitas, 22(8): 3578-3584.

Andrian, A.F., dan S. Rahmaningsih. 2018. Kajian teknis faktor abiotik pada embung bekas galian tanah liat PT. Semen Indonesia Tbk. untuk pemanfaatan budidaya ikan dengan teknologi KJA. Jurnal Ilmiah Perikanan dan kelautan, 10(2): 95-105.

Atsumi, K., H. Y. Song, H. Senou, K. Inoue, and K. Mabuchi. 2017. Morphological features of an endangered Japanese strain of *Cyprinus carpio*: reconstruction based on seven SNP markers. *Journal of Fish Biology*, *90*(3): 936-953.

Azmi, H., D. R. Indriyanti, dan N. Kariada. 2013. Identifikasi ektoparasit pada ikan koi (*Cyprinus carpio* L) di pasar ikan hias Jurnatan Semarang. *Life Science*, *2*(2).

Bahtiar, S. A., Kismiyati, and N. Petchsupa. The prevalence, intensity and degree of infestation profile *Argulus japonicus* ectoparasite in Common Carp (*Cyprinus carpio*) at Ngawi and Tambakrejo, Sidoarjo, East Java, Indonesia. Journal of Aquaculture and Fish Health, 13(1): 134-143.

Bera, A., N.K. Chadha, D. Subrata, S. P. Banerjee, and W. Lakra. 2016. In vivo ovarian and testicular stress responses in Adult carp (*Cyprinus carpio*) under chronic hypoxia. Ecology, Enviroment and Conservation, 22(3): 1425-1433.

Dadiono, M. S. 2023. Cara Mudah dan Cepat Budidaya Ikan Koi. Daniono Press. IDN

De Kock, S., and B. Gomelsky. 2015. Japanese ornamental koi carp: origin, variation and genetics. *Biology and ecology of carp*, 27-53.

Dekari, D., H. Saha, N. Chouhan, S. Irungbam, L. Ghosh, P. Saikia, T.G. Choudhury, and R.K. Saha. 2024. Exploring the genetic and morphological diversity of Argulus

UNIVERSITAS
GADJAH MADA
Identifikasi dan Prevalensi Ektoparasit Krustacea pada Ikan Koi (Cyprinus carpio, Linnaeus 1758) di Blitar
Muhammad Haritsun Fikri, Prof. Dr. Ir. Murwantoko, M. Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

ectoparasite infecting the aquaculture and ornamental fish in Tripura. Indian Journal of Animal Research, 58(11): 1906-1916.

Everts, L., and A. Avenant-Oldewage. 2009. First record of *Argulus coregoni*: a fish ectoparasitic crustacean from Malaysia and additional notes on the morphology. Applied Biology, 38(2): 61-71.

Faruk, M. A. R. 2018. Fish parasite: infectious diseases associated with fish parasite. In *Seafood Safety and Quality* (pp. 154-176). CRC Press.

Finahari, N., dan Alfiana. 2020. Analysis of potential development of ornamental koi fish business in Blitar City as form of community service. Jurnal Pengabdian Kepada Masyarakat, 1(2): 53-61.

Firdausi, A. P., R. Rahman, R. Mahadhika, dan A. Sumadikarta. 2020. Protozoa ektoparasitik pada ikan koi *Cyprinus carpio* di Daerah Sukabumi. *Jurnal Akuakultur Rawa Indonesia*, *8*(1): 50-57.

Folmer, O., M. Black, W. Hoen, R. Lutz, and R. Vrijenhoek. 1994. DNA primers for amplification of mitochondrial cytochrome c oxidase subunit-1 from diverse metozoan invertebrates. Molecular Marine Biology and Biotechnology, 3:294–299.

Hanggarini, P. P., dan P. Kurnia. 2022. Pengembangan motif pada batik khas Blitar. Jurnal Ilmiah Edukasi Seni Rupa, 2(2): 54-60.

Harlina, H., Hadijah, Kamaruddin, Nurhidayah, dan Nurwahyudin. 2019. Prevalensi dan intensitas ektoparasit pada ikan nila (*Oreocromis niloticus*) yang diberi pakan bungkil kelapa hasil fermentasi dalam wadah terkontrol. Journal of Indonesian Tropical Fisheries, 2(2): 192-205.

Hossain, Md. M. M., J. Ferdoushi, and A. H. Rupom. 2018. Biology of anchor worm. Journal of Entomology and Zoology Studies, 6(1): 910-917.

Hua, C. J., D. Zhang, H. Zou, M. Li, I. Jakovic, S. G. Wu, G. T. Wang, and W. X. Li. 2019. Morphology is not a reliable taxonomic tool for the genus *Lernaea*: moleculer data and experimental infection reveal that *L. cyprinacea* and *L. cruciata* are conspecific. Parasites Vectors, 12(579): 1-13.

Innal, D., M. M. Stevrescu-Bedivan, and O. Ozmen. 2021. Prevalence and histopathological effects of parasitic copepod *Lernaea cyprinacea* in estuarine fishes from mediterranean region of Turkey, with a new host record. Agricult and Forestry, 67(4): 165-174.

ITIS. 2024. Catalogue of Life Cheklist: *Cyprinus carpio* (Linnaeus, 1758). Integrated Taxonomic Information System. <https://www.gbif.org/species/102063978>. Diakses 24 Oktober 2024.

Jithendran, K.P. 2014. *Parasites and parasitic diseases in fish culture system*, *Veterinar. Parasitol,* 12: 331–376.

UNIVERSITAS
GADJAH MADA
Identifikasi dan Prevalensi Ektoparasit Krustacea pada Ikan Koi (Cyprinus carpio, Linnaeus 1758) di Blitar
Muhammad Haritsun Fikri, Prof. Dr. Ir. Murwantoko, M. Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Juniarsih, A., G. Mahasri, dan Kismiyati. 2017. Infestasi Argulus pada ikan Mas (*Cyprinus carpio*, L.) di dasar kolam tanah dan beton, Kecamatan Muntilan dan Mungkid, Kabupaten Magelang. Journal of Aquaculture and Fish Health, 6(2):74-80.

Kadarsah, A., Krisdianto, dan I. O. Susilawati. 2018. Studi of mud clam *Polymesoda erosa* (Bivalvia) conservation strategy based on landscape character and anthropogenic activity. Jurnal Biodjati, 3(2): 1-11.

Kementerian Kelautan dan Perikanan, 2024. Statistik produksi budidaya ikan hias. <https://statistik.kkp.go.id/home.php?m=prod_ikan_budidaya_ikan_hias_kab&i=2#panel-footer>.Diakses 28 Oktober 2024.

Keve, G., A. G. Toth, M. Katics, F. Baksa, E. Eszterbauer, S. Hornok, T. Nemeth, and N. Solymosi. 2025. First record of *Argulus japonicus* infestation on *Cyprinus carpio* in Hungary and first description of *Argulus japonicus* subsp. Europaeus subsp. nov. Keve. Biorxiv, 1-13.

Khan, S., W. Ali, M. Javid, I, Ullah, G. Hussain, Z. Shahnaz, I. Ullah, and I. Ullah. Prevalence of *Argulus* in Common Carp (*Cyprinus carpio*) from D. I. Khan (Khyber Pakhtunkhwan) Pakistan.

Kurniawan A, 2012. Penyakit Akuatik, UBB press. Bangka Belitung

Kusrini, E., S. Cindelaras, dan A. B. Prasetio. 2015. Pengembangan budidaya ikan hias koi (*Cyprinus carpio*) lokal di balai penelitian dan pengembangan budidaya ikan hias Depok. *Media Akuakultur*, *10*(2): 71-78.

Larasati, C., G, Mahasri, dan Kusnoto. 2020. Korelasi kualitas air terhadap prevalensi ektoparasit pada Ikan Nila (*Oreochromis niloticus*) di keramba jaring apung program urban farming Kota Surabaya, Jawa Timur. Journal of Marine and Coastal Science, 9(1): 12-20.

Maryani, M., S.S. Monalisa, I. R. B. Sembiring, dan T. Fransisco. 2022. Identifikasi endoparasit pada ikan Gabus (*Channa striata*) di Sungai Sebangau Palangka Raya Kalimantan Tengah. *Jurnal Akuakultur Sungai dan Danau*, *7*(1): 8-12.

Mulya, A. P., S. M. Kosassy, A. Pratama, dan H. Aditama. 2021. Produksi UMKM selama pandemi di Desa Ujung Jaya Kabupaten Sumedang. *Jurnal Public Administration, Business and Rural Develoment Planning*, *3*(2): 28-34.

Mumtasah, S., L. Waluyo, dan H. Husamah. 2022. Prevalensi ektoparasit pada benih Ikan Koi *Cyprinus Rubrofuscus* (Lacepede, 1803) Di Sentra Budidaya Kabupaten Blitar. *Bioscientist: Jurnal Ilmiah Biologi*, *10*(2): 641-651.

Murwantoko, M., and J. Hayati. 2022. Record on nematode *Tanqua tiara* infection on snakehead fish *Channa striata* in South Kalimantan Indonesia. Jurnal Ilmiah Perikanan dan Kelautan, 14(2): 260-271.

UNIVERSITAS
GADJAH MADA
Identifikasi dan Prevalensi Ektoparasit Krustacea pada Ikan Koi (Cyprinus carpio, Linnaeus 1758) di Blitar
Muhammad Haritsun Fikri, Prof. Dr. Ir. Murwantoko, M. Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Murwantoko, M., S. L. C. Negoro, A. Isnansetyo, and Z. Zafran. 2018. Identification of marine leech and assessment of its prevalence and intensity on cultured hybrid groupers (*Epinephelus* sp.). *Biodiversitas Journal of Biological Diversity*, *19*(5): 1798-1804.

Nagasawa, K. 1994. Parasitic Copepoda and Branchiura of freshwater fishes of Hokkaido. Hokkaido Fish Hatcehry, (48):83-85.

Nagasawa, K. 2021. *Argulus japonicus* (Branchiura: Argulidae) parasitic on largemouth bass *Micropterus salmoides* in Japan, with the morphology of the adult female of the argulid. Crustacean Research, 50: 119-129.

Nagasawa, K. 2023. First japanese record of *Argulus nobilis* (Crustacea: Branchiura: Argulidae), an ectoparasite of gars of North American origin. Species Diversity, 28: 205-215.

Nagasawa, K., and Y. Okamoto. 2023. Second record of *Argulus mongolianus* Tokioka, 1939 (Branchiura: Argulidae), an ectoparasite of freshwater fishes, in Japan. Crustacean Research, 52: 91-95.

Nagasawa, K., T. Asayama, and Y. Fujimoto. 2022. Redescription of *Argulus mongolianus* (Crustacea: Branchiura: Argulidae), an ectoparasite of freshwater fishes in East Asia, with its first record from Japan. The Japanese Society of Systematic Zoology, 27(1): 167-179.

Noaman, V., Y. Chelongar, and A. H. Shahmoradi. 2010. The first record of *Argulus foliacesus* (Crustacea: Branchiura) in festation on lionhead goldfish (*Carassius auratus*) in Iran. Iranian Society of Parasitology, 5(2): 71-76.

Oktener, A., and A. Unal. 2020. Infestation of fish louse *Argulus foliaceus* (Linnaeus, 1758) (Crustacea: Branchiura) on rainbow trout farm in Manyas Dam Lake, Turkey. Wetlands Biodiversity, 10: 95-111.

Patra, A., A. Mondal, S. Banerjee, H. Adikesavalu, S. N. Joardar, and T. J. Abraham. 2016. Moleculer characterization of Argulus bengalensis and *Argulus siamensis* (Crustacea: Argulidae) infecting the cultured carps in West Bengal, India using 18S rRNA gene sequences. Moleculer Biology Research Communications, 5(3): 156-166.

Plaul, S. E., N. G. Romero, and C. G. Barbeito. 2010. Distribution of the exotic parasit, *Lernaea cy-prinacea* (Copepoda, Lernaeidae) in Argentina. Bulletin of European Association of Fish Pathologists, 30(2): 65-73.

Prasad, A., S. Yadav, and J. H. Limbu. 2018. Identification of ecto-parasites in silver carp (*Hypophthalmichtgys molitrix*) and common carp (*Cyprinus carpio*) at fishery development Center Bhairahawa, Rupandehi, Nepal. International Journal of Fisheries and Aquatic Studies, 6(5): 116-120.

UNIVERSITAS
GADJAH MADA
Identifikasi dan Prevalensi Ektoparasit Krustacea pada Ikan Koi (Cyprinus carpio, Linnaeus 1758) di Blitar
Muhammad Haritsun Fikri, Prof. Dr. Ir. Murwantoko, M. Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Prasetya, N., S. Subekti, dan Kismiyati. 2013. Prevalensi ektoparasit yang menyerang benih ikan Koi (Cyprinus carpio) di bursa ikan hias Surabaya. Jurnal Ilmiah Perikanan dan Kelautan, 5(1): 113-116.

Prastowo, J., D. Priyowidodo, Y. R. Nugraheni, A. Sahara, W. Nurcahyo, and V. I. Ninditya. 2023. Moleculer and morphological identification of *Lernaea* spp. in cyprinid fishes from two districts in Yogyakarta, Indonesia. Veterinary World, 16(4): 851-857.

Priawan, I., E. S. Gultom, dan A. S. S. Pulungan. 2017. Identifikasi ektoparasit pada ikan Koi (*Cyprinus carpio*). Jurnal Biosains, 3(1): 21-24.

Pujiastuti, N. dan N. Setiati. 2015. Identifikasi dan prevalensi ektoparasit pada ikan konsumsi di balai benih ikan Sirawak. Journal of Live Science, 4(1):9-15.

SNI 6141. 2009. Produksi benih nila hitam (*Oreochromis niloticus* Bleeker) kelas benih sebar. Badan Standarisasi Nasional. Jakarta.

SNI 7734. 2022. Ikan hias koi (*Cyprinus rubrofuscus* Lacepede, 1803) – Syarat mutu dan penanganan.

SNI 7775. 2022. Produksi ikan hias koi (*Cyprinus rubrofuscus*, Linnaeus, 1758).

Sriwongpuk, S. 2020. A new report of *Argulus indicus* (Crustacea: Branchiura) infestation in red Tilapia (*Oreochromis niloticus* x *Oreochromis mossambicus*) in Thailand. International Journal of Geomate, 18(67): 182-187.

Subekti, S., M. R. Kurniawan, dan S. A. Sudjarwo. 2020. Identification and prevalence infection of helminth in the gastrointestinal tract swamp eel (*Synbranchus bengalensis*) which marketed in Surabaya, East Java. In *IOP Conference Series: Earth and Environmental Science* 441(1): 012146.

Supono. 2015. Manajemen Lingkungan untuk Akuakultur. Yogyakarta: Plantaxia.

Suvarna, S., C. Layton, and J. D. Bancroft. 2013. Bancroft's Theory and Practice of. Histological Techniques

Tuwitri, R., R. Irwanto, dan A. Kurniawan. 2020. Identifikasi parasit pada ikan lele (*Clarias* sp.) di kolam budidaya ikan Kabupaten Bangka. Jurnal Teknologi Perikanan dan Kelautan, 11(2):189-198.

Wardany, K. H., dan N. Kurniawan. 2014. Eksplorasi ektoparasit pada ikan Famili *Cyprinidae* di kolam rumah makan wilayah Malang Raya. Jurnal Biotropika, 2(2):87-91.

WoRMS. 2024. Catalogue of Life Cheklist: Argulus (Muller O.F., 1785). World Register of Marine Species. <https://www.gbif.org/species/155600995>. Diakses 26 Oktober 2024.

UNIVERSITAS
GADJAH MADA
Identifikasi dan Prevalensi Ektoparasit Krustacea pada Ikan Koi (Cyprinus carpio, Linnaeus 1758) di Blitar
Muhammad Haritsun Fikri, Prof. Dr. Ir. Murwantoko, M. Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

WoRMS. 2024. Catalogue of Life Cheklist: Lernaea (Linnaeus, 1758). World Register of Marine Species. <https://www.gbif.org/species/155528683>. Diakses 26 Oktober 2024.

Yunikasari, R. D., Kismiyati, and G. Mahasri. 2020. Correlation between water quality and prevalence on Koi (*Cyprinus carpio*) which infested by *Argulus* in Mungkid Subdistrict and Muntilan Subdistrict, Magelang Regency, Central Java. Earth and Environmental Science, 1-7.