

DAFTAR PUSTAKA

- Akram, M., H. M. Asif, M. Uzair, N. Akhtar, A. Madni, S. S. S. M. Ali, Z. U. Hasan, Z & A. Ullah. 2011. Amino acids: a review article. *Journal of Medicinal Plants Research*, 5(17), 3997–4000.
- Amri, E., & F Mamboya. 2012. Papain, a plant enzyme of biological importance: a review. *american journal of biochemistry and biotechnology*, 8(2), 99–104.
- Apak, R., K. Güçlü, M. Özyürek, & S. E. Karademir, 2004. Novel total antioxidant capacity index for dietary polyphenols and vitamins c and e, using their cupric ion reducing capability in the presence of neocuproine: CUPRAC Method. *Journal Of Agricultural And Food Chemistry*, 52(26), 7970–7981.
- Aprilyanti, S., F. Suryani, & I. Pratiwi., 2019. Optimasi waktu hidrolisis dan volume enzim pada proses hidrolisis enzimatis selulosa jerami padi. *Prosiding seminar nasional hasil ...*, 78–86.
- Asaithambi, N., P. Singha, & S. K. Singh. 2025. Effect of hydrodynamic cavitation and drying technique on moisture sorption isotherm and structural properties of egg white protein hydrolysate powder. *Food bioprocess technol*, 18, 2296–2.
- Asman, A., K. T. Isamu, & S. Suwarjoyowirayatno. 2020. Karakteristik mutu kimia dan mikrobiologi gurita (*Octopus* sp.) kering yang dipasarkan dikabupaten konawe utara sulawesi tenggara. *Jurnal Fish Protech*, 3(1), 120.
- Awwaly, K. U. A. 2017. *Protein Pangan Hasil Ternak dan Aplikasinya*. UB Press. Malang. (N.D.).
- Baehaki, A., S. D. Lestari, & A. R. Romadhoni. 2015. Hidrolisis protein ikan patin menggunakan enzim papain dan aktivitas antioksidan hidrolisatnya. *Pengolahan hasil perikanan indonesia*, 18(3), 230–239,
- Bekdeşer, B. & R. Apak. 2024. Colorimetric sensing of antioxidant capacity via auric acid reduction coupled to abts oxidation. *Acs omega*, 9(10), 11738–11746.
- Belitz H.D., W. Grosch, P. Schieberle. 2009. *Food Chemistry*. Germany: Springer-Verlag. (N.D.).
- Ben Slama, R., I. Bkhairia, O. Abdelhedi, & M. Nasri. 2017. Octopus vulgaris protein hydrolysates: characterization, antioxidant and functional properties. *Journal of food science and technology*, 54(6), 1442–1454.
- Bhaskar, N., & N. S. Mahendrakar. 2008. Protein hydrolysate from visceral waste proteins of catla (*Catla catla*): optimization of hydrolysis conditions for a commercial neutral protease. *Bioresource technology*, 99(10), 4105–4111.
- Bhat, Z. F., S. Kumar, , & H. F. Bhat., 2015. Bioactive peptides of animal origin: a review. *journal of food science and technology*, 52(9), 5377–5392.

- Bhattacharya, R., & D. Bhattacharyya. 2009. Preservation Of Natural Stability Of Fruit “Bromelain” From *Ananas comosus* (Pineapple). *Journal Of Food Biochemistry*, 33(1), 1–19.
- Binsan, W., S. W. Benjakul, S. Visessanguan, M. Roytrakul, Tanaka, & H. Kishimura, 2008. Antioxidative activity of mungoong, an extract paste, from the cephalothorax of white shrimp (*Litopenaeus vannamei*). *Food Chemistry*, 106(1), 185–193.
- Boudier, A., J. Tournebize, G. Bartosz, S. E. Hani, R. Bengueddour, A. M. Sapin, & P. Leroy. 2012. High-performance liquid chromatographic method to evaluate the hydrogen atom transfer during reaction between 1,1-diphenyl-2-picryl-hydrazyl radical and antioxidants. *Analytica chimica acta*, 711, 97–106.
- Brand W. W., M. E. Cuvelier, & C. Berset. 1995. Use of a free radical method to evaluate antioxidant activity. *Lwt - food science and technology*, 28(1), 25–30.
- Cahyaningati, K. 2019. Aktivitas antioksidan hasil hidrolisis enzimatis protein ikan wader (*Rasbora jacobsoni*) menggunakan kombinasi calotropin dan papain.
- Chabeaud, A., P. Dutournié, F. Guérard, L. Vandanjon, & P. Bourseau, 2009. Application of response surface methodology to optimise the antioxidant activity of a saithe (*Pollachius virens*) hydrolysate. *Marine Biotechnology*, 11(4), 445–455.
- Chalamaiah, M., B. Dinesh Kumar, R. Hemalatha, & T. Jyothirmayi. 2012. Fish protein hydrolysates: proximate composition, amino acid composition, antioxidant activities and applications: a review. *Food chemistry*, 135(4), 3020–3038.
- Chalamaiah, M., U. S. Keskin, H. Hong, & J. Wu. 2019. Regulatory requirements of bioactive peptides (protein hydrolysates) from food proteins. *Journal Of Functional Foods*, 58(April), 123–129.
- Charoenphun, N., B. Cheirsilp, N. Sirinupong, & W. Youravong. 2013. Calcium-binding peptides derived from tilapia (*Oreochromis niloticus*) protein hydrolysate. *European Food Research And Technology*, 236(1), 57–63.
- Chatterjee, P., & M. Ojiambo .2014. Food ingredients. In *AAPS Advances In The Pharmaceutical Sciences Series* (Vol. 11). Elsevier Inc.
- Chen, Y., Z. Zheng, Z. Ai, Y. Zhang, C. P. Tan, & Y. Liu. 2022. Exploring the antioxidant and structural properties of black bean protein hydrolysate and its peptide fractions. *Frontiers In Nutrition*, 9(June).
- Chernukha, I. M., N. G. Mashentseva, N. L. Vostrikova, L. I. Kovalev, M. A. Kovaleva, D. A. Afanasev, & A. A. Bazhaev. 2018. Generation of bioactive peptides in meat raw materials exposed to proteases of different origin. *sel'skokhozyaistvennaya biologiya*, 53(6), 1247–1261.
- Cho, D. Y., K. Jo, S. Y. Cho, J. M. Kim, K. Lim, H. J. Suh, & S. Oh, 2014. Antioxidant effect and functional properties of hydrolysates derived from egg-white protein.

Korean journal for food science of animal resources, 34(3), 362–371.

- Choe, Y., F. Leonetti, D. C. Greenbaum, F. Lecaille, M. Bogyo, D. Brömme, J. A. Ellman, & C. S. Craik. 2006. Substrate profiling of cysteine proteases using a combinatorial peptide library identifies functionally unique specificities. *Journal of biological chemistry*, 281(18), 12824–12832.
- Chuaychan, S., & S. Benjakul. 2016. Effect of maltodextrin on characteristics and antioxidative activity of spray-dried powder of gelatin and gelatin hydrolysate from scales of spotted golden goatfish. *Journal of food science and technology*, 53(9), 3583–3592.
- Corrêa, A. P. F., D. J. Daroit, J. Coelho, S. M. Meira, F. C. Lopes, J. Segalin, P. H. Risso, & A. Brandelli. 2011. Antioxidant, antihypertensive and antimicrobial properties of ovine milk caseinate hydrolyzed with a microbial protease. *Journal of the science of food and agriculture*, 91(12), 2247–2254.
- De Oliveira, V. S., F. S. Ferreira, M. C. R. Cople, Labre, T. S. Da, I. M. Augusta, O. D. Gamallo, & T. Saldanha. 2018. Use of natural antioxidants in the inhibition of cholesterol oxidation: a review. *Comprehensive reviews in food science and food safety*, 17(6), 1465–1483.
- Dziuba, B., & M. Dziuba. 2014. Milk proteins-derived bioactive peptides in dairy products: molecular, biological and methodological aspects. *Acta scientiarum polonorum, technologia alimentaria*, 13(1), 5–25.
- Elavarasan, K., & B. A. Shamasundar. 2014. Angiotensin i-converting enzyme inhibitory activity of protein hydrolysates prepared from three freshwater carps (*Catla catla*, *Labeo rohita* and *Cirrhinus mrigala*) using flavorzyme. *International Journal Of Food Science And Technology*, 49(5), 1344–1350.
- Elias, M. J., I. F. Arcuri, & E. B. Tambourgi, 2011. Temperature and ph conditions for maximum activity of bromelain extracted from pineapple (*Ananas comosus l. merril*). *Acta scientiarum - Technology*, 33(2), 191–196.
- Francenia S. N., R. C. Salas, C. C. Villanueva & C. B. Hernández 2019. Antioxidant compounds and their antioxidant mechanism. *antioxidants*, april.
- FSNA., S. 1991. *Mikrobiologi Kecap Ikan yang Dibuat Secara Hidrolisis Enzimatis [Skripsi]*. Bogor: Fakultas Teknologi Pertanian, IPB.
- Gadi, D. S., W. Trilaksani, & T. Nurhayati, 2018. The histological, extraction and characterization collagens yellow-pike conger muarenesox talabon. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 9(2), 665–683.
- Gautam, S. S., S. K. Mishra, V., Dash, A. K. Goyal, & G. Rath. 2010. Comparative study of extraction, purification and estimation of bromelain from stem and fruit of pineapple plant. *Thai journal of pharmaceutical sciences*, 34(2), 67–76.
- Giarni, R., N. Laily, S. P. Wijayanti, D. Rachman, Muhamaludin, E. P. Astin, & S.

- Nafsiah. 2024. (N.D.). Optimization of sardine fish hydrolysate using a combination of steam blasting process and enzyme hydrolysis.
- Gosalia, D. N., C. M. Salisbury, J. A. Ellman, & S. L. Diamond. 2005. High throughput substrate specificity profiling of serine and cysteine proteases using solution-phase fluorogenic peptide microarrays. *Molecular and cellular proteomics*, 4(5), 626–636.
- Ha, N. C., D. M. Hien, N. T. Thuy, L. T. Nguyen, & L. Devkota, 2017. Enzymatic hydrolysis of catfish (*Pangasius hypophthalmus*) by-product: kinetic analysis of key process parameters and characteristics of the hydrolysates obtained. *Journal of aquatic food product technology*, 26(9), 1070–1082.
- Hadinoto, S., & S. Idrus. 2018. Proporsi dan kadar proksimat bagian tubuh ikan tuna ekor kuning (*Thunnus albacares*) dari perairan maluku. *Majalah BIAM*, 14(2), 51.
- Haque, M. A., A. Khaliduzzaman, M. Asaduzzaman, S. N. Pattadar & M. Hasan. 2023. Dietary food antioxidants and their radical scavenging activity: a review. *International food research journal*, 30(1), 63–78.
- Haryati, S., Sukarno, S. Budijanto, & E. Prangdimurti, 2021. Bioactive peptides from hydrolysates of Indonesian catfish protein isolate: characterization and properties of its antioxidant capacity. *AAFL Bioflux*, 14(4), 1990–1999.
- Hassan, M., & M. Rafique, 2004. Proximate composition of meat and dressing losses of wild and farmed labeo rohita (rohu) shahid mahboob, fauzia liaquat, sadia liaquat. *Pakistan J. Zool*, 36(1), 39–43.
- He, R., A. T. Girgih, S. A. Malomo, X. Ju, & R. E. Aluko, 2013. Antioxidant activities of enzymatic rapeseed protein hydrolysates and the membrane ultrafiltration fractions. *Journal of functional foods*, 5(1), 219–227.
- He, S., C. Franco, & W. Zhang. 2012. Process optimisation and physicochemical characterisation of enzymatic hydrolysates of proteins from co-products of atlantic salmon (*Salmo salar*) and yellowtail kingfish (*Seriola lalandi*). *International journal of food science and technology*, 47(11), 2397–2404.
- Hidayah, N., Febrianti, S., & Yuniarti, T. 2022. Optimalisasi rendemen gurita beku flower type menggunakan metode kaizen pada unit pengolahan ikan di Sulawesi Tenggara. *Pelagicus*, 3(1), 47.
- Hidayati, A. 2019. Aktivitas antioksidan hidrolisat protein miofibril belut (*Synbranchus bengalensis*) yang dihidrolisis dengan enzim papain. *Jurnal Teknologi Industri Pertanian*, 29(3), 247–259.
- Hoyle, N. T., & J. H. Merritt, 1994. Quality of fish protein hydrolysates from herring (*Clupea harengus*). *Journal of food science*, 59(1), 76–79.
- Hu, R., G. Chen, & Y. Li. 2020. Production and characterization of antioxidative hydrolysates and peptides from corn gluten meal using papain, ficin, and

bromelain. molecules, 25(18).

- Hunsakul, K., T. Laokuldilok, V. Sakdatorn, W. Klangpetch, C. S. Brennan, & A. N. Utama 2022. Optimization of enzymatic hydrolysis by alcalase and flavourzyme to enhance the antioxidant properties of jasmine rice bran protein hydrolysate. *Scientific reports*, 12(1), 1–10.
- Ima W. L. R. Romadhon. 2015. Pengaruh konsentrasi enzim papain terhadap kadar proksimat dan nilai rendemen hidrolisat protein ikan bandeng (*Chanos chanos forsskal*). *Pena akuatika*, 12(1), 13–23.
- Irakunda, R., J. A. E. Camaño, H. S. El, C. Paris, C. K. Cakir, J. M. Girardet, P. Arnoux, L. Muhr, & L. R. Canabady, 2025. Pisum sativum protein hydrolysates: production, sensitive screening of nickel chelating peptides and evaluation of antioxidant properties. *Food Bioscience*, 66(January).
- Jaya, F. M., L. P. Sari, R. L. Utpalasari, R. Lihartana, R. Wahyuni, & Y. F. Sari. 2024. Produksi hidrolisat protein kepala ikan gabus secara enzimatik dengan variasi waktu hidrolisis. *Jurnal Ilmu-Ilmu Perikanan Dan Budidaya Perairan*, 19(1), 76–87. (N.D.).
- Jia, J., Y. Zhou, J. Lu, A. Chen, Y. Li, & G. Zheng. 2010. Enzymatic hydrolysis of alaska pollack (*Theragra chalcogramma*) skin and antioxidant activity of the resulting hydrolysate. *Journal of the Science of Food and Agriculture*, 90(4), 635–640.
- Jiménez E. I. R., D. L. B. A. M. Calderón, R. R. M. Sotelo, Arteaga-mackinney, g. e., valenzuela-melendez, m., & peña-ramos, e. a. 2013. Partial characterization of ultrafiltrated soy protein hydrolysates with antioxidant and free radical scavenging activities. *Journal of Food Science*, 78(8).
- Jin, T., & Y. Wu. 2013. Effects of production factors on the antioxidant activity of protein hydrolysates from little hairtail (*Trichiurus haumela*) of East China Sea. *Journal of Food, Agriculture And Environment*, 11(1), 95–98.
- Jun, S. Y., P. J. Park, W. K. Jung, & S. K. Kim. 2004. Purification and characterization of an antioxidative peptide from enzymatic hydrolysate of Yellowfin Sole (*limanda aspera*) frame protein. *European food research and technology*, 219(1), 20–26.
- Kaewdang, O., S. Benjakul, T. Kaewmanee, & H. Kishimura. 2014. Characteristics of collagens from the swim bladders of Yellowfin Tuna (*Thunnus albacares*). *Food Chemistry*, 155, 264–270.
- Karami, Z., & A. B. Akbari. 2019. Bioactive food derived peptides: a review on correlation between structure of bioactive peptides and their functional properties. *Journal of Food Science and Technology*, 56(2), 535–547.
- Kartikawati, D. 1999. Studi Efek Protektif Vitamin C dan E Terhadap Respon Imun dan Enzim Antioksidan pada Mencit yang Dipapar Paraquat. tesis. program pascasarjana, institut pertanian bogor. Bogor. (N.D.).

- Ketnawa, S., P. Chaiwut, & S. Rawdkuen. 2012. Pineapple wastes: a potential source for bromelain extraction. *food and bioproducts processing*, 90(3), 385–391.
- Klomklao, S., S. Benjakul, & H. Kishimura. 2013. Functional properties and antioxidative activity of protein hydrolysates from toothed ponyfish muscle treated with viscera extract from hybrid catfish. *International Journal of Food Science and technology*, 48(7), 1483–1489.
- Kristinsson, H. G., & B. A. Rasco. 2000. Fish protein hydrolysates: production, biochemical, and functional properties. In *critical reviews in food science and nutrition* (Vol. 40, Issue 1).
- Kurniawan, K., S. Lestari, & R. J., S. H. 2012. Hidrolisis protein tinta cumi-cumi (*Loligo* sp) dengan enzim papain. *Jurnal fishtech*, 1(1), 41–54.
- Kusumaningtyas, E., R. Widiastuti, K. H. Dewantari, & S. M. Thenawidjaja. 2015. Aktivitas antibakteri dan antioksidan hidrolisat hasil hidrolisis protein susu kambing dengan ekstrak kasar bromelin. *Jurnal Teknologi dan Industri Pangan*, 26(2), 179–188.
- Laksmiwati, A. A. I. A. M., H. H. Prastika, K. Ratnayani, & N. M. Puspawati. 2019. Penggunaan enzim pepsin untuk produksi hidrolisat protein kacang gude (*Cajanus cajan* (L.) millsp.) yang aktif antioksidan. *Indonesian E-Journal Of Applied Chemistry*, 7(2), 180–188.
- Lee, S. Y., J. H. Kang, D. Y. Lee, J. W. Jeong, J. H. Kim, S. S. Moon, & S. J. Hur. 2023. Methods for improving meat protein digestibility in older adults. *Journal of animal science and technology*, 65(1), 32–56.
- Lestari, P., & Suyata. 2019. Antibacterial activity of hydrolysate protein from etawa goat milk hydrolysed by crude extract bromelain. *Iop conference series: materials science and engineering*, 509(1).
- Li, G. H., G. W. Le, H. Liu, & Y. H. Shi. 2005. Mung-bean protein hydrolysates obtained with alcalase exhibit angiotensin i-converting enzyme inhibitory activity. *Food Science and Technology International*, 11(4), 281–287.
- Li, J., Z. Yang, X. Lin, S. Wu, G. Li, N. Li, D. Otter, F. Zhu, C. Hartinger, H. Corke, & Y. Hemar. 2021. In-flow saxs investigation of whey protein isolate hydrolyzed by bromelain. *Colloids And Surfaces A: Physicochemical And Engineering Aspects*, 631(August), 1–7.
- Liceaga, A. M., & F. Hall. 2018. Nutritional, Functional and Bioactive Protein Hydrolysates. In *Encyclopedia Of Food Chemistry*. Elsevier.
- Mardaningsih, F, M. A. M. Andriani, & K. Dan. 2012. Pengaruh konsentrasi etanol dan suhu spray dryer terhadap karakteristik bubuk klorofil daun alfalfa (*Medicago sativa* L.) dengan menggunakan binder maltodekstrin. *Ju. Institutional repository*, 39.

- Medale, F., F. Lefevre, & G. Corraze, 2003. Nutritional and health promoting value of fish: main factors affecting flesh components. (N.D.).
- Meng, S., Y. Tan, S. Chang, J. Li, S. Maleki, & N. Puppala. 2020. Peanut allergen reduction and functional property improvement by means of enzymatic hydrolysis and transglutaminase crosslinking. *Food chemistry*, 302(July 2019), 125186.
- Mishra, A., A. I. Sancho, & K. L. Bøgh,. 2024. Hydrolysis in Food Processing and its Impact on Allergenicity of Food. In S. H. Sicherer (Ed.), *Encyclopedia Of Food Allergy* (Pp. 225-249). Elsevier.
- Molyneux, P. 2004. The use of the stable free radical diphenylpicryl-hydrazyl (dpph) for estimating antioxidant activity. *Songklanakarin Journal of Science and Technology*, 26(December 2003), 211–219.
- Muhammad, N. N., A. S. Babji, & M. K. Ayub. 2015. Antioxidative activities of hydrolysates from edible birds nest using enzymatic hydrolysis. *AIP Conference Proceedings*, 1678.
- Mujiono, N., & P. S. Ibrahim. 2022. Relationship of cephalopods orders based on morphological characters. *Jurnal Kelautan Tropis*, 25(1), 11–19.
- Nofiandi, D., E. S. Wardi, & M. D. Putri. 2020. Pembuatan hidrolisat protein dari paru kambing (*Capra aegagrus hircus l.*) dan uji aktivitas antioksidannya. *Jurnal Akademi Farmasi Prayoga*, 5(1), 11–20.
- Noman, A., Y. Wang, C. Zhang, & S. M. Abed. 2022. Antioxidant activity of hybrid sturgeon (*Huso dauricus* × *Acipenser schrenckii*) protein hydrolysate prepared using bromelain, its fractions and purified peptides. *Polish Journal of Food and Nutrition Sciences*, 72(1), 79–89.
- Noman, A., Y. Xu, W. Q. Al-Bukhaiti, S. M. Abed, A. H. Ali, A. H. Ramadhan, & W. Xia. 2018. Influence of enzymatic hydrolysis conditions on the degree of hydrolysis and functional properties of protein hydrolysate obtained from chinese sturgeon (*Acipenser sinensis*) by using papain enzyme. *Process Biochemistry*, 67(January), 19–28.
- Nurdiani, R., M. Firdaus, A. A. Prihanto, A. A. Jaziri, M. R. Jati, T. R. Abdurrahman, S. Ifilah, E. R. Debataraaja, & N. Huda. 2024. Enzymatic hydrolysis of protein hydrolysate from *Pangasius* sp. By-product using bromelain. *Current Research In Nutrition And Food Science*, 12(1), 125–136.
- Nurhayati, T., E. Salamah, & R. Nugraha. 2014. Optimaization process production hydrolysates of protein barramudi viscera. *Jurnal Pengolahan Hasil Perikanan*, 17(1), 42–52.
- Nurjanah, N., T. Nurhayati, A. Latifah, & T. Hidayat. 2021. Aktivitas antioksidan dan komponen bioaktif hidrolisat protein jeroan ikan kakap putih (*Lates calcalifer*). *Warta Industri Hasil Pertanian*, 38(1), 70.

- Olanrewaju, O.A. & S. Auwal. 2022. Effect of hydrolysis time and peptide content on dpph* radical scavenging activity of bromelain- and papain-generated hydrolysates from defatted cocoa beans (*Theobroma cacao L.*) Powder. *Braz Dent J.*, 15(1), 1–12.
- Pardo, M. F., L. M. I. López. F. Canals, F. X. Avilés, C. L. Natalucci, & N. O.Caffini. 2000. Purification of balansain i, an endopeptidase unripe fruits of bromelia balansae mez (bromeliaceae). *Journal of Agricultural and Food Chemistry*, 48(9), 3795–3800.
- Parhusip, A. J. N., J. P. Layadi, & R. D. T. Nugroho. 2024. Production of protein hydrolysate from overripe tempeh catalyzed by bromelain. *Food Research*, 8(6), 386–394.
- Paruntu, C., F. Boneka, & S. Talare. 2009. Gurita (cephalopoda) dari perairan Sangihe, Sulawesi Utara. *Ekoton*, 9(2), 13–27.
- Pavan, R., S. Jain, Shraddha, & A. Kumar. 2012. Properties and therapeutic application of bromelain: a review. *Biotechnology Research International*, 2012, 1–6.
- Piggot, G. M., & B. W. Tucker, 1990. *Seafood: Effects of Technology on Nutrition*. Marcel Dekker, Inc. (N.D.).
- Pownall, T. L., C. C. Udenigwe, & R. E. Aluko. 2010. Amino acid composition and antioxidant properties of pea seed (*Pisum sativum l.*) enzymatic protein hydrolysate fractions. *Journal of Agricultural and Food Chemistry*, 58(8), 4712–4718.
- Prastyo, D. T., W. Trilaksani, & Nurjanah. 2020. Aktivitas antioksidan hidrolisat kolagen kulit ikan nila (*Oreochromis niloticus*). *Jurnal Pengolahan Hasil Perikanan Indonesia*, 23(3), 423–433.
- Prior, R. L., X. Wu, & K. Schaich. 2005. Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of Agricultural and Food Chemistry*, 53(10), 4290–4302.
- Purwanto, D. A., N. K. Wibowo, & M. Rudyanto, 2022. Aktivitas antioksidan teh hijau dan teh hitam. *Camellia : Clinical, Pharmaceutical, Analytical And Pharmacy Community Journal*, 1(2), 48–55.
- Quan, H., X. Liu, C. Li, H. Chen, Y. Wang, & Y. Zhang. 2018. Antioxidant properties of oyster (*Crassostrea gigas*) protein hydrolysates prepared with neutrase. *foods*, 14(5), 782.
- Raharjo, D., T. A. Listyani, & D. B. Pambudi. 2022. Antioksidan ekstrak etanol dan fraksi akar rhyzopora stylosa metode ABTS dan FRAP. *Jurnal Ilmiah Kesehatan*, 15(2), 123–137.
- Ridhwan, A. E. R. 2024. Hidrolisat protein dari ampas kelapa effect of papain and bromelain enzymes addition on protein hydrolysates from coconut dregs. 1(1),

8–13.

- Rumpf, J., R., Burger, & M. Schulze. 2023. Statistical evaluation of DPPH, ABTS, FRAP, and folin-ciocalteu assays to assess the antioxidant capacity of lignins. *International Journal of Biological Macromolecules*, 233(February).
- Saanin, H. 2001. *Taksonomi dan Kunci Identifikasi Ikan 1 dan 2*. Bina Tjipta. Bogor. (N.D.).
- Sahraini, F., A. R. Razak, S. Bahri, & H. Ys. 2021. Hidrolisis protein teripang hitam (*Holothuria edulis*) menggunakan bromelin kasar dari batang nanas (*Ananas comocus* L). *Kovalen: Jurnal Riset Kimia*, 7(3), 214–219.
- Samudra, N. R., A. Hartoko, & B. Sulardiono. 2016. Hubungan salinitas terhadap perkembangan telur cephalopoda yang didapat pada perairan pantai Bondo Kabupaten Jepara. *Diponegoro Journal Of Maquares*, 5(2), 70–79.
- Senphan, T., & S. Benjakul. 2014. Antioxidative activities of hydrolysates from seabass skin prepared using protease from hepatopancreas of pacific white shrimp. *Journal Of Functional Foods*, 6(1), 147–156.
- Setiawan, D. W., T. Dwi, & E. Suprayitno. 2013. 110310-ID-None. I(1), 21–32.
- Setiawan, F., O. Yunita, & A. Kurniawan. 2018. Uji aktivitas antioksidan ekstrak etanol kayu secang (*Caesalpinia sappan*) menggunakan metode DPPH, ABTS, Dan FRAP. *Media Pharmaceutica Indonesiana*, 2(2), 82–89.
- Shahidi, F & J.R. Botta, 1994. *Seafood: Chemistry, Processing Technology and Quality*. Glasgow: Blackie Academic And Professsional. (N.D.).
- Shanty, A. A., & P. V. Mohanan. 2018. Heterocyclic schiff bases as non toxic antioxidants: solvent effect, structure activity relationship and mechanism of action. *spectrochimica acta - part a: molecular and biomolecular spectroscopy*, 192, 181–187.
- Sharma, S., R., Singh, & S. Rana. 2011. Bioactive peptides: a review. *International Journal Bioautomation*, 15(4), 223–250.
- Siddhuraju, P., & K. Becker, 2003. Studies on antioxidant activities of mucuna seed (*Mucuna pruriens var utilis*) extract and various non-protein amino/imino acids through in vitro models. *Journal of the Science of Food and Agriculture*, 83(14), 1517–1524.
- Soewarlan, L. C., L. N. L. Toruan, & S. A. Saraswati. 2023. Analysis of the proximat content of *Octopus cyanea* from the East Nusa Tenggara Waters. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 26(2), 251–259.
- Stämpfli, R., P. Brühwiler, S. Mourad, R. Verdejo, & M. Shaffer. 2007. Development and characterisation of carbon nanotube-reinforced polyurethane foams. *EMPA Activities*, 26(2007), 51.

- Sudarmadji S, *et al.* 2007. *Prosedur Analisis untuk Bahan Makan dan Pertanian*. Liberty. Yogyakarta. (N.D.).
- Sunarni, T., S. Pramono, & R. Asmah. 2007. Antioxidant-free radical scavenging of flavonoid from the leaves of *stelechocarpus burahol* (Bl.) hook F. & Th. *Indonesian Journal Of Pharmacy*, 18(3), 111–116.
- Sung, W. C., C. X. Tan, P. H. Lai, S. T. Wang, T. Y. Chiou, & W. J. Lee. 2025. Enhancing the functional and emulsifying properties of potato protein via enzymatic hydrolysis with papain and bromelain for gluten-free cake emulsifiers. *foods*, 14(6).
- Susanty, A., & I. Kusumaningrum. 2021. Pengaruh waktu hidrolisis terhadap karakteristik hidrolisat protein ikan toman (*Shanna micropeltes*) asal das Kalimantan Timur effects of hydrolysis time on characteristic of hydrolysat protein of toman fish (*Channa micropeltes*) from Mahakam river, east ka. *Jurnal Riset Teknologi Industri*, 15(2), 463.
- Taniyo, W., Y. K. Salimi, & H. Iyabu. 2021. Karakteristik dan aktivitas antioksidan hidrolisat protein ikan nike (*Awaous melanocephalus*). *Dalton: Jurnal Pendidikan Kimia Dan Ilmu Kimia*, 4(2), 52–63.
- Thuy, C. X., T. B. Lam, & M. K. Commick. 2015. Biochemical and functional properties of fish protein isolate (fpi) from *Pangasius hypophthalmus* byproducts as influenced by time and degree of hydrolysis (DH). *International Food Research Journal*, 22(1), 337–343.
- Torres F. C., M. Alaiz, & J. Vioque. 2012. Iron-chelating activity of chickpea protein hydrolysate peptides. *Food Chemistry*, 134(3), 1585–1588.
- Trudel, M., S. Tucker, J. F. T. Morris, D. A. Higgs, & D. W. Welch. 2005. Indicators of energetic status in juvenile coho salmon and chinook salmon. *North American Journal of Fisheries Management*, 25(1), 374–390.
- Udenigwe, C. C., & R. E. Aluko. 2012. Food protein-derived bioactive peptides: production, processing, and potential health benefits. *Journal of Food Science*, 77(1).
- Ulfah, M., C. Alsya, E. Erdiasyah, E. Turnip, I. Insyafri, & A. Damora. 2024. Supply chain analysis of octopus *cyanea* in simeulue regency: a case study of production value and contribution of pisisi mpa. *IOP Conference Series: Earth And Environmental Science*, 1356(1).
- Vaishnav, A., N. K. Mehta, S. A. C. A. P. Hussain, S. Biswal, H. Nath, M. B. Priyadarshini, A. J. Thangarani, P. Pal, S. K. N. S. Singh, Singh, Pati, B. K., Debbarma, P., Upadhyay, P., & Yadav, K. K. 2025. Bromelain excised hydrolysates with potent bioactivity from *bellamyia bengalensis* soft tissues: process optimization and characterization. *Journal of Agriculture and Food Research*, 19(November 2024).

- Valverde, J. C., S. Martínez-Llorens, A. T. Vidal, M. Jover, C. Rodríguez, J. Estefanell, J. I. Gairín, P. M. Domingues, C. J. Rodríguez, & B. G. García, 2013. Amino acids composition and protein quality evaluation of marine species and meals for feed formulations in cephalopods. *Aquaculture International*, 21(2), 413–433.
- Vo, T. D. L., T. T. H. Nguyen, D. V. Phan, H. D. M. Nguyen, & H. Q. Tran. 2016. Investigation of antioxidant activity of the hydrolysate derived from tra catfish byproducts using alcalase® 2.4 l fg for application as a natural antioxidant ingredient. *Science and Technology Development Journal*, 19(3), 110–122.
- Vorob'ev, M. M., C. I. Butré, S. Sforza, P. A. Wierenga, & H. Gruppen. 2016. Demasking kinetics of peptide bond cleavage for whey protein isolate hydrolysed by bacillus licheniformis protease. *Journal of Molecular Catalysis B: Enzymatic*, 133, S426–S431.
- Wicaksono, L. A., & S. Winarti. 2021. Karakteristik penyedap rasa alami dari biji bunga matahari dan kupang putih dengan hidrolisis enzimatis. *Agritekno: Jurnal Teknologi Pertanian*, 10(1), 64–73.
- Wijayanti, I., & E. S. Susilo. 2018. Proximate content of wild and cultured eel (*Anguilla bicolor*) in different part of body. *IOP Conference Series: Earth and Environmental Science*, 116(1).
- Witono, Y., M. Maryanto, I. Taruna, A. D. Masahid, & K. Cahyaningati. 2020. Aktivitas antioksidan hidrolisat protein ikan wader (*Rasbora jacobsoni*) dari hidrolisis oleh enzim calotropin dan papain. *Jurnal Agroteknologi*, 14(01), 44.
- Witono, Y., I. Taruna, , W. W. Siti, & A. Ratna, 2014. Hidrolisis ikan bernilai ekonomi rendah secara enzimatis menggunakan protease biduri. *Jurnal Teknologi Dan Industri Pangan*, 25(2), 140–145.
- Witono, Y., W. S. Windrati, I. Taruna, A. Afriliana, & A. Assadam. 2014. Production and characterization of protein hydrolyzate from “bibisan fish” (*Apogon albimaculosus*) as an indigenous flavor by enzymatic hydrolysis. *Advance Journal of Food Science and Technology*, 6(12), 1348–1355.
- Wu, H. C., H. M. Chen, & C. Y. Shiau. 2003. Free amino acids and peptides as related to antioxidant properties in protein hydrolysates of mackerel (*Scomber austriasicus*). *Food Research International*, 36(9–10), 949–957.
- Yu, H. C., & F. J. Tan. 2017. Effect of ultrasonic pretreatment on the antioxidant properties of porcine liver protein hydrolysates. *International Journal of Food Science and Technology*, 52(6), 1392–1399.
- Yuniarti, T., N. Y. Arrahmi, N. Dharmayanti, S. Sugiwati, M. Mulyono, T. Hidayat, P. Martosuyono, A. Maulani, & A. Alghany. 2024. Karakteristik fisikokimia dan aktivitas antioksidan hidrolisat protein ikan kakap (*Lutjanus Sp.*) skala pilot. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 19(1), 61.

- Yuniarti, T., A. Prayudi, L. Supenti, H. Suhwardan, & P. Martosuyono. 2021. Produksi dan profil kimia hidrolisat protein dari hasil samping pengolahan udang segar. *Jurnal Perikanan Universitas Gadjah Mada*, 23(1), 63.
- Yunita, C., S. Agus, & P. Budi. 2012. Pengaruh perbedaan suhu perebusan dan konsentrasi naoh terhadap kualitas bubuk tulang ikan gabus (*Channa striata*). *Fishtech Vol I*, Nomor 01, November 2012, 91–101.
- Zaky, A. A., J. G. Simal, J. B.Eun, J. H.Shim, & A. M. E. Abd. 2022. Bioactivities, applications, safety, and health benefits of bioactive peptides from food and by-products: a review. *Frontiers In Nutrition*, 8(January), 1–18.
- Zhang, X., H. Zhang, P. Jiao, M. Xia, & B. Tang. 2022. Preparation and evaluation of antioxidant activities of bioactive peptides obtained from *cornus officinalis*. *Molecules*, 27(4), 1–15.
- Zhou, K., H. Wang, W. Mei, X. Li, Y. Luo, & H. Dai. 2011. Antioxidant activity of papaya seed extracts. *molecules*, 16(8), 6179–6192.