

DAFTAR PUSTAKA

- Abdipour, H., & Asgari, G. (2024). Enhanced methylene blue degradation and mineralization through activated persulfate coupled with magnetic field. *Cleaner Engineering and Technology*, 23(October), 100822. <https://doi.org/10.1016/j.clet.2024.100822>
- Antarnusa, G., Jayanti, P. D., Denny, Y. R., & Suherman, A. (2022). Utilization of co-precipitation method on synthesis of Fe₃O₄/PEG with different concentrations of PEG for biosensor applications. *Materialia*, 25(July), 101525. <https://doi.org/10.1016/j.mtla.2022.101525>
- Asri, N.S., Tetuko, A. P., Esmawan, A., Addin, M., Setiadi, E. A., Putri, W. B. K., Ginting, M., & Sebayang, P. (2021). Syntheses of *ferrofluids* using polyethylene glycol (PEG) coated magnetite (Fe₃O₄), citric acid, and water as the working liquid in a cylindrical heat pipe. *Nano-Structures and Nano-Objects*, 25, 100654. <https://doi.org/10.1016/j.nanoso.2020.10065>
- Callister Jr., W.D., 2007, *Material Science and Engineering*, 7th edition, John Wiley & Sons, Inc, United State of America.
- Čampelj, S., Makovec, D., Drofenik, M., & Drofenik, M. (2008). Preparation and properties of water-based magnetic fluids. *Journal of Physics: Condensed Matter*, 20(20), 204101. <https://doi.org/10.1088/0953-8984/20/20/204101>
- Casbeer, E., Sharma, V.K., and Li, X.Z., 2012, Synthesis and Photocatalytic Activity of Ferrites under Visible Light: A Review, *Separation and Purification Technology*, 87, 1–14.
- Castro, H. F., Correia, V., Pereira, N., Costab, P., Oliveiraa, J., & Lanceros-Méndez, S. (2018). Printed Wheatstone bridge with embedded polymer based piezoresistive sensors for strain sensing applications. *Additive Manufacturing*, 20(December 2017), 119–125. <https://doi.org/10.1016/j.addma.2018.01.004>
- Chang H.T., N. Wu, F. Zhu., (2000), A Kinetic Model for Photocatalytic Degradation of Organic Contaminant in a Thin Film TiO₂ Catalyst. *Water Res.*, 34, 407-416
- Chen, J., Spear, S. K., Huddleston, J. G., & Rogers, R. D. (2005). Polyethylene glycol and solutions of polyethylene glycol as green reaction media. *Green Chemistry*, 7(2), 64–82.
- Devatha, C. P., & Thalla, A. K. (2018). Green Synthesis of Nanomaterials. In *Synthesis of Inorganic Nanomaterials*. Elsevier Ltd.
- Ega, B. D., & Hendrasarie, N. (2023). Efektivitas *Ferrofluid* dalam Penurunan Parameter Limbah Laundri. *Jurnal Serambi Engineering*, 8(4), 6873–6880. <https://doi.org/10.32672/jse.v8i4.6614>
- El-Mas, S. M., Hassaan, M. A., El-Subruiti, G. M., Eltaweil, A. S., & El Nembr, A. (2024). Box-Behnken design optimization of 2D Ti₃C₂T_x MXene nanosheets as a microwave-absorbing catalyst for methylene blue dye degradation. *Chemical Engineering Journal*, 500(October), 156969. <https://doi.org/10.1016/j.cej.2024.156969>

- Farahani, M. D., Shemirani, F., & Gharehbaghi, M. (2013). *Ferrofluid*-based dispersive solid phase extraction of palladium. *Talanta*, 109, 121–127. <https://doi.org/10.1016/j.talanta.2013.01.061>
- Gautam, P. K., Shivalkar, S., & Banerjee, S. (2020). Synthesis of M. oleifera leaf extract capped magnetic nanoparticles for effective lead [Pb (II)] removal from solution: Kinetics, isotherm and reusability study. *Journal of Molecular Liquids*, 305, 112811.
- Getzlaff, M., 2008, *Fundamentals of Magnetism*, Springer, New York.
- Hankare, P. P., Jadhav S.D., Sankpal U.B., Chavan S.S., Waghmare K.J., Chougule B.K. (2009). Synthesis, characterization and effect of sintering temperature on magnetic properties of MgNi ferrite prepared by co-precipitation method. *Journal of Alloys and Compounds*, 475(1–2), pp. 926– 929. <https://doi.org/10.1016/j.jallcom.2008.08.082>
- Hussain, I., Singh, N.B., Singh, A. (2016). Green synthesis of nanoparticles and its potential application. *Biotechnology Letters*, 38(4), pp. 545–560. <https://doi.org/10.1007/s10529-015-2026-7>
- Javed, R., Zia, M., Naz, S., Aisida, S. O., Ain, N. ul, & Ao, Q. (2020). Role of capping agents in the application of nanoparticles in biomedicine and environmental remediation: recent trends and future prospects. *Journal of Nanobiotechnology*, 18(1), 1–15.
- Madubuonu, N., Aisida, S. O., Ali, A., Ahmad, I., Zhao, T. kai, Botha, S., Maaza, M., & Ezema, F. I. (2019). Biosynthesis of iron oxide nanoparticles via a composite of Psidium guavaja-Moringa oleifera and their antibacterial and photocatalytic study. *Journal of Photochemistry and Photobiology B: Biology*, 199 (June), 111601. <https://doi.org/10.1016/j.jphotobiol.2019.111601>
- Madubuonu, N., Aisida, S. O., Ali, A., Ahmad, I., Zhao, T. kai, Botha, S., Maaza, M., & Ezema, F. I. (2019). Biosynthesis of iron oxide nanoparticles via a composite of Psidium guavaja-Moringa oleifera and their antibacterial and photocatalytic study. *Journal of Photochemistry and Photobiology B: Biology*, 199(August), 111601.
- Mahardhika, L. J., Zurnansyah, Kusumah, H. P., Jayanti, P. D., Tumbelaka, R. M., Ardiyanti, H., Istiqomah, N. I., Sari, E. K., Asri, N. S., Angel, J., Aliah, H., & Suharyadi, E. (2024). Photodegradation enhancement of organic dyes using magnetically separable and reusable Fe₃O₄/rGO nanocomposites green-synthesized utilizing plant leaves extract. *Case Studies in Chemical and Environmental Engineering*, 10(June), 100915. <https://doi.org/10.1016/j.cscee.2024.100915>
- Malega, F., Indrayana, I. P. T. and Suharyadi, E. (2018) ‘Synthesis and Characterization of the Microstructure and Functional Group Bond of Fe₃O₄ Nanoparticles from Natural Iron Sand in Tobelo North Halmahera’, *Jurnal Ilmiah Pendidikan Fisika Al-Biruni*, 7(2), pp. 129–138.
- Mallenakuppe, R., Homabalegowda, H., Gouri, M. D., Basavaraju, P. S., & Chandrashekharaiiah, U. B. (2019). History, Taxonomy and Propagation of

- Moringa oleifera-A Review. *SSR Institute of International Journal of Life Sciences*, 5(3), 2322–2327.
- Matinise, N., Fuku, X. G., Kaviyarasu, K., Mayedwa, N., & Maaza, M. (2017). ZnO nanoparticles via Moringa oleifera green synthesis: Physical properties & mechanism of formation. *Applied Surface Science*, 406, 339–347. <https://doi.org/10.1016/j.apsusc.2017.01.219>
- McMahon, Gillian., (2007), *Analytical Instrumentation : A Guide to Laboratory, Portable and Miniaturized Instruments*, J. Wiley, England.
- Moreno-Ramírez, L. M., Carlos Romero-Muñiz, Jia Yan Law, Victorino Franco, Alejandro Conde, Radulov, Iliya A., Fernando Maccari, Skokov, Konstantin P., Oliver Gutfleisch. (2019). ‘Tunable first order transition in La(Fe,Cr,Si)₁₃ compounds: Retaining magnetocaloric response despite a magnetic moment reduction’, *Acta Materialia*, 175, pp. 406–414. <https://doi.org/10.1016/j.actamat.2019.06.022>
- Nayebi, R., & Shemirani, F. (2021). *Ferrofluids*-based microextraction systems to process organic and inorganic targets: The state-of-the-art advances and applications. *TrAC - Trends in Analytical Chemistry*, 138, 116232. <https://doi.org/10.1016/j.trac.2021.11623>
- Oladoye, P. O., Ajiboye, T. O., Omotola, E. O., & Oyewola, O. J. (2022). Methylene blue dye: Toxicity and potential elimination technology from wastewater. *Results in Engineering*, 16(September), 100678. <https://doi.org/10.1016/j.rineng.2022.100678>
- Omanović-Miklićanin, E. *et al.* (2020) ‘Nanocomposites: a brief review’, *Health and Technology*, 10(1), pp. 51–59.
- Philip, J. (2023). Magnetic nanofluids (*Ferrofluids*): Recent advances, applications, challenges, and future directions. *Advances in Colloid and Interface Science*, 311(November 2022), 102810. <https://doi.org/10.1016/j.cis.2022.102810>
- Radoń, A., Drygała, A., Hawelek, Ł., & Łukowiec, D. (2017). Structure and optical properties of Fe₃O₄ nanoparticles synthesized by co-precipitation method with different organic modifiers. *Materials Characterization*, 131(April), 148–156. <https://doi.org/10.1016/j.matchar.2017.06.034>
- Rani, N. Z. A., Husain, K., & Kumolosasi, E. (2018). Moringa genus: A review of phytochemistry and pharmacology. *Frontiers in Pharmacology*, 9(FEB), 1– 26. <https://doi.org/10.3389/fphar.2018.00108>
- Rani, N. Z. A., Husain, K., & Kumolosasi, E. (2018). Moringa genus: A review of phytochemistry and pharmacology. *Frontiers in Pharmacology*, 9(FEB), 1– 26.
- Sarkar Phyllis, A. K., Tortora, G., & Johnson, I. (2022). Photodegradation. *The Fairchild Books Dictionary of Textiles*. 40 <https://doi.org/10.5040/9781501365072.12105>
- Sun, Chao., Yang, Sheng-Tao., Gao, Zhenjie., Yang, Shengnan., Yilihamu, Ailimire., Ma, Qiang., Zhao, Ru-Song., Xue, Fumin. (2018). Fe₃O₄/TiO₂/reduced graphene oxide composites as highly efficient

- Fenton-like catalyst for the decoloration of methylene blue. *Materials Chemistry and Physics*. 223. 10.1016/j.matchemphys.2018.11.056.
- Sun, M., Xiaoqi Fu, Kexun Chen, and Hui Wang (2020) ‘Dual-Plasmonic Gold@Copper Sulfide Core-Shell Nanoparticles: Phase-Selective Synthesis and Multimodal Photothermal and Photocatalytic Behaviors’, *ACS applied materials & interfaces*, 12(41), pp. 46146–46161. <https://doi.org/10.1021/acsami.0c13420>
- Taimoory, S. M., Trant, J. F., Rahdar, A., Aliahmad, M., Sadeghfar, F., & Hashemzaei, M. (2017). Importance of the inter-electrode distance for the electrochemical synthesis of magnetite nanoparticles: Synthesis, characterization, computational modelling, and cytotoxicity. *E-Journal of Surface Science and Nanotechnology*, 15(April), 31–39.
- Taimoory, S. M., Trant, J. F., Rahdar, A., Aliahmad, M., Sadeghfar, F., & Hashemzaei, M. (2017). Importance of the inter-electrode distance for the electrochemical synthesis of magnetite nanoparticles: Synthesis, characterization, computational modelling, and cytotoxicity. *E-Journal of Surface Science and Nanotechnology*, 15(April), 31–39. <https://doi.org/10.1380/ejsnt.2017.31>
- Teja, A. S. and Koh, P. Y. (2009) ‘Synthesis, properties, and applications of magnetic iron oxide nanoparticles’, *Progress in Crystal Growth and Characterization of Materials*, 55(1–2), pp. 22–45.
- Tumbelaka, Rivaldo Marsel & Istiqomah, Nurul & Kato, Takeshi & Oshima, Daiki & Suharyadi, Edi. (2022). High Reusability of Green-Synthesized Fe₃O₄/TiO₂ Photocatalyst Nanoparticles for Efficient Degradation of Methylene Blue Dye. *Materials Today Communications*. 33. 104450. <https://doi.org/10.1016/j.mtcomm.2022.104450>
- Yang, C. C., Bian, X. F., & Yang, J. F. (2014). Enhancing the efficiency of wastewater treatment by addition of Fe-based amorphous alloy powders with H₂O₂ in ferrofluid. *Functional Materials Letters*, 7(3), 7–10. <https://doi.org/10.1142/S1793604714500283>
- Yew, Y. P., Shameli, K., Miyake, M., Ahmad Khairudin, N. B. B., Mohamad, S. E. B., Naiki, T., & Lee, K. X. (2020). Green biosynthesis of superparamagnetic magnetite Fe₃O₄ nanoparticles and biomedical applications in targeted anticancer drug delivery system: A review. *Arabian Journal of Chemistry*, 13(1), 2287–2308. <https://doi.org/10.1016/j.arabjc.2018.04.013>
- Yew, Y. P., Shameli, K., Miyake, M., Ahmad Khairudin, N. B. B., Mohamad, S. E. B., Naiki, T., & Lee, K. X. (2020). Green biosynthesis of superparamagnetic magnetite Fe₃O₄ nanoparticles and biomedical applications in targeted anticancer drug delivery system: A review. *Arabian Journal of Chemistry*, 13(1), 2287–2308.
- Yilmaz, M., Mengelizadeh, N., Saloot, M. khodadadi, shahbaksh, S., & Balarak, D. (2022). Facile synthesis of Fe₃O₄/ZnO/GO photocatalysts for decolorization of acid blue 113 under solar, visible and UV lights.



UNIVERSITAS
GADJAH MADA

Green-Synthesis Ferrofluid Fe₃O₄ Menggunakan Ekstrak Moringa Oleifera sebagai Fotokatalis untuk Degradasi Zat Pewarna Sintetik Methylene Blue

Cyntya Wahyu Muliarti, Dr. Chotimah, M.Si.; Prof. Dr. Eng. Edi Suharyadi, S.Si., M.Eng.

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Materials Science in Semiconductor Processing, 144(February), 106593.

<https://doi.org/10.1016/j.mssp.2022.106593>

Yu, J. *et al.* (2019) 'Magnetic nitrogen-doped sludge-derived biochar catalysts for persulfate activation: Internal electron transfer mechanism', *Chemical Engineering Journal*, 364(January), pp. 146–159.