

## DAFTAR PUSTAKA

- [1] International Atomic Energy Agency, ‘Energy, Electricity and Nuclear Power Estimates for the Period up to 2050’, International Atomic Energy Agency, Text IAEA-RDS-1/43, 2023.
- [2] E. Mainardi, ‘The MAUS nuclear space reactor with ion propulsion system’, *Nucl. Instrum. Methods Phys. Res. Sect. Accel. Spectrometers Detect. Assoc. Equip.*, vol. 561, no. 2, pp. 331–335, Jun. 2006.
- [3] B. Bayar, Z. Altay, and S. N. Çalışkan, ‘Sustainable energy in space exploration: challenges and potentials’, in *12th Ankara International Aerospace Conference*, 2023, pp. 13–15.
- [4] International Atomic Energy Agency, ‘The Role of Nuclear Power and Nuclear Propulsion in the Peaceful Exploration of Space’, International Atomic Energy Agency, Text STI/PUB/1197, 2005.
- [5] R. Testoni, A. Bersano, and S. Segantin, ‘Review of nuclear microreactors: Status, potentialities and challenges’, *Prog. Nucl. Energy*, vol. 138, p. 103822, Aug. 2021.
- [6] United Nation General Assembly, ‘Principles relevant to the Use of Nuclear Power Sources in Outer Space’, United Nation, Res 47.68, Feb. 1993.
- [7] D. Helton, L. Mason, and M. Forsbacka, ‘Overview of Past Space Nuclear Reactor Functional Safety Principles in the Context of Recent Policy Changes’, in *Nuclear and Emerging Technologies for Space (NETS)*, 2023.



- [8] H. K. Louis, R. M. Refeat, and M. I. Hassan, ‘Control rod shadowing effect in PWR core utilizing Urania-Gadolinia fuel’, *Prog. Nucl. Energy*, vol. 142, p. 103993, Dec. 2021.
- [9] A. Peakman and B. Lindley, ‘A review of nuclear electric fission space reactor technologies for achieving high-power output and operating with HALEU fuel’, *Prog. Nucl. Energy*, vol. 163, p. 104815, Sep. 2023.
- [10] A. Cammi, E. Finzi, C. Lombardi, M. E. Ricotti, and L. Santini, ‘A “Generation III+” nuclear reactor for space needs’, *Prog. Nucl. Energy*, vol. 51, no. 2, pp. 347–354, Mar. 2009.
- [11] A. W. Harto, Kusnanto, A. Agung, M. Y. Adi Putra, and D. Abdul Aziz N., ‘Design of GAMA-SHP microreactor for outer space application: Neutronic study’, *Nucl. Eng. Des.*, vol. 441, p. 114167, Sep. 2025.
- [12] K. Ning, Y. He, D. Huang, X.Wang, W. Yang, F. Zhao, and S. Tan, ‘Modelling research on the control scheme and control characteristic of a small gas-cooled reactor’, *Prog. Nucl. Energy*, vol. 147, p. 104189, May 2022.
- [13] T. Guilbaud, E. Simonnot, A. Scolaro, and C. Fiorina, ‘Full core study of the KIWI-B-4E Nuclear Thermal Propulsion system using OpenMC and GeN-Foam’, *Nucl. Eng. Des.*, vol. 429, p. 113639, Dec. 2024.
- [14] C. Chen, H. Mei, Z. Wang, S. Zhang, S. Liu, H. Wang, S. Chen, M. He, T.Li, ‘Study of the thermal expansion effects of a space nuclear reactor with an integrated honeycomb core design using OpenMC and ANSYS’, *Ann. Nucl. Energy*, vol. 191, p. 109901, Oct. 2023.



- [15] Z. Zhao and G. Hu, ‘Validation of SNAP-10A reactor core criticality experiment benchmark based on OpenMC’, *Radiat. Phys. Chem.*, vol. 230, p. 112584, May 2025.
- [16] F. Prasetya, A. M. Mabruhi, I. Karomah, R. D. Syarifah, I. K. Aji, and N. Trianti, ‘Validation of OpenMC Code Criticality Value Calculation for GFR Reactor with UN-PuN Fuel’, *J. Phys. Conf. Ser.*, vol. 2734, no. 1, p. 012065, Mar. 2024.
- [17] J. Al-Zain *et al.*, ‘Benchmark Comparisons of OpenMC and DRAGON5 Codes for Calculating the Doppler Coefficient of Reactivity’, *Mosc. Univ. Phys. Bull.*, vol. 77, no. 6, pp. 922–929, Dec. 2022.
- [18] D. Lababsa, H. Mazrou, and M. Belgaid, ‘Performance evaluation and validation of OpenMC code for criticality analysis of an MTR-type research reactor’, *Ann. Nucl. Energy*, vol. 206, p. 110617, Oct. 2024, doi: 10.1016/j.anucene.2024.110617.
- [19] E. E. Lewis, *Fundamentals of Nuclear Reactor Physics*, 1st ed. Burlington: Academic Press, 2008. doi: 10.1016/B978-0-12-370631-7.00002-4.
- [20] A. W. Harto, *Fisika Reaktor Nuklir, Diktat*. Yogyakarta: Departemen Teknik Nuklir dan Teknik Fisika, Universitas Gadjah Mada, 2009.
- [21] M. Gill, F. Livens, and A. Peakman, *Nuclear Fission*. Boston: Elsevier, 2014. doi: 10.1016/B978-0-08-099424-6.00009-0.
- [22] T. Ogata, *Comprehensive Nuclear Materials*, 2nd ed. Oxford: Elsevier, 2020. doi: 10.1016/B978-0-12-803581-8.11678-9.



- [23] S. Das, S. Kaity, R. Kumar, J. Banerjee, S. B. Roy, G. P. Chaudhari, B. S. S. Daniel, ‘Characterization of microstructural, mechanical and thermophysical properties of Th-52U alloy’, *J. Nucl. Mater.*, vol. 480, pp. 223–234, Nov. 2016.
- [24] G. L. Hofman, L. C. Walters, and T. H. Bauer, ‘Metallic fast reactor fuels’, *Prog. Nucl. Energy*, vol. 31, no. 1, pp. 83–110, Jan. 1997.
- [25] International Atomic Energy Agency, ‘Thorium Fuel Cycle - Potential Benefits and Challenges’, International Atomic Energy Agency, Text IAEA-TECDOC-1450, 2005.
- [26] H. Okamoto, ‘Th-U (Thorium-Uranium)’, *J. Phase Equilibria Diffus.*, vol. 33, no. 2, pp. 157–157, Apr. 2012, doi: 10.1007/s11669-012-9991-5.
- [27] K. K. Rajan, ‘A study on sodium - the fast breeder reactor coolant’, *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 1045, no. 1, p. 012013, Feb. 2021.
- [28] Z. Tian, J. Zhang, C. Wang, K. Guo, Y. Liu, D. Zhang, W. Tian, S. Qiu, G. H. Su, ‘Experimental evaluation on heat transfer limits of sodium heat pipe with screen mesh for nuclear reactor system’, *Appl. Therm. Eng.*, vol. 209, p. 118296, Jun. 2022.
- [29] M. A. Gibson, D. I. Poston, P. McClure, J. L. Sanzi, T. Godfroy, M. Briggs, S. D. Wilson, N. Schifer, M. F. Chaiken, N. Lugasy, ‘Heat Transport and Power Conversion of the Kilopower Reactor Test’, *Nucl. Technol.*, vol. 206, no. sup1, pp. 31–42, Jun. 2020, doi: 10.1080/00295450.2019.1709364.
- [30] M. A. K. Lodhi and A. Daloglu, ‘Performance parameters of material studies for AMTEC cell’, *J. Power Sources*, vol. 85, no. 2, pp. 203–211, Feb. 2000.



- [31] International Atomic Energy Agency, ‘Advances in Control Assembly Materials for Water Reactors’, International Atomic Energy Agency, IAEA-TECDOC-813, 1995.
- [32] M. Albarhoum, ‘Graphite reflecting characteristics and shielding factors for Miniature Neutron Source Reactors’, *Ann. Nucl. Energy*, vol. 38, no. 1, pp. 14–20, Jan. 2011.
- [33] D. E. Baker, ‘Graphite as a neutron moderator and reflector material’, *Nucl. Eng. Des.*, vol. 14, no. 3, pp. 413–444, Feb. 1971.
- [34] J. Abrahamson, ‘Graphite sublimation temperatures, carbon arcs and crystallite erosion’, *Carbon*, vol. 12, no. 2, pp. 111–141, Apr. 1974, doi: 10.1016/0008-6223(74)90019-0.
- [35] B. Zohuri, *Neutronic Analysis For Nuclear Reactor Systems*. Cham: Springer International Publishing, 2019.
- [36] A. Agung, *Analisis Reaktor Nuklir, Diklat*. Yogyakarta: Departemen Teknik Nuklir dan Teknik Fisika, Universitas Gadjah Mada, 2020.
- [37] J. R. Lamarsh, *Introduction to nuclear reactor theory*. Addison-Wesley Pub. Co, 1966.
- [38] S. Marguet, *The Physics of Nuclear Reactors*. Cham: Springer International Publishing, 2017.



- [39] J. Mokhtari, F. Faghihi, M. H. C. Dastjerdi, and J. Khorsandi, ‘Neutronic feasibility study of using a multipurpose MNSR for BNCT, NR, and NAA’, *Appl. Radiat. Isot.*, vol. 161, p. 109147, Jul. 2020.
- [40] United State of America Departement of Energy, ‘Fundamentals Handbook, Nuclear Physics and Reactor Theory’, US Department of Energy (USDOE), Washington DC (United States), DOE-HDBK-1019/2-93, Jan. 1993. doi: 10.2172/10144945.
- [41] T. M. Kiefer, W. C. Dawn, K. Al-Dawood, and S. Palmtag, ‘Control rod modeling in liquid metal-cooled fast reactors’, in *Proceedings of the international conference on physics of reactors*, American Nuclear Society; La Grange Park (United States), Jul. 2022.
- [42] S. Sullivan, ‘Operator Generic Fundamentals Reactor Theory - Control Rods’, presented at the Operator Generic Fundamentals, University of North Carolina, USA.
- [43] I. H. Bae, M. G. Na, Y. J. Lee, and G. C. Park, ‘Calculation of the power peaking factor in a nuclear reactor using support vector regression models’, *Ann. Nucl. Energy*, vol. 35, no. 12, pp. 2200–2205, Dec. 2008.
- [44] A. Haghghat, *Monte Carlo Methods for Particle Transport*. CRC Press, 2020.
- [45] A. W. Harto, *Metode Monte Carlo dan Aplikasinya dalam Perhitungan Radiasi Nuklir pada BNCT (Boron Neutron Capture Cancer Therapy)*. Universitas Gadjah Mada, 2019.



- [46] A. Majumdar and W. R. Martin, ‘Development of a multiple perturbation Monte Carlo methods for criticality problems and implementation on parallel processors’, presented at the Joint Nuclear Conferences X ENFIR/IIIENAN, Auguas de Lindola, Brazil, 1995.
- [47] A. Widiharto, ‘Komunikasi Pribadi’, Mar. 07, 2025.
- [48] ‘Purification of Indonesian Natural Graphite by Acid Leaching Method as Nuclear Fuel Matrix: Physical Characterization’, *ResearchGate*, Dec. 2024, doi: 10.5539/ijc.v11n1p9.
- [49] K. Mohammed Haneefa, M. Santhanam, and F. C. Parida, ‘Review of concrete performance at elevated temperature and hot sodium exposure applications in nuclear industry’, *Nucl. Eng. Des.*, vol. 258, pp. 76–88, May 2013.
- [50] P. Linstorm, *NIST chemistry webbook, NIST standard reference database number 69*, vol. 9. J Phys Chem Ref Data Monogr, 1998.
- [51] S. Hayun *et al.*, ‘Microstructure and mechanical properties of silicon carbide processed by Spark Plasma Sintering (SPS)’, *Ceram. Int.*, vol. 38, no. 8, pp. 6335–6340, Dec. 2012.
- [52] Yasar, Z. Ayguzer, R. A. Haber, and W. Rafeniello, ‘SPS Sintered Silicon Carbide-Boron Carbide Composites.’, in *Advances in Ceramic Armor, Bioceramics, and Porous Materials*, Nov. 2024.
- [53] C. Wang, J. Chen, S. Qiu, W. Tian, D. Zhang, and G. H. Su, ‘Performance analysis of heat pipe radiator unit for space nuclear power reactor’, *Ann. Nucl. Energy*, vol. 103, pp. 74–84, May 2017, doi: 10.1016/j.anucene.2017.01.015.

